# g2stobeq.ca AUTOMOTIVE HEAVY-DUTY INDUSTRIAL





This promotional catalogue was prepared in advance, therefore product availability is subject to delivery by manufacturers as scheduled. All prices and product availabilities are subject to change and will be confirmed at time of order. We are not responsible for typographical or pictorial errors. Always refer to our website for the most updated version of our catalogue and published errata.

# 

Designed specially for ADAS calibration, while providing safer and more efficient mechanical repair and wheel alignment in a single standard bay space.

ALL SYSTEMS ADAS CALIBRATION MECHANICAL REPAIR WHEEL ALIGNMENT

AULAULS14ALOR1T

# TURN A SINGLE BAY INTO A MAXIMIZED PROFIT CENTER



## **PREMIUM LIFT FEATURES**

The innovative table riser, rolling jacking beams, stainless steel radius plates, runway air inflation, and LED undercarriage lighting are all standard.



# DRIVE ON/OFF AND IN ANY DIRECTION

Front and rear open runways paired with the unique flush-mount H shape configuration increases floor space, allowing for all systems ADAS calibration.



A single system complete diagnostics, alignment, and ADAS workflow. One Maximized Bay.



# **AUTEL ACADEMY** TECHNICAL TRAINING

Visit **autel.com/us/academy** and register today for hands on automotive diagnostic, repair, service, and ADAS instruction.





## Working SMARTER, Not HARDER



- Immediate return on your tool investment by successfully repairing in a fraction of the time • On-the-truck repair: no need to remove the
- intake, turbo, and exhaust manifold



\$52085 PMX-PWP200PRO

**Fuel Injector Removal Kit** 



PMX-N200PRO **Broken EGR** (Exhaust Gas Recirculation)

**Bolt Repair Kit** 



PMX-O200PRO **Broken Fuel Injector** 

**Hold-Down Bolt Repair Kit** 



PMX-P200PRO **Broken Exhaust Manifold Bolt Repair Kit** 

### PMX-TOM450PROP \$1494<sup>25</sup>

### Combo Ford + Subaru Wheel Bearing Puller Kit • Pull the most stubborn wheel

- bearings on Ford and Subaru models Directly mounts to the bearing
- Individual kits also available separately





JEW

#### <mark>/ 55</mark> PMX-UISX310PP

### Universal In-Line Pattern Broken Bolt Repair Kit

- Unmatched versatility and applications: kit conforms to any in-line bolt pattern for 8mm, 10mm, 3/8", 12mm, and Cummins ISX
- Unmatched precision: Movable bushing carriages
- Ining up dead center every time
  Work on exhaust manifolds, oil pans, water pumps, intake manifolds, and more



 100% carbide, machine-grade drills and mills to chew through the hardest of materials: extractors, drill bits, and welds

### \$13655

PMX-PDT250A 1/4" Drive Adapter Delivers highest stability versus a chuck



#### **Threaded Drill Bit Accessory Kit**

• Premium machine shop-grade threaded drill bits achieving peak precision in the tightest spaces



### Break the Plague of Broken Bolts with PowerTech Sets for Exhaust Manifold Bolt Repair for Ford, GM & CDJR

A guaranteed solution in removing broken exhaust manifold bolts anywhere on the cylinder head.

Item #	Broken Bolt Repair Kits	
PMX-PWT220PRO	Master Kit – Covers 20 Engines: • Ford 4.6/5.4/6.8L Gas & 6.0/6.4L Diesel • GM LS 1999 - Current 4.8/5.3/6.0/6.2L • Dodge 5.7/6.1L	\$1117.15
PMX-RII200PRO	FORD 4.6/5.4/6.8L Gas and 6.0/6.4L Diesel	\$549.85
PMX-MII200PRO	GM LS 1999 to Current – 4.8/5.3/6.0/6.2L	\$723.55
PMX-A200PRO	D0DGE 5.7/6.1L	\$506.45

Additional exhaust manifold repair plates available for many more engine applications.

Milwankee	While Quantities Last	HEATE	D GEAR
<ul> <li>Washer &amp; dryer safe</li> <li>Heated chest and back</li> <li>Adjustable waist to improve fit and comfort</li> <li>AVIS™ Ripstop polyester</li> <li>Abrasion, water &amp; wind resistant</li> <li>M12™ REDLITHIUM™ CP2.0 battery: 8 hrs Low, 4 hrs Medium, 2 hrs High</li> <li>M12™ Heated TOUGHSHELI</li> </ul>	MLW-305B-21S         MLW-334B-21S           MLW-305B-21M         MLW-334B-21M           MLW-305B-21L         MLW-334B-21L           MLW-305B-21XL         MLW-334B-21LL           MLW-305B-21XL         MLW-334B-21XL           MLW-305B-212X         MLW-334B-21ZL	Harm Heated Axis™         • M12™ REDLITHIUM™ CP3.0 battery:         12 hrs Low, 6 hrs Medium, 3 hrs High	<ul> <li>Washer &amp; dryer safe</li> <li>Fitted hood designed to be worn comfortably under a hard hat without restricting vision</li> <li>Abrasion, water &amp; wind resistant</li> <li>Adjustable waist</li> </ul> Includes M12 <sup>™</sup> Compact Charger & Power Source, Battery, Charging Cable \$280.95 Size <ul> <li>-21 Series</li> <li>M MLW-205B-21S</li> <li>M MLW-205B-21L</li> <li>XL MLW-205B-21XL</li> </ul>
NALL Heated roodarjute Navy 204B 204B 204B 204B 204B 204B 204B 204B	Jackets         Jackets         Includes M12 <sup>TM</sup> Compact Charger & Power Source, Battery, Charging Cable & Plug         \$261.65         -21 Series         Size       B L A C K         S       MLW-204B-21S         M       MLW-204B-21L         L       MLW-204B-21L         Size       N A VY         S       MLW-204BL-21S	Harten Heated         OUTETSHELL™ Jacker         Image: Construction of the state         Image: Construction of the state	• M12 <sup>™</sup> REDLITHIUM <sup>™</sup> CP3.0 battery: 12 hrs Low, 6 hrs Medium, 3 hrs High

MLW-204BL-21M

MLW-234B-21L

М

L

MLW-204BL-21L L M12<sup>™</sup> HEATED Black Gray MLW-204BL-21XL XL HOODIES M12<sup>™</sup> WOMEN'S **HEATED AXIS™** Includes M12™ JACKET **Battery Holder** Only \$168.45 -20 Series Size • Washer & dryer safe Includes M12™ S Compact Charger & • Fleece and warm jersey lining Power Source, Battery, • Fitted hood designed to be Μ worn comfortably under **Charging Cable** L MLW-306B-20L a hard hat without XL MLW-306B-20XL Durable utility pockets with \$262.05 Size -21 Series reinforced edges S 53% Cotton / 47% Polyester MLW-234B-21S S Μ M12<sup>™</sup> REDLITHIUM<sup>™</sup> MLW-306G-20L М MLW-234B-21M L CP2.0 battery: 8 hrs Low, 4 hrs Medium, 2 hrs High

Includes M12™

Battery Holder,

Battery, Charger

\$206.35

-21 Series

MLW-306B-21S

MLW-306B-21M

MLW-306B-21L

MLW-306B-21XL

MLW-306G-21S

MLW-306G-21M

MLW-306G-21L

MLW-306G-21XL

BLACK

GRAY

XL

MLW-306G-20XL

Women's Black • Washer & dryer safe AXIS<sup>™</sup> Ripstop polyester • Reinforced high-wear zones • Abrasion, water & wind resistant Adjustable waist to improve Size fit and comfort • M12<sup>™</sup> REDLITHIUM<sup>™</sup> CP3.0 battery:

January – March 2024 4

12 hrs Low, 6 hrs Medium, 3 hrs High

• Abrasion, water & wind resistant

CP3.0 battery: 12 hrs Low, 6 hrs Medium, 3 hrs High

M12<sup>™</sup> REDLITHIUM<sup>™</sup>





**Air/Hydraulic Jacks** 

Thomas #	Consoitu	Lift H	leight	Mainht	
Item #	Capacity	Low	High	Weight	
TBQ-TAJ40200	40/20-Ton	5.9"	16.1"	79.4 lbs	\$1651.85
TBQ-TAJ53150	50/30/15-Ton	5.9"	17"	123.5 lbs	\$2268.75
TBQ-TAJ60000	60-Ton	16.5"	40.6"	278 lbs	\$3411.35



**Raised Panel** Combination **Wrench Sets** 

Item #	Piece Count	Size Range		
<b>STANDARD S</b>	ize			
TBQ-5116M	16-Piece	10mm – 32mm	In a Roll Pouch	\$72.05
TBQ-6014	14-Piece	3/8" - 1-1/4"	In a Roll Pouch	\$70.95
JUMBO Size				
TBQ-5110MJ	10-Piece	30mm – 42mm		\$141.65
TBQ-6010J	10-Piece	1-5/16" – 2"		\$200.65
TBQ-6004J	4-Piece	2-1/8" – 2-1/2"		\$206.65

### TBQ-17392 \$9725

#### 9-Pc Ball Joint Service Kit

 Kit includes installation and removing adapters for 1967 to current 1/2-Ton and 3/4-Ton 4WD vehicles having the Dana 44 front axle (found on Ford, GM, Dodge, IHC and Jeep vehicles)



### TBQ-17398 \$17045

### 21-Pc Master **Ball Joint Service Kit**

- · Heavy duty tool set removes and installs ball joints, U-joints and brake anchor pins
- Includes a C-frame press and forcing screw, as well as all of the receiver joints on most Dodge, GM, Ford and other 2WD and 4WD cars, pickups, vans and SUVs through 2006

# **PROFESSIONAL TOOLS & EQUIPMENT**

### TBQ-17244 \$44<sup>35</sup> 10-Pc Bearing Race &

**Seal Driver Set** • Sizes: 1.555" (39.5mm) to 3.189" (81mm)



### TBQ-12370 \$20405

### 7-Pc Truck Hub **Seal Installer Kit**

- Fits the most popular sizes for Class 7 & 8 over the road trucks and trailers as well as some medium duty trucks
- Includes (5) drivers 4-13/16" to 6"-5/16



### **18-Pc Disc Brake**

- **Caliper Tool Kit** Applicable to a wide variety of 2WD & 4WD vehicles
- Includes 15 adapter discs as well
- as left-hand & right hand thrust bolt assemblies to work on front or rear brakes

### TBQ-11332 \$5555

#### 7-Pc Sensor and **Sending Unit Socket Set**

• A variety of sockets to replace 02 sensors, oil pressure switches, oil sender units, vacuum switches and thermal sensor switches

### TBQ-34700 \$12555

#### 7-Pc Exhaust Pipe **Stretcher Kit**

- Use with an impact wrench to quickly stretch all pipes, including stainless steel
- Stretch pipes from 1-5/8" to 4-1/4"











6 | January – March 2024

IPER PROMOS







#### **PRODUCTS NOW AVAILABLE** NEW



M18 FUEL<sup>™</sup> 1/2" High Torque Impact Wrench w/ Friction Ring Kit (2967-21F)

\$708.95





**Resistant Battery Starter Kit** (48-59-1852R)



M18<sup>™</sup> REDLITHIUM<sup>™</sup> FORGE<sup>™</sup> XC6.0 Battery (48-11-1861)



M18<sup>™</sup> Dual Bay Simultaneous Super Charger (48-59-1815)

### **A BETTER SOUND IN YOUR GARAGE**



**REDLITHIUM<sup>™</sup> USB Bluetooth<sup>®</sup>** Jobsite Ear Buds (2191-21)



\$248.95 M18<sup>™</sup>/M12<sup>™</sup> Wireless Jobsite Speaker (2891-20)



M18<sup>™</sup> PACKOUT<sup>™</sup> Radio + Charger (2950-20)



M12<sup>™</sup> Radio + Charger (2951-20)

### HAND TOOLS AND ACCESSORIES CATEGORIES



\$80.85

**9PC SHOCKWAVE** IMPACT DUTY 1/2" Drive Metric Deep **6 Point Socket Set** (49-66-7032)



6PC SHOCKWAVE IMPACT DUTY 3/8" Drive SAE Standard Socket Set (49-66-7035)



\$30.55 **6PC SHOCKWAVE** IMPACT DUTY<sup>™</sup> 3/8"

(49-66-7036)

**Drive Metric Standard** Socket Set



\$276.15

\$351.65

(49-66-7840)

7PC SHOCKWAVE

**PACKOUT**<sup>™</sup> 4 Drawer Tool Box (48-22-8444)



\$254.95

PACKOUT<sup>™</sup> Multi-Depth **3-Drawer Tool Box** (48-22-8447)

Handle

\$256.05 38PC SAE Tap & Die PACKOUT™ Set w/ Hex-LOK<sup>™</sup> 2-in-1 (49-22-5604)



\$37.15

Low-Profile Customizable Foam Insert for PACKOUT<sup>™</sup> Drawer Tool Boxes (48-22-8453)



38PC Metric Tap & Die PACKOUT<sup>™</sup> Set w/ Hex-LOK<sup>™</sup> 2-in-1 Handle (49-22-5603)



ML23-9497

### **CHARGERS**

#### Wet Gel MF EFB AGM Li-lon Auto | Marine | RV | Po sport I Lawn & G

### Genius®

Battery Chargers™

- Charges fully drained batteries
- Maintains all battery sizes
   Charges CANBUS systems • Spark proof technology • Reverse polarity protection
- 24/7 connection with zero overcharge

Item #	Volts	Amps	Ah Rating (up to)	
NOC-GENIUS2	6V & 12V	2A	40Ah	\$80.85
NOC-GENIUS5	6V & 12V	5A	120Ah	\$110.75
NOC-GENIUS10	6V & 12V	10A	230Ah	\$158.25
NOC-GENIUSPRO25	6V/12V/24V	25A (6/12V) 12.5A (24V)	1000Ah (6/12V) 500Ah (24V)	\$861.05
NOC-GENIUSPRO50	6V/12V/24V	250A (6/12V) 25A (24V)	2000Ah (6/12V) 100Ah (24V)	\$1291.65

#### Multi-Bank Chargers/Maintainers<sup>™</sup>

- 6V/12V, 2A per Bank • Force Mode charges
- batteries down to 0.0V
- Thermal compensation
- · Advanced diagnostics

GBX75

- Reverse polarity protection
- 24/7 connection with zero overcharge

#### Wet Gel MF EFB AGM Li-lon STARTER | DEEP CYCLE | DUAL-PURPOSE

### Waterproof On-Board Battery Chargers™

- 12V, 10A per Bank
- Force Mode charges batteries down to 0.0V
- Repair Mode
- Can be mounted directly onto a variety of applications
- · Reverse polarity protection
- 24/7 connection with zero overcharge

Item #	Charging Banks	Charging Current	Output Power	C. Re. A
NOC-GENPRO10X1	1	10A	150W	\$186.35
NOC-GENPRO10X2	2	20A	300W	\$327.85
NOC-GENPRO10X3	3	30A	450W	\$473.65
NOC-GENPRO10X4	4	40A	600W	\$619.45

#### Lead Acid-Wet Gel MF EFB AGM Li-lon

Item #	Charging Banks				Output Power	
NOC-GENIUS2X2	2	4A	60W	\$158.25		
NOC-GENIUS2X4	4	8A	120W	\$311.95		

#### BOOST<sup>®</sup> MAX<sup>™</sup> **DCO** UltraSafe<sup>®</sup> Jump Starters B(

### Wet Gel MF EFB AGM

#### Features:

- Ultra-safe, ultra-compact, rugged and portable
- · Recharge virtually any USB device
- Recharge the unit from any USB port or 12V charger (included)
- Ultra-bright LED flashlight for visibility and 7 modes, including SOS and emergency strobe
- Spark proof technology
   Reverse polarity protection
   GP250, GP251 and GP500 come with a protective

GB250, GB251 and GB500 come with a protective case								
Item #	Model	Volts	Amps	Engine Type	12V Output	USB In/Out	USB-C In/Out	
NOC-GB40	Boost <sup>®</sup>	12V	1,000A	6.0L Gas / 3.0L Diesel		2.1A		\$158.25
NOC-GB50	Boost <sup>®</sup>	12V	1,500A	7.0L Gas / 4.5L Diesel		2.1A		\$233.95
NOC-GB70	Boost <sup>®</sup>	12V	2,000A	8.0L Gas / 6.0L Diesel	15A	2.1A		\$311.95
NOC-GB150	Boost <sup>®</sup>	12V	3,000A	9.0L Gas / 7.0L Diesel	15A	2.1A		\$457.45
NOC-GBX45	Boost® X™	12V	1,250A	6.5L Gas / 4.0L Diesel		2.1A	ЗA	\$194.95
NOC-GBX55	Boost® X™	12V	1,750A	7.5L Gas / 5.0L Diesel		2.1A	ЗA	\$272.95
NOC-GBX75	Boost® X™	12V	2,500A	8.5L Gas / 6.5L Diesel		2.1A	ЗA	\$381.15
NOC-GBX155	Boost® X™	12V	4,250A	10.0L Gas / 8.0L Diesel		2.1A	ЗA	\$564.15
NOC-GB250	Boost® MAX™	12V	5,250A	16.0L+ Gas & Diesel	15A	Dual 2.1A		6
NOC-GB251	Boost® MAX™	24V	3,000A	32.0L+ Gas & Diesel	15A	Dual 2.1A		6
NOC-GB500	Boost <sup>®</sup> MAX <sup>™</sup>	12/24V	6.250A	45.0L Gas & Diesel	15A	Dual 2.1A		6



### NOC-GBC005 \$655<sup>85</sup>

Commercial-Grade Boost<sup>®</sup> Max<sup>™</sup> Battery Clamps

Compatible with camlock connectors on Boost<sup>®</sup> Max<sup>™</sup> GB500
 72" long cable, 2/0 AWG





#### 10W USB Speed Charger Wall Adapter

NOC-NUSB211NA

\$15<sup>45</sup>

- Fully-compatible with Noco Boost® GB20, GB40, GB50, GB70, GB150, GBX45, GBX55, GBX75, GBX155 Jump Starters and battery packs, phones, tablets, and other USB devices
- 2.1-Amp USB port for rapid charging
- Automatic shutoff protection
- USB charging cable not included

#### **EVA Protective** Cases for Noco® Boost®. Boost<sup>®</sup> X<sup>™</sup> & Boost<sup>®</sup> MAX<sup>™</sup>



Item #	Compatible with:	
NOC-GBC013	GB20, GB30, GB40	\$30.85
NOC-GBC014	GB70	\$46.35
NOC-GBC015	GB150	\$54.05
NOC-GBC017	GB50	\$38.65
NOC-GBC101	GBX45	\$38.65
NOC-GBC102	GBX55	\$46.35
NOC-GBC103	GBX75	\$54.05
NOC-GBC104	GBX155	\$61.85





DOST® – BOOST® X™ –
$5031^{\circ} = 50031^{\circ} \times =$
GB500





### CAP START

Cap•Start® 3,000A, 12V/24V Capacitor-Powered Heavy Duty Engine Starting System

	GDL-051539
12V & 12V/24V Starting	3,000 Amps
DC Alternator	240A 12V/24V DC
Power Source	Vanair <sup>®</sup> Super Capacitor and 14.5 HP Briggs & Stratton <sup>®</sup> Engine
Cables	30 ft. 3/0 gauge
Fuel Type	Gasoline
Fuel Capacity	Integrated 1.725 Gallon Tank
Battery	Integrated
Dimensions / Weight	21" W x 36" D x 20" H 295 Lbs
	(a)





### GDL-13-492-001 **Super Boost • All® 12V/24V** Vehicle-Mounted Engine Starter

- Power source: 2 or 4 Group 31 auxiliary batteries charged from the service vehicle's electrical system
- Cables: 25 ft. 2/0 gauge
- Clamps: 1,000 Amp



Safety technology includes protection against: reverse polarity, low voltage, short circuit, overheat, over discharge, over voltage, and open-clamp



# From Buses to Bulldozers, One Jump•Pack Starts it all.

**The Start-All Jump-Pack**<sup>®</sup> **12/24V** is built to conquer any battery challenge. With 12V and 24V capabilities, it offers unrivaled power and versatility. Delivering a jaw-dropping 10,000A of starting power and an astonishing 166500 joules<sup>55</sup> of power.

### LIGHTWEIGHT PORTABILITY

At only 18.5 pounds, this Jump-Pack is the perfect on-the-go power partner.

### **ADVANCED PROTECT-ALL® TECHNOLOGY**

Built-in technology protects against reverse polarity, low voltage, short circuits, overheat, over discharge, over voltage, and open-clamp situations.

### **DEVICE CHARGING CAPABILITY**

Easily charge phones, tablets, laptops, and portable gaming devices with multiple power ports.

### **ULTRA-BRIGHT LED LIGHT**

With 500 lumens to illuminate your surroundings and SOS signal, you are ready for emergencies.



Step up to the 12/24V Lithium-ion Start-All Jump-Pack<sup>®</sup> and unleash the convenience, and reliability you deserve.



Dual Voltage Only 18.5 lbs.



### **Jump Starters**



### S**#LAR**.



Solar<sup>®</sup> Booster PAC<sup>®</sup> Jump Starters

• DC outlet to power 12 Volt accessories

• 1 year limited warranty


Itom #	Peak Amps		Cranking Amps		Cable	Cable	
Item #	12 Volt	24 Volt	12 Volt	24 Volt	Length	Gauge	
SOL-ES2500	900A	—	300A	_	21"	#4	\$221.95
SOL-ES5000	1500A	—	400A	_	43"	#4	\$217.45



S#LAR. JUMP h Carry.

#### Solar® Jump-N-Carry® Jump Starters

- DC outlet to power 12 Volt accessories
- Voltmeter feature: models #JNC660 & #JNC1224
- Dual USB outlets feature: model #JNC770R (2.1 A and 1.1 A)
- 1 year limited warranty









Solar<sup>®</sup> Truck PAC<sup>™</sup> Jump Starters

- DC outlet to power 12 Volt accessories
- 1 year limited warranty

Item #	Peak	Amps	Cranking Amps		Cable	Cable	
	12 Volt	24 Volt	12 Volt	24 Volt	Length	Gauge	
S0L-ES6000	3000A	—	800A	—	54"	#4	\$493.35
SOL-ES1224	3000A	1500A	750A	375A	60"	#2	\$589.95

### **Jump Starters**

S#LAR.



#### 12/24V Commercial Jump Starters/Chargers

• Reverse polarity protection: model #4001 • 1 year limited warranty

Item #	Cold Cranking Amps		Internal Battery	Group	Cable	Cable	
	12 Volt	24 Volt	Charger	Battery Type	Length	Gauge	
SOL-4001	User Defined	User Defined	7 Amp Automatic	Group 31 (not included)	10 ft.	1/0	\$1031.25
SOL-HT1224AGM	1,400A	800A	7A x 2 Automatic	2 x Group 31 AGM ( <b>included</b> )	10 ft.	1/0	6



#### い SOL-FMB1224

#### 12/24V Fix Mount Heavy Duty Jump Starter

- 12 Volt mode: 1,800 CCA
- 24 Volt mode: 900 CCA
- The unit can be recharged with A/C current or connect permanently to the vehicle's 12 Volt alternator

DSR128

- Automatic 7 Amp/3 channel battery charging system
- 16 ft. jumper cable leads 25 ft. alternator cable
- Includes (3) Group 31 batteries

Made in USA

Weight: 320 lbs • 1 year limited warranty

S#LAR. JUMP

#### **12V Capacitor Jump Starters**

- Ultracapacitor power supply
- Heavy-duty PowerJAW<sup>™</sup> clamps
- Internal lithium battery to charge unit
- Operating temperature range to -40F

Start Assist

550A

800A

Cables

46" #4 AWG

68" #2 AWG

\$336.35

\$392.45

DSR119

- Includes wall charger and
- 12V charging cord

Item #

SOL-JNC8550

SOL-JNC8800

1 Year limited warranty



## ASS-6127XL **\$1278**<sup>45</sup>

ASSOCIATED

### **KwikStart Fully Automatic** 12V All-Weather

- maintains maximum state of charge
- starter battery or any on-board 12 Volt battery

DSR114 DSR115

DSR116


DSR141






#### **ProSeries Jump Starters**

- All models include a 2A external automatic charger (except #DSR119 that has a built-in charger)
- Reverse connection warning







- On-board starter battery
- · Monitors battery condition and
- Automatic 10A battery charger recharges
- Accommodates a user-supplied Group 31 battery
- Clamps: 500A
- DC leads: 8 ft., 4 AWG

### **Jump Starters / Power Banks**

W/

Quanti

### Schumacher

### SHM-DSR108 \$434<sup>65</sup> 12V 450 Peak Amp Ultra-Capacitor **Batteryless Jump Starter**

- Quick charge
- Designed for gasoline & diesel engines
- No battery inside
- Input: 12V DC 10A, 5V DC 2A
- 100% maintenance-free
- Microprocessor controlled
- Built-in voltmeter
- Override mode to start engine without any battery mounted
- · Glow mode for cold start of diesel engine
- Short circuit and reverse polarity protection
- 3 ways to use:
- Connect clamps to vehicle battery
- Connect to vehicle's 12V DC port - Connect to a power bank via Micro-USB port (cable not included)
- Includes: (1) 12V DC charging cable



#### 12V Rugged<sup>™</sup> 4-Cell Lithium Jump Starters/Power Banks

- Safely adds a pre-charge to deeply discharged batteries for ultimate cold temperature starting
- Pre-heating technology warms battery in extreme cold
- Manual override mode
- Smart clamps with reverse polarity protection
- 100 lumens LED area light
- 36" cable, 8 gauge
- Input ports: 12V and 2.0A USB
- Output port: 2.4A USB

Item #	Amps	Jump Starts per Charge	Engine Type	Internal Battery	
SHM-SL1647	1,000A	25X	6L Gas / 3L Diesel	29.6 Wh	\$261.95
SHM-SL1649	1,500A	35X	8L Gas / 6L Diesel	37.0 Wh	\$270.75
SHM-SL1651	2,000A	45X	10L Gas / 8L Diesel	44.4 Wh	\$290.85



### SHM-SL1452 \$236<sup>25</sup>

#### 2,000 Amp Advanced 16V 4-Cell New Generation Lithium Technology 12V Jump Starter/Power Pack

- 50X jump starts per charge
- Engine size max: 10.0L gas or diesel engine
- 59.2 Wh internal battery
- Pre-Boost Technology for cold temperature starting
- 2.4A and 3.0A USB ports
- 10W wireless charging capability for your mobile device
- 14" Spark resistant smart clamps
- Reverse polarity protection
- 100 lumens 3-mode built-in LED light





### SOL-JNC325 \$27965

#### 12V Lithium Jump Starter/ **Power Bank**

- Starting Amps: 450A
- Capacity: 74Wh (2) USB outlets
- 24" 6 AWG cables LED flashlight
- Able to start totally dead batteries (0.0V)
- Start most V8 vehicles 8.0L Gas/6.0L Diesel
- Includes AC charger, USB charging cable and 12V female adapter
- Reverse polarity, over-voltage, over-current and short circuit protection





🗐 ALLSTART

🗒 ALLSTART

#### 12V BOOST Li-Ion Jump Starter & **Portable Power Unit**

- 1.000 peak Amps
- Starts up to a 6.0L gas & 3.0L diesel engine
- Includes a 10W wireless charging dock
- Inputs: 5V/2A, 9V/2A
- Outputs: USB 5V/2.1A, USB 5V/3A, 9V/2A, 12V jump starter Bright, multi-function LED flashlight



### CAL-560 \$328<sup>55</sup>

#### 12V BOOST MAX Li-Ion **Jump Starter & Portable Power Unit**

- 2,500 peak Amps
- Can jump start up to a
- 9.6L gas and 7.0L diesel
- Outputs: 5V/1A-2.1A + 12V jump starter
- Dual USB port

### CAL-590 \$494<sup>15</sup>

### **12V Boost Ultra Li-Ion**

#### **Jump Starter & Portable Power Unit** • 4,000 peak Amps

- · Can jump start large diesels and high-
- compression gasoline engines Charges phones and electronic devices
- Inputs: Type-C 5V/2A, 9V/2A
- Outputs: USB 5V/2.1A, 5V/2A, 9V/2A, 12V/1.5A, DC 15V/10A
- Integrated LED work light/flashlight



### MLW-2846-20 \$103<sup>35</sup> M18<sup>™</sup> Top-Off<sup>™</sup>

### **175W Power Supply**

- Works with any M18<sup>™</sup> battery and delivers faster simultaneous power to personal devices and small electronics
- Quickly charge up to three devices at the same time
- (1) 175W AC 120V outlet, (1) 45W USB-C PD port, and (1) 2.4A USB-A port
- Battery not included








SŧLAR







ATD

7976

#### **Booster Cables**

- 100% pure copper and PVC cables
- Tangle-free, flexible in cold weather

Item #	Wire Gauge	Length	Clamp Rating	
ATD-7972	4 Gauge	16 Feet	400 Amp	\$208.65
ATD-7974A	4 Gauge	25 Feet	600 Amp	\$458.65
ATD-7975A	2 Gauge	20 Feet	600 Amp	\$515.25

### Heavy Duty Booster Cables

- Copper clad aluminum cables
- Tangle free cables remain flexible to -40° F

Item #	Wire Gauge	Length	<b>Clamp Rating</b>	
ATD-79700A	4 Gauge	16 Feet	600 Amp	\$83.55
ATD-79701A	4 Gauge	20 Feet	600 Amp	\$97.75
ATD-79702A	2 Gauge	20 Feet	600 Amp	\$132.55
ATD-79703A	2 Gauge	25 Feet	600 Amp	\$138.15
ATD-79704A	1 Gauge	25 Feet	800 Amp	\$219.55
ATD-79705A	2/0 Gauge	25 Feet	800 Amp	\$382.15

### Replacement Clamps

• For booster cables or battery chargers

Sold in pairs

Item #	Clamp Rating	
ATD-7976	500 Amp	\$13.75
ATD-7978	500 Amp – Parrot Jaw	\$14.65
ATD-7979	600 Amp	\$29.75





7979



Item #	Battery Voltage	Description	Re-Flash Power Supply Mode	Crank Assist	Continuous Charging Rate	Memory Saver Mode	Battery Types	
ASS-ESS6007B	12V	Intellamatic <sup>®</sup> Smart Charger/Analyzer with Re-Flash Power Mode	45 Amp	130A	45A		Conventional, AGM, Gel-Cell	\$1054.85
ASS-IBC6008	12V	Intellamatic® Smart Charger/Analyzer with Re-Flash Power Mode	<b>70 Amp</b> (Adjustable Voltage)	270A	60A		Conventional, AGM, EFB, Li-lon, Gel-Cell	\$1617.95
ASS-ESS6008MSK	12V	Intellamatic <sup>®</sup> Smart Charger/Analyzer with Re-Flash Power Mode 12V Memory Saver Port • Includes 12 ft. OBDII Cable	70 Amp	270A	60A	YES 10A/15A Port	Conventional, AGM, Gel-Cell	\$1496.15
ASS-IBC6008MSK	12V	Intellamatic <sup>®</sup> Smart Charger/Analyzer with Re-Flash Power Mode 12V Memory Saver Port Includes 12 ft. OBDII Cable	<b>70 Amp</b> (Adjustable Voltage)	270A	60A	YES 20A Port	Conventional, AGM, EFB, Li-Ion, Gel-Cell	\$1824.55
ASS-US20	6/12V	Fast Charger – VALUE LEADER • 90 Minute Timer		200A	40/40/10A		Conventional	\$554.95
ASS-6012AGM	6/12V	<ul> <li>Heavy Duty AGM-Safe Fast Charger</li> <li>120 Minute Timer</li> </ul>		250A	70/60A		Conventional, AGM	\$828.65
ASS-6009AGM	6/12V	<ul> <li>Heavy Duty AGM-Safe Fast Charger</li> <li>120 Minute Timer</li> </ul>		265A	70/60/2A		Conventional, AGM	\$956.15
ASS-6001A	6/12V	Heavy Duty Fleet Charger		375A	100/75A		Conventional	\$1294.15
ASS-ESS6011	12/24V	Intellamatic <sup>®</sup> Smart Charger/Analyzer with Re-Flash Power Supply	70 Amp	200A	70/35A		Conventional, AGM, Gel-Cell	\$1300.05
ASS-MIL6011	12/24V	Intellamatic <sup>®</sup> Smart Charger/Analyzer with Re-Flash Power Supply • Includes 13 ft. Cable with NATO Plug	70 Amp	270A	70/35A		Conventional, AGM, Gel-Cell	\$1920.95
ASS-6010B	6/12/24V	<ul> <li>Heavy Duty Portable Fast Charger</li> <li>120 Minute Timer</li> </ul>		230A	60/60/30A		Conventional	\$860.65
ASS-6006AGM	6/12/24V	Heavy Duty AGM-Safe Fleet Charger • 120 Minute Timer		280A	70/65/30A		Conventional, AGM	\$1051.85
ASS-6002B	6/12/18/24V	Heavy Duty Fleet Charger		400A	100/80/50/40A		Conventional	\$1528.75

### **Battery Chargers**

ØSchumacher

**Manual Battery Chargers/Engine Starters** for Rugged Use

	SHM-DSR139	SHM-SC1445	SHM-SC1437
Voltage Setting	6/12V	6/12V	12V
Engine Start (12 Volt)	225A	250A	150A
Boost Mode	50A / 25A (12V) 25A (6V)	50A / 25A (12V) 25A (6V)	25A
Charge Rate	10A (12V)	10A (12V)	6A
Timer	135-Minute	135-Minute	135-Minute
<b>Output Cables (6-Foot)</b>	6-Gauge	8-Gauge	8-Gauge
Battery Types	Standard, AGM, Gel	Standard, AGM, Gel, Deep-Cycle	Standard, AGM, Gel, Deep-Cycle
	\$362.25	\$420.15	\$313.05





#### **ProSeries Fully Automatic Professional Battery Chargers** with Engine Start

- These heavy-duty chargers provide generous engine starting power for SUVs, trucks and large engines
- All models include retractable handles, extralong cables, digital display, LED indicators, touch pad controls and Start/Stop button
- Models DSR122 and DSR124 add Flash Reprogramming and Memory Saver Mode
- Charges Standard, AGM, Gel Cell, Deep-Cycle and Start/Stop batteries



	SHM-DSR131	SHM-DSR121	SHM-DSR123	SHM-DSR122	SHM-DSR124
Engine Start – 6 Volt	125A			125A	300A
Engine Start – 12 Volt	250A	250A	250A	275A	330A
Engine Start – 24 Volt			150A		250A
Boost/Service Mode	50A	25A<>50A	10A<>30A / 10A<>50A	20A<>60A	30A<>80A
Charge Rate		15A Fast Charge	15A Fast Charge	15A Fast Charge	15A Fast Charge
Memory Saver Mode				12V DC Port Connection	12V DC Port Connection
Flash Reprogramming Mode				65A Clean Power for Reflashing	70A / 100A Clean Power for Reflashing
Maintainer	2A<>6A	4A Maintain	4A Maintain	4A Maintain	4A Maintain
Warranty	1 Year	1 Year	1 Year	1 Year	1 Year
	\$345.35	\$676.15	\$724.45	\$700.35	\$971.25

Schumacher

### SHM-SC1352 \$70855

#### 12/24V Fully Automatic **Battery Charger/Engine Starter** for Rugged Use

- For SUVs, trucks and other large engines • Compatible with standard, AGM, Gel, and
- Deep-Cycle batteries
- Multi-stage charging
- Battery and alternator tester
- Engine Start: 250A (12V) and 125A (24V)
- Boost mode: 40A (12V) and 20A (24V)
- Charge & maintain: 2A to 6A (12V)



### **Wheeled Automatic Battery Chargers**

• Charges all lead acid batteries, AGM, Deep Cycle, Flooded, Spiral Wound, Gel Cell, Marine

1 year limited warranty

4745

	SOL-4735	SOL-4745
Voltage Settings	12V	12V/24V
Charging Amps @ 12 Volt	40/10/2A	40/10/2A
Charging Amps @ 24 Volt	-	20/2A
Starting Amps @ 12 Volt	200A	230A
Cable	72" / 4 AWG	72" / 4 AWG
	\$321.25	\$420.45

### **Battery Chargers**

### S#LAR. PRO-LOGIX

### SOL-PL3740 **\$486**<sup>75</sup>

### 12V 40/15/5A Battery Charger with Stable Power Mode and Engine Start

- 12V Charging rates: 40/15/5A
- 12V Engine start rating: 225A
- 12V Stable power mode: 0-40A on demand
- Reverse polarity protection
- Timed charge routines
- Automatic and manual/timed charge modes
- Multi-phase process
- · Ability to charge a totally dead battery
- Properly services all battery types

#### S#LAR. PRO-LOGIX

### SOL-PL3760 \$636<sup>05</sup>

## 12/24V 60/40/10/250A Battery Charger with Stable Power Mode and Engine Start

- 12V Charging rates: 60/40/10A
- 12V Engine start rating: 250A
- 12V Stable power mode: 0-60A on demand
- 24V Charging rates: 20/10A
- 24V Stable power mode: 0-20A on demand
- Reverse polarity protection
- Battery fault detection
- Battery recondition mode
- Soft start mode
- Cable: 72", 6 AWG



### ASSOCIATED

### ASS-3100A **\$272**<sup>75</sup>

#### 6/12 Volt Full Rate Portable Smart Charger with 100A Engine Start

- Automatic 6/12 Volt settings turn off at full charge and turn back on if
- battery needs more power
- Continuous rating: 12V 15/2 Amps
  100A Engine Start 12V
- 100A Engine Start 12V
- Automatic bad battery detection
  Automatic 6V position for lower voltage requirements
- Automatic ov position for lower voltage requirements
   Designed for Standard, AGM, GEL batteries
- s**e**lar. **CHARGE IT!**

**Smart Chargers** 

Charges multiple

Polarity protection

Soft start mode for

deeply discharged

battery types

batteries

Automatic operation

Smart clamp technology



Item #	Operating Volts	Charging Amps	
SOL-4506	6/12V	6/2 A	\$75.15
SOL-4520	12V	20/10/2 A	\$122.15
SOL-4512	12V	12/6/2 A	\$104.35



### S#LAR. PRO-LOGIX

### Fully Automatic Intelligent Battery Chargers/Maintainers

- Properly charges all battery types
- Soft Start Mode for severely depleted batteries
- Reconditions lightly sulfated batteries
- Temperature compensation Reverse polarity protection 1 year limited warranty

Item #	Voltage Settings	C 6 Volt	harging Amp 12 Volt	s 24 Volt	Engine Start Method	Cable	
SOL-PL2310	6/12V	10/6/2A	10/6/2A	_	—	72" / 12 AWG	\$145.65
SOL-PL2320	6/12V	20/10/2A	20/10/2A	_	_	72" / 12 AWG	\$180.65
SOL-PL2545	12V	_	20/10/2A	_	Timed Starting Process	72" / 12 AWG	\$181.25
SOL-PL2410	12/24V	_	10/6/2A	10/6/2A	—	72" / 12 AWG	\$217.95



### Fully Automatic Battery Chargers/Maintainers

• Properly charge a wide variety of battery types, including:

Conventional, Maintenance Free, AGM, Spiral Wound, Deep Cycle and Marine

• #PL2112 & #PL2140 are also compatible with Lithium LiFePO4 batteries

Item #	Description	Charging Amps		
	Description	6 Volt	12 Volt	
SOL-PL2112	12V Battery Charger/Maintainer	_	1.0A	\$47.75
SOL-1002	12V Underhood Battery Charger/Maintainer	_	1.5A	\$53.45
SOL-PL2140	6/12V Battery Charger/Maintainer	4A	4A	\$81.35
SOL-PL4020	12V 4x2A Output Battery Maintenance Station	_	2A x 4	\$241.45



### **Battery Chargers**

### ØSchumacher

## SHM-DSR134 \$72445

- 60A 6V/12V Fast Charger
- Battery type: Standard, AGM, Gel Cell and LiFePO4
- (4) Distinct charging modes • Start/Stop interface
- LCD display shows remaining charge time, amperage or voltage • Safe-start, reverse polarity and
- short circuit protection · Automatically adjusts the amperage
- rate to charge and maintain Overcharge protection



### 6V/12V 125A ProSeries **Battery Charger/Engine Starter**

- Battery type: Standard, AGM
- Engine start: 125A
- Boost/Service mode: 15<>40A
- Charge: 6A
- Service & Recovery modes
- Battery and alternator tester
- Auto voltage detection
- Reverse polarity protection
- Start/Stop interface

### SHM-DSR118 **\$221**<sup>95</sup> 6V/12V 125A ProSeries **Battery Charger/Engine Starter**

- Battery type: Standard, AGM
- Engine start: 125A
- Charge & maintain: 2A to 6A
- Fast charge: 15A to 40A
- Service mode maintains a stable 13.6V while working on a vehicle
- Auto voltage detection Reverse hook-up protection

### SHM-SC1355 \$82<sup>55</sup> 1.5A 6V/12V Fully Automatic

### **Battery Maintainer**

- Battery types:
- Standard, AGM, Deep-Cycle Automatically adjusts the amperage rate to charge and maintain
- Multi-stage charging
- · Automatically maintains optimum battery charge
- Auto voltage detection
- Reverse hook-up protection



- Battery types: WET, MF, AGM and GEL Reverse polarity indicator
- Overcharge and short circuit protection



#### **12V Solar Panel Chargers**

- Charges 12V lead-acid batteries
- Works in cloudy conditions
- Water-resistant
- Ideal for boats, cars, motorcycles, snowmobiles, trucks, RVs and more

...

Solar Charge Controller

104

Item #	Description	Output Current	
SHM-SP-200	Solar Battery Maintainer	2.4 Watt	\$75.05
SHM-SP-400	Solar Battery Charger/Maintainer	4.8 Watt	\$145.05



Controller

• Protects your

battery from

overcharge and discharge

It handles up

to 7 Amps of

current and up

to 100 Watts of

solar power

solar array

### SHM-DSR117 \$8755



- Automatically adjusts the amperage rate to charge and maintain
- Multi-stage charging
- 10A rapid charge
- Service mode maintains voltage at 13.6V to prevent discharge

Reverse hook-up protection





#### 6V/12V Automatic **Battery Charging Stations**

- Charge up to eight 6V and 12V batteries simultaneously
- Battery type: Standard, AGM, Gel, Deep-Cycle, Lithium Ion
- Input voltage: 120V AC Input current: 12A
- Detachable 6 foot cables with 75 Amp, colour-coded clamps
- Recovery mode for sulfated Standard and AGM batteries
- · Safe-start, reverse polarity and short circuit protection Overcharge and thermal runaway protection
- Description Output Current

SHM-DSR127	8-Bank	12V, 7A cont.; 4/12A int.	\$1333.05
SHM-DSR125	4-Bank	10A continuous	\$591.65



AID

#### **Fully Automatic Heavy Duty** 12V Smart Charger

- Charges individual 12V batteries and 12V battery packs (up to 8 batteries)
- Compatible with standard/flooded or AGM batteries
- · Continuous duty high current charge:
- 70 Amps @ 115 VAC and 100 Amps @ 230 VAC
- 2 Modes: Fast Charge mode to 80% state of charge and Full Charge mode to 100% capacity state of charge
- Displays remaining charge time
- Audible alert when battery charge completed Group 31 battery connection options • Compatible with the #ES-8 Mobile Cart



### **Battery Chargers**

(11)

### SELAR PRO-LOGIX


#### 12V 100A Flashing Power Supply and **Automatic Battery Charger**

- Properly charges AGM, Deep Cycle, Flooded, Spiral Wound & Marine batteries
- Precise voltage control and quick response to load
- Extra long 13 ft. cables Manages depleted and sulfated batteries



### **ASSOCIATED**

### ASS-ESS6100 \$2271<sup>95</sup>



- Adjustable voltage re-flash power: up to 90A on standard 115V 15A outlet, 100A+ on 220V outlet
- OEM approved for very specific re-flash voltage from 12.9 to 14.9V • Adjustable voltage charger: meets new charging specs required by
- several battery and vehicle manufacturers • Safe for all battery types including AGM, EFB, Li-Ion,
- Gel-Cells and Conventional batteries • 8.4 ft. 4 AWG DC leads with 400 Amp coated angle clamps
- (Optional 16.5 ft. DC leads for re-flashing or charging with vehicle on a hoist)
- Showroom mode to power vehicle dash boards or other electronics

### AUTEL MAXICHARGER



### **Battery & Electrical System Testers**



• Test multiple battery types

 Models #BA227, #BA327 & #BA427 also test Start-Stop batteries

Item #	Battery Voltages	System Testing	Testing Capacity	Printer	
SOL-BA9	12V	12V	40-1200 CCA	No	\$86.05
SOL-BA227	12V	12V	10-1400 CCA	Yes	\$361.05
SOL-BA327	6/12V	12-24V	40-2000 CCA	Yes	\$560.65
SOL-BA427	6/12V	12-24V	40-3000 CCA	Yes	\$616.65

### ASSOCIATED

### ASS-12-1015 \$640<sup>65</sup>

#### **Digital Battery & Electrical System Tester** with Thermal Printer & USB Port

- Battery range: 100 to 1,700 CCA
- Voltmeter: 9-15 Volts DC
- Battery test displays:
- Good/Replace/Recharge-Retest Measured battery CCA rating after test
- Alternator test displays:
- Good/Low/High
- Average/Max/Min during test for loaded and no load test - Vehicle ground test
- Tests flooded, AGM Flat Plate, AGM Spiral, Gel Cell,
- Enhanced Flooded (Start/Stop Batteries)
- Stores last 250 test series 10 line LCD display

## LAUNCH






### **Battery Tester**

- 6 kinds of tests: Ripple Detection, Battery Test, Electric Current Test,
- Starter Test, Charging System Test, Voltage Test
- Battery tests are quick and accurate (within 3 seconds)

Item #	Description	
LAU-307050055	BST-560 Battery Tester	\$155.35
LAU-307050060	BST-860 Battery Tester with Printer	\$306.25





### **Battery & Electrical System Testers**

### ATD-5494 \$315<sup>95</sup>

#### **Battery Charging & Starting System Diagnostic Tester**

- Tests all 12V lead-acid batteries, including AGM and Gel
- 100 1700 CCA
- 5V to 33V operating range
- 12V starter test with cranking voltage
- 12V charging test with load and ripple test
- 24V starting & charging test in voltmeter mode
- Displays battery capacity percent and color-coded bar graph
- Detects and alerts bad cells and surface charge

### ESI-726 **\$485<sup>05</sup>**

#### **Digital Battery & Electrical System Analyzer with Printer**

- Tests 6 & 12 Volt batteries and 12V Start/Stop battery test
- Tests 12 & 24 Volt charging systems
- Tests Alternator-Starting-Charging systems
- CCA test range: 40 to 2,000 CCA
- Tests starting batteries: regular flooded lead acid , AGM flat plate, AGM spiral, VRLA/GEL
- Tests Start/Stop batteries:
- EFB (enhanced flooded), AGM flat plate • Rating systems: SAE, EN, DIN, IEC, JIS

### ESI-425 **\$118**<sup>45</sup>

### **Digital Battery &**

- **Electrical System Tester**
- Batteries tested: 12 Volt
- CCA test range: 200-1,200 CCA
- State of health: actual battery CCA displayed • Rating systems: SAE, DIN, IEC, EN and CA
- Tests discharged: down to 7V
- Battery types tested:

luto Meter

6V/12V

Tester

**Battery &** 

**Electrical System** 

 Load test cap.: 40A Battery types:

flooded lead acid, AGM, EFB • Full system test: battery, starter, and

Lead Acid, AGM Spiral, AGM Flat, Gel

BVA-360







#### **Heavy-Duty Battery & Electrical System** Analyzer for 6V & 12V Batteries & Most Charging Systems

Auto Meter

AUT-RC-300

RC-300


- Works well in either an automotive
- 800 Amp variable carbon pile load
- Battery CCA range: 0-1,600
- Alternator test: 12 & 24 Volt
- Starter draw test
- Voltage drop test
- Digital auto ranging voltmeter
- Amp probe
- Includes ES-8 deluxe equipment stand

### ASS-6042 \$306835

### 12V 0-500 Amp Variable Carbon Pile **Battery Load Tester and**

- 12/24V Electrical Systems Tester Tests all battery types up to 1,000 CCA
- Shows positive and negative amps for easy diagnosis of current leakage problems
- Includes model #6043 1.000 Amp AC/DC inductive amp clamp and convenient heavy-duty cart





- LCD touch screen • Next step advice, hookup diagrams and illustrations
- Built in IR battery temperature measurement
- Wi-Fi communication for seamless integration to optional AMPNET cloud based data management tool
- Performs battery reset (with optional R3-D OBDII Dongle) on most BMW, MINI Coopers, and Ford vehicles

#### Description Item #

#### AUT-BVA-360 **Battery & Electrical System Tester**

Battery & Electrical Syst. Tester with Printer & Charging Station 🛛 🚷 AUT-BVA-360KP



AUT-SB-300

Battery

Tester

Flooded & AGM

6 & 12 Volt

100-1,600 CCA

SB-300

BVA-300

AUT-BVA-300

Battery &

System Tester

Flooded & AGM

6 & 12 Volt

100-1,600 CCA



- or heavy-duty environment

- Stator diode test

- - 15 second timer Fan cooled

ASSOCIATED











ATD



### **Battery & Electrical System Testers**

### MID TRONICS

#### MID-PBT-100 \$313<sup>25</sup> Advanced 12V Battery **Conductance Tester**

- Measurement range from 200-850 CCA
- Accurate battery test decision in seconds
- Voltmeter mode for testing both the starter and the charging system

### MID-PBT-300 \$550<sup>55</sup>

#### **Diagnostic 12V Battery Conductance/ Electrical System Tester**

- Measurement range from 100-1,400 CCA Shows available power in CCA's at
- the end of each test Accurate battery test decision in seconds
- Bad cell detection
- · Voltmeter mode for testing both the starter and the charging system
- High/low voltage capture for improved starter and charging system testing

### MID-MDX-700 HD \$1481<sup>75</sup>

#### **Heavy Duty Battery Conductance and Electrical System Analyzer**

- For testing 6 and 12 volt batteries in12 to 24 volt systems consisting of one or as many as six batteries (in a pack)
- 15 ft. cable and heavy duty battery clamps
- Accurate test results up to 2,000 CCA
- Battery types: Regular Flooded, AGM, Gel
- Vehicle applications: Group 31, Automotive, Motorcycle, Marine Cranking, Lawn and Garden, Commercial 4D/8D

### MID-MDX-P300 \$1042<sup>15</sup>

#### **12V Battery Conductance and Electrical System Tester for Cars & Light Trucks**

- Built-in printer
- Measurement range: 100 to 1,400 CCA
- Tests starting and charging system voltage
- Voltmeter: 0.9-16 VDC, +/- 0.05 VDC
- Bad cell detection
- Rating systems: CCA, CA, MCA, SAE, DIN, EN, IEC, JIS
- Tests multiple battery types including standard flooded, AGM, and GEL

### ASSOCIATED

### ASS-12-2415 \$730<sup>85</sup>

### **Multi-Function Graphical Tester**

- Tests 12V battery & electrical systems
- Tests 24V starter & alternator systems
- Fully graphical display
- Integrated thermal printer
- Internal memory storage of up to 70 tests • Tests a wide range of batteries including
- WET, AGM, EFB (Stop-Start) and Gel
- Multiple rating system: CCA/SAE, CA/MCA, DIN, EN1, EN2, IEC, JIS#)
- · Connects to laptop/computer via USB cable



### MIDTRONICS



#### **Battery Conductance & Electrical System Analyzer**

- Integrated thermal printer
- Applications: 6 & 12 Volt batteries - 12 & 24 Volt charging systems
- Measurement range: 100 to 2,000 CCA · For regular flooded batteries and battery formats
- designed for start-stop vehicles: EFB, AGM • Test results include a battery State of Health graph

**)** 

- Voltage range: 1VDC 30VDC
- Rubber boot protects tester from shock and abuse

BOSCH

### BSD-1699200244 \$623<sup>75</sup>

#### **BAT 135 Battery Tester with Printer**

- Tests 6V, 12V batteries and 12V, 24V charging systems
- Measurement range: 40-2,000 CCA
- Test all automotive, light-duty and commercial batteries including: AGM, Gel Cell, Flooded lead-acid, Start/Stop EFB, Commercial, SLI
- Presents State of Health and
- State of Charge percentage
- Full charging system test with diode/ripple test



### **Commercial Truck and Fleet Battery & Electrical System Analyzer**

- Applications: Group 31,
- Commercial 4D / 8D, Automotive
- Supports: conventional lead acid, EFB, AGM, and Pure Lead batteries
- Battery ratings: CCA, CA, MCA, JIS, DIN, SAE, IEC, EN
- Supports RP129 electrical system diagnostics
- Conductance Profiling<sup>™</sup> technology identifies reserve capacity issues
- On-tool Wi-Fi and Bluetooth capabilities
- Print or e-mail test results via Wi-Fi
   Stores all historical records
- Includes: controller with 5" colour touchscreen, tester pod, charging/storage dock, 3m (9.8 ft.) battery test cables, DMM cables for cable voltage drop testing



#### AUT-BCT-200J Intelli-Check II Professional **Heavy-Duty Truck**

- **Electrical System Analyzer**
- Battery voltage/types: 6 & 12 Volt, Flooded & AGM
- Battery CCA range: 200-1,600
- Alternator test: 12 & 24 Volt
- Automated load: 120 Amp
- Stator diode test
- Starter draw test: V-drop
- Voltage drop test: automated







0 10





### **Battery Testers**

### S**#LAR**.

### SOL-1852 **\$39<sup>45</sup>**

- 100 Amp 6 & 12 Volt Battery Load Tester
- Specially designed for professional use to test batteries, charging systems and starting systems
- Tests batteries to 1000 CCA
- Color-coded full-size meter
- 1 Year limited warranty





### ASS-6029 \$20865

#### 125 Amp Durable Hand-Held Battery Tester

- Test 6 & 12 Volt batteries, alternators and starters
- 125 Amp fixed load
- Voltmeter: 0-16 Volts DC



## ASS-6026 \$12395 135 Amp Hand-Held Battery Load Tester • Test 6 & 12 Volt batteries, alternators and starters • Voltmeter: 0-16 Volts DC

### ASSOCIATED



### ASS-6033 **\$281<sup>15</sup>**

### Digital 125 Amp Battery Load Tester

- Automatically computes the CCA of the battery under load
- Voltmeter: 7-9 Volts DCTests all battery types including
- Flooded, Maintenance Free, Deep Cycle, AGM and Gel Displays:
- Current battery voltage
- Maximum Voltage reading
- Minimum Voltage reading





### AUT-SB-5/2 **\$1271**<sup>65</sup>

#### Heavy-Duty 6 & 12 Volt Battery Tester

- Carbon pile load 12 Volt: 800 Amp
- Carbon pile load 6 Volt: 400 Amp
- Battery CCA range: 0-1,600
- Alternator test: 12V
- Simulated starter draw test
- 15 second timer Fan cooled
- Volt scale: 0-16





### ESI-710 **\$221<sup>65</sup>**

### 500 Amp Variable Load

- Carbon Pile Load Tester • Tests 12V batteries rated as high as 1,000 CCA or 160 Amp hour
- Can also test alternators, regulators and starters





### **Memory Savers**



#### **Automotive Memory Saver with Built-In Charger**

• Includes 12V adapter for older vehicles that do not have OBDII ports

- Preserves vehicle codes and electronic
- · Enables vehicle computer to be powered and maintain data
- Connects to vehicle via OBDII and 12 Volt battery
- Surge protection and LED status lights







- Prevents electronic memory loss when
- Truck PAC and Jump-N-Carry models



### **Battery Maintenance Tools & Accessories**







### EZR-793CS **\$29<sup>55</sup>**

### Adjustable Battery

### Cable Stripper

Adjustable blade



• Strips insulation jacket from cable, 8 gauge to 4/0 AWG

### LIS-55480 **\$88<sup>85</sup>**

#### **Cable Insulation Splitter** • Works on single and multiple

- conductor cables up to 1.25" O.D. • Adjustable blade allows for variable insulation thickness
- variable insulation thickness up to 0.187"





### EZR-B795 **\$255**<sup>85</sup>

### **Heavy-Duty Crimpers**

- 50 different crimp settings
- 6 gauge through approximately 5/8" cable

### EZRED.

fisle

### EZR-B7946 **\$125**<sup>05</sup>

### **3 Point Wire Crimping Tool**

- Does a 3 point crimp all at one time
- Crimps up to 4/0 AWG cables
- Can be used with a 3/8" impact battery drill





### GEARWRENCH

LIS-54150 **\$41<sup>85</sup>** 

**Battery Terminal &** 

Wiper Arm Puller

GWR-202D **\$30<sup>65</sup>** Battery Terminal Puller

### LANG

LAN-B-10A **\$17<sup>15</sup>** 5/16" Reversible Ratcheting Side Terminal Battery Wrench



BARRY OF TAXA

Made in USA

ANG

### **Work Lights**

## 

### ALT-3230SMS \$159<sup>25</sup>

### **30 SMD LED Work Light** on Steel Reel

- 500 lumens
- 30 ft. 13/2 SJT cord
- Max. rating: 5W, 0.07A, 120V
- Dual Hanging hooks rotate 360°
- Includes hanging hardware



### 

### ALT-5050CL8 \$19885

#### **8 Watt Professional Grade** COB LED Work Light on a **Retractable Steel Cord Reel**

- 1,000 lumens
- 50 ft. 18/2 SJT cord
- Max. rating: 0.13A, 125 VAC
- Folding swivel hook on light
- Integrated magnet
- Includes hardware for wall or ceiling mounting



## 

### ALT-5030AM \$20045

### 14 Watt COB LED Work Light on Rugged Steel Reel

- 1,500 lumens
- 30 ft. 16/3 SJTOW cord
- Max. rating: 1,440W, 12A, 120V
- Grounded outlet in handle
- Integrated magnet
- Folding swivel hook



## 

### ALT-8150MM \$377<sup>85</sup>

#### 14 Watt COB LED Work Light on Industrial Grade **Thermoplastic Reel**

- 1,3500 lumens
- 50 ft. 14/3 SJT cord
- Max. rating: 1,625W, 13A, 125V
- Grounded outlet in handle
- Integrated magnet
- Folding swivel hook
- · Heavy duty steel mounting bracket



### BAYCO

#### BAY-SL-864 **\$22015** 60 LED Work Light on Heavy Duty Metal Reel • 120 lumens

- 50 ft. 18/2 SVT cord
- Top and side built-in magnets
- with a magnetic swivel hook
- Includes mounting brackets



### BAYCO

BAY-SL-866 \$264<sup>15</sup>

### **LED Work Light**

- on Heavy Duty Metal Reel
- 1,200/600 lumens
- 50 ft. 18/2 SVT cord
- Top and side built-in magnets with a magnetic swivel hook
- Includes mounting brackets





## BAY-SL-2125 \$127<sup>35</sup>

# 60 LED Corded Work Light

- 120 lumens
- 25 ft. 18/2 SJT cord
- Two built-in magnets with magnetic hook
- Octagonal anti-roll body design
- Chemical/moisture/impact resistant housing

### 



### **Work Lights**



### ATD-80076 \$10245

#### **Incandescent Utility Light**

- 50 ft. 16/3 SJTOW cord. oil & water resistant and remains flexible in extreme cold weather
- 3-prong grounded outlet
- for auxiliary power
- Metal guard
- Uses max. 75 W bulbs (not included)



### CCLIPLIGHT

#### **Incandescent Work Light**

- Grounded outlet handle
- 13 amp circuit breaker
- 16/3 SJTOW cord

Item #	Cord	
CLP-101307	23 ft.	\$66.25
CLP-101315	50 ft.	\$106.25



### BAYCO

#### **Incandescent Work Lights** with Metal Guard

- Max. 75W incandescent bulb (not included)
- 12 amp grounded single outlet Cord gauge: 16/3 SJT

- 001 a gaage. 10, 0 00 1		
Item #	Cord	
BAY-SI -425A	25 ft.	\$56.55

50 ft.


\$94.35



BAY-SL-426A

### BAY-SL-204 **\$18**85

**Replacement Incandescent Work Light** Head with Metal Guard & Single Outlet • Fits Bayco 450 & 840 incandescent models



### S#LAR LIGHT

#### Light-N-Carry **COB LED Rechargeable** Work Lights

- 60 lumens focus beam
- Mounting hook and belt clip • 180° swivel action magnet
- mounting
- Water resistant
- Wall charger with braided USB cable



Item #	High Mode	Low Mode	Run Time	
SOL-LNC1841	800 lumens	210 lumens	Up to 3.5 hrs	\$108.95
SOL-LNC1541	500 lumens	150 lumens	Up to 4 hrs	\$81.55
SOL-LNC1341	300 lumens	90 lumens	Up to 4 hrs	\$55.35
SOL-LNC1241	200 lumens	60 lumens	Up to 4 hrs	\$45.95

S#LAR.

### SOL-LNCMINI \$3605 Pocket COB LED

### **Rechargeable Work Light**

- Lumens: 110/35, 4 hrs
- 60 lumens focus beam
- 180° swivel action magnet mounting
- Water resistant housing
- Wall charger with USB cable



### SHM-SL137RU **\$162**<sup>55</sup>

### 360° Plus Rechargeable Lithium Ion LED Work Light with Top Light

- Lumens: 600
- Comes with 2 rechargeable Li-Ion batteries
- 360° swivel and tilt
- · Super strong magnets and swivel hooks
- USB-Micro USB charging cable

### SHM-SL360RU **\$106**<sup>65</sup>

### 360° Rechargeable Lithium Ion LED Work Light with Top Light

- Lumens: 400 360° swivel and tilt
- Super strong magnets and swivel hooks
- USB-Micro USB charging cable


### SHM-SL26GU \$7175

#### Mini Lithium Ion 360° **Rechargeable LED Work Light**

- Lumens: 200
- 360° swivel and tilt
- Super strong magnet and swivel hook

















#### S MAXXEON

### MXN-01020 **\$100<sup>25</sup>** 12" LumaStik™ Rechargeable Folding 3 Way Work Light

- Front and back floodlights, and a spotlight on the tip
- Lumens: 800/400/50
- Runtime: 2.5/4/12 hrs
- Powerful integrated magnet
- LED charge indicators
- Includes USB-C charging cable

### MLW-2128-22 \$21795

## REDLITHIUM™ USB Stick Light with Magnet & Charging Dock

- 7.5" compact size
- Lumens: 550/250
- Runtime: 2/5 hrs
- 4 light modes: front, back, dual, inspection

Milwaukee

- Light blade rotates 220° vertically
- Magnetic base and hook to mount
- Magnetic USB-C sequential charging dock and second battery bay;
- dock also includes mounting keyholes • Light can be charged using the USB C part on the charged dock
- USB-C port or the charging dock

### ante**A** Ab

AST-52SL \$8955

#### 1,000 Lumens Wirelessly Rechargeable Folding Double-Side LED Slim Light

### • Front and back main lights:

- 2 x 500 lumens, 3.25 to 8 hrs
- Top light: 150 lumens, up to 8 hrs
- Magnetic base and handle; folding hook
- Includes USB-C charging cable and adapter
- Can be wirelessly recharged with your smart phone's charging pad or use the **optional Magnetic Dual** Charging Pad #AST-52SL-WCP

### **Replacement Light Bulbs**

BAY-SL-103PDQ **\$9<sup>25</sup>** Replacement 13W



BAYCO

### Fluorescent Bulb

 Fits Bayco fluorescent models: 503, 507, 520, 550, 651, 676, 677, 821, 825, 826, 827, 904, 907, 935, 936, 964 & 8907

### BAY-SL-104PDQ **\$9**<sup>25</sup>

#### Replacement 13W Fluorescent Bulb

• Fits Bayco fluorescent models: 908, 975, 976 & 8908



### WorkStar<sup>®</sup> LumaStik<sup>®</sup> Rechargeable Combo UV & White Beam Magnetic Inspection Light

- UV Light: 395nm, 630mW 5 minutes (one cycle)
- Floodlight: 800/150 lumens, 2.5 hrs/8 hrs
- Spotlight: 150 lumens, 8 hrs
- Powerful integrated magnets
- LED charge indicators
- Includes type C USB charging cable
  Charge time: 4 hr
- Dimensions: 6.4" X 1.1" X 1.7"





### STM-76800 **\$163<sup>15</sup>**

#### Stinger Switchblade<sup>®</sup> LED Rechargeable Multifunction Worklight

- Folded: 9.8"; Extended: 17"
- Cool white LED: 800 lumens, 3.75 hrs
- Colour match LED: 600 lumens, 3.75 hrs
- UV LED: 500 mW. 15 hrs
- Includes a 5" USB cable

### GEARWRENCH

#### **Ultra-Thin Flex-Head Work Light**

- Dual light settings on light bar
- Single 30 lumen light on top
- Magnet and hang hook in base
- Integrated belt hook

Item #	Lumens	Length	
GWR-83134	75-150	8"	\$72.85
GWR-83135	250-500	12-1/2"	\$123.45

### 



#### Rechargeable COB LED Foldable Slim Work Light

- 70-700 lumens
- Top 120 lumens LED flash light
- Dimmer switch
- Rotates 180°
- IP54 rainproof
- Battery level/charge status indicator
- Strong magnet & hookRubberized handle
- USB-C charging cable included





### Work Lights





### Work Lights

### EZRED





#### **Xtreme Rechargeable** Focusing Work Lights

- Lumens: 1000/500
- Runtime: 4/8 hours
- Detachable magnetic base
- Stepless dimmer
- USB charge cord
- USB charging of compatible devices

#### Colour Item # EZR-XLF1000 \$103.05 EZR-XLF1000-GR \$103.05 EZR-XLF1000-OR \$103.05

#### 💋 EZRED

#### **Rechargeable Logo Work Lights** with Magnetic Base

- Stepless dimming feature
- 500/250 lumens; 3/6 hours

Item #	Colour	
EZR-XLM500-RD		\$75.75
EZR-XLM500-OR	•	\$75.75

S MAXXEON

### MXN-00900 \$135<sup>65</sup>

#### MaxxBeam<sup>™</sup> - Focusable Magnetic Area Light with Wireless Charging

- Lumens: 1,200/650/320
- Runtime: 2.5/5.5/14 hrs
- 5X focusable beam lens from spot to flood
- Rotating handle with threaded accessory port
- Wireless induction charging pad
- Includes USB-C charge cable



#### Cyclops<sup>™</sup> - Rechargeable **Magnetic Area Light**

- Lumens: 720/360/180
- Runtime: 2/4.5/10 hrs
- Includes USB C charge port and cord

Item #	Colour	
MXN-00810	•	\$62.35
MXN-00811		\$62.35
MXN-00812	•	\$62.35
MXN-00813	•	\$62.35
MXN-00814		\$62.35



### STM-61530 \$67<sup>55</sup>

#### Syclone® Jr. Ultra-Compact **USB Rechargeable LED Worklight**

- 2" L x 2.25" W x 1.14" D
- Lumens: 210/85 Runtime: 3.75/8.5 hrs
- 360° rotating body Magnetic base
- IPX4 water resistant 2m impact resistant
- USB charge cord





### BearTrap® Multi-Function Work Light

- 7.62" H x 6.5" W
- Flood: 2000/1000/575 lumens; 2.5/5/7.5 hrs
- Spot: 1000/450/325 lumens; 4.5/8.75/12.5 hrs
- · Hands-free: Clamps virtually anywhere, magnetic base, hang hook, stands on its own
- Includes 120V AC charger

Multi-Function Work Lights

• Cool white LEDs for bright light: 500/250 lumens; 2.5/5.75 hrs

400/200 lumens; 2.5/6 hrs

• 90 CRI LEDs (Color-Rite Technology):

שאדוופאד:

 USB rechargeable • 270° rotating light head Magnetic base Operating modes:



אדהפיטעופווד:



Item #	Colour	
STM-61500		\$143.85
STM-61501		\$143.85
STM-61502		\$143.85







\$165<sup>05</sup> BAY-SL-1514

**LED Single Fixture** Work Light with Magnetic Base

- Lumens: 2,200
- 12 ft. SVT 18/3 cord • 11.5" L x 6.2" W x 3.1" D



**Rechargeable LED Area Light** 

### **USB** Rechargeable COB LED Flood Light

• 1,200/600 lumens

\$245<sup>85</sup>

BAY-NSR-1514

with Magnetic Base

• Lumens: 1,000/500

• Runtime: 4 hrs/8 hrs

• 12" L x 6.1" W x 3.5" D

• AC & DC charging cords

- Charge status indicator lights
- Magnetic base tilts and rotates
- USB power bank charges your devices
- IP54 Water resistant





### Work Lights






### SHM-SL197U **\$117**<sup>55</sup>

#### 15 SMD LED Rechargeable Magnetic Work Light

- Light up tool boxes, cabinets,
- work stations, etc.
- Lumens: 150/100
- Sliding magnetic brackets rotate 180°
- Micro USB charging cable



**OWER PROBE** 



#### COB LED Modular Magnetic Work Light

### • Lumens: 1000/500

- (250/125 lumens per module) • Runtime: 3/6 hours
- Can be used as an under-hood light, an area spot light or four individual work lights
- Magnet, hook, power button and 1/4" threaded hole for tripod mounting on each module
- AC charger



### PWP-PPTK0047 **\$62<sup>75</sup>**

Replacement Light Module for #PPMWL1000 Modular Work Light • 250/125 lumens





## Vulcan® Clutch

#### **Multi-Function Rechargeable Lantern**

- Lumens: 1,700 / 380
- Runtime: 6.5 hrs/18 hrs
- Beam distance: 520m/245m
- Flash mode (25 hrs)
- 340° rotating head Versatile clamping handle
- 1m water and 2m impact resistant
- Includes strap, charging rack and AC/DC chargers

### STM-44301 \$387<sup>45</sup>

#### Vulcan® 180 C4 LED **Multi-Function**, Li-Ion **Rechargeable Lantern**

- Lumens: 1,200 / 350
- Runtime: 5.75 hrs/16 hrs
- Beam distance: 548m/296m
- 180° articulating head
- 1m water and 2m impact resistant
- Charging rack and AC/ DC chargers

### STM-44910 **\$246**<sup>45</sup>

#### Waypoint® 400 Rechargeable Long-Range Pistol Grip Spotlight

- Lumens: 1,400 / 680 / 38
- Runtime: 3.25 hrs/7.5/84 hrs
- Beam distance: 1,265m/735m/200m
- · Waterproof to 2m and 1m impact resistant Integrated stand
- Includes polymer holder/mount and 120V AC charger

### STM-44900 \$123<sup>25</sup>

### Waypoint® C4 LED **Pistol Grip Spotlight**

- Lumens: 550/40; 10 hrs/82 hrs
- Water resistant, 1m impact resistance
- Integrated stand
- Operates using (4) "C" alkaline batteries (not included) or 12V DC power cord

#### MLW-2354-20 \$148<sup>95</sup> Milwaukee

### M18<sup>™</sup> Search Light

- 1,250 lumens
- Four modes: Spot, Flood, Spot/Flood, Strobe
- 198° light head rotation
- Beam distance: 667m
- Water and dust resistant





### MXN-04100 \$235<sup>55</sup>

### SearchPoint® HORIZON

### **Rechargeable Magnetic Spotlight/Floodlight**

- 4x Zoomable lens: spot beam to flood beam
- Lumens: 3,000/1,200/600 Runtime: 2.5 hrs/5.5 hrs/12.5 hrs • Strong magnetic base with 150 lb pull force • 90° Rotating hook
- IK 07 shock and resistant and IP 65 water resistant
- Includes: carrying case, lanyard, USB-C cable
- Dimensions: 7.4" x 5.9" x 2.6"

### EZR-CT6525 \$4375

### 4.5" Rechargeable Micro Utility Light

- Lumens: 200/100; 6/14 hrs Magnetic base
- Water & impact resistant 
   Recessed hooks • USB charge port and cord

### EZR-CT6515 \$7145

#### 4.5" Dual Function **Rechargeable Utility Light**

- 225 lumens lantern 115 lumens top light
- Runtime: up to 12 hrs Magnetic base
- Recessed hooks Water & impact resistant
- Includes USB charge cord



#### The Siege® Coyote C4 LED Lanterns

- White light, red light
- and flash SOS modes
- Waterproof to 1m, it floats,
- impact resistance to 2m
- #44931 requires (3) "D" batteries
- #44941 requires (3) "AA" batteries

Item #	Lumens	Run Time	Size	
STM-44931	540/275/55	30/70/295 hrs	3.8" x 7.25"	\$81.45
STM-44941	200/100/50	7/15.5/37 hrs	2.37" x 5.44"	\$60.15

### STM-44956 \$89<sup>55</sup>

#### Siege<sup>®</sup> X USB-Rechargeable **Ultra-Compact Lantern**

- · White light, red light, flash SOS modes
- 325/175/30 lumens
- Runtime: 4.5/7.75/25 hrs
- Top flashlight: 300 lumens
- 4.35" high



Milwaukee








44941







### **Underhood Lights**



• 25 ft. removable charge cord



• Cord: 25 ft. 18/2 SJTOW • Rubber cover

telescoping brackets extend from 47" to 75"

### Penlights / Pocket-Size Lights



### 6.21" Stylus® LED Penlights

- 6.21" long, long-running penlights
- Constant "on" or momentary blink operation
- Water-resistant, 2m impact resistance
- (3) "AAAA" batteries (included)

Item #	Body	LED	
STM-65018	Black	White	\$29.85
STM-65024	Gold	White	\$29.85
STM-65035	Red	White	\$29.85
STM-65069	Black	UV	\$40.75



### 



Item #	Body	LED	Overall Reach Length	
STM-65418	Black	White	25.5"	\$47.45
STM-65618	Black	White	14"	\$40.75
STM-65612	Silver	White	14"	\$40.75



#### 5.3" Stylus Pro® LED Penlights



- Water and 1m impact resistant
- (2) "AAA" batteries (included)



BAYCC


(NIGHTSTICK

Item #	Body		Item #	Body	
STM-66118	Black	\$43.05	STM-66122	Blue	\$43.05
STM-66120	Red	\$43.05	STM-66128	Orange	\$43.05
STM-66121	Silver	\$43.05	STM-66129	Green	\$43.05

### Mini-TAC CREE<sup>®</sup> LED Flashlights

- Length: 5.4" Lumens: 100
- Runtime: 1.5 hours
- Beam distance: 44 meters
   (2) A A bettering (include 1)
- (2) AAA batteries (included)

Item #	Colour	
BAY-MT-100	Black	\$38.05
BAY-MT-100BL	Blue	\$38.05
BAY-MT-100R	Red	\$38.05



### 

#### 6" Stylus® Pro USB Rechargeable Penlights • 350/90 lumens

- Momentary or constant
- operation • Water and 1m impact
- resistance



	4	AC USB	
Item #	Body	Charge Cord	
STM-66133		120V AC USB	\$113.15
STM-66134	$\bullet$	USB	\$100.55
STM-66136		120V AC USB	\$113.15
STM-66137		USB	\$100.55
STM-66139		120V AC USB	\$113.15
STM-66140		USB	\$100.55
STM-66145		120V AC USB	\$113.15
STM-66144		USB	\$100.55
STM-66146		USB	\$100.55

120V

USB

#### 3.9" Microstream<sup>®</sup> USB Ultra-Compact

- **Rechargeable Lights**
- Lumens: 250/50
- Water-resistant, 1m impact resistance
- Comes with a lanyard and 5" USB cord

Item #	Body	
STM-66601		\$62.65
STM-66602		\$62.65
STM-66603		\$62.65



STREMUGHT;



### 6.6" Stylus Pro® COB LED Rechargeable Penlights

- Lumens: 160/40
- Integrated magnet for hands-free use
- Water-resistant, 1m impact resistance
- Includes 19" USB cord

Item #	Body	
STM-66700		\$81.45
STM-66703		\$81.45
STM-66706		\$81.45



### STM-66318 **\$36<sup>85</sup>**

## 3.6" Microstream® Ultra-Compact Battery-Operated Light

- Lumens: 45
- Water resistant, 1m impact resistance
- Comes with a lanyard and
- (1) "AAA" battery









68794

### 7" Dualie® Intrinsically Safe **Rechargeable Multi-Function** Flashlights with Magnetic Clip

- Spot/flood combo: 275 lumens, 5.5 hrs
- Spot: 180 lumens, 7.25 hrs

ש אדדו אישט אדדו 🕞

- Flood: 105 lumens, 13.5 hrs
- Rugged, integrated magnetic clip
- Dust, water and impact resistant
- 120V/100V AC charger

Item #	Colour	
STM-68793	Yellow	\$151.05
STM-68794	Black	\$151.05

### STM-74301 \$229<sup>25</sup>

### 5.9" Strion<sup>®</sup> LED Compact, **Rechargeable Professional Light**

### • Lumens: 375/175/80

- Runtime: 2.5/4.75/9.5 hrs
- Strobe mode
- Aluminum body
- AC/DC chargers

### STM-75713 **\$253<sup>85</sup>**

### 8.4" Stinger® LED **Rechargeable Flashlight**

- Lumens: 425/200/100
- Runtime: 3/5.5/10 hrs
- Strobe mode
- Aluminum body
- AC/DC chargers

### STM-88082 \$120<sup>85</sup>

### 5" ProTac<sup>®</sup> 2L-X USB Flashlight

### • High: 500 lumens, 4.5 hrs

- Low: 40 lumens, 30 hrs
- Strobe: 4.5 hrs
- Aluminum body
- (1) SL-B26 USB battery
- (1) USB Cable

### STM-88078 \$241<sup>65</sup>

### 7" Protac® HPL USB C4® LED **Rechargeable Long Range** Tactical Light

- Lumens: 1,000/400/65
- Runtime: 1.5/3/20 hrs
- Aluminum body
- 120V AC/12V DC chargers, USB cable



### STM-88095 \$132<sup>35</sup>

### 4.4" Protac<sup>®</sup> 90X USB Multi-Fuel **Right-Angle Tactical Light**

- Lumens: 1000/300/65
- Runtime: 2.5/4/21 hrs Strobe mode
- Water & impact resistant Removable pocket clip
- Includes charge cord and a USB Li-Ion battery. Also accepts two CR123A batteries.

### STM-78101 \$304<sup>95</sup>

### Stinger<sup>®</sup> 2020 Rechargeable Li-Ion LED Flashlight

- Lumens: 2,000/850/100
- Runtime: 2/4/24 hrs
- Strobe: 3.25 hrs
- Aluminum body 
   Textured barrel 
   120V AC/12V DC chargers, 1 holder

### STM-88080 \$211<sup>45</sup>

### 9.5" ProTac® HL 5-X USB Flashlight

- High: 3,500 lumens, 1.25 hrs
- Medium: 1,000 lumens, 3 hrs
- Low: 250 lumens, 11.5 hrs
- Aluminum body
- (2) SL-B26 USB batteries • (1) USB Cable

### STM-22051 **\$2045**

### **12V DC Cigarette**

### **Lighter Charge Cord**

 Model #DC1charge cord fits most Streamlight® rechargeable bases, holders, and sleeves

### MXN-04010 \$186<sup>15</sup>

### 5" SearchPoint™ REDZone

### **Rechargeable Flashlight**

- · Includes white, red, and green lights
- Lumens (white light): 1200/400/35/7
- Strobe mode
- Red light: 165 lumens, 4 hrs
- Green light: 200 lumens, 4 hrs
- Flashing red and green lights
- Aluminum body 
   Waterproof
- Includes light diffuser for traffic control,
- charge cable, lanyard, and holster Can also operate on two CR123A batteries (optional)

### SOL-LNC330 \$7065

### **400 Lumens Dual Function COB LED Rechargeable Flashlight**

- COB LED mode: 400 lumens
- Torch mode with pull action zoom: 350 lumens
- Emergency flare work light mode
- Dimmer function Magnetic mount
- Includes #18650 battery and
- USB/Micro USB charge cord

### SOL-LNC375 \$9045

### **750 Lumens Rechargeable LED Flashlight**

- Pull action zoom
- Rechargeable by USB cord or on the wireless charging base
- 5V 2A USB power supply wall charger
- Includes #21700 battery and
- USB/Micro USB charge cord





S#LAR

LIGHT





68793





STREAMLIGHT

### **Non-Rechargeable Flashlights**



- Includes (2) 3V CR123A lithium batteries

### STM-85400 \$144<sup>95</sup>

### Scorpion<sup>®</sup> HL C4 LED Flashlight

- 5.46" long
- Lumens: 725/35
- Runtime: 1.25 hrs/18 hrs
- Strobe mode
- Water-resistant
- (2) 3V C123A lithium batteries (included)

#### January - March 2024 40



### with Dual Magnets

- Length: 7"
- Flashlight: 130 lumens/0.5 hrs
- Floodlight: 110 lumens/10.5 hrs
- Dual-light: 235 lumens/5 hrs
- Beam distance: 181m
- Waterproof
  - 3 AA batteries (included)

Item #	Colour	
BAY-NSP-2422B		\$57.85
BAY-NSP-2422R		\$57.85



BAYCO

NIGHTSTICK

### Headlamps




### STM-61430 \$48<sup>85</sup>

### **QB® USB Rechargeable Ültra-Compact Headlamp**

- Spot beam: 200/95 lumens; runs 2/4 hours
- Weather and impact resistant Includes USB cord

### STM-51063 **\$120**<sup>85</sup>

### Twin-Task<sup>®</sup> USB Rechargeable **Multi-Function Headlamp**



- runs 5/9 hours
- 120° tilting head
- Water and impact resistant Includes USB cord

### STM-61052 \$63<sup>95</sup>

### Septor<sup>®</sup> 7 LED Headlamp

- Lumens: 120/45/13
- Runtime: 3.4 hrs/10 hrs/55 hrs
- 60m beam distance
- 90° tilting head
- Water and impact resistant

STM-61301 \$62<sup>65</sup>

• Lumens: 150/100/45

• 190m beam distance

90° tilting head

• Runtime: 3 hrs/4.5 hrs/30 hrs

 Water and impact resistant • (3) "AAA" batteries (included)

• (3) "AAA" batteries (included)

Argo® Long-Range LED Headlamp



### Bandit<sup>®</sup> Ultra-Compact, Low-Profile USB

### **Rechargeable Headlamp**

- · Floods work area with light;
- ideal for up-close tasks
- Lumens: 180/35 Runtime: 2 hrs/9.5 hrs
- Emergency flash mode Water and impact resistant

Item #

STM-61710

STM-61714

• Includes USB cord + hat clip

### Bandit<sup>®</sup> Pro Bright USB **Rechargeable Headlamp**

- High: 180 lumens; runs 4.5 hrs
- Low: 35 lumens; runs 21 hrs
- Emergency flash: 180 lumens • IPX4 weather and impact
- resistant • Includes visor clip
- Includes USB cord

Growier	Second Second
	hintaitt St

Colour

Yellow

Black

\$48.85

\$48.85



### MLW-2163-21 \$83<sup>55</sup>

#### **USB** Rechargeable Hard Hat Headlamp

- Lumens: 600
- 5 light output modes
- Light head rotates 180°
- Water, dust & impact resistant

#### • Includes (4) clips, (1) USB battery and (1) USB cable





Milwaukee

### MLW-2115-21 \$84<sup>35</sup>

### Low Profile USB Rechargeable **Hard Hat Headlamp**

- Lumens: 600/350/125/25
- Runtime: 2/6/10/27 hrs
- 1" Ultra-thin light head
- Includes hard hat clips and USB cable



### EZR-CT4200 \$5105

### **Focusing Headlamp**

- Lumens: 220
- Runtime: up to 7 hrs

### EZR-CT4205 \$10215 **CREE® LED Rechargeable**

### Focusing Headlamp

- Lumens: 380 Runtime: up to 10 hrs • Beam distance: 120m
- · High, low, strobe
- Adjustable angle head
- Rear hazard light
- Water & impact resistant • Micro USB charge cord

### EZR-CT4305 \$10215


### **High Power LED Rechargeable Focusing Headlamp**

- Lumens: 800/400 Runtime: up to 8 hrs
- Beam distance: 150m
- · High, low, strobe
- Adjustable angle head
- Rear hazard light
- Water & impact resistant
- Includes micro USB charge cord









### • Beam distance: 120m

Water & impact resistant

### Headlamps

#### S MAXXEON

### MXN-00640 **\$78<sup>75</sup>** WorkStar<sup>®</sup> LightVisor™ Rechargeable Headlight

- Lumens: 600/300 Runtime: 6.5 hrs/3 hrs
- 130° beam angle IP 65 water resistant; Shock resistant, up to 6 ft. (2m)
- Charge indicator: 25%, 50%, 75%, 100%
- Includes USB-C charge cable Charge time: 4.5 hours

### MXN-00500 \$55<sup>85</sup>

### WorkStar<sup>®</sup> 500 DROID Technician's Rechargeable Mini Headlamp with Tilt



BAYCO

NIGHTSTICK

Beam distance: 38m / 24m 
 USB charge cord included

### BAY-NSP-4602B **\$31<sup>15</sup>**

### Dual-Light™ CREE° LED

### Headlamp

- Spotlight: 30 lumens, 15 hrs
- Floodlight: 15 lumens, 36.5 hrs
- Dual-light: 35 lumens, 12 hrs
- Beam distance: 19 meters
- Waterproof and 2m impact resistant
- 3 AAA batteries (included)

### BAY-NSP-4604B \$44<sup>05</sup>

### Dual-Light<sup>™</sup> CREE<sup>®</sup> LED Headlamp

- Spotlight: 100 lumens, 7 hrs
- Floodlight: 45 lumens, 8 hrs
- Dual-light: 90 lumens, 8.5 hrs
- Beam distance: 93 meters
- Waterproof and 2m impact resistant
- 3 AAA batteries (included)

### ATD-80250A \$6825

#### COB LED Rechargeable Motion Activated Headlamp

- Flood light: 200/100 lumens; 2.5/5 hrs
- Spot light: 120 lumens; 3 hrs
- Pivoting light head
- Adjustable and removable head band with hard hat clips
- Dust and water resistant
- Micro-USB charge cord

### SOL-LNC7250 \$5765

#### CREE® LED Rechargeable Motion Activated Headlamp • Spotlight: 200 lumens

- Flood light: 250 lumens
- Up to 8 hours run time
- Hands-free wave on/off
- Dimmer feature
- Micro-USB charge cord





### STE-78834 **\$54**<sup>25</sup>

### Slim Profile Rechargeable Multi-Mode 10 SMD LED Headlamp

- High/Medium/Low output: 250 lumens, 3 hrs, 20m 120 lumens, 4.5 hrs, 15m 60 lumens, 9 hrs, 10m
- Water resistant casing
- Li-Ion rechargeable battery

### STEELMAN<sup>®</sup>



### **Neck Lights**

### Milwaukee

### MLW-2117-21 **\$139**<sup>95</sup>

### **Rechargeable Neck Light**

- Lumens: 400 Runtime: 8+ hrs
- 2 modes to manage output
- Light head with 130° of vertical rotation
- Ergonomic, sweat resistant band
- Dust and water resistant 6 ft. impact resistant
- Includes USB-C cable & REDLITHIUM<sup>™</sup> USB 3.0 battery

### 💋 EZRED

### Anywear™ Multi-Position LED Neck Lights

- Attractive sleek design and more comfortable than conventional headlamps
- Light rotates up and down up to 70°





### **Rechargeable Neck Lights**

- Lumens: 300/30
- Includes USB charging cord

Item #	Colour	
EZR-NK15		\$81.95
EZR-NK15-GR		\$81.95
EZR-NK15-OR		\$81.95





### EZR-CT7100 \$35<sup>25</sup> Battery-Operated LED Neck Light • Lumens: 200/100

- Run time: 2.5 hrs/5 hrs
- Operate each light head independently
- Light heads pivot up and down 90°
- Includes 2 AA batteries



### Scan Tools & Accessories

NSOGPROT NSOGPR					
AUTEL MAXIS					
	AUL-MS906PRO Advanced Diagnostics	AUL-MS906PROTS Advanced Diagnostics + TPMS Diagnostics & Service			
HARDWARE					
Wireless Vehicle Connection	Bluetooth MaxiSYS VCI200	Bluetooth MaxiSYS VCI200			
Colour Touchscreen	8" LED	8" LED			
Processor	2.3 GHz + 1.7 GHz Octa-Core	2.3 GHz + 1.7 GHz Octa-Core			
Nemory / RAM	128GB SSD + 4GB RAM	<b>128</b> GB SSD + <b>4</b> GB RAM			
nternal Battery	11,600 mAh	<b>11,600</b> mAh			
Accessory Ports	HDMI & USB	HDMI & USB			
Connection to the Optional #MP408 Oscilloscope	✓	<b>v</b>			
Connection to the Optional #BT506 Battery & Electrical System Tester	✓ ✓	<ul> <li>✓</li> </ul>			
Non-OBDII Connectors	Optional Kit: #AUL-MSOBD2KIT	Optional Kit: #AUL-MSOBD2KIT			
SOFTWARE					
Operating System	ANDROID 7.0	ANDROID 7.0			
Software Updates	1 Year FREE	1 Year FREE			
Automatic Detection	Auto-VIN / Auto-SCAN SCAN VIN / PLATE SCAN	Auto-VIN/Auto-SCAN SCAN VIN / PLATE SCAN			
Secure Gateway Access	Authorized FCA Access with AutoAuth Account	Authorized FCA Access with AutoAuth Account			
License Plate Reader	Available on Supported Vehicles	Available on Supported Vehicles			
FEATURES					
Basic & Special Functions	Domestic, Asian & Euro 1996 and Newer	Domestic, Asian & Euro 1996 and Newer			
OBDII Test Modes	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6			
IPMS Service Modes	Register Sensor IDs	Activate / Relearn / Program MX-Sensors			
Service Resets	26 Service Features	26 Service Features			
Diesel (Light & Medium Duty)	Reset Diesel Emissions	Reset Diesel Emissions			
System Diagnostics	Access All Modules in All Systems	Access All Modules in All Systems			
Component Activations	Bi-Directional Control	Bi-Directional Control			
Enhanced Functions	Advanced Coding + Adaptations	Advanced Coding + Adaptations			
ADAS Calibration	ADAS Calibration-Capable with Software Upgrade & Autel Calibration System Purchase	ADAS Calibration-Capable with Software Upgrade & Autel Calibration System Purchase			
Battery Analyzation	MaxiBAS Software Purchase of BT506 required to use MaxiBAS software	MaxiBAS Software Purchase of BT506 required to use MaxiBAS software			
Complete TPMS Function		TPMS Diagnostics, Service & 1-Sensor Programming			
	6	6			

### **Scan Tools & Accessories**



Vehicle Scan Tool Tablets

	AUL-MS909	AUL-MS919	AUL-MSULTRA
	Next Generation Diagnostics	Next Generation Diagnostics	Next Generation Diagnostics
HARDWARE			
Wireless Vehicle Connection	MaxiFash VCI Including Latest Protocols	MaxiFash VCMI Including Latest Protocols	MaxiFash VCMI Including Latest Protocols
Colour Touchscreen	10" LCD	10" LCD	13" LCD
Processor	2.3 GHz + 1.7 GHz Octa-Core	2.3 GHz + 1.7 GHz Octa-Core	2.3 GHz + 1.7 GHz Octa-Core
Memory / RAM	128GB SSD / 4GB RAM	128GB SSD / 4GB RAM	256GB SSD / 4GB RAM
Internal Battery	<b>15,000</b> mAh	<b>15,000</b> mAh	<b>18,000</b> mAh
Accessory Ports	HDMI / 2 USB	HDMI / 2 USB	HDMI / 2 USB + Docking Station
Non-OBDII Connectors	Optional (#MS0BD2KIT)	Optional (#MSOBD2KIT)	Optional (#MSOBD2KIT)
SOFTWARE			
Operating System	ANDROID 10.0	ANDROID 10.0	ANDROID 7.0
Software Updates	1 Year FREE	1 Year FREE	1 Year FREE
Automatic Detection	SCANVIN / Auto-VIN / Auto-SCAN / Plate Scan	SCANVIN/Auto-VIN/Auto-SCAN/Plate Scan	SCANVIN / Auto-VIN / Auto-SCAN / Plate Scan
Split Screen Display			View Multiple Functions At Once
Advanced VCMI 5-in-1 Device		VCI, Oscilloscope, Multimeter, Waveform Generator, CAN Bus Check	VCI, Oscilloscope, Multimeter, Waveform Generator, CAN Bus Check
Repair Assist	Guided Procedures with DTC Analysis & Fault Code Solutions	Guided Procedures with DTC Analysis & Fault Code Solutions	Guided Procedures with DTC Analysis & Fault Code Solutions
Topology Module Mapping	Colour Coded All System Status Screen on supported vehicles	Colour Coded All System Status Screen on supported vehicles	Colour Coded All System Status Screen on supported vehicles
Relevant Cases	DTC Troubleshooting	DTC Troubleshooting	<b>DTC Troubleshooting</b> Repair Tips Video Library
Technical Service Bulletins	Available on Select Vehicles	Available on Select Vehicles	Available on Select Vehicles
Secure Gateway Access	Authorized FCA Access with AutoAuth Account	Authorized FCA Access with AutoAuth Account	Authorized FCA Access with AutoAuth Account
License Plate Reader	Available on Supported Vehicles	Available on Supported Vehicles	Available on Supported Vehicles
FEATURES			
Basic & Special Functions	Domestic, Asian & Euro 1996 and Newer	Domestic, Asian & Euro 1996 and Newer	Domestic, Asian & Euro 1996 and Newer
OBDII Test Modes	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6
TPMS Service Modes	Register Sensor IDs	Register Sensor IDs	Register Sensor IDs
Service Resets	36 Service Features	36 Service Features	36 Service Features
Diesel (Light & Medium Duty)	Reset Diesel Emissions	Reset Diesel Emissions	Reset Diesel Emissions
System Diagnostics	Access All Modules in All Systems	Access All Modules in All Systems	Access All Modules in All Systems
<b>Component Activations</b>	Bi-Directional Control	Bi-Directional Control	Bi-Directional Control
Enhanced Functions	Advanced Coding + Adaptations	Advanced Coding + Adaptations	Advanced Coding + Adaptations
	6	6	6

### **Scan Tools & Accessories**





### **Intelligent EV Diagnostics Tablets**

Secure high-voltage system testing and analysis
Advanced diagnostics for U.S., European and Asian electric, gas & diesel, and hybrid vehicles

	AUL-MS909EV	AUL-MSULTRAEV					
HARDWARE	HARDWARE						
Wireless Vehicle Connection	Bluetooth MaxiFash VCI	Bluetooth MaxiFash VCMI					
Colour Touchscreen	10" LCD	13" LCD					
Processor	2.2 GHz + 1.8 GHz Octa-Core	2.2 GHz + 1.8 GHz Octa-Core					
Memory / RAM	128GB SSD / 4GB RAM	256GB SSD / 4GB RAM					
Docking Station		Included					
EVDiag Box	Included	Included					
SOFTWARE							
Operating System	ANDROID 10.0	ANDROID 7.0					
Split Screen Display		View Multiple Functions At Once					
High-Voltage System Diagnostics	Diagrams of High-Voltage System Block	Diagrams of High-Voltage System Block					
<b>Battery Pack Diagnostics</b>	SOC and SOH Analysis	SOC and SOH Analysis					
Advanced VCMI 5-in-1 Device		VCI, Oscilloscope, Multimeter, Waveform Generator, CAN Bus Check					
Secure Gateway Access	Authorized FCA Access with AutoAuth Account	Authorized FCA Access with AutoAuth Account					
FEATURES							
Service Resets	36 Service Features	36 Service Features					
Diesel (Light & Medium Duty)	Reset Diesel Emissions	Reset Diesel Emissions					
	6	6					

### AUTEL MAXISYS

### AUL-EVDIAGKIT

### **EV Diagnostics Upgrade Kit**

 Includes EVDiag Box, software, and adapters for specific vehicles to achieve battery packs diagnostics for electric vehicle

(D)

 Compatible with the MaxiSYS Ultra, MaxiSYS Ultra ADAS, MaxiSYS MS919, and MaxiSYS MS909

### BATTERY PACK DIAGNOSTICS

- In-depth battery pack diagnostics for the most popular EV vehicles on the market including BMW, Tesla, and VW/Audi
- State of Charge and State of Health analysis for true battery condition

### MaxiSYS 1-Year Total Care Program Cards

### 1-YEAR LIMITED WARRANTY COVERAGE EXTENSION

AUTEĽ

- Renew tablet coverage year after year
- Cover device failure (certain fees may apply for device replacement)
- Contact Tech Support remotely from tool
- 1-YEAR SOFTWARE UPDATES EXTENSION
- New tool features and functions
- Most up-to-date coverage for old and new vehicles

Item #	Tool Coverage	
AUL-MS906BT1YRUPDATE	MS906BT	٩
AUL-MS906CV1YRUPDATE	MS906CV	٩
AUL-MS906TS1YRUPDATE	MS906TS	٩
AUL-MS906S1YRUP	MS906S	٩
AUL-MS906P1YRUP	MS906PRO	٩
AUL-MS906PT1YRUP	MS906PROTS	٩
AUL-MS9081YRUPDATE	MS908	٩
AUL-MS908CV1YRUPDATE	MS908CV	٩
AUL-MS9091YRUPDATE	MS909	٩
AUL-MS909CV1YRUP	MS909CV	٩
AUL-MS9191YRUPDATE	MS919	٩
AUL-MSELITE1YRUPDATE	MSElite	٩
AUL-MSULTRA1YRUPDATE	<b>MSULTRA &amp; MSULTRAEV</b>	٩

### AUTEL

### \$156765

### AUL-MFVCIKIT

### MaxiFlash Bluetooth VCI/J2534 Pass-Thru Programmer Kit

- Compatible with the MaxiSYS MS909 advanced diagnostic tablet
- Use with Windows PC for vehicle module programming, J2534-1 & J2534-2 compliant
- Program compatible BMW & Mercedes vehicle modules
- Program compatible BMW & Mercedes vehicle modules
   Includes main cable V2.0, USB 2.0 cable, and AC/DC adapter
- Supports CAN FD, 4 CAN Channels, and DoIP
- Supports D-PDU, IS 022900-1 & ISO 22900-2
- RP1210 compliant

### \$195<sup>05</sup>



### AUL-TESKIT TESLA Diagnostics Cable Kit

- Set of three cables enables MaxiSYS tablet users to connect with Tesla S and X vehicles to activate factory mode and perform system diagnostics
- Cables compatible with Autel MaxiSYS tablets

### AUL-CANFD-ADAPT \$158<sup>35</sup>

### CAN FD Protocol Adapter

- Supports GM and Ford vehicles 2019 and later with CAN FD capability
- Compatible with:
  - MX808, MS905, MS906, MS906BT,
  - MS906TS, MS908, MS908S, MS908P, MS908SP, MSELITE, IM508, IM608
- Compatible with supported Autel VCI units



### **Key Programming**



- It can be paired with Autel IKEY to provide professional key programming solutions
- Includes 2 IKEYs, programmable smart key replacement for more than 700 vehicles
- 60-second key generation (Autel Universal only)
- Transponder reading/writing/cloning
- Frequency detection & ignition coil detection
- Compatible with Autel blank universal smart keys
- Key renewal: supporting 36 vehicle makes
- Dual-band, high frequency
- Supporting PLC V200
- Supporting AutoVIN



#### ぬ AUL-IM508S

### Key Fob Programmer,

- **IMMO & Diagnostics Tablet**
- The IM508S, an all-systems code reader and service tool, offers powerful IMMO functionality including backup, restore, adaptations and coding, key generation and key learning & remote learning • 7" touchscreen Wi-Fi tablet
- Use to program Autel's line of IKeys (sold separately) Smart Mode for guided and automated key learning
- Expert Mode for advanced key learning
- Read PIN/CS (all key lost), key generation, key learning, remote learning
- IMMO ECU reset/adaptation, refresh/coding All systems diagnostics for US, Asian and
- European vehicles, 1996+
- Advanced maintenance services including EPB, DPF, SAS, Oil reset, and BMS
- Includes the XP200 key programmer



and advanced service functions

### IMMO & Key Programming:

- Read immobilizer pins & password directly from vehicle
- Store vehicle information to use when learning new keys
- Smart mode for guided and automated key learning
- Read Pin/Cs (all keys lost), key generation, key learning, remote learning
- IMMO ECU reset/adaptation, refresh/coding
- Transponder read/write, EEPROM/MCU read/write
- · Expert mode for advanced key learning
- Use to program IKEYS (sold separately)
- Kit includes:
- MaxiIM IM608PROII 10.1" Android touchscreen tablet
- MaxiFlash JVCI wireless J2534 Pass Thru programming device
- XP400Pro advanced key and chip programmer (also sold separately)
- IMKPA key programming adapter kit (also sold separately)

### AUL-XP400PR0 \$80725

### XP400 PRO - Advanced All-in-One **Key & Chip Programmer**

- Reads/writes and learns keys to the vehicle
- Performs EEPROM-data functions needed for European vehicles
- · Enables programming of infrared keys for Mercedes vehicles and IC chip keys on late model Hyundai and Kia vehicles
- Supports data read/write of 3,000+ chip types (EEPROM, engine ECU, MCU, IMMO ECU)
- Compatible with #IM508 and #IM608

### AUL-APB112 \$336<sup>35</sup>

### **APB112 - Smart Key Emulator**

- Compatible with IM608, IM508 & MX808IM
- Compatible with XP400
- 4 smart key password calculation
- 46 chip simulation
- · Collects data from ignition coil
- · Identify ignition coil troubles
- · Decode vehicle key chip data
- Must be used with an Autel diagnostic tool





AUTEL

AUTEL







# IDENTIFY -> CUT -> PROGRAM



### NIT-20426059

### Complete Key Making System (Without Programmer)

- Includes the hardware necessary to cut car keys, but also contains keys and remotes for the most common vehicle types you are likely to encounter on the road.
- These OEM-like keys can be programmed by any programmer. (Programmer sold separately).
- Includes: 1 x #20201002; 1 x #27301238; 1 x #27801294




### NIT-27301238 \$4129<sup>65</sup>

### **Remote & Smart Key Bundle**

Includes 172 of the most popular and profitable remotes and keys found in North America:

- 21-Pc Ford Remotes (#27301231)
- 26-Pc Chrysler Remotes (#27301232)
- 27-Pc **GM Remotes** (#27301233)
- 27-Pc Toyota/Lexus Remotes (#27301234)
- 28-Pc Honda/Acura Remotes (#27301235)
- 23-Pc Nissan Remotes (#27301236)
- 20-Pc Hyundai/Kia/Mazda/Mitsubishi Remotes (#27301237)





### NIT-27801294 \$909<sup>15</sup>

### Transponder Key Set

### (Heads, Blades and Chips)

- Assemble hundreds of automotive transponder keys with this single set.
- Use as **TEST KEYS**: Using the reusable, blue universal head, cut these inexpensive blades and test in the lock before duplicating onto a more expensive transponder key or remote head key
- Use as PLASTIC-HEADED KEYS: Combine these blades with the appropriate key heads to give your customer a permanent, high quality mechanical key
- Use as **TRANSPONDER KEYS**: The same key heads also work as a transponder key. Just insert the right chip and program it The kit includes:
- The Kit Includes:
- Key Blades (240 blades)
- Transponder Key Heads (77 heads, 16 types)
- Transponder Chips (80 chips)

### NIT-20201002

### Triton PLUS Key Cutting Machine - Automotive Edition

NEW


TRITON

- Cuts 99% of automotive, commercial and residential keys
- Easily duplicate keys with interactive, on-screen illustrated instructions
- Automated cutting for quick and accurate key making every time
- 7" touchscreen with crisp graphics and an intuitive menu
- Contains a comprehensive database
- Custom search functions include the ability to search by vehicle model, keyway, or IC card number
- Unlimited, free updates for the life of your machine via Wi-Fi
- 3-year warranty



BUIL D

....



- Adaptive Cruise Control (ACC)
- Around View Monitoring (AVM)
- Blind Spot Detection (BSD)
- Lane Departure Warning (LDW)
- Light Imaging Detection and Ranging (LIDAR) Night Vision System (NVS)
- Rear Collision Warning (RCW)

			5.					<b>2</b>				
Item #		Standard Frame Stationary	MA600 FRAME PORTABLE	MAXISYS <b>MS909</b> & MAXIFLASH VCI	ADAS Software	ACC	AVM	BSD	LDW	LIDAR	NVS	RCW
AUL-AS20	ADAS ALL Systems 2.0	· · · · · · · · · · · · · · · · · · ·	_		3	8	2	ß	6	<b>(</b>	0	<b>(</b>
AUL-AS20T	ADAS ALL Systems 2.0t				3	8				<b>(</b>	0	600
AUL-MAS20	MA600 ALL Systems 2.0				3	8	<b></b>		6	<b>(</b>	0	600
AUL-MAS20T	MA600 ALL Systems 2.0t	_			3	8				<b>(</b>	0	600

(y) AUL-IA800

**Intelligent ADAS Optical Positioning** System Expansion Package

NCED DRIVER ASSISTANCE SYSTEM

- Compatible with the MaxiSYS ADAS
- Standard Calibration Frame (not included)
- Frame positioning in as little as 1 minute
- 6 high resolution cameras that provide
- 3-dimensional adjustment
- 4 wheel clamp targets for alignment verification, plus other targets and accessories



#### **AVM Floor** Patterns

· Each sold separately

RCW

LIDAR

AVM

BSD

- AVM patterns work with MA600 and ADASCOMPLETE calibration packages

Item #	Applic.	
AUL-CSC1004-05	Ford 😎	6
AUL-CSC1004-01	vw	6
AUL-CSC1004-07	Porsche	6



NVS

0

ACC

R

LDW

### AUTEL

### \$131155

AUL-ATS100 **CV ADAS** 

Radar Sensor -**Blind Spot/ Turn Assist** System for

### **Commercial Vehicles**

 Helps improve vehicle safety by alerting drivers to potential collisions in their vehicle's blind spot

**ADAS** 

- · Complete solution with Sensor & Display
- Compatibility with 99.5% of commercial vehicles, buses, trucks, trailers, and tractors
- 180° field of view
- 120 ft. (37m) pedestrian & cyclists detection
- Up to 260 ft. (80m) detection range
- · Low false warning rate
- Distinguishes between moving and non-moving vehicles
- Two sensing modes: Low Speed for turn assist and pedestrian & cyclist detection; High Speed for lane change assist, active vehicle warning
- Plug & Play, no vehicle signal input needed, only power supply
- Auto-calibration





- Reads LIVE DATA STREAM
- Displays I/M readiness
- Retrieves vehicle information (VIN, CIN & CVN)
- Clears codes, turns off MIL and resets monitors



*₹*≠5

### AUTEL

### AutoLink

NEW

- **Code Readers**
- OBDII connection Internet updateable
- Free software updates for life of tool



<b>Code Reade</b>	rs/Code	Scanners
-------------------	---------	----------

	AUL-AL329	AUL-AL529
	1 System Affordable Code Reader	Code Reader + Special Functions
HARDWARE		
Memory		16GB Micro SD Card
Print Data	USB Cord to PC	USB Cord to PC
One Click I/M Readiness	Quick Key Indicator Lights	Quick Key Indicator Lights
FEATURES		
Emissions Testing	I/M Readiness	I/M Readiness 02 & Onboard Monitor
OBDII Test Modes	Live Data & Freeze Frame Data	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6
MIL	Read MIL Status	Read MIL Status
Data Historical		Save & Playback
Testing		Component Test
Mode 6		Enhanced
DTCs Help		On-Tool
Read/Erase DTCs	Engine	Engine
Read/Erase Manufacturer- Specific Codes		Enhanced Power System Codes on GM/Ford/Chrysle
	\$50.45	\$160.45



### All Systems Code Readers & **Service Tools** OBDII connection

	AUL-MD808P	AUL-MX808	AUL-MX900	
	MaxiDiag Service + Essential Systems Tool	MaxiCheck Advanced All Systems/ Service Tablet	MaxiCheck Advanced All Systems/ Service Tablet	
HARDWARE				
Screen	4"	7" Touchscreen	8" Touchscreen	
Memory	32GB Micro SD Card	32GB SSD / 2GB RAM	64GB ROM / 4GB RAM	
Print Data	USB to PC	WiFi to PC	WiFi to PC	
Reports		Generate Repair Reports	Generate Repair Reports	
SOFTWARE				
Operating System		ANDROID 4.4	ANDROID 11	
Software Updates	FREE for Lifetime of Tool	1-Year FREE	1-Year FREE	
FEATURES				
Emissions Testing	I/M Readiness 02 & Onboard Monitor	I/M Readiness 02 & Onboard Monitor	I/M Readiness 02 & Onboard Monitor	
OBDII Test Modes	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6	All 10 Test Modes Live & Freeze Frame / Enhanced Mode 6	
Service Resets	6 Service Functions	17 Service Functions	40 Service Functions	
OLS/EPB/SBC/SAS/BMS				
DPF Regeneration				
<b>TPMS Sensor Relearn</b>		<ul> <li>(Activation Tool Required)</li> </ul>	(Activation Tool Required)	
IMMO Functions				
ABS Brake Bleed				
	\$437.25	\$616.65	\$762.45	

### **TPMS Diagnostic & Service Tools**





### AUL-1-SENSOR \$2625

#### Programmable Universal TPMS MX-Sensor 1-Sensor with Press-In Rubber Valve Stem

- Exclusive press release button to easily replace valve stems
- Combined Frequency: 315MHz & 433MHz
- Programmable with Autel TPMS service tools
- Compatible with Autel interchangeable rubber, aluminum or colour metal valve stems

(	<b>BBBBBBBBBBBBB</b>
۱	<b>A CONTRACT</b>

### Adjustable Angle MX-Sensor 1-Sensor

- Programmable universal TPMS sensor with
- 15° of valve stems
- 15° of valve stem flexibility fits a wider variety of vehicles
- Combined frequency: 315MHz & 433MHz
- Programmable with Autel TPMS service tools

Item #	Stem	
AUL-300020	Rubber	\$42.45
AUL-300030	Aluminum	\$42.45



### AUL-300100 \$82<sup>55</sup>

### Pre-Programmed MX-Sensor BLE Bluetooth TPMS Sensor for Tesla 3/Y/S/X Models



- Tesla-ready pre-programmed Bluetooth Low Energy (BLE) TPMS sensor for Tesla 3/Y/S/X models: just fit and go
- Programmable with Autel TS900, ITS600 and ITS600PR0 TPMS tools for the latest BLE-equipped vehicles
- Built to meet industry standards
- 15°-34° adjustable angle valve stem to meet various vehicle needs
- Battery life of 6-plus years
- Tested to endure extreme temperatures

### **TPMS Diagnostic & Service Tools**

### AUTEL

**1-Pc Replacement Press-In Metal Valve Stems for Autel MX-Sensor 1-Sensor** 

Item #	Stem		
AUL-CV-001	Black	\$4.55	4
AUL-CV-002	Titan Grey	\$4.55	
AUL-CV-003	Chrome	\$11.45	4

### Set of 4 Replacement **Press-In Valve Stems for** Autel MX-Sensor 1-Sensor

Item #	Stem		
AUL-MXSENSORRVK	Rubber	\$11.05	
AUL-MXSENSORMVK	Metal	\$11.05	





### MaxiTPMS ITS600 Series - Tablet-Style TPMS Tools

- Optical scanner identifies VIN/MMY
- Exclusive TPMS status screen
- Fast OBDII relearn for most US domestic vehicles
- Batch program up to (20) 1-Sensors
- Activate, read, relearn all known TPMS sensors
- Tire pressure placard value reset
- Includes 4 commonly used maintenance service functions: EPB, Oil Reset, BMS, SAS
- Tools come with V200 Bluetooth VCI unit

Item #	Description	
AUL-ITS600	ITS600 Kit with Bluetooth VCI only	\$706.35
AUL-700130	ITS600K8 with Bluetooth VCI + (8) 1-Sensors	\$982.55
AUL-700140	ITS600K20 with Bluetooth VCI + (20) 1-Sensors	\$1269.55
AUL-700150	ITS600 Pro Kit with Bluetooth VCI and Diagnostics for All Models and All Systems	\$872.15

### ATQ-VT5S \$7215

### **TPMS Sensor**



 Aids in manual TPMS relearn procedures by triggering and activating sensors for GM, Ford, Chrysler, and many other vehicles

### ATQ-VT37-0000 \$355<sup>45</sup>

### VT37 – TPMS Reset/Trigger/ **Programming Tool**

- · Activate and display all sensor data • Make, model, year specific relearn procedures
- Activate, read and service all major OEM &
- aftermarket sensor brands
- Program over 20 aftermarket sensor brands
- Search TPMS sensor replacement part numbers
- Test vehicle keyfob signal strength/battery status

### ATQ-QUICKSET-X \$380<sup>85</sup>

### **QUICKSET X -**Summer/Winter Tire TPMS Reset Tool

- Easily swap summer and winter tires
- with a single tool Reset TPMS systems in three easy steps
- Includes both OBDII and Manual relearn functionality
- Performs TPMS relearns via the OBD Quick Connector
- Reset the TPMS system after installing
- new sensors or performing a tire rotation

### ATQ-TS56-1002 **\$1396**<sup>55</sup>

### VT56 All-In-One

### **TPMS & Tire Management Tool**

- Select make, model, year via VIN scan · Comprehensive make, model, year
- specific relearn procedures • Triggers/diagnoses 100% of OE sensors
- TPMS reset via OBD2 on more than 80% of car models
- Retrieve/Clear TPMS DTC codes
- Placard adjustment
- Trailer TPMS relearning

easy wire harness testing

- TPMS sensor part number look-up (OE and aftermarket)
- ECU unlocking for Toyota family of vehicles
- Key fob testing
- Tire tread depth functionality (accessory sold separately)

### **ABS Sensor Testers**





ATEQ





### Heavy-Duty Truck & Trailer Diagnostics & Testing



### **Heavy-Duty Truck & Trailer Diagnostics & Testing**





### USB-Link<sup>™</sup>3-Vehicle Communication Interface (VCI)

• Connects to your PC, tablet, or smart phone. The included USB cable gives techs the ability to directly connect to a device when working in the field or during signal interruptions.

#### Vehicle Network Protocol Support:

- CAN FD / J1939 FD / ISO15765 FD 250K, 500K, 1M b/s with auto baud detection (3 simultaneous channels)
- Single wire CAN (SWCAN)
- ISO 11898-3 Fault Tolerant CAN (FTCAN)
- Diagnostics Over Internet Protocol (DoIP)
- J1708
- J1850 VPW (Class 2)
- J1850 PWM (SCP)
- ISO 9141 / KWP2000 (ISO 14230) K/L line
- ALDL 9600 and 8192 baud
- ATEC 160 baud

### **Operating System Compatibility:**

• iOS • Android™ • Windows®

#### Compatible with following softwares:

Detroit Diesel Diagnostic Link; CAT Electronic Technician (On-Highway only); Cummins Insite: International - ServiceMAXX Fleet Pro: Hino eXplorer; Volvo PTT; VCAD Elite Mack/Volvo; V-MAC Service Tools;

- Allison DOC® For PC-Service Tool Protocols supported:
- J1939, J1708/J1587, and J1850; Allison DOC® For Fleets (1000/2000) - Protocols supported:
- J1939, J1850;

Allison DOC<sup>®</sup> For Fleets (3000/4000) - Protocols supported: J1939, J1708/J1587;

Eaton ServiceRanger; Bendix ACom; WABCO Toolbox; Freightliner ServiceLink; International ABS; International DLB; International Intune; International IPC v2.02; PACCAR DAVIE4

Item #	Connection	
MPS-121052	Bluetooth® & Wi-Fi	6
MPS-121054	Wired	6

#### ÇÐ MPS-EESM608A

### Blue-Link<sup>™</sup> 2 – Wireless Mobile Vehicle Communication Interface

- Quick diagnostics for heavy-duty trucks delivered to your mobile device
- Designed to communicate with your iOS or Android device and supporting CAN FD, the Blue-Link<sup>™</sup> 2 vehicle interface, combined with the First-Link<sup>™</sup> app (get it at the App Store & Google Play), is a critical tool for drivers on the road and service writers at a repair facility

#### Features:

- Integrated 16-pin and 9-pin Deutsch connectors
- Bluetooth and Wi-Fi communication

### Vehicle network protocol support:

- CAN FD / J1939 FD / ISO15765 FD 250K, 500K, 1M b/s with auto baud detection
- Single wire CAN (SWCAN)
- Fault Tolerant CAN (FTCAN)
- J1708 ISO 9141 / KWP2000 (ISO 14230) K/L line



### Pocket HD<sup>™</sup>

- **Capabilities:**
- View and clear current and historic faults
- Monitor all vehicle data Check engine speed and load, pressures, temperatures, and more
- Display trip data
- · Collect and store data from multiple vehicles
- PLC Converter required for trailer brake PLC systems (P/N 604020, available separately)

### Software included:

- Light and Medium Truck 2016 -
- Note: does not include special tests Heavy Duty Standard and OBDII Suite –
- supports J1708 and J1939 communication

Item #	Model	
MPS-188080	Pocket HD™	୍ ତ
MPS-188080DPF	Pocket HD™ with DPF Regen Software	6
MPS-917022	DPF Software (Only for Pocket HD™)	6
MPS-918021	ABS Software (Only for Pocket HD™)	6



 Interfaces with all WABCO® PLC trailer brakes • Extends the capability of J1708/J1587 diagnostic tools to support J2497 Power Line Carrier (PLC) communication

MPS-604120 \$478<sup>45</sup>

**Universal J560 PLC Adapter** 

- Can be used with a generic ABS diagnostic software application to do the following:
- Detect ABS warning lamp messages coming from the trailer ECU
- Test the in-cab trailer ABS warning lamp
- Test SAE J1708 MID 10 and 11 messages
- Test SAE J1587 MIDs 136 through 139
- The Universal J560 PLC Adapter can be used with virtually any heavy-duty vehicle communication interface or scan tool

### ÇÐ MPS-798021

### Pocket HD<sup>™</sup> with **Complete ABS Kit**

 Complete coverage for ABS systems, including Bendix, Meritor WABCO, Wabash National, Eaton, and Haldex PLC

### **Capabilities:**

- Test trailer ABS systems with PLC communications
- Auto-detect the OEM's ECU system configuration
- Read active fault codes
- Read and clear inactive fault codes
- Actuate modulators and valves
- Test the brake retarder relay cycle

### ÇÐ MPS-859000-12M

### **Real-Time Diagnostics on your PC** for Commercial Trucks

- eTechnician<sup>™</sup> offers extensive coverage for heavy, medium, and light-duty trucks, with real-time diagnostics for every engine, transmission, brake, body, chassis, and more, within your fleet
- Comprehensive coverage, bi-directional support, cloud-based vehicle history reports



Pocket HD





NEXIQ





### Heavy-Duty Truck & Trailer Diagnostics & Testing



### MaxiSYS Commercial Vehicle Diagnostic and Service Tablets

Tablets equipped with Wi-Fi access

	AUL-MS908CVII	AUL-MS909CV					
	Powerful Commercial Vehicle Diagnostics	Advanced Commercial Vehicle Diagnostics					
HARDWARE							
J2534 PASS THRU Programming Device	J2534 MaxiFash ELITE with internal Bluetooth VCI	J2534 MaxiFLASH with internal Bluetooth VCI					
Connection	Wireless Bluetooth	Wireless Bluetooth					
Colour LED Touchscreen	9.7" / 1536 x 2048 DPI	9.7" / 1536 x 2048 DPI					
Processor	2.2 GHz + 1.8 GHz Octa-Core	2.2 GHz + 1.8 GHz Octa-Core					
Memory	4GB RAM + 128GB SSD	4GB RAM + 128GB SSD					
Internal Battery	<b>15,000</b> mAh	<b>15,000</b> mAh					
Accessory Ports	HDMI / USB	HDMI / USB					
OBDII Connectors	DEUTSCH 6 Pin & 9 Pin & Complete Probe Set	DEUTSCH 6 Pin & 9 Pin & Complete Probe Set					
Print Data	Wi-Fi to PC	Wi-Fi to PC					
SOFTWARE							
Operating System	ANDROID 10.0	ANDROID 10.0					
Software Updates (Internet)	1 Year FREE	1 Year FREE					
Repair & Test Data	Access All Records	Access All Records					
Automatic Detection	Auto- <b>VIN</b> /Auto- <b>SCAN</b> / SCAN <b>VIN</b>	Auto- <b>VIN</b> /Auto- <b>SCAN</b> / SCAN <b>VIN</b>					
FEATURES							
Vehicle Diagnostics	Class 3 - Class 9	Class 3 - Class 9					
<b>Basic &amp; Special Functions</b>	All Makes & All Models	All Makes & All Models					
HD Vehicle Features/Protocols	J1939 / J1708	J1939 / J1708					
Service Resets	25 Service Features	25 Service Features					
Diesel PM (CLASS 1-9)	Reset Diesel Emissions	Reset Diesel Emissions					
System Diagnostics	Access <b>All Modules</b> In All Systems On Select Vehicles	Access <b>All Modules</b> In All Systems On Select Vehicles					
Component Activations	Bi-Directional Controls	<b>Bi-Directional</b> Controls					
Enhanced Functions	Advanced Coding + Adaptations	Advanced Coding + Adaptations					
Battery Analysis		MaxiBAS Software with Multimeter Amp Clamp & B200 Included					
ADAS Calibrations		Access Static Calibration Class 3-5* Class 6-8 Dynamic Calibration *ADAS Target Kits Sold Separately					
	6	6					

### AUTEL \$229<sup>35</sup>



AUL-TRAILERPLC

Heavy-Duty J560 PLC Adapter



### BSD-1699200240 **\$961**<sup>65</sup>

### HDS 250 - Heavy-Duty Scan Tool

• Includes HD standard software for Class 4-8 and Global OBD II software for light duty trucks

CanDo

- "Automatic Protocol Search" Class 4-8
- HD J1587 / J1708 and J1939 CAN, Engine, Transmission/ABS coverage and more
- Global OBD II quick test
- Works on 24V systems



### CDO-HDCODEII \$46365

### Heavy-Duty Truck Code Reader with Extensive Caterpillar Coverage and Generic OBDII

- Covers Class 4-8 HD, medium & light duty truck
   Caterpillar coverage including CAT Truck/Bus, CAT Power Equipment, CAT Construction, CAT Agricultural, CAT Industrial
- CAT Agricultural, CAT Industrial • Works with all 1996+ OBDII compliant US, European & Asian vehicles
- Access engine, transmission & brakes
- Automatic protocol search VIN
- DPF Reset & Regeneration for Fuso, Cummins and Detroit

### IPA-9107B **\$328**<sup>05</sup>

### Electric Brake Force Meter with Dynamic Load Simulation and Circuit Testing

- Includes 2023 updates
- Tests vehicle trailer light and electric brake systems
- Simulates trailer brake and light loads
- Works with modern integrated trailer brake controllers; also works with aftermarket brake controllers
- 25 ft. cable allows one-man, in-cab testing
- Use to verify that the vehicle's adaptive (speed/load sensitive) brake-controller output is functioning properly

IPA-9007A Smart MUTT® – Portable Tester for Commercial Trailer Lighting and ABS (7-Way Round Pin)

- Remote-controlled, diagnostic trailer tester that tests lights and most ABS systems on commercial trailers using 7-way round connections
- Electrical testing (12 Volt operation)
- Includes:
- Remote control, 500mA battery charger and 5 ft. 7-way cable
- Battery compartment (battery not included)

#### **Trailer Testers & Maintenance Tools** 9008-DL IPA-8000 \$4255 **3-Way Trailer Adapter** • Connect 7-way flat (spade) pin type terminal connections to 6-way round pin Super MUTT<sup>®</sup> -Commercial and 4/5 pin trailer connections **Diagnostic Trailer Testers** (7 Round Pin) IP,4 Quickly troubleshoot lighting, air brake and ABS systems • Electrical testing IPA-TSTPK1 \$20725 (12/24 Volt operation) Remote-controlled **Multi Trailer Tester Pack ' '** ) IPA-9008-DL IPA-9008-SE **Pro Edition Base Model** • (1) Remote control • (2) Remote controls • 5 ft. 7-way cable • 5 ft. 7-way cable • 8 ft. Gladhands Chassis ground cable IPA-7865L \$6645 • 10A Smart battery charger External Battery connector · Face/battery shield & rain cover • 8 ft. Gladhands 7-Way Round Pin Battery not included • Battery not included **Tractor Trailer Circuit Tester** Ranger MUTT<sup>®</sup> - Trailer Testers for **Lights and Electric Brakes** IPA-7893 \$45<sup>15</sup> • Test the trailer without the truck • Turn signal simulation and 7 Flat (Spade) Pin power verification LED **Trailer Circuit Tester** • Internal battery compartment (battery not included) Water resistant case • Input: 12V DC • Output: 10A @ 12V DC Short circuit and overload protection IPA-8025 \$88<sup>15</sup> **Terminal Connector** Cleaners IPA-8040 \$7305 IPA-9101 \$304<sup>45</sup> IPA-9102 \$304<sup>45</sup> 3-Pc Diamond-Tip Light Ranger Mutt® - Utility and Heavy Ranger MUTT<sup>®</sup>-**Electrical Terminal RV** Type Trailer Tester Commercial Cleaners • Tests 7-way spade. 6-way round. **Trailer Tester** • Three different size tips fit and and 4/5 pin trailer-side harnesses • Tests 7-way round pin clean most male/female flat Includes: trailer-side harnesses pin-type connectors 500mA battery charger Includes: (battery not included) • 500mA battery charger 3-way trailer adapter (battery not included) **Ken-Tool**® IPA-8042 \$7435 12-Pc 5" Long Diamond **Micro Round Files** \$23<sup>15</sup> KEN-92000 2-Pc Pigtail Plug IPA-8048 \$19385 Safety Shims™ · Lights stay on and won't flicker **HD Fleet Electrical** during travel **Terminal Maintenance Set**

 Prevents ABS lights from coming on because of a poor plug connection

### **Circuit Testers/Volt Testers**





jack tip (PPBasic, PP3, PP3S, PP3EZ, PP4)





#### January - March 2024 **56**

### **Circuit Testers/Volt Testers**



**TD** 

### **Circuit Testers/Volt Testers**

### **Astro**

### AST-7764 \$51<sup>15</sup>

### **Digital LCD 3-48V**

Wide Range Circuit Tester

• Computer safe with back lit LCD display for accurate voltage readouts

### AST-7767 \$43<sup>35</sup>

#### Wide Range Positive and **Ground Circuit Tester**

- Applications: 6, 12, 24 & 48V DC systems
- 4-60V range, 0.1V resolution
- Small testing current < 10mA</li>
- 10 ft. spring cable
- Display turns green for negative (ground), and red for positive (power)

### 

### SGT-27000 **\$12**<sup>75</sup>

"Lifetime" 6 & 12 Volt **Heavy Duty Circuit Tester** 5 foot flexible, insulated cord

### SGT-27300 **\$21**<sup>65</sup>

### 6 & 12 Volt Heavy Duty

**Circuit Tester** 12 foot retractable wire

### SGT-28100 \$2455

### **Computer Safe**

- **Automotive Logic Probe**
- lead circuit tester
- leads with large battery clips

### SGT-28200 \$4715

### 12/24/42 Volt

- **Circuit Tester**
- Computer safe
- Wire stretches to 10 feet

### SGT-28350 \$7675

### 6/12/24/48 Volt

- **Circuit Tester**
- Measures from 4 to 60 Volts DC • 11 foot retractable wire
- Computer safe draws less
- than 10 milliamps at 12 volts





- DC to easily check for voltage drop on circuits
- 48" cord with heavy-duty alligator clamp for secure connections Not computer safe with load applied. Not for use on airbags.

### LIS-27430 **\$26<sup>35</sup>**

ATD-55045 \$6255

3-48V Digital Circuit Tester

• Checks electrical circuits on all

3-48 Volt vehicle systems • Impedance rating 200-400 ohms

• 12 ft. coiled test lead

ATD-5624 \$2735 6/12 Volts Heavy Duty

Cord stretches up to 10 ft.

ATD-55042 **\$46<sup>45</sup>** 

• Computer and air bag safe

Cord stretches up to 12 feet

LIS-28800 \$149<sup>35</sup>

**Dual Polarity Digital** 

• Automatic voltage identification: Blue LED for 12V and Red LED for 42V

12/42 Volts Hybrid

**Circuit Tester** 

3-30 Volts DC

**Circuit Tester** 

Large, backlit LCD display for voltage readings

### 24 Volt Heavy-Duty **Circuit Tester**





### **Heavy Duty Circuit Tester/Jumper**

• A 2-in-1 tester that tests circuits up to 12 volts and works as a jumper wire for power or ground

### LIS-32150 **\$30**<sup>45</sup>

### **Power/Ground Outlet**

· Provides a convenient electrical ground and power source from the vehicle


### AST-7762 **\$41<sup>15</sup>**


#### **Astro** Locking Pliers

### **Circuit Tester Light**

- A simple test light with locking pliers around clamp
- Lock onto grounds easier without them easily ripping off
- 12 ft. recoil ground cord
- Wire O.D: 4mm Bulb: 12V3W Amp: 0.45A




















### Multimeters



	ESI-380	ESI-480A	ESI-385A	ESI-582	ESI-485	ESI-585K	ESI-590	ESI-595	ESI-597IR
	Digital Multimeter	Auto-Ranging Digital Multimeter	Digital Engine Analyzer/ Multimeter	Deluxe Multimeter with Amp Shutters	Self-Calibrating Digital Multimeter	Deluxe Multimeter with RPM & Temperature	Professional Digital Multimeter	Professional Multimeter with PC Interface	Premium Multimeter with IR Thermometer
CAT III Safety					CAT III 600V			CAT III 1000V	CAT III 1000V
True RMS Reading					-				
Analog Bargraph + Digital Readings									
Auto/Man. Ranging	Manual	Auto	Manual	Manual	Auto	Auto & Manual	Auto	Auto	Auto
DC Volts	Min.: 0-200mV Max.: 1000V	Min.: 0-400mV Max.: 600V	Min.: 0-200mV Max.: 600V	Min.: 0-200mV Max.: 1000V	Min.: 0-60mV Max.: 600V	Min.: 0-320mV Max.: 1000V	Min.: 0-400mV Max.: 1000V	Min.: 0-400mV Max.: 1000V	Min.: 0-400mV Max.: 600V
AC Volts	Min.: 0-200V Max.: 750V	Min.: 0-400mV Max.: 600V		Min.: 0-2V Max.: 700V	Min.: 0-60mV Max.: 600V	Min.: 0-3.2V Max.: 750V	Min.: 0-4V Max.: 700V	Min.: 0-400mV Max.: 750V	Min.: 0-4V Max.: 600V
DC Amps	Min.: 0-200uA Max.: 10A	Min.: 0-400uA Max.: 10A	0-10A	Min.: 0-2mA Max.: 20A	Min.: 0-600uA Max.: 10A	Min.: 0-320uA Max.: 10A	Min.: 0-40uA Max.: 20A	Min.: 0-400uA Max.: 20A	Min.: 0-40mA Max.: 20A
AC Amps		Min.: 0-400uA Max.: 10A		Min.: 0-2mA Max.: 20A	Min.: 0-600uA Max.: 10A	Min.: 0-320uA Max.: 10A	Min.: 0-40uA Max.: 20A	Min.: 0-400uA Max.: 20A	Min.: 0-40mA Max.: 20A
Ohms	0 to 20M	0 to 40M	0 to 20M	0 to 20M	0 to 600M	0 to 32M	0 to 40M	0 to 40M	0 to 40M
Capacitance		0 to 40uF		0 to 200uF	0 to 100mF		0 to 100uf	0 to 100uf	0 to 40mf
Continuity (Audible)				•					-
Diode Test		-			-	=			•
Duty Cycle		-	•		-	•			-
Dwell									-
Frequency	10.14 (0)								
Input Impedance	10 Meg/Ohm	10 Meg/Ohm	10 Meg/Ohm	10 Meg/Ohm	10 Meg/Ohm	10 Meg/Ohm	10 Meg/Ohm	10 Meg/Ohm	10 Meg/Ohm
Min/Max Function mS Pulse Width									
RPM							-	-	
RPM (DIS)						-		-	-
Temperature				-4F to 1400F -20C to 760C	-58F to 1292F -50C to 700C	-4F to 1400F -20C to 750C	-4F to 1400F -20C to 760C	-4F to 1400F -20C to 760C	-22F to 1832F -30C to 1000C
Transistor Test									
PC Interface									
	\$51.95	\$81.85	\$112.15	\$130.05	\$172.35	\$184.75	\$207.45	\$330.75	\$414.95



### **Digital Multimeters**

Model Description	Fluke 107 First-Pass	Fluke 115 True-RMS	Fluke 233/A Kit Remote Display	Fluke 87V Industrial	Fluke 87V-MAX Rugged Industrial	Fluke 87V-MAX/E2 Rugged Industrial	Fluke 88V/A Kit Deluxe Automotive	Fluke 1587 FC Insulation Tester True-RMS Multimeter
Item #	FLU-4367953	FLU-2538790	FLU-3566508	FLU-2074974	FLU-5140033	FLU-5160712	FLU-2117440	FLU-4691215
BASIC FEATURES								
Counts	6,000	6,000	6,000	20,000	20,000	20,000	20,000	6,000
Auto/Manual Ranging	Auto Ranging							
True-RMS		AC	AC	AC	AC	AC		AC
MEASUREMENTS								
Voltage AC/DC	600 V	600 V	1,000 V	1,000 V	1,000 V	1,000 V	1,000 V	1,000 V
Current AC/DC	10.0 A	10.0 A	10.0 A	10.0 A	10.0 A	10.0 A	10.0 A	400 mA
Insulation Test Voltages								50 V, 100 V, 250 V, 500 V, 1,000 V
Resistance	40 MΩ	40 MΩ	40 MΩ	50 MΩ	50 MΩ	50 MΩ	50 MΩ	50 MΩ
Frequency	10 to 100 kHz	50 kHz	50 kHz	200 kHz	200 kHz	200 kHz	200 kHz	100 kHz
Capacitance	1,000 µF	10,000 µF	10,000 µF	10,000 µF	10,000 µF	10,000 µF	9,999 µF	9,999 µF
Temperature			-40°C to +400°C	-200°C to +1090°C	-200°C to +1090°C	-200°C to +1090°C	-200°C to +1090°C	-40° C to +537° C
Conductance				60 nS	60 nS	60 nS	60 nS	
Duty Cycle				•	•			
Pulse Width							•	
Continuity with Beeper					-		•	•
Diode Test								
RPM							•	
Motor Drive Measurement								
DIAGNOSTICS & DATA								
Min./Max. Recording							-	
Relative Reference				-	-			
Fast Min./Max. 250 µs				250 µs	250 µs	250 µs		
SAFETY								
Input Alert				-	-		-	•
CAT III	600 V	600 V	1,000 V	1,000 V	1,000 V	1,000 V	1,000 V	1,000 V
CAT IV			600 V	600 V	600 V	600 V	600 V	600 V
	\$240.45	6	6	6	6	6	6	6

### **Multimeters**

### LANG



### LAN-13803 **\$181**95

#### Automotive Digital Multimeter

- AC & DC Volts
- AC & DC Amps
- Resistance, diode, frequency, continuity, temperature
- Duty cycle and dwell reading
- RPM measurement
- Inductive pickup, thermocouple probe, test leads

### LANG

### LAN-13811 **\$283<sup>45</sup>**

### Professional CAT IV Multimeter

- CAT III: 1000V
- CAT IV: 600V
- Current to 10 Amps AC/DC
- Auto ranging
- mS-pulse, duty cycle, resistance, continuity, diode
- Includes test leads and temperature probe

### LANG

### LAN-13809 \$6705

- **CAT III Digital Multimeter** • CAT III 600V safety rating
- 19 functions/7 ranges
- Manual ranging
- DC and AC Voltage to 600V
- 10A DC and AC current
- 2M Ohm resistance
- Basic voltage and resistance measurement
- Audible continuity • Diode test, Battery test
- Data hold

### BOSCH

### BSD-F00E9001013CM \$452<sup>15</sup>

### MMD 540H Hybrid Digital Multimeter

- CAT III (1,000V) safety rating for hybrid vehicle circuits
- Peak, Min/Max readings as fast as 1 millisecond
- Higher amperage test ranges, up to 20 Amps
- Inductive RPM clamp for conventional and
- DIS ignition systems Fused diagnostic test leads for
- safe trouble shooting (up to 20 amps) K-Type thermocouple for quick temperature measurement
- Trilingual users manual on CD



### PWP-PPDMM \$209<sup>85</sup>

### **Automotive Digital Multimeter**

- Hybrid safe CAT-IV 600V
- Digital Volt and Ohmmeter for circuit testing • AC/DC Voltage to 600V
- Current to 10 Amps
- Resistance/Diode/Continuity to 60M Ohms • Capacitance: 0.0001 µF to 60,000 µF
- Frequency, duty cycle
- Temperature: -4°F to 1,832°F (-20°C to 1,000°C) • Data hold, Min/Max capture, relative measurement

### PWP-PPDM500MAXCBINT \$469<sup>65</sup>

### **DM500MAX TRMS Industrial** Logging Multimeter

- AC/DC voltage: 1000V AC/DC current: 10A
- CAT III 600V, CAT IV 600V
- 40,000 count, extra-large display
- Auto-save mode, 40,000 records data logging capacity
- Temperature: -200°C~1,200°C (-328°F~2,192°F)
- Low impedance (LoZ), diode, resistance,
- capacitance, frequency, Min/Max/Avg
- Protective rubber case
- Water, dust, dirt, shock resistant

### ATD-5519 \$12995

### **Auto Ranging Digital Multimeter**

- 43 test ranges, auto-ranging Auto power off
- Frequency and Duty Cycle
- Audible continuity beep
- Capacitance and Diode testing
- Dual fuse protection

### ATD-5536 \$7895

### **Digital Multimeter**

- (20) Test ranges (7) Test functions
- 10 Meg/Ohm input impedance
- 10 Amp range
- Continuity beeper
- Measures: Volts, Ohms, Amps, Diode test, Continuity and Transistor

### ATD-5544 \$55<sup>35</sup>

### **Economical Digital**

- Mini Multimeter • (16) Test ranges
- (6) Test functions
- 3-1/2" Digital LCD display
- Measures: Volts, Ohms, Amps,
- Diode & Battery test

### curien CUR-N2BASE01 \$42725

### N2 Neuron - Compact 2-Channel Bluetooth<sup>™</sup> Graphing Multimeter

- Connects to iOs, Android or Windows
- Simultaneous dual channel readouts • Voltage: - AC/DC CAT III 600 V
- Power Calculations - Graphing & Waveforms
- Amps: 10 Amp internal fused readings • Ohms/Precision Volts:
- Resistance measurements
- Internal thermometer
- 2-Year warranty



**OWER PROBE** 







### **Current Probes**



### **Current Probes/DMMs**

	ESI-697	ESI-698	ESI-684	ESI-695	ESI-685	ESI-655	ESI-687	ESI-688
	400 Amp DC/AC Current Probe	1000 Amp DC/AC High Current Probe	400 Amp DC/AC Auto-Ranging Clamp Meter	80 Amp Low Current Probe for Graphing Meters, Scopes & DMMs	200 Amp Current Probe/ Digital Multimeter	1000 Amp Current Probe/ Digital Multimeter	80 Amp Low Current Probe/Digital Multimeter	80 Amp Low Current Probe/Digital Multimeter
CAT III Safety			CAT III 600V			CAT III 600V	CAT III 600V	CAT III 600V
True RMS Reading								
Analog Bargraph + Digital Readings								
Auto/Man. Ranging			Auto		Auto	Auto	Auto	Auto
DC Volts			Min.: 0-4V Max.: 600V		Min.: 0-400mV Max.: 600V	Min.: 0-400mV Max.: 600V	Min.: 0-400mV Max.: 600V	Min.: 0-500mV Max.: 600V
AC Volts			Min.: 0-4V Max.: 600V		Min.: 0-4V Max.: 600V	Min.: 0-400mV Max.: 600V	Min.: 0-400mV Max.: 600V	Min.: 0-500mV Max.: 600V
DC/AC Amps	Low: 0-40A High: 0-400A	Low: 0-600A High: 0-1000A	Low: 0-40A High: 0-400A	Low: 0-20A High: 0-80A	Low: 0-40A High: 0-200A	Low: 0-40A High: 0-1000A	Low: 0-4A High: 0-80A	Low: 0-5A High: 0-80A
Ohms					-		-	
Capacitance					-			
Continuity (Audible)				-	-		-	
Diode Test					-			
Duty Cycle			-		-	-	-	
Frequency					-		•	(AC only)
Min/Max Function								
Temperature						-4°F to 1832°F -20°C to 1000°C		-4°F to 1400°F -20°C to 760°C
Clamp Opening	1-1/4"	2-1/8"	1-1/4"	1/2"	7/8"	2-1/8"	1/2"	3/4"
	\$181.85	\$195.15	\$216.95	\$230.75	\$266.55	\$274.75	\$279.15	\$455.55

### **Fuse/Relay Testing**

### ╡⊐҉ ESI-191 **\$238**<sup>85</sup>

### 12V Relay Buddy® Pro Test Kit

- Tests 5 different relay types and also tests shielded relays
- Checks relay coil & switch contacts
- Settable to 4 and 5 pin relay

ESI-194 **\$185**<sup>85</sup>

12V Super Relay Buddy®

Yellow/Pass with caution Checks 7 different 12 Volt relays

the condition of the relay

Automatic 10 cycle test verifies

Simple Good/Bad relay indication







FUTURE NOW

#### \$147<sup>65</sup> IPA-8005

Fuse Buddy<sup>™</sup> Current Loop • Clamp your current probe over the

through a fused circuit

Testing range: 0-30 Amps

loop to access the amperage draw

Fuse Socket Type

Mini Fuse Socket

ATC Fuse Socket

### Fuse Saver®


Item #

ESI-307M ESI-308B

- Chase down short circuits without blowing fuses • 3 resetting, colour-matching thermal breakers: 10 A (red), 15 A (blue) and 20 A (yellow)
- T-type dual fuse adapter on 10 ft. cable for
- mini and standard spade fuses

### IPA-9038A \$16005

### **Relay Bypass Switch** Kit with Amp Loop



- Use in conjunction with clamp-on Amp Probes and Lab Scopes
- Operating range: Up to 20 Amp continuous, 30 Amp surge (12V)
- Covers most makes and models

### Relay Pro<sup>®</sup> 12-24V Relay Tester

• No need to connect to specific pins, like other testers

### LIS-56810 \$134<sup>35</sup>

### **Relay Test Jumper Kit**

 Jumpers fit the most popular size relays on domestic and import vehicles

### LIS-60610 \$134<sup>35</sup>

### **Relay Test Jumper Kit II**

 Jumpers fit many popular relays on Honda, Hyundai, Mitsubishi, Nissan, Toyota, newer Ford and GM mini micro relays as well as International trucks

### LIS-69300 \$410<sup>65</sup>

### **Master Relay and Fused Circuit Test Kit**

- 8 jumpers to fit most popular relays
- #69250 test lead kit and relay puller pliers



### ESI-195 **\$28745** 12V Super Relay Buddy® Pro Kit • Settable to 4 and 5 pin relay

• Three test results: Green/Pass, Red/Fail and

- Full 7+ amp load flags
- intermittently failing relays Three test results: Green/Pass. Red/Fail and Yellow/Pass with caution
- Checks 10 different 12 Volt relays
- Automatic 10 cycle test verifies the condition of the relay

### ESI-192 **\$121**<sup>65</sup>

### 12/24V Diagnostic Relay Buddy®

- Tests both 12V and 24V relays
- Checks relay coil & switch contacts • 3 diagnostic trouble codes help define
- the cause of the bad relay Settable to 4 and 5 pin relay

### ESI-193 **\$260<sup>25</sup>**

### 12/24V Relay Buddy® Pro Test Kit

- Tests 5 different relays both 12V and 24V
- Checks relay coil & switch contacts
- 3 diagnostic trouble codes help define the cause of the bad relay
- Settable to 4 and 5 pin relay

### ESI-316 **\$16255**


### 12/24V Relay Fuse Buddy®

- Acts as a relay bypass switch with live amperage readings during all testing
- Diagnoses if it's a circuit problem or a relay problem
- Displays live circuit current: 20A continuous, 30A momentary
- · Gives you on/off control of the circuit power, downstream of the relay
- Includes adapters for 6 different relays

### ESI-310 **\$12685**


### Fuse Buddv<sup>™</sup> Pro Test Kit

• Measurement range: 0 to 30 Amps / 48 Volts



- 30 Amp MINI circuit amperage testing
- 30 Amp ATC circuit amperage testing
- 30 Amp all purpose amperage testing




















### **Terminal Release Tools**





### **Test Leads & Adapters**

### **LOADpro**® Test Probes

- Applies a load
- across circuits on electrical systems
- Performs voltage drop test with the push of a button
- Finds corroded wires/connections, shorts to ground and open circuits

### Description

TIGHI #	Description	
ESI-187	<b>24V LOADpro® with 4mm Tip Adapters &amp; Back Probe Kit</b> • 6-24V test range • Includes #180 LOADpro®	\$157.95
ESI-185	<ul> <li>48V LOADpro<sup>®</sup> with Dynamic Test Leads</li> <li>12-48V test range</li> </ul>	\$119.65

### ESI-134 \$29<sup>85</sup>

### Automotive DMM Test Leads

- ATC fuse holder in-line
- Provides extra overload protection
- Can prevent your DMM's internal
- fuse from blowing For use with any digital multimeter

### ESI-629 **\$19**<sup>45</sup>

### 48" Test Leads with

### Screw-Off Alligator Clips

- 1,000 Volts max CATIII
- Maximum 10 Amps

### ESI-143 **\$71**<sup>45</sup>

### 64" Automotive Test Lead Kit

- Test probes
- Flexible silicone back probe pins
- Shielded alligator clips
- Large crocodile clips
- Deluxe storage pouch

### ESI-619 **\$51**<sup>95</sup>

### **Wire Piercing Clips**

- Compatible with most test lead kits
- Pierces wire insulation sized from 22 to 14 AWG

### SGT-21200 \$66<sup>95</sup>

### **Clamp Probe Set**

- Designed to allow a lone technician to test for voltage drop on top battery posts and many other testing applications
- Its hands-free operation is a useful diagnostic tool when a third hand is needed
- Works with standard 4mm banana plugs · Probe swivels and adjusts in height to test
- where you need it
- Works great for testing recessed connections







### LANG Retractable Test Leads

Item #	Leads	Length	Features	
LAN-1135	3	10 ft.	Magnetic, Retractable	\$47.75
LAN-1138	2	30 ft.	Magnetic, Retractable	\$70.45
LAN-1129	3	10 ft.	Retractable	\$27.95
LAN-1130	1	30 ft.	Retractable	\$27.45
LAN-1176	2	15 ft.	7-Pc Retractable Test Leads with Banana Plugs – Includes: test probes, alligator clips, spring hooks	\$102.35

### SGT-23150 \$3575

### **Perma-Coil®**

### **Jumper Leads**

- Retractable leads for all purpose circuit jumping and testing
- Stretches to 10 feet

### PWP-PPLS01 **\$121**<sup>55</sup>

### **Gold Series Lead Set**

- (2) Auto centering wire piercing probes 28-8 AWG
- Standard 4mm banana plugs and jacks • Male/male - Female/female
- conversion adapters
- 1 ft., 3 ft., 6 ft. stackable leads • (1) Standard probe tip
- 10 gauge, super flexible
- multi-stranded wire
- Alligator clip

M TOOL AID

### PWP-PPTK0003 \$3505

### **Piercing Probe Kit**

• (1) Yellow 4mm banana jack, 8-18 gauge wires • (1) Green 4mm banana jack, 20-28 gauge wires



### Wire Installation Tools

### CTA-1450 \$39<sup>75</sup> 6" Long Wire Install Tool Kit

- Use to place and extract cables,
- connectors and components • Allows the user to push, pull and feed
- wires safely and accurately
- Reduce the chance of damage to wire insulation
- Not for high voltage or live wire use





### **Stethoscopes**



### LIS-52500 \$36<sup>15</sup>

### Mechanic's Stethoscope

 Quickly pinpoints the source of mechanical noises in engines, transmissions, differentials and bearings

### LIS-52750 **\$45<sup>05</sup>**

#### Dual Purpose Stethoscope Kit

- Detects both mechanical
- and air induced sounds



### STE-65001 **\$156**<sup>95</sup>

### EngineEAR<sup>®</sup> Stethoscope

- Amplifies sound
- Flexible shaft with metal probe for picking up noise and vibration
- Pin-points noise and location

### STE-06800 **\$212**<sup>55</sup>

### EngineEAR® II Electronic Diagnostic Stethoscope

- · Quickly pinpoint noises
- 7 sound settings with adjustability from 60 to 120 decibels
- Supersensitive microphone with high to low settings
- Flexible gooseneck shaft for easier access
- 9V battery included



### ChassisEAR<sup>®</sup> Electronic Squeak and Rattle Finder

- Easily pinpoint noises that cannot be duplicated in a repair stall and only occur during road driving
- Connect up to (6) microphones to different under-chassis locations
  16-foot long colour coded wire leads allow microphones
- to be positioned in difficult to reach places

### STE-61082 \$550<sup>25</sup>

### Wireless ChassisEAR® Diagnostic Device Kit

- Specifically designed to pinpoint squeaks, rattles, and any other troublesome and errant noises across
- a vehicle's engine, axles, and chassis • Ideal for diagnosing faulty fuel injectors, bearings, gears, suspensions, transmissions, differentials
- and CV joints, and under hoods • 4 independent transmitters for monitoring
- multiple locations
- 50-foot signal range



### STEELMAN<sup>®</sup>PRO

### STE-60605 \$778<sup>25</sup>

Wireless Rechargeable ChassisEAR® 2 Diagnostic

Noise Finder

- The ChassisEAR® 2 utilizes several advancements and improvements to help quickly pinpoint squeaks, rattles, and any other troublesome and errant noises across a vehicle's engine, axles, and chassis.
- 6 selectable channels on the receiver can be muted individually
- Includes: 4 independent wireless transmitters, 4.3" color LCD touchscreen control unit, headphones, 4 microphone clamps, 4 jumper extensions, tie straps, transmitter charging station, AC adapter, USB charging cable, color coded transmitter boots

### **Combustible Gas Leak Detectors**

KLEIN TOOLS

### KLE-ET120 **\$244<sup>15</sup>** Combustible Gas Leak Detector

- Two levels of sensitivity: High (50 to 1000 ppm) and Low (50 to 10,000 ppm)
- Measures methane, propane, butane, and other gases to detect for leaks
- Visual and audible alerts
- Automatic zero-point calibration at power-up
- 18" flexible cable Auto power-off
- Includes carrying pouch and (4) AAA batteries

### MTC-55975 \$34095

### Intella Sense III

### **Combustible Gas Leak Detector**

- Response time: less than 1 second
- Intelligent tip eliminates
- potential of false alarms
- High, Medium and Low sensitivity
- Sensor life: 2,000 hours



💽 Mastercool 🕻

### RACERLINE<sup>®</sup> Marksman II




### HBF-TP-9367L **\$1010<sup>35</sup>**

- Ultrasonic Diagnostic Tool • Converts & amplifies inaudible
- Converts & amplifies maduble ultrasonic sounds into audible "natural" sounds
   Applications: Automotive.
- Applications: Automotive, HD Trucks, A/C, Refrigeration
- Pinpoints quickly and effortlessly air brake leaks, gear and bearing wear in wheel hubs, transmissions, transfer cases, differentials, compressed air, vacuum, electric motors and other pressurized leaks



- 5-LED signal intensity indicator and audible alarm
- Laser pointer to help pinpoint the source of pressurized leaks
- Checks for electrical discharge associated with insulation breakdown, carbon tracking and arcing
- Unique ultrasonic emitter helps locate faulty seals, gaskets and weather stripping in passenger cabs, trailers and other non-pressurized enclosures





### Leak Detection Smoke Machines

### RED

### RDL-95-0400 ReadySmoke<sup>™</sup>-**Diagnostic Leak Detection**

Smoke Machine

· Finds leaks fast and is



### simple to operate Nitrogen compatible

- Kit comes with everything you need, including: 2 oz OEM-approved vapor producing fluid that lasts hundreds of tests Halogen inspection light
- Compact size measures only 6" W x 7" H

ッ

### Made in USA

### RDL-95-0003C Smoke Pro® Total Tech® -**Diagnostic Leak Detection Smoke Machine**

- A professional grade tool that uses pressure, vacuum, and visual vapor to quickly diagnose trouble codes, pinpoint EVAP leaks, cooling system leaks, intake and exhaust leaks, and wind and water intrusion
- Now comes with Easy INTAKE<sup>™</sup>

### RDL-96-0190 \$171<sup>35</sup>

### Easyconnect® Smoke Machine **EVAP Adapter Set**

- EasyConnect<sup>®</sup> is compatible with any smoke machine and provides a fast and easy way to hook up the smoke machine to late model vehicles that no longer have an EVAP test port
- Kit includes 4 different sized adapters with 4 add-on components to connect the smoke machine to most late model automobiles and light-duty trucks

### MVC-500-0150

### **MOTORVA**

**MOTOR**VA@

### Cool Smoke® HP Leak Detection System

Çŵ

- For turbo gasoline and diesel leak detection
- Works with Android® or Apple® mobile devices
- Operating range of 3-60 psi 3.5" digital LCD display
- Multiple languages and units of measure
- Operates on 12 or 24 Volt DC
- Factory-filled with Cool Smoke<sup>®</sup> Fluid
- Comes with the Cool Smoke® HP Turbo Adapter Kit (#200-0150) which includes plugs, hoses, clamps, lights and glasses

### MVC-500-0100 **\$1518**<sup>45</sup>

### MotorVac® CoolSmoke

### **EVAP Leak Detection System**

- Uses 12 Volt DC
- Pressure and vacuum leak diagnostics with instant smoke vapor with UV enhanced dye
- Dual mode leak detection: test for leaks with or without smoke • Includes: 120 ml bottle of CoolSmoke UV FLUID (#400-1055), accessory kit, powerful 50W light to easily locate leaks

🖌 Mastercool 🕻

### 12V DC Diagnostic Smoke Machines

- Specifically engineered units for EVAP,
- turbo/intake and heavy-duty truck testing
- Quickly generates non-toxic and non-corrosive smoke
- Units include:
- A complete accessory kit for a wide range of diagnostic leak testing
- High intensity smoke illuminating flashlight
- 8 oz smoke producing fluid
- 10 ft. 12V power cables with durable clamps
- · Heavy-duty 10 ft. smoke injection hose

### MTC-43060-EV **S1195**<sup>05</sup>

- exhaust system, vacuum lines and vacuum components, passenger compartment window and sunroof, headlight/tail-light fixtures and much more
- Built-in internal compressor, shop air, and inert gases
- Built-in pressure regulated at 0.5 PSI for safe evap testing
- Large pressure decay gauge: 0-30 in. H20 (70 mbar)

### MTC-43060-TB **\$1493**<sup>85</sup>

### **TURBO/INTAKE Diagnostic Smoke Machine**

- Applications: For all turbo, intakes, exhaust, vacuum lines and vacuum components, manifolds, passenger compartment window and sunroof, headlight/tail-light fixtures and much more. Not for EVAP testing
- Smoke injection options:
- Built-in internal compressor, shop air, and inert gases
- Pressure can be regulated from 0 to 28 PSI
- Large pressure decay gauge: 0-30 PSI
- Available accessories: #43060-DW-ST: Diffuser Assembly Short

### MTC-43060-HD **\$1908**<sup>25</sup>

### **HEAVY-DUTY TRUCK Diagnostic Smoke Machine**

- Applications: For all HD truck intakes, stack exhaust, vacuum lines and components, cabin air and water leaks and much more. Not for EVAP testing.
- Smoke injection options: Shop air or inert gas
- Pressure can be regulated from 0 to 28 PSI
- Large pressure decay gauge: 0-30 PSI
- Available accessories: #43060-DW-LG: Diffuser Assembly Long #43060-HDBR-9: 9" Bladder Ring #43060-HDLB: Large Bladder for HD Truck



### **MOTORVA**

### MVC-400-1054 \$6375

### MotorVac® Cool Smoke Fluid with UV Dye

- Designed specifically for use with the MotorVac® Cool Smoke System
- 200 ml refill











**Tachometers** 

### **Noid Light Testers**

### SGT-36300 \$39<sup>35</sup>

### ■ TOOL AID®

### **Noid Light Set**

- Tests electronic fuel injection signals
- Checks GM TBI, Bosch PFI, Ford TBI, GM PFI, Geo TBI and GM SCPI

### Spark/EFI/IAC Testers

### 

### SGT-36350 \$12595

### **Combination Test Kit with In-Line Spark Checker for Recessed Plugs, Noid Lights** and IAC Test Lights

• Use to test spark plug circuits, electronic fuel injection signals and idle air control (IAC) circuits

### Refractometers

# AD

#### • Works with Ethylene or Propylene Glycol or long-life anti-freeze Measures battery acid gravity to

determine battery life

**Coolant/Battery Refractometer** 

ATD-3705 \$129<sup>25</sup>

### ATD-3325 **\$168**<sup>65</sup> **Coolant/DEF/Battery**

### Refractometer

- Automatic temperature compensation
- Reads both Ethylene and Propylene Glycol based coolants



### OTC-5025 **\$196<sup>05</sup>**

### **DEF Refractometer**

- For most Class 7-8 trucks that utilize SCR
- Simple and quick process to get an accurate measurement of UREA concentration in DEF or AdBlue solution

# AD

### CEN-3R401 **\$151**<sup>45</sup> **Coolant/DEF/Battery** Refractometer

### · Easily check status of

Coolant, DEF and Battery Fluid

### MUK-727 090 \$186<sup>25</sup>

### **DEF/AD-BLUE**

#### 4-in-1 Refractometer Tests the quality of:

- Ad-Blue Radiator coolant
- Windshield washer fluid Battery acid

### ESI-328 **\$101**<sup>65</sup>

### **EZ Tach + PLUS**

- **Automotive Tachometer** · Picks up RPM signal wirelessly or with
- supplied inductive pickup Measures RPM on a wide variety of
- engines, from 0 to 20,000 RPM Great for setting idle speeds

### ESI-329 \$5675

### **Small Engine Tach/Hour Meter**

- RPM in real time: 0-20,000 RPM
- Max RPM: recordable, viewable and resettable

### Hour meter and engine/job timer:

- Hours: 0-99,999 hours
- JOB hours: 0-99.999 hours
- SVC (Service Interval) hours: 0-200 hours



332

### ESI-332 \$155<sup>45</sup>

### Professional

- Laser Tachometer
- For easy and accurate
- measurement of RPM • Detects RPM from up to 6 feet away
- Test range: 0-99,999 RPM
- Memory: Min/Max



#### Professional Laser/Contact Tachometer

- Dual function laser photo and contact tachometer with 12 different measurement types. Laser detects RPM up to 6 feet away. Contact function adds distance and frequency measuring to the unit's capability.
- Test range: 0-99,999 RPM
- Memory: Min/Max/Avg (stores 10 records)

333

### **Timing Lights**



### ESI-125 **\$161**<sup>95</sup>

### **Digital Tach/Advance** Timing Light

- Indicates Tach (RPM) and **Degrees** Advance
- Measures ignition spark advance
- from 0-90° 2 & 4 stroke tachometer measures
- engine speed up to 9,999 RPM
- Works with 12 Volt electrical systems







# **CAMERAS / VIDEOSCOPES**



### AUTEL

### MaxiVideo 8.5mm Head Rechargeable HD Inspection Videoscopes

- 7x digital zoom
- 1m waterproof cable
- 10-level adjustable LED light
- Wider, 70° field of view
- Record & playback images or videos
- On-screen horiz./vert. reverse
- Compatible with 5.5mm single camera head
- 8G micro-SD card, charger, USB cable





### AUL-MV480 **\$426<sup>05</sup>** 4.1" LCD Display MaxiVideo

### Front and side view camera

Magnet, mirror & hook attachments

### AUL-MV460 \$32515

### 3.5" LCD Display MaxiVideo

### • Front view camera

Magnet & mirror attachments

### Callan

### CAL-84 **\$170**<sup>75</sup>

### Wi-Fi Borescope

- High resolution, multiple aspect camera (1920×1080, 1280×720, and 640×480) with adjustable LED lighting
- 6mm camera, 58" cable
- Independent WiFi signal
- Mobile app for image capture, video recording and album storage
- Lens and cable are dust and waterproof (up to 3 ft. for 30 min.)

### Callan

### CAL-86 \$254<sup>65</sup>

### Dual View Wi-Fi Borescope

- Front and side video and image capture
- 6mm camera, 58" cable
- Max. zoom: 3X
- 1080HD camera
- 7 ultra-bright adjustable LEDs
- Independent WiFi signal
- Camera, lens and cable are IP-67 rated water-resistant
- Rechargeable battery

### Callan

### CAL-85 **\$211<sup>15</sup>**

### **Pistol Grip Wi-Fi Borescope**

- Turns a smartphone into a high resolution borescope
- Connectivity: internal Wi-Fi
- 5.5mm camera, 30" cable
- Max. zoom: 3X
- Resolution: 1280 x 720 px
- 6 ultra-bright adjustable LEDs
- Camera, lens and cable
- are IP-67 rated water-resistant
- Rechargeable battery





### **INSPECTION & PICK-UP TOOLS**

CATSPAW

\$15.85

\$19.15

\$23.55

SUNEX

TITAN

TITAN

TITAN

GEARWRENCH

ULLMAN

Extension

### **Inspection Mirrors / Pick-Up Tools / Magnifiers**



# **CORDLESS & ELECTRIC TOOLS**





### M12 FUEL<sup>™</sup> Impact Wrenches (Bare Tool)

Item #	Drive	Max. Torque	RPM	Drive Control	
MLW-2552-20	1/4" <b>Stubby</b>	100 ft-lb	3,200	4-mode	\$197.95
MLW-2454-20	3/8"	117 ft-lb (1,400 in-lb)	2,650	2-mode	\$197.95
MLW-2554-20	3/8" Stubby	250 ft-lb	2,700	4-mode	\$218.05
MLW-2555-20	1/2" <b>Stubby</b>	250 ft-lb	2,700	4-mode	\$218.55

MLW-49-16-2554 **\$33<sup>25</sup>** Protective Boot for M12<sup>™</sup> FUEL<sup>™</sup> **Stubby Impact Wrench** • Fits Models #2554, #2555 and #2555P



### Milwaukee

• 0-2,500 RPM

• 0-3,300 IPM

• Trigger lock

Clutch settings: 15+1

### MLW-2463-20 \$127<sup>95</sup>

### M12<sup>™</sup> 3/8" Drive **Impact Wrench (Bare Tool)** • 100 ft-lb/1,200 in-lb



Ililwaukee

Dis Fuel



#### M12<sup>™</sup> Stubby **Impact Wrench Kits** • 4-Mode drive control

- (1) M12<sup>™</sup> CP2.0 battery
- (1) M12™ XC4.0 battery
- (1) Charger

(_,				,	
Item #	Drive	Max. Torque	RPM		
MLW-2554-22	3/8"	250 ft-lb	2,700	\$354.25	
MLW-2555-22	1/2"	250 ft-lb	2,700	\$354.25	

### **12V Impact Wrenches**

M12 FUEL<sup>™</sup> Low Profile **Right Angle Impact** Wrenches with Friction Ring Anvil (Bare Tools) • Low profile head of 2.8"



Item #	Drive	Max. Torque	RPM	
MLW-2564-20	3/8"	220 ft-lb	0 - 3,000	\$233.95
MLW-2565-20	1/2"	220 ft-lb	0 - 3,000	\$233.95

### 49-16-2564

• 4-Mode drive control



### M12 FUEL™ Low Profile Right Angle **Impact Wrenches with Friction Ring**

- Low profile head of 2.8"
- 4-Mode drive control
- (2) M12<sup>™</sup> CP2.0 batteries
- (1) Charger



Item #	Drive	Max. Torque	RPM	
MLW-2564-22	3/8"	220 ft-lb	0 - 3,000	\$397.95
MLW-2565-22	1/2"	220 ft-lb	0 - 3,000	\$397.95
MLW-49-16-2564	M12™	Right Angle Impact	Wrench Protective Boo	t <b>\$33.85</b>

### WAL

#### **XTREME 12V MAX\* Brushless Compact Impact Wrench Kits**

- Loosening torque: 400 ft-lbs
- Fastening torque: 250 ft-lbs
- 2,850 RPM
- (2) 12V batteries: 3Ah and 5Ah
- (1) Charger

Item #	Drive	
DEW-DCF903GJ1G1	3/8"	\$664.85
DEW-DCF901GJ1G1	1/2"	\$601.55



#### **XTREME 12V MAX\* Brushless Compact** Impact Wrenches (Bare Tool)

### • Loosening torque: 400 ft-lbs

- Fastening torque: 250 ft-lbs • 2 850 PDM

2,000 KI WI					
	Item #	Drive			
	DEW-DCF903B	3/8"	\$217.25		
	DEW-DCF901B	1/2"	\$217.25		



Milwauke



		Iorque	Iorque		
MLW-2854-20	3/8"		250 ft-lb	0-2,400	\$297.95
MLW-2960-20	3/8"	600 ft-lb	550 ft-lb	0-2,575	\$320.35
MLW-2855-20	1/2"		250 ft-lb	0-2,400	\$239.45
MLW-2962-20	1/2"	650 ft-lb	550 ft-lb	0-1,250/0-1,950/ 0-2,575/0-2,575	\$348.95
MLW-2863-20	1/2"	1,400 ft-lb	1,000 ft-lb	0-1,750	\$397.95
MLW-2967-20	1/2"	Up to 1,600 ft-lb with XC6.0	Up to 1,200 ft-lb with XC6.0	0-2,000 4-mode drive control	\$388.95
MLW-2864-20	3/4"	1,500 ft-lb	1,200 ft-lb	0-1,800	\$488.95
MLW-2867-20	1"	1,800 ft-lb	1,500 ft-lb	0-1,800	\$1048.95
MLW-49-16-2767		Forque Impac odels #2767 a	ct Wrench Bo and #2863	ot	\$49.45

#### MLW-2854-22R \$51895 M18<sup>™</sup> 3/8" Drive Compact **Impact Wrench with Friction Ring**

- Max. torque: 250 ft-lb
- 0-3,500 RPM
- 4-mode drive control
- (2) M18<sup>™</sup> 18V XC5.0 Resistant batteries
- (1) 18V/12V multi-voltage charger

### MLW-3010-22 \$101795

### M18<sup>™</sup> High Torque & Mid-Torque

- Impact Wrench Combo Kit • 1/2" High Torque (#2967-20):
- 1,600 ft-lb/1,200 ft-lb 0-2,000 RPM
- 3/8" Mid-Torque (#2960-20): - 600 ft-lb/550 ft-lb - 0-2.575 RPM
- (2) M18<sup>™</sup> 18V XC5.0 Resistant batteries
- (1) 18V/12V multi-voltage charger

### MLW-2962-22R \$60725

#### M18<sup>™</sup> 1/2" Drive Mid-Torque **Impact Wrench**

- Loosening torque: 650 ft-lb
- Fastening torque: 550 ft-lb
- 0-2,575 RPM
- 4-mode drive control
- (2) M18<sup>™</sup> 18V XC5.0 Resistant batteries (1) 18V/12V multi-voltage charger



## MLW-2967-22 \$636<sup>25</sup>

M18<sup>™</sup> 1/2" High Torque Impact Wrench with Friction Ring Kit

- Loosening torque: 1,500 ft-lb
- Max. torque: 1.100 ft-lb • 4-mode drive control
- 0-2,000 RPM
- (2) M18<sup>™</sup> XC5.0 Resistant batteries (48-11-1850R)
- (1) 18V/12V multi-voltage charger



- 4-mode drive control
- (2) M18<sup>™</sup> XC5.0 Resistant
- batteries (48-11-1850R) • (1) 18V/12V multi-voltage charger

Item #	Drive	Loosen. Torque	Fastening Torque	RPM	
MLW-2863-22R	1/2"	1,400 ft-lb	1,000 ft-lb	0-1,750	\$697.95
MLW-2864-22R	3/4"	1,500 ft-lb	1,200 ft-lb	0-1,800	\$652.65

## MLW-2867-22 \$132745

- M18™1" Drive High Torque **Impact Wrench** with ONE-KEY™
- Loosening torgue: 1,800 ft-lb • Fastening torque: 1,500 ft-lb
- 0-1,650 RPM 4-mode drive control
- (2) 18V XC8.0 batteries
- (1) Rapid charger

M18 FUEL™ 1" Drive **D-Handle High Torque Impact Wrenches** 

with ONE-KEY™ • Loosening torque: 2.000 ft-lb

- Fastening torque: 1,900 ft-lb 0-1,500 RPM
- Item # Anvil Description Kit with (2) 18V HD12.0 Batteries & (1) 18V/12V Multi-Voltage Rapid Charger MLW-2868-22HD 1" \$1607.75 \$1248.95 MIW-2868-20 1" Bare Tool Kit with (2) 18V HD12.0 Batteries & (1) 18V/12V Multi-Voltage Rapid Charger MLW-2869-22HD 6" \$1798.95 MLW-2869-20 6" Bare Tool \$1248.95

2869-22HD





Wrenches (Bare Tools)

Item #	Features	Dr.	Loosen. Torque	Max. Torque	RPM	
DEW-DCF923B	<ul> <li>Compact</li> <li>Hog Ring Anvil</li> <li>4-Mode</li> </ul>	3/8"	450 ft-lb	300 ft-Ib	0-2,500	\$228.85
DEW-DCF922B	<ul> <li>Compact</li> <li>Detent Pin Anvil</li> <li>4-Mode</li> </ul>	1/2"	450 ft-lb	300 ft-Ib	0-2,500	\$228.85
DEW-DCF891B	<ul> <li>Hog Ring Anvil</li> <li>4-Mode</li> </ul>	1/2"	800 ft-lb	600 ft-Ib	0-2,000	\$345.75
DEW-DCF900B	<ul> <li>Hog Ring Anvil</li> <li>4-Mode</li> </ul>	1/2"	1,400 ft-lb	1,030 ft-lb	0-2,300	\$366.85
DEW-DCF897B	<ul> <li>Brushless</li> <li>Hog Ring Anvil</li> <li>3-Mode</li> </ul>	3/4"	1,200 ft-lb	700 ft-Ib	0-400 1,200 1,900	\$438.05

FREE!

While quantities last

Buy #DEW-DCF911P2 and obtain #DEW-DCBP034 for free: 20V MAX\*

POWERSTACK<sup>™</sup> 1.7Ah Compact Battery.

#### DEW-DCF923P2 \$52355

#### Atomic 20V MAX\* 3/8" Drive **Cordless Impact Wrench with Hog Ring Anvil Kit**

- Loosening torque: 450 ft-lb
- Max. torque: 300 ft-lb
- 0-2,500 RPM 0-3,550 IPM
- (2) 20V Li-Ion batteries, 5.0Ah
- (1) Charger

### \$466<sup>75</sup>

DEW-DCF911P2

- 20V MAX\* XR® 1/2" Drive Compact **Impact Wrench Kit**
- Loosening torque: 400 ft-lb
- Max. torque: 250 ft-lb
- 2,850 RPM 3,250 IPM
- (2) 20V Li-Ion batteries, 5.0Ah
- (1) Charger

### DEW-DCF891P2 \$56425

#### 20V MAX\* XR® 1/2" Drive **Mid-Range Impact Wrench** with Hog Ring Anvil Kit

- Loosening torque: 800 ft-lb
- Max. torque: 600 ft-lb
- 0-2,000 RPM 0-3,250 IPM
- 4 speed settings
- (2) 20V MAX\* 5.0 Ah batteries
- (1) Charger



1

## **20V Impact Wrenches**

#### DEWALT DCF900P2 20V MAX\* XR<sup>®</sup> 1/2" Drive **High Torque Impact Wrench** DIWAL with Hog Ring Anvil Kits • Loosening torque: 1,400 ft-lb • Max. torque: 1,030 ft-lb • 0-2,300 RPM • 0-2,200 IPM XR 4 speed settings 20V MAX\* 5.0 Ah Batteries 12V/20V MAX\* Charger Item # DEW-DCF900P1 \$530.15 1 1 DEW-DCF900P2 2 \$643.95 1



3-Year warranty

Item #	Anvil	Description	
IRC-W9691-K4E	6"	Kit with (4) 20V Batteries & (1) Dual Bay Charger	6
IRC-W9691	6"	Bare Tool	6
IRC-W9491-K4E	1"	Kit with (4) 20V Batteries & (1) Dual Bay Charger	6
IRC-W9491	1"	Bare Tool	6

W9491



## **12V Drills & Drivers**



### **20V Drills & Drivers**





Item #	Drive	Torque	Speed	
MLW-2566-22	1/4"	35 ft-lb	0-450 RPM	\$377.95
MLW-2567-22	3/8"	35 ft-lb	0-450 RPM	\$377.95

#### MLW-2560-21 \$39795

3/8" Drive M12™ Li-Ion Low Profile Extended Reach Ratchet Kit • 55 ft-lb • 0-200 RPM • (1) 12V M12<sup>™</sup> CP2.0 battery

• (1) Charger



## **12V Ratchets**

#### M12<sup>™</sup> Li-Ion

Low Profile Ratchet Kits Powered by 12V M12<sup>™</sup> CP2.0 batteries

• Kits include (1) charger

Item #	Drive	Torque	Speed	Batteries	
MLW-2557-22	3/8"	55 ft-lb	0-200 RPM	2	\$377.95
MLW-2558-22	1/2"	60 ft-lb	0-175 RPM	2	\$377.95

Milwaukee

Milwaukee



## MLW-3050-21 \$53895

#### M12<sup>™</sup> INSIDER<sup>™</sup> **Extended Reach Box Ratchet Kit**

### • 65 ft-lb • 350 RPM

- (13) INSIDER™ sockets: 8-19mm & 21mm
- 1/4" Hex adapter
- 1/4" & 3/8" anvil adapters
- (1) M12<sup>™</sup> High Output<sup>™</sup> 2.5 Ah battery

(1) M12<sup>™</sup> charger

#### MLW-3050-20 \$398<sup>95</sup> M12<sup>™</sup> INSIDER<sup>™</sup> Extended Reach **Box Ratchet (Bare Tool)**

• 65 ft-lb • 350 RPM

- (13) INSIDER™ sockets: 8-19mm & 21mm
- 1/4" Hex adapter
- 1/4" & 3/8" anvil adapters





## 20V Ratchets



**ATOMIC Compact Series™ 20V MAX\* Brushless Ratchets (Bare Tool)** • 70 ft-lb • 0-250 RPM

Item #	Drive	
DEW-DCF513B	3/8"	\$255.75
DEW-DCF512B	1/2"	\$255.75

## DEWALT



DEW-DCF510B \$28405 20V MAX\* XR® 3/8" & 1/2" Drive **Interchangeable Anvil Brushless Sealed Head Ratchet** (Bare Tool) • 75 ft-lb • 0-300 RPM

### **Cordless Tool Batteries & Chargers**



1200-40-11-1037	104	CP3.0 - 2-PACK	3.0	\$209.05
1LW-48-11-1840	18V	M18™ XC4.0	4.0	\$135.55
ILW-48-11-1842C	18V	M18™ XC4.0 - 2-PACK	4.0	S While Qtys. Last \$303.95
ILW-48-11-1852	18V	M18™ XC5.0 – 2-PACK	5.0	\$265.15
ILW-48-11-1865	18V	M18™ High Output™ XC6.0	6.0	\$168.35
1LW-48-11-1880	18V	M18™ High Output™ XC8.0	8.0	\$262.75
ILW-48-11-1812	18V	M18™ High Output™ HD12.0	12.0	\$330.25

### MLW-48-59-1806 \$104<sup>35</sup>

#### M18™ Six Pack Sequential Charger

Μ

M

M

 Charges M18<sup>™</sup> compact batteries in 30 minutes and extended capacity (XC) batteries in 60 minutes

## MLW-48-59-1807 **\$260**<sup>45</sup>

#### M18™ & M12™ Rapid Charge Station

- Accepts up to (3) M18<sup>™</sup> and (3) M12<sup>™</sup> battery packs
- Charges (3) batteries simultaneously
- Charges each battery up to 40% faster



Item #	Volt	Battery	Amp/Hr	
DEW-DCB205	20V	MAX* XR®	5Ah	\$130.85
DEW-DCBP034	20V	MAX* POWERSTACK™ Compact	1.7Ah	\$129.45
DEW-DCBP520	20V	MAX* POWERSTACK™	5Ah	\$161.25
DEW-DCBP520-2	20V	MAX* POWERSTACK™ – 2-PACK	5Ah	\$358.55

### DEW-DCB1106 \$12095

#### 6 Amp Charger

 Compatible with all 12V MAX\*, 20V MAX\*, and FLEXVOLT<sup>®</sup> batteries

### DEW-DCB104 \$23695

Four-Port Simultaneous Fast Charger • Charges 12V MAX\*, 20V MAX\*, and FLEXVOLT\* 20V/60V MAX\* batteries at the same time



• (1) Charger

### MLW-2522-20 **\$156<sup>65</sup>**

#### M12<sup>™</sup> 3" Compact Cut Off Tool (Bare Tool) • 20.000 RPM

- (1) 3" carbide abrasive blade (49-94-3005)
- (1) 3" diamond tile blade (49-94-3010)





AST-3027 **\$143<sup>15</sup>** 

12V 3" Mini Pistol Grip Polisher

**Astro** 

## **Polishers/Sanders**



Item #	Soft Start			
DEW-DWP849	No	\$303.55	De	WAL
DEW-DWF849	Yes	\$303.55 \$298.45		
DEW-7424XP	•	6		
4.5 Amp 6" Va Random Orbit			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
<ul> <li>Sanding/polish</li> </ul>	ing action	100		RTER
<ul> <li>2,500-6,800 or</li> <li>Left or right side</li> </ul>			DE	WALT
TIT-22610 \$	<b>78</b> 65			т
10" Random 0		ic Polisher		• -
• 0.92 Amp • 3,000 RPM			(mil)	1
• Includes: (1) te	rry cloth bonne	t &	-	
(1) sy	nthetic wool bo	nnet		
		AD		
	E and			
			10.2	
	0 4 465			
	<b>244</b> <sup>65</sup>		TD-10511 <b>\$2</b>	
6 Amp 6" Ran Polisher with			1 Amp 7" Varial Polisher	bie Sp
• 2,500-6,500 0		-	1000 - 3000 RPM	1
• 5/8" diameter of	orbit	•	Soft start	
Includes side h	andle and D-ha	ndle •	9 ft. 10" cord	
Includes side h		ndle •		7
Includes side h MAK-9237CX2	\$54305			þ
Includes side h	<b>\$543</b> <sup>05</sup> iable Speed			
Includes side h MAK-9237CX2 10 Amp 7" Var Polisher Kit w Foam Pads	<b>\$543</b> <sup>05</sup> iable Speed			
• Includes side h MAK-9237CX2 10 Amp 7" Var Polisher Kit w Foam Pads • 0-3,200 RPM	<b>\$543</b> <sup>05</sup> iable Speed			
Includes side h MAK-9237CX2 10 Amp 7" Var Polisher Kit w Foam Pads	<b>\$543</b> <sup>05</sup> iable Speed ith			
Includes side h MAK-9237CX2 <b>10 Amp 7" Var</b> Polisher Kit w Foam Pads     • 0-3,200 RPM     • Soft start	\$543 <sup>05</sup> iable Speed ith			
Includes side h MAK-9237CX2 <b>10 Amp 7" Var Polisher Kit w Foam Pads</b> 0-3,200 RPM     Soft start     Lock-on buttor	\$543 <sup>05</sup> riable Speed rith	Thakitt		
Includes side h MAK-9237CX2 <b>10 Amp 7" Var Polisher Kit w Foam Pads</b> 0-3,200 RPM     Soft start     Lock-on buttor	\$543 <sup>05</sup> riable Speed rith			
Includes side h MAK-9237CX2 <b>10 Amp 7" Var Polisher Kit w Foam Pads</b> 0-3,200 RPM     Soft start     Lock-on buttor     continuous use     M12 FUEL™ B	\$543 <sup>05</sup> riable Speed rith	Thakitt J Bandfile e Tools)		
Includes side h MAK-9237CX2 <b>10 Amp 7" Var Polisher Kit w Foam Pads</b> • 0-3,200 RPM     • Soft start     • Lock-on buttor     continuous use <b>M12 FUEL™ B</b> • Best in class sp	\$543 <sup>05</sup> riable Speed rith	Tmakitt Julian Bandfile e Tools) al rate		
Includes side h MAK-9237CX2 <b>10 Amp 7" Var Polisher Kit w Foam Pads</b> 0-3,200 RPM     Soft start     Lock-on buttor     continuous use     M12 FUEL™ B	\$543 <sup>05</sup> riable Speed rith for e operation andfiles (Bar pot weld remova gs: 3,600 SFM/1	Tmakitt Julian Bandfile e Tools) al rate		
<ul> <li>Includes side h</li> <li>MAK-9237CX2</li> <li>10 Amp 7" Var Polisher Kit w Foam Pads</li> <li>0-3,200 RPM</li> <li>Soft start</li> <li>Lock-on buttor continuous use</li> <li>M12 FUEL™ B</li> <li>Best in class sp</li> <li>2 speed setting</li> <li>Forward &amp; reve</li> <li>Variable speed</li> </ul>	\$543 <sup>05</sup> riable Speed rith of for e operation andfiles (Bar oot weld remova js: 3,600 SFM/1 erse trigger	Tmakitt Julian Bandfile e Tools) al rate		
<ul> <li>Includes side h</li> <li>MAK-9237CX2</li> <li>10 Amp 7" Var Polisher Kit w</li> <li>Foam Pads</li> <li>0-3,200 RPM</li> <li>Soft start</li> <li>Lock-on buttor continuous use</li> </ul> M12 FUEL <sup>TM</sup> B Best in class sp 2 speed setting Forward & reve Variable speed 360° arm rotat	\$543 <sup>05</sup> riable Speed rith of for e operation andfiles (Bar so tweld remova gs: 3,600 SFM/1 ense trigger ion	Trakitt Sandfile Bandfile I rate ,800 SFM)		
<ul> <li>Includes side h</li> <li>MAK-9237CX2</li> <li>10 Amp 7" Var Polisher Kit w</li> <li>Foam Pads</li> <li>0-3,200 RPM</li> <li>Soft start</li> <li>Lock-on buttor continuous use</li> <li>M12 FUEL™ B</li> <li>Best in class sp</li> <li>2 speed setting</li> <li>Forward &amp; reve</li> <li>Variable speed</li> <li>360° arm rotat</li> <li>Includes (2) 600</li> </ul>	\$543 <sup>05</sup> riable Speed rith	Trakitt Sandfile Bandfile I rate ,800 SFM)		
<ul> <li>Includes side h</li> <li>MAK-9237CX2</li> <li>10 Amp 7" Var Polisher Kit w</li> <li>Foam Pads</li> <li>0-3,200 RPM</li> <li>Soft start</li> <li>Lock-on buttor continuous use</li> </ul> M12 FUEL <sup>TM</sup> B Best in class sp 2 speed setting Forward & reve Variable speed 360° arm rotat Includes (2) 60 Item #	\$543 <sup>05</sup> riable Speed rith of for e operation andfiles (Bar ot weld remove gs: 3,600 SFM/1 erse trigger ion 0 grit sanding be Size	Tmakitt Galacian Bandfile e Tools) al rate ,800 SFM) elts		
<ul> <li>Includes side h</li> <li>MAK-9237CX2</li> <li>10 Amp 7" Var Polisher Kit w</li> <li>Foam Pads</li> <li>0-3,200 RPM</li> <li>Soft start</li> <li>Lock-on buttor continuous use</li> <li>M12 FUEL™ B</li> <li>Best in class sp</li> <li>2 speed setting</li> <li>Forward &amp; reve</li> <li>Variable speed</li> <li>360° arm rotat</li> <li>Includes (2) 600</li> </ul>	\$543 <sup>05</sup> riable Speed rith	Trakitt Sandfile Bandfile I rate ,800 SFM)		



JAC-JCM31038

• Includes: 5 cutting wheels, mandrel and wrench

1/2-20

\$90.45

#### **Air Impact Wrenches** Made in Ingersoll Rand. Japan \$315<sup>75</sup> IRC-2101KA \$282<sup>15</sup> SPA-SP-7825S /4" Δ 1/4" Drive Mini 1/4" Drive Mini Compact **Impact Wrench Kit Impact Wrench** • Max. torque: 94 ft-lb • Max. torque: 55 ft-lb • 14,500 RPM Composite housing • Ultralight: 1.5 lbs • 1.5 lbs • 4.3" overall length • 83.5 dBA • Includes 10-Pc 1/4" SAE & • dBA: 84.2 Metric Impact Socket Set 1320 1355-XL 1300-TH-A 1077-TH **Impact Wrenches** 2-year warranty • 3-year warranty on Vibrotherm Drive™ models Max. Torque Reverse Special Loosening dBA Item # Housing Weight Features Torque \$362.85 ACA-1320 1.1 lbs Metal Butterfly 100 ft-lb 80 ft-lb 86 \$366.25 ACA-1300-TH-A 600 ft-lb 450 ft-lb 2.63 lbs Composite 86 1059-VXI \$268.25 ACA-1077-TH 700 ft-lb 500 ft-lb 2.8 lbs Metal Stubby 89 700 ft-lb \$395.55 ACA-1355-XL Composite 500 ft-lb 2.75 lbs 86 1076-XI ACA-1076-XL 550 ft-lb \$268.25 Composite Compact 750 ft-lb 2.5 lbs 85 ACA-1059-VXL Compact, Composite 750 ft-lb 550 ft-lb 2.8 lbs 82 \$356.05 Vibrotherm Drive Low Vibration





**Impact Wrenches** 


2-year warranty on MAX Series

# 2015MAX 216B



15QMAX

Item #	Housing	Special Features	Loosening Torque	Max. Torque Reverse	Weight	dBA		
IRC-212	Metal	Jumbo Hammer		150 ft-lb	2.89 lbs	96.0	\$312.65	
IRC-2015MAX	Composite	Low Profile		180 ft-lb	3.4 lbs	96.6	\$641.25	
IRC-216B	Metal	Lightweight		200 ft-lb	2.8 lbs	94.8	\$360.35	
IRC-2115TIMAX	Composite	Titanium Hammer		300 ft-lb	2.49 lbs	106.3	\$399.75	7
IRC-2115QTIMAX	Composite	Quiet, Titanium Hammer		300 ft-lb	2.49 lbs	89.7	\$409.45	
IRC-2115QXPA	Composite	Quiet, Lightweight		300 ft-lb	2.5 lbs	89.7	\$394.15	
IRC-15QMAX	Composite	Quiet, Ultra Compact	475 ft-lb	380 ft-lb	2.4 lbs	89.7	\$317.75	



## **Air Impact Wrenches**

() Ch Pn (3/8")	iicago ieumatic Impact Wre	enches	7721	6	11	722	<b>-</b>	6	7731C	7729
Item #	Housing	Special Features	Loosening Torque	Max. Torque Reverse	Weight	dBA			•	
CPT-7721	Composite	Compact,	Torquo	81 ft-lb	1.1 lbs	92	\$264.15			
CPT-7722	Metal	Lightweight Compact		90 ft-Ib	2.1 lbs	108	\$279.75			
CPT-7731C	Composite	Compact, Lightweight		345 ft-lb	2.2 lbs	96	\$305.15			
CPT-7729	Composite	S2S Reverse Technology		415 ft-lb	2.78 lbs	91	\$401.25			
				2		0	P.			
3/8" Item # SUN-SX111	Special Features Palm Grip	<b>Act Wrenches</b> Max. Torque Reverse 75 ft-lb	Weight 2.5 lbs	dBA 110 \$118			Palm Impact	Wrenches		J
Item # SUN-SX111 SUN-SX821A ONYX Nar Impact W • Extreme lo of a credit • Weight: 2.7	Special Features Palm Grip The Straight R renches wy profile, width card at 3.46" lo	Max. Torque Reverse 75 ft-lb 75 ft-lb ight Angle	Weight	110 \$118 84 \$138 }. TAS	.45 Itro	<ul> <li>Palm ir</li> <li>Remote</li> <li>Jumbo</li> <li>8,500 I</li> <li>20" flex</li> <li>throttle</li> <li>you cai</li> <li>3.46" in</li> </ul>	npact access e throttle hammer RPM kible hose with e means where n now impact mpact head ler impact can be	swivel ends a ver your han gth, reaction	and remote nd and arm c nless design	)
Item # SUN-SX111 SUN-SX821A ONYX Nar Impact W • Extreme lo of a credit • Weight: 2.7	Special Features Palm Grip The Straight R renches wy profile, width card at 3.46" lo	Max. Torque Reverse 75 ft-lb 75 ft-lb ight Angle	Weight 2.5 lbs	110 \$118 84 \$138	.45 Itro	<ul> <li>Palm ir</li> <li>Remot</li> <li>Jumbo</li> <li>8,500 I</li> <li>20" flex</li> <li>throttle</li> <li>you can</li> <li>3.46" in means</li> </ul> Item # AST-183	npact access e throttle hammer RPM kible hose with e means where n now impact mpact head len impact can be <b>Drive</b> T 1 3/8" 4	swivel ends a ver your han gth, reactior gripped with Max. orque 45 ft-lb \$1	and remote Id and arm c Inless design In only a few f 252.55	)
Item # SUN-SX111 SUN-SX821A ONYX Nar Impact Wi • Extreme lo of a credit • Weight: 2.7 • dBA: 85	Special Features Palm Grip Palm Grip Mo Straight R renches w profile, width card at 3.46" lo 78 lbs	Max. Torque Reverse 75 ft-lb 75 ft-lb ight Angle ight Angle	Weight 2.5 lbs 2.6 lbs	110 \$118 84 \$138 }. TAS	.45 Itro	<ul> <li>Palm ir</li> <li>Remoti</li> <li>Jumbo</li> <li>8,500 I</li> <li>20" flex</li> <li>throttle</li> <li>you cai</li> <li>3.46" in</li> <li>means</li> </ul> Item #	npact access e throttle hammer RPM kible hose with e means where n now impact mpact head ler impact can be <b>Drive</b> T 1 3/8" 4	swivel ends a ver your han gth, reactior gripped with Max. orque 45 ft-lb \$1	and remote nd and arm c nless design n only a few f	



## Ingersoll Rand® 2236 Max

Industry's most compact high torque 1/2" drive impact wrench with an interchangeable anvil system. The patented Drive Xchange System<sup>™</sup> lets you switch out anvils without clunky adapters that can drain your tool's power.

- 1,500 ft-lbs of nut busting torque
- 7,500 RPM
- Lightweight (4.4 & 4.6 lbs)
  Quiet at 94 2 dBA
- Drive Xchange System"

Item #	Available Configurations	
IRC-2236QTiMAX	1/2" Standard Friction Ring Anvil	\$559.95
IRC-2236QTiMAX-2	1/2" x 2" Extended Friction Ring Anvil	\$589.95
IRC-2236QPTiMAX	1/2" Standard Pin Anvil	\$569.95



#### Interchangeable Anvil Sets • Available drive sizes: 3/8", 1/2", 3/4"

Compatible with all DXS2<sup>™</sup> tools

Item #	Anvil Sizes Included in Set	Model No. References	
IRC-AK32H	3/8", 1/2"	A31H, A41H	\$78.75
IRC-AK33H	3/8", 1/2", 3/4"	A31H, A41H, A61H	\$97.55
IRC-AK42H	1/2" x 2", 3/4"	EA42H, A61H	\$83.45
IRC-AK43H	1/2" x 2", 1/2" x 4", 3/4"	EA42H, EA44H, A61H	\$117.55
IRC-AK62H	1/2", 3/4"	A41H, A61H	\$78.75
IRC-EAK62H	3/4", 3/4" x 6"	A61H, EA66H	\$117.55
IRC-EAK44H	1/2" x 4", 1/2" x 6", 1/2" x 8", 1/2" x 10"	EA44H, EA46H, EA48H, EA410H	\$218.25

DX	STATES AND IN THE CASE OF CASE	e nge em™		. Î
AK32	214	AK33H		
	ell			W W W W
AK42H	AK43H	AK62H	EAK62H	EAK44H
A31H	3/8" Standard	-		

A31H	3/8" Standard Friction Ring	
A41H	1/2" Standard Friction Ring	
AP41H	1/2" Standard Pin Style	
EA42H	1/2" x 2" Friction Ring	
EA44H	1/2" x 4" Friction Ring	
EA46H	1/2" x 6" Friction Ring	3
EA48H	1/2" x 8" Friction Ring	
EA410H	1/2" x 10" Friction Ring	3
A61H	3/4" Standard Friction Ring	
EA66H	3/4" x 6" Friction Ring	

### **Air Impact Wrenches**

And and a second	1375- 057-тн	XL	1058-VX		1056-XL		1000	AREAT CODE TH	9	1431
	7	1431-2			1200-К		1	150	Ø	1250-K
1/2" •2	<b>pact Wrer</b> -year warrar -year warrar		rm Drive™ ma	odels						
1/2" •2	• -year warrar	nty	rm Drive™ mo Loosening Torque	odels Max. Torque Reverse	Weight	dBA			uu	
<b>1/2</b>	-year warrar -year warrar	nty nty on Vibrothe <b>Special</b>	Loosening	Max. Torque	Weight 2.8 lbs	<b>dBA</b> 89	<b>\$271.15</b>	-		1178-VXL
<b>1/2"</b> • 2 • 3 Item # ACA-1057-TH	year warrar year warrar Housing	nty on Vibrothe Special Features	Loosening Torque	Max. Torque Reverse			\$271.15 \$411.55			1178-VXL
<b>1/2</b> " • 2 3 Item <i>#</i> ACA-1057-TH ACA-1375-XL ACA-1058-VXL	year warrar year warrar Housing Composite	nty nty on Vibrothe Special Features Stubby	Loosening Torque 700 ft-lb	Max. Torque Reverse 500 ft-lb	2.8 lbs	89				1178-VXL
<b>1/2</b> • 2 3 Item # ACA-1057-TH ACA-1057-TH ACA-1058-VXL Vibrotherm Drive	year warrar year warrar Housing Composite Composite	nty nty on Vibrothe <b>Special</b> Features Stubby	Loosening Torque 700 ft-lb 700 ft-lb	Max. Torque Reverse 500 ft-lb 500 ft-lb	2.8 lbs 2.75 lbs	89 86	\$411.55			1178-VXL
<b>1/2</b> • 2 • 3 Item # ACA-1057-TH ACA-1375-XL ACA-1375-XL Vibrotherm Drive ACA-1056-XL	year warrar year warrar Housing Composite Composite Composite	nty hty on Vibrothe Special Features Stubby Compact, Low Vibration	Loosening Torque 700 ft-lb 700 ft-lb 750 ft-lb	Max. Torque Reverse 500 ft-lb 500 ft-lb 550 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs	89 86 82	\$411.55 \$356.05			1178-VXL
1/2" • 2 • 3 Item # ACA-1057-TH ACA-1057-TH ACA-1058-VXL Vibrotherm Drive ACA-1056-XL ACA-1000-TH	year warrar year warrar Housing Composite Composite Composite Composite	nty hty on Vibrothe Special Features Stubby Compact, Low Vibration	Loosening Torque 700 ft-lb 700 ft-lb 750 ft-lb 750 ft-lb	Max. Torque Reverse           500 ft-lb           500 ft-lb           550 ft-lb           550 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs 2.5 lbs	89 86 82 85	\$411.55 \$356.05 \$273.05			
<b>1/2</b> • 2 • 3 Item # ACA-1057-TH ACA-1057-TH ACA-1058-VXL Vibrotherm Drive ACA-1056-XL ACA-1000-TH ACA-1431	year warrar year warrar Housing Composite Composite Composite Composite Composite	nty hty on Vibrothe Special Features Stubby Compact, Low Vibration	Loosening 700 ft-lb 700 ft-lb 750 ft-lb 750 ft-lb 1,000 ft-lb	Max. Torque Reverse           500 ft-lb           500 ft-lb           550 ft-lb           550 ft-lb           800 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs 2.5 lbs 4.5 lbs	89 86 82 85 86	\$411.55 \$356.05 \$273.05 \$378.55			
<b>1/2</b> • 2 • 3 Item # ACA-1057-TH ACA-1375-XL ACA-1375-XL ACA-1058-VXL Vibrotherm Drive ACA-1056-XL ACA-1000-TH ACA-1431 ACA-1431-2	year warrar year warrar Housing Composite Composite Composite Composite Composite Metal	nty nty on Vibrothe Special Features Stubby Compact, Low Vibration Compact	Loosening           Torque           700 ft-lb           700 ft-lb           750 ft-lb           750 ft-lb           1,000 ft-lb           1,000 ft-lb	Max. Torque Reverse           500 ft-lb           500 ft-lb           550 ft-lb           550 ft-lb           800 ft-lb           800 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs 2.5 lbs 4.5 lbs 5.7 lbs	89 86 82 85 86 109	\$411.55 \$356.05 \$273.05 \$378.55 \$216.15			
1/2" • 2 • 3 Item # ACA-1057-TH ACA-1057-TH ACA-1058-VXL Vibrotherm Drive ACA-1056-XL ACA-1050-TH ACA-1431 ACA-1431-2 ACA-1200-K	year warrar year warrar Housing Composite Composite Composite Composite Composite Metal Metal Composite	nty nty on Vibrothe Special Features Stubby Compact, Low Vibration Compact 2" Anvil	Loosening           700 ft-lb           700 ft-lb           750 ft-lb           750 ft-lb           1,000 ft-lb           1,000 ft-lb           1,000 ft-lb	Max. Torque Reverse           500 ft-lb           500 ft-lb           550 ft-lb           800 ft-lb           800 ft-lb           800 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs 2.5 lbs 4.5 lbs 5.7 lbs 6.0 lbs	89 86 82 85 86 109 109	\$411.55 \$356.05 \$273.05 \$378.55 \$216.15 \$225.75			
<b>1/2</b> • 2 • 3 Item # ACA-1057-TH ACA-1057-TH ACA-1058-VXL Vibrotherm Drive ACA-1056-XL ACA-1000-TH ACA-1431 ACA-1431 ACA-1431-2 ACA-1200-K ACA-1200-K ACA-1150	year warrar year warrar Housing Composite Composite Composite Composite Composite Metal Metal Composite KEVLARTM	nty nty on Vibrothe Special Features Stubby Compact, Low Vibration Compact 2" Anvil	Loosening Torque 700 ft-lb 700 ft-lb 750 ft-lb 1,000 ft-lb 1,000 ft-lb 1,000 ft-lb	Max. Torque Reverse           500 ft-lb           500 ft-lb           550 ft-lb           550 ft-lb           800 ft-lb           800 ft-lb           800 ft-lb           900 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs 2.5 lbs 4.5 lbs 5.7 lbs 6.0 lbs 4.5 lbs	89 86 82 85 86 109 109 86	\$411.55 \$356.05 \$273.05 \$378.55 \$216.15 \$225.75 \$485.15			
1/2" • 2 • 3 Item # ACA-1057-TH ACA-1057-TH ACA-1058-VXL Vibrotherm Drive ACA-1056-XL ACA-1056-XL ACA-1056-XL ACA-1431-2 ACA-1431-2 ACA-1200-K ACA-1200-K ACA-1250-K ACA-1250-K	year warrar year warrar Housing Composite Composite Composite Composite Composite Metal Metal Composite KEVLAR <sup>TM</sup> Composite	nty nty on Vibrothe Special Features Stubby Compact, Low Vibration Compact 2" Anvil Twin Clutch	Loosening           700 ft-lb           700 ft-lb           750 ft-lb           750 ft-lb           1,000 ft-lb           1,000 ft-lb           1,000 ft-lb           1,000 ft-lb           1,000 ft-lb           1,000 ft-lb           1,295 ft-lb           1,295 ft-lb	Max. Torque Reverse           500 ft-lb           500 ft-lb           550 ft-lb           550 ft-lb           800 ft-lb           800 ft-lb           800 ft-lb           900 ft-lb           900 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs 2.5 lbs 4.5 lbs 5.7 lbs 6.0 lbs 4.5 lbs 4.5 lbs	89 86 82 85 86 109 109 86 86	\$411.55 \$356.05 \$273.05 \$378.55 \$216.15 \$225.75 \$485.15 \$454.05			
<b>1/2</b> ":	year warrar year warrar Housing Composite Composite Composite Composite Metal Metal Composite KEVLAR <sup>TM</sup> Composite Composite KEVLAR <sup>TM</sup>	nty on Vibrothe Special Features Stubby Compact, Low Vibration Compact 2" Anvil Twin Clutch Twin Clutch Compact,	Loosening Torque 700 ft-lb 700 ft-lb 750 ft-lb 1,000 ft-lb 1,000 ft-lb 1,000 ft-lb 1,295 ft-lb 1,295 ft-lb 1,300 ft-lb	Max. Torque Reverse           500 ft-lb           500 ft-lb           550 ft-lb           550 ft-lb           800 ft-lb           800 ft-lb           900 ft-lb           900 ft-lb           900 ft-lb           900 ft-lb	2.8 lbs 2.75 lbs 2.8 lbs 2.5 lbs 4.5 lbs 5.7 lbs 6.0 lbs 4.5 lbs 4.5 lbs 4.5 lbs	89 86 82 85 86 109 109 86 86 86	\$411.55 \$356.05 \$273.05 \$378.55 \$216.15 \$225.75 \$485.15 \$454.05 \$576.75			



## **Air Impact Wrenches**

G Chicago Pneumati	C Impact Wre • 2-year warra		sic Tools	734H	2	7732C	O	749		7741	0
Item #	Housing	Special	Loosening	Max. Torqu	<sup>e</sup> Weight	dBA	-				
CPT-734H	Metal	Features CP Classic	Torque	Reverse 445 ft-lb	5.1 lbs	93	\$259.95		AP)	a 6	
CPT-7732C	Composite	Compact,		460 ft-lb	2.2 lbs	95.5	\$266.65		00	0	
CPT-749	Metal	Lightweight CP Classic		610 ft-lb	5.5 lbs	96	\$430.75		7748		
		3 Settings in									
CPT-7741	Composite	Forward		715 ft-lb	4.96 lbs	93	\$269.65				
CPT-7748	Composite	Lightweight		920 ft-lb	4.6 lbs	93	\$297.15	5	_		
Ingersoll Rand.	231HA Impact Wre • 2-year warra	nches	231C		232TGSL		21	35QXPA			
Item #	Housi	ng Spe	ecial Loo		ax. Torque	Weight	t dBA			All survey and	
IRC-2025MAX		Feat	cures To Profile	orque	Reverse 180 ft-lb	3.4 lbs	96.6	\$660.05	2235TIMAX-G	2235	5TIMAX-0
IRC-236	Meta				450 ft-lb	5.3 lbs	90.3	\$252.05		cette a	
IRC-36QMAX	Compos	site	64	0 ft-Ib	470 ft-lb	2.6 lbs	91.3	\$332.55		Contraction of the	-
IRC-244A	Meta	I			500 ft-lb	6.0 lbs	93	\$468.35			-2
IRC-2130	Compos	site			550 ft-lb	4.2 lbs	94.5	\$363.15	DODETIMAN D	-	
IRC-231HA	Meta				590 ft-Ib	5.8 lbs		\$287.85	2235TIMAX-R	and the second second	
IRC-231HA-2	Meta		Anvil		590 ft-lb	6.1 lbs	94	\$338.35			-
IRC-231C	Meta		y Duty		600 ft-lb	5.8 lbs	99	\$243.95		2235TIMAX	15
IRC-232TGSL	•		uiot 1.1	00 # 15	625 ft-lb	6.0 lbs		\$491.75	FREE!	2235QTIMAX	-
IRC-2135QXP/ IRC-2235QTII				00 ft-lb 00 ft-lb	780 ft-lb 900 ft-lb	4.0 lbs 4.7 lbs	90.7 91.9	\$452.35 \$659.95	While quantities last	J	
IRC-2235TIM				50 ft-lb	930 ft-lb	4.7 lbs	98.0	\$599.95	2235TIMA)		
IRC-2235TIM				50 ft-lb	930 ft-lb	4.6 lbs	98.0	\$599.95	2235TIMA) 2235TIMA)	(-0 or	1
IRC-2235TIM				50 ft-lb	930 ft-Ib	4.6 lbs	98.0	\$599.95	#IRC-36QN	(-R and obtain AXB: 1/2" Dr. Ultr	a-
IRC-2235TIM	AX-R Compos	site	1,3	50 ft-Ib	930 ft-lb	4.6 lbs	98.0	\$599.95	Compact In	pact Wrench.	

					Air Ir	npact V	Nrenc	hes		
3/4"	Impact W • 2-year wa • 3-year wa Vibrother	arranty			1770->	AL J		1777		1680-А
tem #		Housing	Special Features	Loosenin			/eight	dBA		1
CA-1600-TH-	Δ	Composite	Super Duty	<b>Torque</b> 1,600 ft-l			3.1 lbs	86	\$828.75	FREE!
CA-1770-XL		Composite	Super Duty	1,600 ft-l	,				\$844.85	
CA-1777		Metal	Super Duty	1,600 ft-l	,		7.5 lbs		\$779.65	
CA-1680-A		Metal	Twin Hamme	r 1,600 ft-l	b 1,400	ft-lb 1	2.5 lbs		\$802.35	Buy #ACA-1778-VXL
CA-1778-VXL brotherm Driv		Composite	Compact, Low Vibration	1,700 ft-l	b 1,450	ft-lb 7	7.4 lbs	94	\$928.95	and obtain #ACA-1431 for free: 1/2" Drive Impact Wrench.
<b>/4</b>	<ul> <li>2 voonver</li> </ul>									
T-772H T-7762	<ul> <li>2-year wa CP Classi</li> <li>Housing Metal</li> <li>Composite</li> <li>Composite</li> </ul>	Spe Feat Oil Bath e Ultra Co	ures To	osening M Dorque	<b>lax. Torque</b> <b>Reverse</b> 1,000 ft-lb 1,050 ft-lb 1,200 ft-lb	Weight 10.5 lbs 6.4 lbs 11.6 lbs	<b>dBA</b> 96 92.8 96	\$660 \$633 \$790	3.35	
tem # PT-772H PT-7762 PT-7763 PT-7769	CP Classiv Housing Metal Composite	c Tools Spe Feat Oil Bath e Ultra Co e Com	ures To n Clutch ompact pact		<b>Reverse</b> 1,000 ft-lb 1,050 ft-lb	10.5 lbs 6.4 lbs	96 92.8	\$63	3.35 0.45	
PT-772H PT-7762 PT-7763	CP Classi Housing Metal Composite Composite	c Tools	ures To n Clutch ompact pact, veight	REE! le quantities last #IRC-261 au obtain #IRC	Reverse 1,000 ft-lb 1,050 ft-lb 1,200 ft-lb 1,440 ft-lb	10.5 lbs 6.4 lbs 11.6 lbs 7.4 lbs	96 92.8 96	\$63: \$790 \$94: \$94: \$94: \$94: \$94: \$94: \$94: \$94:	3.35 0.45 3.35	3/4" MUK-294 117 \$791 <sup>35</sup> A/" Drive Impact Wrench Max. torque: 1,918 ft-lb Metal housing 3-speed control Weight: 7.0 lbs • dBA: 105.1
PT-772H PT-7762 PT-7763 PT-7769	CP Classi Housing Metal Composite Composite Composite Composite 2144 soll Rand.	c Tools	ures To n Clutch ompact pact, veight White	REE! REE! le quantities last #IRC-261 at obtain #IRC for free: .40	Reverse 1,000 ft-lb 1,050 ft-lb 1,200 ft-lb 1,440 ft-lb 1,440 ft-lb	10.5 lbs 6.4 lbs 11.6 lbs 7.4 lbs	96 92.8 96 96.8 <b>FREE</b> Buy #IRC-214 and obtai	\$63: \$790 \$94: ••••••••••••••••••••••••••••••••••••	3.35 0.45 3.35	3/4" MUK-294 117 \$791 <sup>35</sup> 3/4" Drive Impact Wrench • Max. torque: 1,918 ft-lb • Metal housing • 3-speed control • Weight: 7.0 lbs • dBA: 105.1 3/4" AST-1896 \$376 <sup>65</sup> 3/4" Drive THOR G2
PT-772H PT-7762 PT-7763 PT-7769 PT-7769	CP Classi Housing Metal Composite Composite Composite Composite 2144 soll Rand.	c Tools	ures To n Clutch ompact pact, veight Whi Whi MAX Series	equantities last Buy #IRC-261 al obtain #IRC for free: .40 Barrel Air H 261	Reverse 1,000 ft-lb 1,050 ft-lb 1,200 ft-lb 1,440 ft-lb 1,230 AX 1 Shank Shor ammer. Max. Torque	10.5 lbs 6.4 lbs 11.6 lbs 7.4 lbs	96 92.8 96 96.8 • REE * IRC-214 and obtai Gift Card	\$63: \$790 \$94: ••••••••••••••••••••••••••••••••••••	3.35 0.45 3.35	3/4" MUK-294 117 \$791 <sup>35</sup> 3/4" Drive Impact Wrench • Max. torque: 1,918 ft-lb • Metal housing • 3-speed control • Weight: 7.0 lbs • dBA: 105.1 3/4" AST-1896 \$376 <sup>65</sup> 3/4" Drive THOR G2 Impact Wrench • Max. torque: 1,100 ft-lb
PT-772H PT-7762 PT-7763 PT-7769 PT-7769	CP Classi Housing Metal Composite Co	c Tools  Spe Feat Oil Batt Ultra Co Com Com Com Com Com Com Com Com Com C	ures To n Clutch ompact pact, veight White MAX Series	REEJ Requantities last Buy #IRC-261 an obtain #IRC for free: .40 Barrel Air H	Reverse 1,000 ft-lb 1,050 ft-lb 1,200 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,23MAX 1 Shank Shor ammer. Max. Torque Reverse	10.5 lbs 6.4 lbs 11.6 lbs 7.4 lbs	96 92.8 96.8 96.8 <b>REEE</b> Buy #IRC-214 and obtai Gift Card 2145QIMA	\$63: \$790 \$94: \$94: \$501MAX in a \$50 I for free.	3.35 0.45 3.35 Esso	3/4" MUK-294 117 \$791 <sup>35</sup> 3/4" Drive Impact Wrench • Max. torque: 1,918 ft-lb • Metal housing • 3-speed control • Weight: 7.0 lbs • dBA: 105.1 Max. torque: 1,100 ft-lb (compare to 1,700 ft-lb) (compare to 1,7
PT-772H PT-7762 PT-7763 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7769 PT-7762 PT-7762 PT-7762 PT-7762 PT-7762 PT-7762 PT-7762 PT-7762 PT-7762 PT-7763 PT-7769 PT-	CP Classi Housing Metal Composite Composite Composite Composite 2014 2140 2140 2140 2140 2140 2140 2140	c Tools	ures To n Clutch ompact pact, veight Whi Whi MAX Series	equantities last Buy #IRC-261 al obtain #IRC for free: .40 Barrel Air H 261	Reverse 1,000 ft-lb 1,050 ft-lb 1,200 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,203 ft-lb Max. Torque Reverse 1,050 ft-lb	10.5 lbs 6.4 lbs 11.6 lbs 7.4 lbs	96 92.8 96.8 96.8 <b>REEE</b> #IRC-214 and obtai Gift Card 2145QIMA	\$63: \$79 \$94: \$94: \$50 I for free.	3.35 0.45 3.35 Cesso	3/4" MUK-294 117 \$791 <sup>35</sup> 3/4" Drive Impact Wrench • Max. torque: 1,918 ft-lb • Metal housing • 3-speed control • Weight: 7.0 lbs • dBA: 105.1 3/4" AST-1896 \$376 <sup>65</sup> 3/4" Drive THOR G2 Impact Wrench • Max. torque: 1,100 ft-lb (compare to 1,700 ft-lb nut-busting) • 6,500 RPM • 92/103 dBA • Floating air motor and twin-hammer assembly put the weight over the
PT-772H PT-7762 PT-7763 PT-7769 259 259	CP Classi Housing Metal Composite Composite Composite Composite 2140 Soll Rand. Impact W • 2-year was Hous Met Met	c Tools	ures To n Clutch ompact pact, veight While MAX Series pecial L	equantities last Buy #IRC-261 al obtain #IRC for free: .40 Barrel Air H 261	Reverse 1,000 ft-lb 1,050 ft-lb 1,200 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,440 ft-lb 1,23MAX 1 Shank Shor ammer. Max. Torque Reverse	10.5 lbs 6.4 lbs 11.6 lbs 7.4 lbs	96 92.8 96.8 96.8 <b>REEE</b> Buy #IRC-214 and obtai Gift Card 2145QIMA	\$63: \$790 \$94: \$94: \$94: \$94: \$94: \$94: \$94: \$94:	3.35 0.45 3.35 Esso	3/4" MUK-294 117 \$791 <sup>35</sup> 3/4" Drive Impact Wrench • Max. torque: 1,918 ft-lb • Metal housing • 3-speed control • Weight: 7.0 lbs • dBA: 105.1 3/4" AST-1896 \$376 <sup>65</sup> 3/4" Drive THOR G2 Impact Wrench • Max. torque: 1,100 ft-lb (compare to 1,700 ft-lb nut-busting) • 6,500 RPM • 92/103 dBA • Floating air motor and twin-hammer

	Air Impact Wrenches									
	npact Wre			199 1880-P-A	92		-0	1993-1-VXL		
Item #	Housing	Special Features	Loosening Torque	Max. Torque Reverse	Weight	dBA		1993-VXL		
ACA-1880-P-A	Metal	Twin Hammer	1,900 ft-lb	1,700 ft-lb	23.5 lbs	88	\$1098.05			
ACA-1992	Metal	8" Anvil	2,000 ft-lb	1,800 ft-lb	26 lbs	109	\$723.05			
ACA-1993-1-VXL	Composite	Low Vibration	2,300 ft-lb	2,100 ft-lb	18.5 lbs	108	\$1216.15			
ACA-1993-VXL	Composite	Low Vibration, 6" Anvil	2,300 ft-lb	2,100 ft-lb	20.2 lbs	108	\$1257.05	1994		
ACA-1994	Metal	Super Duty, 8" Anvil	2,500 ft-lb	2,300 ft-lb	35 lbs	105	\$839.15	100		
	ago imatic npact Wre		7779		<b>1</b> 7	76		796		
Item #	Housing	Special Features	Loosening Torque	Max. Torque Reverse	Weight	dBA		-		
CPT-7779	Composite	Lightweight		1,440 ft-lb	7.7 lbs	96.8	\$947.05			
CPT-7776	Metal			1,770 ft-lb	24.7 lbs	93	\$1158.65			
CPT-7783-6	Composite	6" Anvil		1,770 ft-lb	20.9 lbs	113	\$1205.85	7782-6		
CPT-7782-6	Composite	6" Anvil		1,920 ft-lb	25.6 lbs	100	\$1006.55			
CPT-796	Metal			2,000 ft-lb	20 lbs	101	6			
		REE! quantities last		295A			2175MAX			



## **Impact Wrench Lifters**

### MRI-MMIWSS

#### Impact Boom – 50 Lb Capacity Mobile Impact Wrench Holder

- Up, down and 360°, the swivel hook and supporting bar will follow you in any bolting patterns while maintaining your impact wrench still
- Fix and swivel castersImpact wrench not included







#### **Protective Boots for Aircat Impact Wrenches**

Item #	Fits Aircat Models	
ACA-1056-XLBB	1056-XL and 1076-XL	\$26.95
ACA-1150-BB	1150, 1000, 1000-TH, and 1000-TH-2	\$36.45
ACA-1200-KBR	1200-K and 1250-K	\$37.65
ACA-1355-XLBR	1355-XL and 1375-XL	\$34.05
ACA-1600-THBB	1600-TH, 1600-TH-A and 1700-XL	\$55.85



#### **Ingersoll Rand Impact Wrenches**

Ingersoll Rand

Item #	Fits Ingersoll Rand Models	
IRC-35-B00T	35MAX and 15QMAX	\$30.65
IRC-231-B00T	231C, 231HA, 231HA-2	\$21.25
IRC-2115M-B00T	2115Timax, 2115PTimax, 2115QTimax	\$32.45
IRC-2130-B00T	2130, 2130-2	\$32.45
IRC-2235M-B00T	2235TiMAX Series Tools	\$32.45
IRC-2145M-B00T	2145QiMAX	\$42.35
IRC-W5132-B00T	W5132 & W5152 (Cordless Impact Wrenches)	\$34.65
IRC-W7152-B00T	W7152 & W7252 (Cordless Impact Wrenches)	\$34.65
IRC-W7150-B00T	W7150 & W7250 (Cordless Impact Wrenches)	\$34.65

## **Air Tool Maintenance**

Ingersoll Ra Impact Wree Hammer & A Repair Kits	nch ໑໐ັ 📣	231В-ТНК1
Item #	For IR Impact Wrench Models:	
IRC-231B-THK1	231C, 231HA, 231HA-2	\$161.85
IRC-2115-THK1	2115Ti and 2115QTi	\$129.15
IRC-2135-THK1	2135Ti and 2135QTi	\$161.85





### JCL-PTK-CK **\$96**<sup>45</sup>

#### Snap Ring Installation & Removal Tool Kit for Air & Cordless Impact Wrenches

- 1 Snap ring pliers
- 1 ClipKey® for 1/4", 3/8" & 1/2" tools
- $\bullet$  6 each of 1/4", 3/8" & 1/2" clips & 0-rings
- Works for all major models of impact wrenches including Milwaukee, Snap-On, Dewalt and Makita

#### Anvil Retainer Clips and O-Rings for Air and Cordless Impact Wrenches

CLIPAD<sup>™</sup>/CLIPKEY<sup>®</sup> not included

Item #	<b>Drive Size</b>	<b>Contents per Pack</b>	Qty of Packs	
JCL-JC2505	1/4"	(3) Clips + (3) O-Rings	5	\$19.45
JCL-JC38012	3/8"	(3) Clips + (3) O-Rings	12	\$90.55
JCL-JC50012	1/2"	(3) Clips + (3) O-Rings	12	\$90.55
JCL-JC7505	3/4"	(1) Clip + (1) O-Ring	5	\$46.35
JCL-JC10005	1"	(1) Clip + (1) O-Ring	5	\$57.15

### STK-16600 \$77<sup>15</sup>

#### STECK

#### Air Tool Oiler

- Works with all models of air hammers, air sanders, air ratchets and air ratchet heads, etc.
- Adjustable oil flow:
- .05 cc or up to about four drops
- Self centering, non-drip oil dispenser head



(IR) Ingersoll Rand.

### IRC-115-LBK1 **\$59<sup>35</sup>**

Composite Housing Impact Wrench Care Kit • Includes 4 fl. oz #10Z4 oil, 4 oz #115 grease, and grease gun

#### **Air Ratchets** 808-15-25 808-22-A 805-HT-22 805-HT-22-5 AIRTON 811 807-25 810-RW 809-SH-5 802 ARCAT AIREAT 812-RW 805-HT 805-HT-5 **Composite Air Ratchets** 2-year warranty Item # Features Drive Torque RPM ACA-804 Mini 1/4" 30 ft-lb 280 \$236.35 ACA-808-15-25 Long Reach, 15.3" 1/4" 30 ft-lb 200 \$249.95 **3-Position** ACA-811 \$302.05 1/4" 35 ft-lb 240 30° Flex Head ACA-807-25 \$147.85 Stubby, Lightweight 1/4" 35 ft-lb 300 \$193.95 ACA-800 Mini, Single Pawl 1/4" 35 ft-lb 320 ACA-810-RW \$266.35 Mini, Impacting 3/8" 50 ft-lb 550 Long Reach, 22" ACA-808-22-A 3/8" 80 ft-lb \$313.55 200 High Torque, 22" Long Reach ACA-805-HT-22 3/8" 130 ft-lb 200 \$496.55 ACA-802 \$211.35 **Twin Pawl** 3/8" 70 ft-lb 280 ACA-812-RW Impacting 3/8" 80 ft-lb 350 \$356.05 ACA-805-HT **High Torque** 3/8" 130 ft-lb 180 \$309.75 ACA-809-SH-5 Sealed Flat Head 1/2" 350 \$386.05 65 ft-lb ACA-805-HT-5 **High Torque** 1/2" 130 ft-lb 180 \$333.85 High Torque, 22" Long Reach

1/2"

130 ft-lb

200

### Chicago Pneumatic ፍ 828 828H 825C 886 7829 7829H

#### **Air Ratchets**

\$496.55

Item #	Features	Drive	Torque	RPM	
CPT-825C	Stubby	1/4"	26 ft-Ib	280	\$238.65
CPT-828	Standard Duty	3/8"	10-50 ft-lb	150	\$226.55
CPT-886	Compact Head	3/8"	10-50 ft-lb	160	\$166.25
CPT-7829	Composite Grip	3/8"	10-70 ft-lb	225	\$274.55
CPT-828H	Standard Duty	1/2"	10-50 ft-lb	150	\$236.75
CPT-7829H	Composite Grip	1/2"	10-70 ft-lb	225	\$280.45



ACA-805-HT-22-5

## **Air Drills**



Item #	Chuck	RPM	Motor	
ACA-4337	3/8" Keyed	1,600	0.75 HP	\$230.65
ACA-4338	3/8" Keyless	1,800	5/8 HP	\$199.75
ACA-4439	3/8" Keyed	2,400	0.7 HP	\$302.05
ACA-4450	1/2" Keyed	400	5/8 HP	\$220.95



Item #	Chuck	RPM	Motor	Reversible	
CPT-7300C	1/4" Keyed	3,300	0.3 HP	NO	\$223.35
CPT-879C	3/8" Keyed	2,100	0.4 HP	YES	\$202.45
CPT-785QC	3/8" Keyless	2,400	0.5 HP	NO	\$251.05
CPT-785	3/8" Keyed	2,400	0.5 HP	NO	\$242.85
CPT-789R-26	3/8" Keyed	2,600	0.4 HP	YES	\$387.15
CPT-789HR	1/2" Keyed	500	0.4 HP	YES	\$525.85
CPT-785H	1/2" Keyed	500	0.5 HP	NO	\$408.15

## SUNEX<sup>®</sup> SX223 SX221B **Reversible Air Drills**

### Jacobs<sup>®</sup> chuck and key

Item #	Chuck	RPM	Motor	
SUN-SX223	3/8"	1,800	0.35 HP	\$129.45
SUN-SX221B	1/2"	500	0.5 HP	\$252.55



### **Air Drills**

Item #	Chuck	RPM	Motor	Reversible	
IRC-7807R-A	3/8"	1,800	1/3 HP	YES	\$213.95
IRC-7802A	3/8"	2,000	1/2 HP	NO	\$240.45
IRC-7802RA	3/8"	2,000	1/2 HP	YES	\$293.35
IRC-7802RAKC	3/8" Keyless	2,000	1/2 HP	YES	\$306.05
IRC-7803A	1/2"	500	1/2 HP	NO	\$368.05
IRC-7803RA	1/2"	500	1/2 HP	YES	\$418.15
IRC-7803RAKC	1/2" Keyless	500	1/2 HP	YES	\$432.75

## **Air Screwdrivers**



#### AST-810T \$154<sup>65</sup> 1/4" Reversible **Internal Adjust Screwdriver** • 1,800 RPM

• Quick change bit retainer



IRC-371-A **\$259**<sup>45</sup> 1/4" Reversible Screwdriver • 2,000 RPM • Torque range: 0-13 ft-lb

## **Air Die Grinders**



Item #	Head	Features	Motor	RPM	
ACA-6201	Straight		1/2 HP	22,000	\$155.65
ACA-6285	Straight		3/4 HP	20,000	\$178.15
ACA-6290	Straight	Reversible	3/4 HP	20,000	\$184.05
ACA-6260	Straight		1 HP	22,000	\$186.25
ACA-6205	Straight	Mini	1/3 HP	25,000	\$135.05
ACA-6270	Straight	6" Extended	1 HP	20,000	\$367.15
ACA-6255	90° Angle		1/2 HP	20,000	\$186.25
ACA-6250	90° Angle	Mini	1/3 HP	18,000	\$164.45
ACA-6280	90° Angle		3/4 HP	18,000	\$211.35
ACA-6265	90° Angle		1 HP	18,000	\$357.95
ACA-6295	115° Angle		0.6 HP	18,000	\$224.85

ATD-2132 \$7325

1/4" Air Die Grinder

ATD-21310 **\$171**<sup>75</sup>

**Surface Conditioning Kit** 

• (25) 2" coarse grit surface conditioning discs

• 22,000 RPM

1/4" Mini Angle

• 22,000 RPM

Air Die Grinder/







- 1/8" & 1/4" shank grinding stones
- 2" & 3" backing pads
- 2" & 3" abrasive discs





#### 1/4" Die Grinders

Item #	Head	Motor	RPM						
COMPOSITE Housing									
SUN-SX5203	90° Angle	0.25 HP	20,000	\$190.45					
SUN-SX5206	90° Angle	0.5 HP	18,000	\$179.75					
SUN-SX5210	Straight	1 HP	20,000	\$217.85					
ALUMINUM Ho	ousing								
SUN-SX232B	90° Angle	0.25 HP	20,000	\$119.05					
SUN-SX230B	Straight	0.25 HP	22,000	\$79.85					
SUN-SX231B	Straight, MINI	0.25 HP	25,000	\$70.65					



G Chicago Pneumatic

ATD AIR

ATD AIR

1/4" Die Grinders 2-year warranty on CP Classic Tools

Item #	Head	Motor	RPM	
CPT-876	Straight	0.30 HP	30,000	\$130.55
CPT-875	90°	0.30 HP	22,500	\$116.15
CPT-7405	Straight	0.34 HP	28,000	\$165.75
CPT-7406	90°	0.34 HP	23,000	\$178.45
CPT-7408	120°	0.34 HP	23,000	\$178.55
CPT-860	Straight	0.54 HP	24,000	\$244.85
CPT-860ES	Straight, 6" Extended	0.54 HP	24,000	\$454.15
CPT-872	Straight	0.60 HP	22,000	\$99.95

## **Air Die Grinders**



Itelli #	пеац	MOLOF	KEW		
SPA-SP-7211	90° Angle	1/2 HP	18,000	\$175.25	
SPA-SP-7212	120° Angle	1/2 HP	18,000	\$222.55	
SPA-SP-7220	Straight	1/2 HP	20,000	\$133.65	

### SUNEX TODLS

### SUN-SX2PK \$11355

- 2 Pack 1/4" Mini Die Grinder Set
- •.25 HP
- Includes straight (#SX231B) and 90° angle (#SX264) die grinders

### SUN-SX300 \$13035

- 2 Pack 1/4" Mini Die Grinder Set
- •.25 HP
- Straight (#SX307B): 22,000 rpm • 90° angle (#SX301B) 28,000 rpm



**Composite Body Die Grinders and** 

**Rotary Bur Set** • #AST-1240: 1/4" 90° die grinder: 20,000 RPM

- #AST-1205: 1/4" mini die grinder: 25,000 RPM
- #AST-2181: 8-pc double cut carbide bur set





SUN-SX245K **\$176**<sup>75</sup> Pencil-Type Air Die Grinder Kit • 54,000 rpm

• (10) 1/8" shank stones



ΔIR





## **Air Hammer Chisels**

	<b>X Tool</b> s	US/			
Sheet Metal		Internet			
• Up to 16 gauge	Item #	Shank	Length		
(1/16" thick)	AJX-A907	.401	5-3/8"		\$27.55
		Con Auto			
Bushing	The set of the	Shank			
Remover	Item # AJX-A904	.401	<b>Length</b> 6-1/4"		\$20.05
		Carton.	-		
Bushing Splitter	Item #	Shank	Length		
- pinton	AJX-A906	.401	6-1/4"		\$23.25
<b>-</b> d		Est.	1		
Tapered Punches	Item #	Shank	Length		¢10.05
	AJX-A911 AJX-A961	.401 .498	6-1/2" 7"		\$16.35 \$27.05
Straight Punches	Item # AJX-A913 AJX-A913-18 AJX-A963	Shank           .401           .401           .401           .403	Length 6-1/2" 18" 7"		\$14.05 \$33.95 \$22.75
	AJX-A963	.498	7"		\$22.75
Hammers	Item #		Diameter	Length	A00.45
	AJX-A945	.401 .401	1" 1"	4-1/4" 7"	\$23.15 \$25.25
	AJX-A945-7 AJX-A967	.498	1"	7 4-1/4"	\$35.35 \$35.45
Smoothing Hammers	Item #	Shank [	Diameter	Length	
	AJX-A1602	.401	1"	3"	\$47.25
		and a second			
Rivet Chisels, 3-1/2" Long	Item #	Rivet Type		Shank	
	AJX-A1604	Round – 3		.401	\$28.55 \$27.25
	AJX-A1620	Brazier – 3		.401	\$27.35
	Δ [X-Δ1621	Brazior	1/4		
	AJX-A1621 AJX-A1636	Brazier – Universal –		.401 .401	\$32.75 \$27.35

Chisels						
		- Bee	-			
Ball Joint &	!	Item #	Shank	Size	Length	
Tie Rod Separators	;	AJX-A903-3	6/4 .401	3/4"	7-1/4"	\$61.25
		AJX-A903-1	.401	1"	7-1/4"	\$61.25
		AJX-A968	.498	1-1/4"	7-1/4"	\$100.15
			CITES OF C			
Universal J		Item #	Shank	Length		
& Tie Rod To	ool	AJX-A901	.401	4-1/4"		\$28.25
		-				
					(	
Tail Pipe		Item #	Shank	Length	-	
Cutter		AJX-A902	.401	6-7/8"		\$19.35
			Parta la		-	
Muffler						
Cutter		Item #	Shank .401	Length 7-1/2"		620 PE
		AJX-A908	.401	7-1/2		\$29.85
			Constanting of the local division of the loc			
Wide Chise	8	Item #	Shank	Blade	Length	
Scraper		AJX-A905	.401	1-5/16"	6-1/4"	\$19.45
		AJX-A955	.498	1-5/16"	7"	\$28.35
					-	
Offset Scra	per	Thomas di	Shank	Longth		
Chisel		Item #	.401	Length 6-3/4"		\$22.05
		AJX-AJZZ	.401	0-3/4		Ş22.0J
			detter		5	
Double Blad	de					
Panel	1C	Item #	Shank	Length		000.45
Cutters		AJX-A909 AJX-A959	.401 .498	6" 6-7/8"		\$23.15
		AJX-A909	.490	0-7/0		\$35.75
			-	11200	-	
Roll Pin Drivers		Item #	Shank	Punch Size	Length	
		AJX-A1102	.401	1/4"	7-1/2"	\$28.95
		AJX-A1103	.401	5/16"	7-1/2"	\$28.95
		AJX-A1104	.401	3/8"	7-1/2"	\$28.95
Brake Pin				abara		
& Bushing		_				
Driver Sets	5			Action		
Shank Ite	em #	Length		Item #	 Length	
	X-A116		\$178.95	AJX-A1176	14"	\$232.85
	X-A954		\$187.55	AJX-A979	14"	\$244.95



A897

A897-IR

\$6.55

\$6.55

\$6.95

\$7.35







## 311A 317-B (IR) Ingersoll Rand. 328E 4151 313-B **Air Sanders**

Item #	Description	Pad	Orbit	RPM	
IRC-317-B	High Speed Sander	3" & 5"		18,000	\$148.25
IRC-311A	<b>Dual-Action Quiet Sander</b>	6"	3/16"	12,000	\$160.35
IRC-4151	Vacuum-Ready Random Orbital Sander	6"	3/16"	12,000	\$281.15
IRC-313-B	Heavy-Duty Angle Sander	7"		5,000	\$423.25
IRC-328B	<b>Dual-Action Geared Sander</b>	8"	5/32"	825	\$261.15

#### ART

### ACA-6315-K \$250<sup>85</sup>

#### 2" & 3" Mini Orbital Sander Kit

- Low weight composite housing
- Feather speed control trigger
- 16,000 RPM
- Kit includes:
- (1) 2" and (1) 3" backing pads
- (10 each) 2" and 3" sanding discs in 320, 400 and 600 grit

֍

## CPT-7200S \$24185

- 2" & 3" Mini Random
- **Orbital Sander Kit**
- Compact & lightweight
- · Excellent for small area repair • 15,000 RPM
- Kit includes:
- (1) 2" and (1) 3" backing pads • (10 each) 2" and 3" sand papers in 320, 400 and 600 grit

#### CPT-7202D \$244<sup>35</sup>

#### 3" Mini Pistol

### **Disc Sander Kit**

- Roloc pad
- Adjustable power regulator • Progressive throttle
- 15,000 RPM
- Kit includes:
- (1) 3-inch backing pad
- (10 each) 3-inch 80, 100 and 120 grit sanding discs
- (1 each) 3-inch fine, medium and coarse surface prep discs







### **Air Sanders**



### Random Orbital Sanders

Item #	Description	Pad	Orbit	RPM	
HUT-4500	- Ultra Fine Finishing	6" PSA	3/32"	10,000	\$725.25
HUT-3500	- Low Profile - Ultra Fine Finishing	6" PSA	3/32"	10,000	\$689.15
HUT-500	- Pre & Post Paint	6" PSA	3/32"	10,000	\$402.85
HUT-500H	- Pre & Post Paint	6" Velcro	3/32"	10,000	\$411.55
HUT-600	<ul> <li>Aggressive Material Removal</li> </ul>	6" PSA	3/16"	10,000	\$402.85
HUT-600H	<ul> <li>Aggressive Material Removal</li> </ul>	6" Velcro	3/16"	10,000	\$411.55
HUT-700	<ul> <li>Fastest, Aggressive Material Removal</li> </ul>	6" PSA	5/16"	12,000	\$420.35
HUT-720 **	- Fastest, Aggressive Material Removal - Requires External Vacuum Source	6" Velcro	5/16"	12,000	\$489.35
HUT-503	- Fine Pre & Post Paint	3" Velcro	3/32"	12,000	\$402.85

\*\* Model 720 requires either 5301-2 or 5301-5 to complete vacuum connection.

322

## arte A B

#### ONYX 6" Finishing Palm Sanders

Item #	Pad Type	RPM	Stroke	
AST-322	Hook & Loop Pad	10,000	3/16" (5mm)	\$176.75
AST-322P	PSA Pad	10,000	3/16" (5mm)	\$176.75







### **Air Regulators**

\$11<sup>75</sup>

SGT-98025

**Brass Air Regulator** 



### **Air Swivels**

TIT-19444 <b>360° Swiv</b> • For use wit and quick o	el Connect	ittings	<b>T</b>	ITAN	AST-3SB40 \$7 360° High Flow Air Swivel Con • Enjoy more pow • 1.5x the body siz	<b>/</b> <b>nector</b> rer and RP
<ul> <li>360° Swive</li> <li>1/4" NPT ir</li> <li>Universal c with A, M, a</li> </ul>	nput/output	use	TITAN	19446	2x the air passa 360° Air Flex S Item #	
Item #	Туре		10万三 10 13	Star A	CPT-8940171569	1/4"
TIT-19445	2-Way	\$31.15	a x	11 m	CPT-8940171571	3/8"
TIT-19446	3-Way	\$43.15	19445		CPT-8940171567	1/2"
			10110		-	

#### \$22<sup>25</sup> AST-3SB40 360° High Flow

## ants A B



Enjoy more power and RPM 1.5x the body size of traditional swivels with 2x the air passageway size  $\bullet$  1/4" NPT inlet

### 360° Air Flex Swivel Connectors

Item #	NPT	Max. CFN	1
CPT-8940171569	1/4"	25 CFM	\$154.75
CPT-8940171571	3/8"	74 CFM	\$197.45
CPT-8940171567	1/2"	74 CFM	\$197.45



## 5-in-1 Universal

#### **Quick-Connect Couplers**

• Accepts all major interchanges: Industrial (M-Style), High Flow (V-Style), Automotive (T-style), ARO (A-Style) & Lincoln (L-style)

• 1/4" FNPT • Max.: 120 PSI

Item #	Туре	
MIL-S-743	Female	\$30.05
MIL-S-744	Male	\$30.05

## **Air Couplers & Plugs**



A53452FZ

#### 

**High Flow Coupler and Plug Kits** • 1/4" NPT • Max.: 300 PSI

Item #	Contents		
LEG-A53452FZ	(1) FNPT Coupler, (1) FNPT Plug, (1) MNPT Plug	\$28.75	A53457FZ
LEG-A53457FZ	<ol> <li>(1) FNPT Coupler,</li> <li>(1) MNPT Coupler,</li> <li>(2) FNPT Plugs,</li> <li>(3) MNPT Plugs</li> </ol>	\$58.25	

## TITAN

### AMT 3-Way Composite Co

• For use with A T-style fittings

- Inlet size: 1/4"
- Max.: 210 PSI

YEA	
	<mark>5 In ONE™</mark>
er an	MIL-S-1750
2 8 2	MIL-S-1751
	MIL-S-1752
1001	MIL C 1750

		J. A.	
<b>Couplers</b> A, M, and	Item #	Туре	
5	TIT-19304	Female	\$16.55
" NPT I	TIT-19305	Male	\$14.75



#### **Universal Safety Exhaust Quick Connect Couplers**

Safely bleeds off air pressure before releasing connector

• Max.: 120 PSI

Item #	Туре	NPT	Interchange Styles Accepted			
5 In ONE™ Universal Safety Exhaust Industrial Couplers						
MIL-S-1750	F	1/4" FNPT	M - V - T - A - L	\$38.35		
MIL-S-1751	М	1/4" MNPT	M - V - T - A - L	\$38.35		
MIL-S-1752	F	3/8" FNPT	M - V - T - A - L	\$41.05		
MIL-S-1753	М	3/8" MNPT	M - V - T - A - L	\$41.05		
2 In ONE™	Univers	al Safety Exhaust Industria	l Couplers			
MIL-S-1756	F	1/4" FNPT x 3/8" Body Flow	H – P	\$50.75		
MIL-S-1757	М	1/4" MNPT x 3/8" Body Flow	H – P	\$50.75		
MIL-S-1758	F	3/8" FNPT x 3/8" Body Flow	H – P	\$54.85		
MIL-S-1759	М	3/8" MNPT x 3/8" Body Flow	H – P	\$54.85		
G-Style Uni	versal S	afety Exhaust Industrial Co	ouplers			
MIL-S-1773	F	1/2" FNPT x 1/2" Body Flow	G-Style .125 G-Style .375	\$66.05		
MIL-S-1774	М	1/2" MNPT x 1/2" Body Flow	G-Style .125 G-Style .375	\$66.05		

January – March 2024 | 105

## **Air Couplers & Plugs**



#### **Milton Plugs**

• Max. inlet pressure: 300 PSI

Item #	Connection	Style	Air Flow	Material	Qty	
	Connection Plu	igs				
MIL-S-727	1/4" MNPT	М	40 SCFM	Steel	2	\$5.45
MIL-S-791	1/4" MNPT	L	32 SCFM	Steel	2	\$8.85
MIL-S-777	1/4" MNPT	Α	34 SCFM	Steel	2	\$5.75
MIL-S-783	1/4" MNPT	Т	40 SCFM	Steel	2	\$5.75
MIL-S-1839	1/4" MNPT	н	67 SCFM	Steel	2	\$9.75
MIL-S-1809	1/4" MNPT	Ρ	68 SCFM	Steel	2	\$10.05
MIL-S-1837	3/8" MNPT	н	67 SCFM	Steel	2	\$10.95
MIL-S-1807	3/8" MNPT	Ρ	68 SCFM	Steel	2	\$11.05
MIL-S-1817	1/2" MNPT	G	99 SCFM	Steel	1	\$8.35
S FEMA	LE Connection	Plugs				
MIL-S-728	1/4" FNPT	М	40 SCFM	Steel	2	\$5.65
MIL-S-778	1/4" FNPT	Α	34 SCFM	Steel	2	\$6.05



#### Item # Connection Style **Air Flow** Material Qty **FEMALE Connection Couplers** \$11.85 MIL-S-715 1/4" FNPT Μ 40 SCFM Brass 1 MIL-S-790 1/4" FNPT 32 SCFM \$24.95 L Steel 1 MIL-S-775 1/4" FNPT Α 34 SCFM Steel \$15.95 1 40 SCFM \$13.55 1/4" FNPT т MIL-S-785 Brass 1 MIL-S-1833 1/4" FNPT н 67 SCFM Steel 1 \$26.55 MIL-S-1803 1/4" FNPT Ρ 68 SCFM HD Steel \$26.95 MIL-S-718 3/8" FNPT м 40 SCFM Brass \$15.35 1 MIL-S-1835 3/8" FNPT н 67 SCFM Steel 1 \$27.05 MIL-S-1805 3/8" FNPT Ρ 68 SCFM HD Steel 1 \$27.35 \$33.35 MIL-S-1815 1/2" FNPT G 99 SCFM Steel 1 **( ( ا MALE Connection Couplers** MIL-S-716 1/4" MNPT М 40 SCFM Brass 1 \$11.85 MIL-S-776 1/4" MNPT 34 SCFM Steel \$17.75 Α 1 MIL-S-719 3/8" MNPT М 40 SCFM Brass \$15.35 1

#### **Blow Guns Pistol-Grip Air Blow Guns** 8738 ATD with Rubber Tips • Includes 9/16", 15/16" & 1-3/8" rubber tips Item # Length ATD-8738 2-Pc Set: 4" & 13" \$60.45 ATD-8737 4" \$28.05 ATD-8735 13" \$30.15 ATD-8736 20" \$35.25

## **Astro**

#### **Deluxe Air Blow Guns with** 1/2" Removable Rubber Tip

Length	Colour	
20"	Orange	\$20.65
13"	Green	\$18.55
4"	Green	\$14.65
4"	Orange	\$14.75
	20" 13" 4"	13" Green 4" Green





9/16", 15/16", 1-3/8"

TIT-19391 **\$23**<sup>65</sup>

#### **Turbo Blaster Blow Guns**

• High volume of air flow

90-120 PSI working pressure

all the second				
47 C	<u> </u>	Item #	Nozzle	
		SGT-99220	Standard	\$17.05
		SGT-99230	6"	\$18.45

### TITAN

#### \$40<sup>75</sup> TIT-19475

4-in-1 Interchangeable Blow Gun Kit

- Includes 4 attachments:
- 3-position fan tip
- Venturi tip boosts air flow 4 times
- 4.25" and 13" nozzles (can be assembled at 6 different angles)



- Includes 7 interchangeable tips
- Ideal for cleaning debris, drying off wet
- surfaces, inflating pool toys and balloons
- 160 PSI working air pressure



## **AIR COMPRESSORS & ACCESSORIES**

### **Air Compressors**





#### **Rotary Screw Air Compressors**

- The Viper offers heavy-duty power, on or off your truck bed
- Diesel model features On/Off smart technology
- Diesel model features On/Off smart technology for fuel savings and noise reduction






~~~	P	E	R	ļ
DIES	5EI			

Item #	Fuel	Cap. CFM	Air PSI	Engine RPM	HP	Fuel Cap.	Dim. L x W x H	Weight	
GDL-GV3H-B80	Gas	80	100	3,600	25	10 Gal.	40" x 25"x 32"	440 lbs	6
GDL-050849	Diesel	80 (48 at idle)	100	3,600	25	9 Gal.	48" x 21"x 33"	735 lbs	٩



#### Value Package – Two-Stage Electric-Powered Stationary Air Compressors



STRA D

2545E10-V



### BEP-AC072 \$303<sup>75</sup>

#### 120V Single-Stage Commercial Portable Air Compressor

- Motor: 3/4 HP
- Tank Size: 2 GallonsOil-Free Twin Pumps,
- Ultra Quiet
- 4.5A Amps
- Maximum PSI: 125
- CFM@ 90 PSI: 2.3 CFM
- 18" L x 15" W x 16" H
- Weight: 42 lbs
- 2-year warranty



#### 60 Gallon Single-Stage Electric Driven Reciprocating Air compressors

	IRC-32334005	IRC-20103172
Model	SS3L3	SS5L5
Power	3 HP	5 HP
Flow at 90 PSI	11.3 CFM	18.1 CFM
Max. Pressure	135 PSI	135 PSI
Voltage/Engine	230V/1/60A	230V/1/60A
L x W x H	24" x 25" 67"	24" x 30" 73"
Weight	300 lbs	310 lbs
	6	0



# **AIR COMPRESSORS & ACCESSORIES**

# **Air Compressors**



Item #	Series	Motor	Tank Size	Fuel Tank Capacity	Stage	Start System	CFM @ PSI	LxWxH	Weight	
BEP-AC658HB	Commercial	196cc GX200	8 Gallon	3.1 L	Single	Recoil	13.8 CFM @ 90 PSI 12.7 CFM @ 100 PSI	45" x 19" x 30"	175 lbs	\$1680.35
BEP-AC908HB2	Commercial	270cc GX270	8 Gallon	5.3 L	Two	Recoil	20.5 CFM @ 90 PSI 17.7 CFM @ 175 PSI	46" x 30" x 30"	280 lbs	6
BEP-AC1330HEB2	Industrial	389cc GX390	30 Gallon	6.1 L	Two	Recoil & Electric	23 CFM @ 175 PSI	49" x 21" x 42"	485 lbs	6

# **AIR COMPRESSORS & ACCESSORIES**

m

# Air Filter/Regulator/Lubricator Units

	Air Filter/ Regulato	ry Lubricator Units
	Sub-Micronic Compressed Air Filters           • Removes up to .01 microns           Item #         NPT         Max. Flow           MOT-M-30         1/4"         45 CFM         \$162.55           MOT-M-60         1/2"         100 CFM         \$162.55	AST-2615 \$73 <sup>85</sup> 3/8" Filter/Regulator with Gauge • 1/4" or 3/8" NPT, max. 135 PSI • Air flow unit: 1,350 L/min (approx. 48 CFM) AST-2618 \$192 <sup>75</sup> 1/2" Air Control Unit • Air inlet/outlet: 1/2" NPT
	MOT-M-723 <b>\$85</b> <sup>55</sup> Sub-Micronic Filter Element • Removes to .01 microns • Pack of 4 filters	<ul> <li>An intervolute: 1/2 for the Filtration degree: 5µm</li> <li>Filtration degree: 5µm</li> <li>Filter capacity: 20 CFM</li> <li>Regulator capacity: 50 CFM</li> </ul>
ATD AIR	ATD-7823 <b>\$147<sup>75</sup></b> <b>1/4" Polycarbonate</b> <b>General Purpose Filter</b> • Removes liquid, water, dirt and debris from air lines • Max flow: 48 SCFM • Filter element: 40 micron	ATD-7858 <b>\$298<sup>35</sup></b> <b>1/2" Filter/Regulator</b> • Max flow: 100 CFM • Filter element: 40 micron • Bowl capacity: 6 oz • Max. pressure: 250 PSI • Reduced press. outputs of 5-125 PSI
	Bowl capacity: 5 oz     Max. pressure: 150 PSI	<b>∂</b> PAstro
Made in USA	Polycarbonate Micro Filters • 150 PSI • 48 SCFM • 40 micron filter element Item # NPT MIL-1018 1/4" \$112.45	AST-2616 <b>\$124</b> 95 3/8" Filter, Regulator & Lubricator with Gauge 1/4" or 3/8" NPT with max. 135 PSI 4 Air flow unit 1,350 L/min (approximately 47.655 CFM) 5 μm micron filter
	MIL-1010         1/4         \$112.45           MIL-1019         3/8"         \$113.05           MIL-1020         1/2"         \$115.25	MOT-MHT-7000 \$1168 <sup>45</sup>
Made in USA	High Pressure Regulators         • Regulated pressure range of 10-250 PSI         Item #       NPT         MIL-1113-8       1/4"       \$121.35         MIL-1114-8       3/8"       \$121.35         MIL-1115-8       1/2"       \$150.25	<ul> <li>High Tech Air Preparation System</li> <li>Six stages of air prep in a single system</li> <li>Provides for the quickest, cleanest cartridge change in the industry</li> <li>Includes water, coalescer, activated carbon and desiccant filtration</li> <li>1/2" NPT • 30 CFM • 125 PSI</li> <li>.01 micron filtration rating</li> </ul>
Milton Made in USA	<ul> <li>Polycarbonate Lubricators</li> <li>150 PSI</li> <li>Not for use with synthetic lubricants</li> </ul>	ATD-6825 \$12535
	Item #         NPT           MIL-1028         1/4"         \$140.95           MIL-1029         3/8"         \$147.85           MIL-1030         1/2"         \$141.25	Digital Air Pressure Regulator • Accurate measurement of air pressure to spray guns or other air tools • Up to 160 PSI • Units: PSI, BAR, KG/CM <sup>2</sup> , KPA • Automatic shut-off • 1/4" universal thread • Battery-operated

Battery-operated

# Air Hoses



## Flexzilla® Air Hose Assemblies

- All-weather flexibility (-40° to 140°F)
- Won't kink under pressure
- Lays flat no memory
- Durable, abrasion-resistant outer cover

Item #	Length	Hose I.D.	Fittings	
LEG-HFZ1425YW2	25 feet	1/4"	1/4" MNPT	\$36.25
LEG-HFZ1450YW2	50 feet	1/4"	1/4" MNPT	\$55.85
LEG-HFZ14100YW2	100 feet	1/4"	1/4" MNPT	\$99.55
LEG-HFZ3825YW2	25 feet	3/8"	1/4" MNPT	\$48.55
LEG-HFZ3835YW2	35 feet	3/8"	1/4" MNPT	\$64.55
LEG-HFZ3850YW2	50 feet	3/8"	1/4" MNPT	\$65.15
LEG-HFZ38100YW2	100 feet	3/8"	1/4" MNPT	\$146.35
LEG-HFZ1225YW3	25 feet	1/2"	3/8" MNPT	\$72.15
LEG-HFZ1250YW3	50 feet	1/2"	3/8" MNPT	\$106.15
LEG-HFZ12100YW3	100 feet	1/2"	3/8" MNPT	\$223.85

## legacy ELEXTIDEAS

## Flexzilla® Pro Bulk Air Hose Spools

- Create custom length hose assemblies
  Flexzilla<sup>®</sup> Pro reusable ends
- sold separately

Item #	Spool Length	I.D.	
LEG-HFZ14250YW	250 feet	1/4"	\$224.45
LEG-HFZ38250YW	250 feet	3/8"	\$336.65
LEG-HFZ12250YW	250 feet	1/2"	\$420.25

# **Legacy** Workforce



Medium oil-resistance tube
Temp. range: -20° to 140°F

Workforce® Rubber

**Air Hose Assemblies** 

Item #	Length	Hose I.D.	Fittings	
LEG-HRE3825RD2	25 feet	3/8"	1/4" MNPT	\$50.95
LEG-HRE3850RD2	50 feet	3/8"	1/4" MNPT	\$89.05
LEG-HRE1225RD3	25 feet	1/2"	3/8" MNPT	\$96.65
LEG-HRE1250RD3	50 feet	1/2"	3/8" MNPT	\$141.45

## **Hybrid Polymer Air Hoses**

- Superior cold weather flexibility
- Lays flat with no memory
- Oil, UV, weather and abrasion resistant cover
- Bend restrictors on hose ends
- 1/4" solid brass NPT end fittings
  Max. working pressure: 300 psi
- Max. working pressure: 300 ps
  Max. burst pressure: 1,200 psi

Item #	Length	Hose I.D.	
ATD-18035	35 feet	3/8"	\$73.25
ATD-18050	50 feet	3/8"	\$97.95
ATD-18100	100 feet	3/8"	\$158.55



## MILTON

## Ultra Lightweight Rubber Air Hoses

- Oil, abrasion and kink resistant
  Remains flexible in extreme conditions from -50°F to 190°F
- Working pressure: 300 psi
- Burst pressure: 1,200 psi
- 10 year limited warranty



Item #	Length	Hose I.D.	Fittings	
MIL-ULR142514	25 feet	1/4"	1/4" NPT	\$64.95
MIL-ULR382514	25 feet	3/8"	1/4" NPT	\$78.45
MIL-ULR382538	25 feet	3/8"	3/8" NPT	\$82.95
MIL-ULR122538	25 feet	1/2"	3/8" NPT	\$100.35
MIL-ULR122512	25 feet	1/2"	1/2" NPT	\$112.15
MIL-ULR383538	35 feet	3/8"	3/8" NPT	\$114.45
MIL-ULR145014	50 feet	1/4"	1/4" NPT	\$105.35
MIL-ULR385014	50 feet	3/8"	1/4" NPT	\$144.85
MIL-ULR385038	50 feet	3/8"	3/8" NPT	\$151.15
MIL-ULR125038	50 feet	1/2"	3/8" NPT	\$179.35
MIL-ULR125012	50 feet	1/2"	1/2" NPT	\$191.55
MIL-ULR3810038	100 feet	3/8"	3/8" NPT	\$294.05

### 

### Flexzilla® Whip Hose Assemblies

- Ball swivel male end
- Increases longevity of the main hose
- Increases mobility in tight spaces

Item #	Hose	Fittings	
LEG-HFZ3802YW2B	2 ft. x 3/8" I.D.	1/4" MNPT ball swiv. x 1/4" FNPT	\$22.05
LEG-HFZ3804YW2B	4 ft. x 3/8" I.D.	1/4" MNPT ball swiv. x 1/4" FNPT	\$23.95

## legacy ELEXALULAS

## LEG-LP1425AFZ **\$55<sup>15</sup>** Flexzilla<sup>®</sup> Polyurethane

# Recoil Hose

- 25 ft. long x 1/4" hose I.D.
  All-weather flexibility (-40° to 165°F)
- Working pressure at 70°F: 120 psi
- 1/4" MNPT reusable ends



## 1/4" NPT Polyurethane Recoil Air Hoses• Oil- and abrasion-proof

- Corrosion resistant
- 360° brass swivel fitting
- on air intake end

	Working Pressure	Hose Size	Item #
\$32.25	132 PSI @ 24°C	1/4" x 25 feet	T0P-GF-562
\$55.35	132 PSI @ 24°C	1/4" x 50 feet	T0P-GF-563
\$63.35	143 PSI @ 24°C	3/8" x 25 feet	TOP-GF-564
\$104.55	143 PSI @ 24°C	3/8" x 50 feet	T0P-GF-565

TOPRING



# **Air Hoses**

## legacy ELEXTAULAS



Flexzilla® Enclosed Plastic **Retractable Air Hose Reel** Swivel mounting bracket, can

be mounted to wall or ceiling

• Lead-in hose: 3 ft. x 1/4" MNPT



Flexzilla® Retractable Air Hose Reel with Levelwind™ Technology • Lead-in hose: 5 ft. x 1/4" MNPT



### Flexzilla® Retractable Air Hose Reel -**Single Axle Arm Support**

• Heavy-duty steel construction

- Lead-in hose:
- 5 ft. x 3/8" MNPT swivel x 1/4" MNPT



### Flexzilla® Retractable Air Hose Reel -**Dual Axle Arm Support**

• Durable heavy-duty steel construction • Lead-in hose:

5 ft. x 3/8" MNPT swivel x 3/8" MNPT

Item #	Hose I.D.	Length	Work Pressure	Temperature Range	Hose Outlet	Reel Inlet	
LEG-L8250FZ	3/8"	50 feet	150 psi	-40°F to 140°F	1/4" MNPT	1/4" MNPT	\$325.85
LEG-L8305FZ	3/8"	50 feet	300 psi	-40°F to 140°F	1/4" MNPT	3/4" x 11-1/2" GHT	\$475.15
LEG-L8611FZ	3/8"	50 feet	300 psi	-40°F to 140°F	3/8" MNPT	3/8" FNPT swivel	\$394.85
LEG-L8335FZ	1/2"	50 feet	300 psi	-40°F to 140°F	3/8" MNPT	3/4" x 11-1/2" GHT	\$531.25
LEG-L8741FZ	1/2"	50 feet	300 psi	-40°F to 140°F	3/8" MNPT	3/8" FNPT	\$935.65



Item #	Features	Hose I.D. x Length	Max. Work Pressure	Max. Temp.	NPT(M) Hose Outlet	NPT(F) Reel Inlet	NPT(F) Reel Outlet	
Medium Duty								
RFT-RT650-OLP	Lightweight, Engineered Plastic Spool	3/8" x 50 ft.	300 psi	150°F (65°C)	1/4"	1/2"	1/4"	\$435.75
RFT-RT850-OLP	Lightweight, Engineered Plastic Spool	1/2" x 50 ft.	300 psi	150°F (65°C)	1/2"	1/2"	1/2"	\$586.55
Premium Duty								
RFT-4435 OLP	Compact	1/4" x 35 ft.	300 psi	150°F (65°C)	1/4"	3/8"	1/4"	\$394.85
RFT-4625 OLP	Compact	3/8" x 25 ft.	300 psi	150°F (65°C)	1/4"	3/8"	1/4"	\$407.45
RFT-5650 OLP	Compact	3/8" x 50 ft.	300 psi	150°F (65°C)	1/4"	3/8"	1/4"	\$565.55
RFT-A5850 OLP	Compact	1/2" x 50 ft.	300 psi	150°F (65°C)	1/2"	3/8"	1/2"	\$632.65
Heavy Duty								
RFT-7650 OLP	Dual Pedestal Base	3/8" x 50 ft.	300 psi	150°F (65°C)	1/4"	1/2"	1/2"	\$703.85
RFT-7850 OLP	Dual Pedestal Base	1/2" x 50 ft.	300 psi	150°F (65°C)	3/8"	1/2"	1/2"	\$727.95
RFT-82100 OLP	Dual Pedestal Base	1/2" x 100 ft.	300 psi	150°F (65°C)	1/2"	1/2"	1/2"	\$1151.05
RFT-83050 OLP	Dual Pedestal Base	3/4" x 50 ft.	250 psi	150°F (65°C)	3/4"	3/4"	3/4"	\$1106.05

# **Air/Water Hoses**

### **Hose Reels for** Air & Water

Heavy-gauge, all steel construction

 Heavy-duty rubber air hoses

### Inlet NPT Outlet NPT Max. Air Flow Hose Size Max. Item # Press 1/4" (F) 1/4" (M) 25 cfm \$323.25 LIN-83753 3/8" x 50 ft. 300 psi 1/4" (M) 1/4" (F) 300 psi \$189.95 ATD-31166 3/8" x 50 ft. 25 cfm 1/2" x 50 ft. \$348.55 LIN-83754 1/2" (F) 1/2" (M) 300 psi 35 cfm ATD-31167 1/2" x 50 ft. 1/2" (F) 300 psi \$249.95 1/2" (M) 35 cfm



Low Pressure Spring Retractable **Hose Reels for** Air/Water

 Hose not included

	RFT-7800 OLP	RFT-83000 OLP
Duty	Premium Duty	Ultimate Duty <ul> <li>Dual Pedestal Base</li> </ul>
Hose Length	50 ft.	50 ft.
Hose I.D.	1/2"	3/4"
Hose O.D.	0.75"	1.075"
Max. Pressure	500 psi	500 psi
Max. Temp.	210°F (99°C)	210°F (99°C)
Reel Inlet NPT(F)	1/2"	3/4"
Reel Outlet NPT(F)	1/2"	3/4"
	\$621.05	\$1027.45



83000 OLP

CA32106 L

CA33106 L



- Designed for rugged, heavy-duty applications requiring long lengths of hose and large storage capacity
- Full flow swivel, and heavy gauge steel frame, spool, and drum
- Vibration-proof, self-locking fasteners
- T-handle tensioning device allows proper tension to be applied
- to the spool to eliminate the free spooling of the reel








Item #	Hose I.D.	Hose Length	Hose O.D.	Reel Inlet NPT (F)	Reel Outlet NPT (F)	Max. Pressure	Max. Temperature	
RFT-CU6050LN	3/8"	50 ft.	0.6"	3/8"	3/8"	300 psi	150°F (65°C)	\$167.95
RFT-CU6100LN	3/8"	100 ft.	0.6"	3/8"	3/8"	300 psi	150°F (65°C)	\$210.55
RFT-CT6100HN	3/8"	100 ft.	0.73"	1/2"	3/8"	5000 psi	212°F (100°C)	\$290.15
RFT-CA32106 L	1/2"	100 ft.	0.85"	1/2"	1/2"	1000 psi	210°F (99°C)	\$410.55
RFT-CA32112 L	1/2"	200 ft.	0.75"	1/2"	1/2"	1000 psi	210°F (99°C)	\$418.95
RFT-CA33106 L	3/4"	50 ft.	1.075"	3/4"	3/4"	1000 psi	210°F (99°C)	\$554.05
RFT-CA33112 L	3/4"	100 ft.	1.075"	3/4"	3/4"	1000 psi	210°F (99°C)	\$554.05
RFT-CH37118 L	1"	100 ft.	1.375"	1"	1"	1000 psi	210°F (99°C)	\$803.35

# Water Hoses



Item #	Length	Hose I.D.	Fittings	
LEG-HFZG550YW	50 feet	5/8"	3/4" x 11-1/2" GHT	\$85.55
LEG-HFZG5100YW	100 feet	5/8"	3/4" x 11-1/2" GHT	\$163.05

# Flexzilla<sup>®</sup> Pro Water Hose Assemblies with Reusable Fittings

- Extreme all-weather flexibility
- Field repairable reusable fittings
- Won't kink under pressure
- Lays flat no memory
- Max. working pressure at 70°F: 150 psi
- Drinking water safe

100	1000	- 11	-
-	-	6	100
		-	
-	and the second		2
	-		2

### Item # Length Hose I.D. Fittings LEG-HFZWP550 50 feet 5/8" 3/4" x 11-1/2" GHT \$124.95 LEG-HFZWP575 75 feet 5/8" 3/4" x 11-1/2" GHT \$171.85 LEG-HFZWP5100 100 feet 3/4" x 11-1/2" GHT \$218.75 5/8'

# LEG-HFZW58250YW **\$493**<sup>65</sup>

### Flexzilla® Pro Bulk Water Hose Spool

### • 5/8" I.D. x 250 ft. hose

- · Fittings sold separately
- Hose is drinking water safe

## LEG-HFZG12050QN \$7445

## Flexzilla® Garden Hose Kit with Quick Connect Attachments

- 1/2" I.D. x 50 ft. hose
- 3/4" x 11-1/2" GHT fittings
- Max. working pressure: 150 psi
- Kit includes: Flexzilla® garden hose with quick-connect couplers, hose hanger, nozzle, adapter for spigot, (2) garden hose attachment adapters



## Flexon™ Heavy Duty Water Hoses

- Knitted radial reinforcement
- Tough, weather-resistant vinyl cover
- Excellent handling, even in cold weather
- Solid crush-proof couplings

Item #	I.D. x Length	
FXN-FXG5850	5/8" x 50 feet	\$73.75
FXN-FXG5875	5/8" x 75 feet	\$104.35



# **Hose Fittings**



Flexzilla® Pro AIR Hose Reusable Fittings

Item #	Size	
LEG-RP900250	1/4"	\$6.45
LEG-RP900375	3/8"	\$8.85
LEG-RP900500	1/2"	\$10.85

# DARARARA E



Flexzilla® Pro WATER Hose Reusable Fittings

Item #	Size	
LEG-RP900625F	5/8" F	\$17.65
LEG-RP900625M	5/8" M	\$14.45

## **Hose Nozzles**



## Adjustable Spray Hose Nozzle

Nozzle made of heavy duty brass

ATD-9101 \$3565

- Will not corrode
- Rubber insulation and grip
  Adjustable from gentle fan
- to powerful jet stream



## **Adjustable Spray**

Hose Nozzle

- Attaches to any garden hose
- Variable water streams
- Durable rubber material

### 

## Flexzilla® Pro Water Hose Nozzles

Multiple spray patterns

Works with 1/2", 5/8" and 3/4" water hoses

Item #	
LEG-NFZG01-N	\$87.15
LEG-NFZG02-N	\$102.65













# **SAW BLADES & SAWS**

# **Reciprocating Saw Blades**



MLW-49-22-3306

49-22-3306



49-22-3305

\$86<sup>75</sup>

5-Pc SAWZALL® Carbide Demolition Wood and **Metal Cutting Reciprocating Saw Blade Set** 



Milwaukee

Item #

MLW-48-00-5501

MLW-48-00-5502

MLW-48-00-5503

MLW-48-00-5263



## SAWZALL® Reciprocating Saw Blades

Item #	Application	Length	TPI	Qty	
MLW-48-00-5092	Thick Metal	6"	10	5	\$17.75
MLW-48-00-5184	Medium Metal	6"	18	5	\$17.75
MLW-48-00-5093	Multi-Material	8"	8/12	5	\$22.75
MLW-48-00-5187	Medium Metal	9"	14	5	\$21.65
MLW-48-00-5188	Medium Metal	9"	18	5	\$21.65
MLW-48-00-5189	Rigid Conduit/ Strut	12"	18	5	\$27.15

Length

6"

9"

12"

12"

TPI

7

7

7

7

Qty

5

5

5

1

**FORCH** 

SAWZALL<sup>®</sup> TORCH<sup>™</sup> & NITRUS TORCH<sup>™</sup>

**Reciprocating Saw Blades with Carbide Teeth** 

Application

Thick Metal, S/S

Thick Metal, S/S

Thick Metal, S/S

Cast Iron,

NITRUS A

\$77.25

\$94.45

\$138.55

\$39.75

\$116.95

\$171.35

## MLW-49-22-3305 \$25<sup>55</sup> 5-Pc SAWZALL® Demolition Blade Set

• (2) 9" 5 TPI – THE AX™ Sawzall® blades

 (1) 9" 7 TPI - THE TORCH<sup>™</sup> Sawzall<sup>®</sup> blade • (2) 6" 7 TPI – THE TORCH™ Sawzall® blades

- (1) 6" 14 TPI THE TORCH™ metal cutting demolition blade
- (1) 6" 18 TPI THE TORCH™ metal cutting demolition blade
- (1) 9" 14 TPI THE TORCH™ metal cutting demolition blade
- (1) 9" 5 TPI THE AX™ wood cutting blade
- (1) 9" 7/11 TPI THE WRECKER™ multi-material blade

# MLW-49-22-3316 \$42<sup>55</sup>

### 16-Pc SAWZALL® Metal Cutting **Bi-Metal Reciprocating Blade Set**

- (2) 9" 14 TPI and (2) 18 TPI THE TORCH™ metal cutting demolition blades
- (2) 9" 18 TPI Standard metal cutting blades
- (2) 6" 14 TPI and (2) 18 TPI THE TORCH™ metal cutting demolition blades
- (3) 6" 18 TPI and (3) 24 TPI Standard metal cutting blades

## **Reciprocating Saw Blades**

Item #	L x W x Th.	TPI	Qty	Application	
🔼 LAZER® BI-	METAL BLADES				
LEN-201726114R	6" x 1" x .035"	14	5	Structural steels and all metals	\$34.55
LEN-201746118R	6" x 1" x .035"	18	5	Structural steels and all metals	\$34.55
B AIR SAW B	LADES				
LEN-20426418T	4" x 1/2" x .025"	18	5	Automotive repair & sheet metal	\$25.95
LEN-20427424T	4" x 1/2" x .025"	24	5	Automotive repair & sheet metal	\$25.95
LEN-20428432T	4" x 1/2" x .025"	32	5	Automotive repair & sheet metal	\$25.95
<b>G</b> METAL CUT	TTING SAW BLA	DES			
LEN-20564614R	6" x 3/4" x .035"	14	5	Thick & medium metal	\$24.35
LEN-21519814R	8" x 3/4" x .035"	14	5	Thick & medium metal	\$27.15
LEN-20578818R	8" x 3/4" x .035"	18	5	Medium & thin metal	\$30.85
D GENERAL F	<b>PURPOSE BI-ME</b>	tal s	AW BI	ADES	
LEN-20580810R	8" x 3/4" x .050"	10	5	Plastics, wood, medium metal	\$30.85

# LENOX

### Thick Metal, S/S Cast Iron, 7 MLW-48-00-5363 12" 3 Thick Metal, S/S Cast Iron. MLW-48-00-5563 12" 7 5 Thick Metal, S/S





# **SAW BLADES & SAWS**



# **Hacksaw Blades**

## LENOX

## LEN-12132HT50 **\$48<sup>35</sup>**

- **High Tension Hacksaw**
- Up to 50,000 psi tension
- Stores up to 5 extra 12" hacksaw blades
- Comes with one 12" (300mm) 24 TPI hacksaw blade

## Shatter-Resistant **Hacksaw Blades**



L x W	TPI	Qty	Application	
12" x 1/2"	24	100	Medium metal	\$301.15
12" x 1/2"	18	10	Heavy metal	\$31.95
12" x 1/2"	24	10	Medium metal	\$31.95
12" x 1/2"	32	10	Thin metal	\$31.95
	12" x 1/2" 12" x 1/2" 12" x 1/2"	12" x 1/2"     24       12" x 1/2"     18       12" x 1/2"     24	12" x 1/2"     24     100       12" x 1/2"     18     10       12" x 1/2"     24     10	12" x 1/2"       24       100       Medium metal         12" x 1/2"       18       10       Heavy metal         12" x 1/2"       24       10       Medium metal

### **Circular Saw Blades** LENOX 🐴 000 LENOX<sup>®</sup> METALMAX<sup>™</sup> **Diamond Edge Circular Saw Blades** Thickness Item # Diam. Arbor Application Angle Grinder/ LEN-1972923 6" .050" 7/8" \$48.25 **Circular Saw** LEN-1972929 14" 1" \$191.05 .130" Chop Saw



## HOLE DOZER™ Bi-Metal Hole Saw Kits • 3.5 TPI bi-metal tooth design

Item #	Content	Hole Saw Size Range	
MLW-49-22-4083	7-Piece	3/4" - 1-1/4"	\$65.45
MLW-49-22-4084	11-Piece	3/4" - 2-1/2"	\$90.25
MLW-49-22-4175	15-Piece	3/4" – 2-1/2" S While	st \$186.15
MLW-49-22-4170	20-Piece	3/4" – 4-1/2"	\$268.55
MLW-49-22-4171	21-Piece	3/4" – 5"	\$278.85
MLW-49-22-4185	28-Piece	3/4" – 4-3/4" S While	

# **IRWIN**

## IRW-3073004 \$182<sup>25</sup>

**17-Pc General Purpose Bi-Metal Hole Saw Kit** • 5/8" - 3"

## LENOX 🐴

**Contractor's Speed Slot® Hole Saw Kits** 

Item #	Description	
LEN-308201200G	<b>17-Piece:</b> 5/8" - 3"	\$306.25
LEN-308042000G	<b>26-Piece:</b> 3/4" - 4-3/4"	\$732.95





# Wire Brushes



Wire Wheels



Item #	Diameter	Face Width	Arbor Hole	Fill Diam.	Max. RPM	
WEI-08004	3"	3/8"	1/2"-3/8"	0.0118"	25,000	\$39.45
WEI-08014	3"	3/8"	1/2"-3/8"	0.014"	25,000	\$37.95
WEI-08024	3"	3/8"	1/2"-3/8"	0.020"	25,000	\$36.65
WEI-08044	4"	1/2"	1/2"-3/8"	0.014"	20,000	\$41.85
WEI-08064	<b>4</b> "	1/2"	1/2"-3/8"	0.020"	20,000	\$41.25
WEI-08075	6"	1/2"	5/8"-1/2"	0.0118"	9,000	\$69.85
WEI-08135	8"	5/8"	5/8"	0.014"	6,000	\$102.35





CRIM	IPED
Wire	Wheel

Item #	Diameter	Face Width	Arbor Hole	Fill Diam.	Max. RPM	
WEI-01505	6"	3/4"	5/8"-1/2"	0.014"		\$61.35





Stem-Mounted **KNOTTED Wire Wheels** 

Item #	Diameter	Face Width	Stem Size	Fill Diam.	Max. RPM	
WEI-17681	3-1/4"	3/8"	1/4"	0.014"	25,000	\$44.95
WEI-17682	3-1/4"	3/8"	1/4"	0.020"	25,000	\$43.55



Single Row KNOTTED W

Wire Cup Brushes		10.015				
Item # Diameter		Thread. Hole	Fill Diam.	. Max. RPM		
WEI-13025 2-3/4"		5/8"-11 UNC	0.014"	14,000	\$42.15	
	WEI-12306	4"	5/8"-11 UNC	0.014"	10,200	\$66.75



CRIMPED **Wire Cup Brushes** 

36231 14206 14216

Item #	Diameter	Thread. Hole	Fill Diam.	Max. RPM	
WEI-36231	3"	5/8"-11 UNC	0.014"	14,000	\$27.65
WEI-14206	5"	5/8"-11 UNC	0.014"	9,000	\$74.85
WEI-14216	5"	5/8"-11 UNC	0.020"	9,000	\$69.65



# **VORTEC PRO® KNOTTED**

**Wire End Brushes** 

Item #	Diameter	Fill Diam.	Stem Size	Max. RPM	
WEI-36286	3/4"	0.014"	1/4"	22,000	\$18.15
WEI-36250	3/4"	0.020"	1/4"	22,000	\$18.05
WEI-36288	1"	0.014"	1/4"	22,000	\$18.85
WEI-36251	1"	0.020"	1/4"	22,000	\$18.55



Wire End Brushes



Fill Stem Size Мах Diameter Item # RPM Diam WEI-10008 3/4" .020" 1/4" 22,000 \$17.15 1/4" WEI-10012 1" .020" 22,000 \$18.45





**CRIMPED End Brush** 

Item #	Diameter	Fill Diam.	Stem Size	Max. RPM	
WEI-10035	1-1/4"	0.008"	1/4"	20,000	\$29.35



CRIMPED Wire End Brushes

			all the second s			
Item #	Diameter	Fill Diam.	Stem Size	Max. RPM		
WEI-36246	3/4"	0.014"	1/4"	22,000	\$10.25	
WEI-36248	1"	0.014"	1/4"	22,000	\$12.25	



**Power Tube Brushes** 



Item #	Brush Diam.	Brush Length	Fill Diam.	Stem Size	Max. RPM	
WEI-21106	1/2"	2"	0.004"	1/8"	2,000	\$20.15
WEI-21107	1/2"	2"	0.006"	1/8"	2,000	\$19.35
WEI-21108	5/8"	2"	0.005"	3/16"	2,000	\$21.15
WEI-21109	5/8"	2"	0.008"	3/16"	2,000	\$19.75
WEI-21110	3/4"	2-1/2"	0.006"	1/4"	2,000	\$20.85
WEI-21111	3/4"	2-1/2"	0.0104"	1/4"	2,000	\$20.05
WEI-21112	7/8"	2-1/2"	0.006"	1/4"	2,000	\$22.15
WEI-21114	1"	2-1/2"	0.006"	1/4"	2,000	\$22.55

# Wire Brushes

UTURE NOW **P**A



**Mandrel Mounted Copper Center** Wheel Brushes

Item #	Diameter	Fill Diam.	Face Width	Max. RPM	
BRM-BMC2010	2"	.0104	5/16"	25,000	\$18.25
BRM-BMC2510	2-1/2"	.0104	5/16"	25,000	\$18.75
BRM-BMC3010	3"	.0104	5/16"	25,000	\$18.75

## GW GEARWRENCH

## **Light-Duty Wire Cup Brush**

• Removes light scale, rust and paint from surfaces





Item #

GWR-2314D

AST-9020 \$37<sup>15</sup>

## 20-Pc Wire Brush Set

• Stainless steel, brass and nylon brushes in each of the following sizes: 1/4", 3/8", 1/2", 5/8", 3/4", 1"



## ATD-8320 \$4785

ATD

## 20-Pc Twisted Wire Tube Brush Set

Stainless steel, brass and nylon brushes in each of the

following sizes: 1/4", 3/8", 1/2", 5/8", 3/4", 1 • Can be used manually or with a drill/driver



## IPA-8001D \$12605

## **The Original 36-Pc**

## **Bore Brush Set**

- The kit contains 8-19mm brushes in stainless steel, brass and nylon and a 1/4" locking bit head driver
- Cleans bushings, tubes, holes, channels, sockets, brake guides and more! Replacement brushes
- available in packs of 3



# 

## IPA-8080 \$18<sup>85</sup>

## 6-Pc Stainless Steel

- **Bore Brush Set** • 8, 10, 12, 15, 17 and 19mm sizes, 1/4" hex drive
- FUTURE NOW  $T \sim$

## 4-Piece 9" Long

**Bore Brush Sets** 

• 10, 15, and 19mm sizes • 1/4" standard driver handle

Item #	Bristles	
IPA-8083	Stainless Steel	\$41.55
IPA-8084	Brass	\$42.75

# IPA-8037 \$4785

### 4-Pc Extra Large Stainless Steel

## **Bore Brush Set**

- Clean brake calipers, throttle bodies, fittings and more!
- 25, 30, 35 and 40mm diameters, 1/4" hex drive, 3.5" long



8084

# **Scratch Brushes**



### Scratch **Brushes**

Item #	Description	Overall Length	Fill	
BRM-93APB	Tooth Brush	7-1/4"	Brass	\$3.75
BRM-93APN	Tooth Brush	7-1/4"	Nylon	\$3.75
BRM-93APP	Tooth Brush	7-1/4"	Bronze	\$3.75
BRM-B39B	<b>Curved Handle Brush</b>	13-3/4"	Brass	\$16.95
BRM-B740SS	<b>Curved Handle Brush</b>	13-3/4"	Stainless Steel	\$14.15

B740SS

### WEILER \$5<sup>15</sup> WEI-44053 14" Steel Wire Scratch Brush Block width: 7/8" • Steel fill: 0.012", 3 x 19 rows WEI-44064 \$11<sup>55</sup> 10" S/S Wire Scratch Brush Block width: 1-1/8" • Stainless steel fill: 0.012", 4 x 16 rows WEI-44077 **\$13<sup>95</sup>** 13" Nylon Plater's Brush • Block width: 1-1/8" • Nylon fill: 0.014", 4 x 18 rows WEI-44118 **\$16<sup>15</sup>** 13" Brass Plater's Brush WWWWWW Block width: 7/8" • Brass fill: 0.006", 3 x 19 rows E TIT-41308 **\$13<sup>25</sup>** TITAN 8-1/4" Curved **Utility Brush**





## Small Diameter Standard Duty Flex-Hones®

- Resilient, flexible honing tools for any type and size of cylinder
- 180 grit, silicon carbide abrasive
- 8" overall length

Item #	Diameter	
BRM-BC1218	1/2" (12.7mm)	\$26.15
BRM-BC5818	5/8" (16mm)	\$27.75
BRM-BC3418	3/4" (19mm)	\$29.25
BRM-BC7818	7/8" (22mm)	\$29.45
BRM-BC10018	1" (25.4mm)	\$31.55
BRM-BC11818	1-1/8" (29mm)	\$33.15
BRM-BC11418	1-1/4" (31.8mm)	\$35.75
BRM-BC13818	1-3/8" (35mm)	\$36.65
BRM-BC11218	1-1/2" (38mm)	\$39.45
BRM-BC15818	1-5/8" (41mm)	\$39.45
BRM-BC13418	1-3/4" (45mm)	\$41.15
BRM-BC20018	2" (51mm)	\$42.65
BRM-BC21418	2-1/4" (57mm)	\$46.25
BRM-BC21218	2-1/2" (64mm)	\$49.75
BRM-BC23418	2-3/4" (70mm)	\$54.95
BRM-BC30018	3" (76mm)	\$63.75



• Brush length: 1-1/4"

• 24 rows of carbon steel bristles



### **Heavy Duty** Flex-Hones®

- 120 grit, silicon carbide abrasive
- 3" thru 4-1/2" are 13-1/2" OAL
- 5" thru 8" are 17-1/2" OAL

BRM-GBD31412         3-1/4" (83mm)         3-1           BRM-GBD31212         3-1/2" (89mm)         3-1           BRM-GBD33412         3-3/4" (95mm)         3-3           BRM-GBD40012         4" (101mm)         4"	- 2-3/4"       \$104.25         1/4" - 3"       \$107.55         1/2" - 3-1/4"       \$110.75         3/4" - 3-1/2"       \$118.75         - 3-3/4"       \$126.75
BRM-GBD31212         3-1/2" (89mm)         3-1           BRM-GBD33412         3-3/4" (95mm)         3-3           BRM-GBD40012         4" (101mm)         4"	1/2" - 3-1/4"       \$110.75         3/4" - 3-1/2"       \$118.75
BRM-GBD33412         3-3/4" (95mm)         3-3           BRM-GBD40012         4" (101mm)         4"	3/4" – 3-1/2" <b>\$118.75</b>
BRM-GBD40012 4" (101mm) 4"	
	- 3-3/4" <b>\$126.75</b>
BRM-GBD41412 4-1/4" (108mm) 4-1	
	1/4" – 4" <b>\$135.45</b>
BRM-GBD41212 4-1/2" (114mm) 4-1	1/2" – 4-1/4" <b>\$144.25</b>
BRM-GBD50012 5" (127mm) 5"	- 4-1/2" <b>\$164.05</b>
BRM-GBD51212 5-1/2" (140mm) 5-1	1/2" – 5" <b>\$179.95</b>
BRM-GBD60012 6" (152mm) 6"	- 5-1/2" <b>\$194.95</b>
BRM-GBD61212 6-1/2" (165mm) 6-1	1/2" – 6" <b>\$207.25</b>
BRM-GBD70012 7" (178mm) 7"	- 6-1/2" <b>\$225.95</b>
BRM-GBD71212 7-1/2" (190mm) 7-1	1/2" – 7" <b>\$248.55</b>
BRM-GBD80012 8" (203mm) 8"	- 7-1/2" <b>\$271.55</b>



Burrs



# Mad USA

asterCut

# MST-BK9 **\$303**<sup>85</sup>

## 8-Pc Doublecut Burr Kit

- #SB-1DC: 1/4" cylindrical shape with end cut
- #SB-5DC: 1/2" cylindrical shape with end cut
- #SC-3DC: 3/8" radius cylindrical shape
- #SD-1DC: 1/4" ball shape
- #SF-3DC: 3/8" radius tree shape
- #SF-5DC: 1/2" radius tree shape
- #SG-3DC: 3/8" pointed tree shape
- #SL-3DC: 3/8" 14° radius cone shape
- Storage box



# MST-LBK4 **\$211<sup>35</sup>**

- 4-Pc, 6" Long Doublecut Burr Kit
- #SB-3L6DC: 3/8" cylindrical shape
- with end cut • #SC-3L6DC: 3/8" radius cylindrical
- shape
- #SD-5L6DC: 1/2" ball shape
  #SF-5L6DC: 1/2" radius tree shape
- #SF-5L6DC. 1/2 radius tree sna
  Plastic pouch

### '

## IRC-1814TIN **\$114**<sup>55</sup>

## 6-Pc TiN-Coated Carbide Burr Kit

 Shank: 1/8" • Head diameter: 1/4"
 Kit includes: Cylindrical flat end; Radius cylindrical, Radius tree:

Pointed tree; Oval; Ball

(R) Ingersoll Rand.



# **Surface Preparation Discs**



### Wolverine Type 29 Angled **Abrasive Flap Discs**

Phenolic backing

Fast cut rate

Item #	Diameter	Arbor Hole	Grit	Max. RPM	Qty	
WEI-31344	4-1/2"	7/8"	40	13,000	10	\$60.55
WEI-31345	4-1/2"	7/8"	60	13,000	10	\$60.55
WEI-31346	4-1/2"	7/8"	80	13,000	10	\$60.55
WEI-31347	4-1/2"	7/8"	120	13,000	10	\$60.55
WEI-31356	5"	7/8"	40	12,000	10	\$80.85
WEI-31357	5"	7/8"	60	12,000	10	\$80.85
WEI-31358	5"	7/8"	80	12,000	10	\$30.95



Made in North America



## **Premium Flat Face Zirconia Flap Discs**

- Type 27 flat face
- Plastic roll-on locking style
- Fiberglass backing
- 2" disc max. RPM: 30,000
  3" disc max. RPM: 20,000



	Item #	Diam.	Grit	Qty	
	GLI-22520305	2"	40	10	\$34.95
	GLI-22520505	2"	60	10	\$34.05
	GLI-22520605	2"	80	10	\$33.15
ł	GLI-22520805	2"	120	10	\$31.85
Ł	GLI-22530305	3"	40	10	\$65.55
	GLI-22530505	3"	60	10	\$63.75
	GLI-22530605	3"	80	10	\$60.95

GEMŢ

Made in North America

### **Premium Angle Face** Zirconia Flap Discs

- Type 29 angle face
- Fiberglass backing
- 7/8" hole
- Max. 13,300 RPM



	Max. 10,000 K				
	Item #	Diam.	Grit	Qty	
	GLI-712945040	4.5"	40	5	\$25.15
	GLI-712945060	4.5"	60	5	\$25.15
	GLI-712945080	4.5"	80	5	\$25.15
	GLI-712950040	5"	40	5	\$25.55
1	GLI-712950060	5"	60	5	\$8.85
	GLI-712950080	5"	80	5	\$28.55



• Type 27 flat face • Fiberglass backing • 7/8" hole • Max. 13,300 RPM						
Item #	Diam.	Grit	Qty			
GLI-812745040	4.5"	40	5	\$34.05		
GLI-812745060	4.5"	60	5	\$34.05		
GLI-812745080	4.5"	80	5	\$34.05		
GLI-812750040	5"	40	5	\$37.75		
GLI-812750060	5"	60	5	\$37.75		
GLI-812750080	5"	80	5	\$37.75		

TYPE 27 PLAT PAGE



Made in North America

## Brite Prep<sup>™</sup> Surface Conditioning Discs

- Plastic roll-on locking style
- Optional 2" holder: #GLI-70020003
  Optional 3" holder: #GLI-70030001

Item #	Diameter	Grit	Qty	
GLI-25120853	2"	Coarse - Gold	50	\$72.55
GLI-25120903	2"	Medium - Maroon	50	\$70.95
GLI-25120923	2"	Very Fine - Blue	50	\$69.75
GLI-25120953	2"	Ultra Fine - Grey	50	\$70.85
GLI-25130853	3"	Coarse - Gold	25	\$63.15
GLI-25130903	3"	Medium - Maroon	25	\$61.25
GLI-25130923	3"	Very Fine - Blue	25	\$59.85
GLI-25130953	3"	Ultra Fine - Grey	25	\$61.15

## Trim-Kut® Aluminum Oxide

**Abrasive Discs** 

• Max. 21,000 RPM

TYPE, 28

Item #	Diam.	Grit	Qty	
GLI-24130200	3"	24	25	\$65.15
GLI-24130300	3"	36	25	\$64.45
GLI-24130500	3"	60	25	\$63.35
GLI-24130600	3"	80	25	\$62.85
GLI-24130800	3"	120	25	\$62.45



- Optional 2" holder: #GLI-70020003
- Optional 3" holder: #GLI-70030001

Item #	Diam.	Grit	Qty	
GLI-21220305	2"	36	50	\$46.35
GLI-21220505	2"	60	50	\$45.45
GLI-21220605	2"	80	50	\$45.05
GLI-21220805	2"	120	50	\$44.75
GLI-21230305	3"	36	25	\$29.25
GLI-21230505	3"	60	25	\$28.35
GLI-21230605	3"	80	25	\$27.85
GLI-21230805	3"	120	25	\$27.55







# **Surface Preparation Discs**



Wolverine General Purpose **Aluminum Oxide Resin Fiber Discs** 

Item #	Diameter	Arbor Hole	Grit	Qty	
WEI-59576	4-1/2"	7/8"	60	25	\$17.05
WEI-59577	4-1/2"	7/8"	80	25	\$13.95
WEI-59579	4-1/2"	7/8"	120	25	\$13.95
WEI-59506	5"	7/8"	60	25	\$16.05
WEI-59507	5"	7/8"	80	25	\$16.05
WEI-59509	5"	7/8"	120	25	\$16.05

## Green Corps<sup>™</sup> Roloc<sup>™</sup> Abrasive Discs

- Plastic roll-on locking style
- Optional 2" holder: #GLÍ-70020003
- Optional 3" holder: #GLI-70030001

Item #	Diam.	Grit	Qty	
3MM-36527	2"	80	25	\$78.75
3MM-36526	2"	60	25	\$83.05
3MM-36525	2"	40	25	\$87.55
3MM-36536	3"	80	25	\$85.95
3MM-36535	3"	60	25	\$95.75
3MM-36534	3"	40	25	\$103.75

## Scotch-Brite<sup>™</sup> Roloc<sup>™</sup> **Surface Conditioning Discs**

- Plastic roll-on locking style
- Optional 2" holder: #GLI-70020003
- Optional 3" holder: #GLI-70030001
- Optional 4" holder: #GLI-70040011

Item #	Diam.	Grit	Qty	
3MM-7480	2"	Coarse	25	\$52.95
3MM-7481	2"	Medium	25	\$69.15
3MM-7485	3"	Coarse	25	\$129.95
3MM-7486	3"	Medium	25	\$115.85
3MM-7482	4"	Coarse	10	\$49.55
3MM-7483	4"	Medium	10	\$61.35

## Scotch-Brite<sup>™</sup> Roloc<sup>™</sup> **Bristle Discs (Box of 10)**

- Conforms to workpiece
- Remove coatings, sealant and adhesives quickly, leaving a clean surface
- Optional 2" holder: #GLI-70020003
- Optional 3" holder: #GLI-70030001

Item #	Diam. x Hole	Туре	Grit	
3MM-7524	2" x 5/8"	Coarse	50	\$125.95
3MM-7525	2" x 5/8"	Medium	80	\$125.95
3MM-7526	3" x 5/8"	Coarse	50	\$160.15
3MM-7527	3" x 5/8"	Medium	80	\$137.85





## Strip Away® Ceramic &

## Silicone Carbide Discs

• Plastic roll-on locking style • 1/2" thick discs

Made in North America

• Optional holders: 2" #GLI-70020003; 3" #GLI-70030001

Item #	Diam.	Туре	RPM	Qty	
GLI-53209	2"	General Purpose (Black)	18,000	10	\$31.75
GLI-56209	2"	Supreme (Purple)	18,000	10	\$49.75
GLI-53211	3"	General Purpose (Black)	15,000	10	\$82.85
GLI-56211	3"	Supreme (Purple)	15,000	10	\$87.45

## Strip Away® Ceramic &

**Silicone Carbide Discs** • Type 27 • Fiberglass backing

• 7/8" hole

AD

Item # GLI-70020003

GLI-70030001

GLI-70040011

cut-off wheels

Item #	Diam.	Туре	RPM	Qty	and a state
GLI-53064	4.5"	General Purpose (Black)	13,300	5	\$68.85
GLI-56064	4.5"	Supreme (Purple)	13,300	5	\$79.35
GLI-53065	5"	General Purpose (Black)	12,000	5	\$86.95
GLI-56065	5"	Supreme (Purple)	12,000	5	\$93.15

**Roll-On Disc Holders** 



### **Arbors** WEILER SGT-94950 **\$12<sup>85</sup>** WEI-07727 \$9<sup>35</sup> Arbor for Cut-Off Wheels **Threaded Shaft Drive Arbor** • Allows any die grinder or drill • Max. brush diameter: 3" to be turned into a cut-off tool • Arbor hole size: 3/8" using either 1/4" or 3/8" I.D.

• Stem diam. x length: 1/4" x 3/4"

• Max. 25,000 RPM

# **Cut-Off Wheels**





### 3" Aluminum Oxide **Cut-Off Wheels** • Pack of 10

Item #	Grit	Thickness	Arbor Hole	Max. RPM	
SHA-12700	60	1/32"	3/8" Hole	25,000	\$17.05
SHA-12704	54	1/16"	3/8" Hole	25,000	\$17.05





### **General Purpose** Wolverine **Aluminum Oxide Thin Cutting Wheels**

• Fast cutting on metal

• Type 1: flat center

• Type 27: depressed center

Item #	Diam./ Type	Face Width	Grit	Arbor Hole	Max. RPM	Qty	
WEI-56061	<b>3"</b> Type 1	0.035"	60	1/4"	25,000	25	\$46.65
WEI-56281	<b>4.5"</b> Type 1	0.045"	60	7/8"	13,300	25	\$62.65
WEI-56118	<b>5"</b> Type 1	1/16"	36	7/8"	12,200	25	\$50.05
WEI-56393	<b>4.5"</b> Type 27	0.045"	60	7/8"	13,300	25	\$62.65
WEI-56392	<b>5"</b> Type 27	0.045"	60	7/8"	12,200	25	\$71.35



7/8"

60

12,200

25

\$38.45

0.045"

Type 27

WEI-57043





LENOX<sup>®</sup> METALMAX ™ **Diamond Edge Cutting Wheels** 

Item #	Diam.	Thick.	Arbor	Application	
LEN-1972918	3"	.050"	3/8"	Die Grinder	\$28.15
LEN-1972921	4.5"	.050"	7/8"	Angle Grinder	\$26.45
LEN-1972922	5"	.050"	7/8"	Angle Grinder	\$35.25
LEN-1972923	6"	.050"	7/8"	Angle Grinder/Circular Saw	\$48.25
LEN-1972929	14"	.130"	1"	Chop Saw	\$191.05

# **Grinding Wheels**



## **3-in-1 Diamond Grinding Wheels**

- Grind (fig. 1), cut (fig. 2),
- and undercut (fig. 3)
- Minimum increased life of 2,000%

Item #	Diam.	Arbor/Shank	
IPA-8120	2"	1/4" Shank	\$46.55
IPA-8151	3"	3/8" Arbor with 1/4" Shank Adapter	\$45.35









### **Tiger General Purpose Aluminum Oxide Grinding Wheels**

• Type 27 wheels with depressed center

Item #	Diameter	Face Width	Grit	Arbor Hole	Max. RPM	Qty	
WEI-57121	4.5"	1/4"	24	7/8"	13,300	10	\$18.65
WEI-57123	5"	1/4"	24	7/8"	12,200	10	\$21.35



## **General Purpose Aluminum Oxide** Fast Grinding Wheels

- Type 27 wheels with depressed center
- For use on metal

Item #	Diameter	Face Width	Grit	Arbor Hole	Max. RPM	Qty	
WEI-56464	4-1/2"	1/4"	24	7/8"	13,300	10	\$11.95
WEI-56466	5"	1/4"	24	7/8"	12,200	10	\$43.25






Item #	Description	Finish	Contents	Point	
IRW-3018002	29-Pc Set – 3/8" Reduced Shank	Cobalt M35	1/16" - 1/2" by 64ths	135°	\$210.15
IRW-3018003	29-Pc Set – 3/8" Reduced Shank	Titanium	1/16" - 1/2" by 64ths	135°	\$243.85
IRW-3018005	29-Pc Set – 3/8" Reduced Shank	Black & Gold Oxide	1/16" - 1/2" by 64ths	135°	\$151.15
IRW-3018004	29-Pc Set – 3/8" Reduced Shank	Black Oxide	1/16" - 1/2" by 64ths	135°	\$134.45
IRW-3018011	29-Pc Set – TURBOMAX 3/8" Reduced Shank	Titanium	1/16" - 1/2" by 64ths	TURBOMAX	\$204.95
IRW-3018006B	29-Pc Set – TURBOMAX 3/8" Reduced Shank	Black & Gold Oxide	1/16" - 1/2" by 64ths	TURBOMAX	\$236.25
IRW-60138	29-Pc Set – General Purpose	Bright	1/16" - 1/2" by 64ths	118°	\$152.35
IRW-90108	8-Pc Set – 1/2" Reduced Shank	Black Oxide & Bright	9/16" - 1" by 32nds	118°	\$328.05

\$3.55

\$4.95







## 

**IRWIN** 

SGT-15210 **\$7<sup>85</sup>** 1/8" Stubby Body Panel Drill Bits with Double Ends

Made of high speed steel for sheet metal

- 135° split point
- Pack of 10



MUK-562 600 **\$174<sup>55</sup>** 

4-Pc Carbide Tip Drill Bit Set
For drilling extremely hard materials

• 3, 4, 6, 7mm bits







•135° split point tip

Item #	Description	Size Range	
MLW-48-89-4670	15-Pc Shockwave™ Impact Duty <b>TITANIUM</b> Drill Bits	1/16" – 3/8"	\$37.25
MLW-48-89-4631	23-Pc Shockwave™ Impact Duty TITANIUM Drill Bits	1/16" – 3/8"	\$40.05
MLW-48-89-2370	15-Pc Red Helix™ <b>COBALT</b> Drill Bits	1/16" – 3/8"	\$57.75
MLW-48-89-2338	23-Pc COBALT Drill Bits	1/16" – 3/8"	\$100.65

# **Step Drill Bits**

## KNK-3KK4SR \$273<sup>85</sup> 3-Pc Step Drill Bit & Reamer Set

• 5/16" - 9/16", 9/16" - 13/16", 13/16" - 1-1/16"

90° notch point starts holes easily

- 5 hole enlargement steps
- 3/8" shank with 3 flats



**IRWIN** 



### IRW-15502 **\$191<sup>85</sup>** Unibit. 3-Pc Titanium Step Drill Bit Set • Size #1T: 1/8" - 1/2" (1/32" steps)

13 hole sizes • Size #2T: 3/16" - 1/2" (1/16" steps) 6 hole sizes

• Size #3T: 1/4" - 3/4" (1/16" steps) 9 hole sizes



...

#2

## IRW-10502ZR \$14395

### 3-Pc Self Starting Step Drill Bit Set Contains:

- Size #1: 1/8" to 1/2"
- Size #2: 3/16" to 1/2"
- Size #3: 1/4" to 3/4"

## ATD-9200 \$5645

## 5-Pc Step Drill Bit Set

- Tri-flat shank design for a sure grip in the chuck without slippage
- Set includes:
- 1/4" shank: 3/16" to 1/2" holes in 1/16" steps
- 1/4" shank: 1/8" to 1/2" holes in 1/32" steps 3/8" shank: 1/4" to 3/4" holes in 1/16" steps
- 3/8" shank: 3/16" to 7/8" holes in 1/16" steps
- 3/8" shank: 1/4" to 1-3/8" holes in 1/8" steps

## **High Speed Steel Step Drill Bits**

- Speed start tip prevents bit walking
- 1/4" hex shank

MLW-48-89-9201         1/8" - 1/2"         13         \$35.95           MLW-48-89-9203         1/4" - 3/4"         9         \$56.05           MLW-48-89-9204         3/16" - 7/8"         12         \$56.45           MLW-48-89-9208         1/2" - 1"         9         \$74.35           MLW-48-89-9211         7/8" - 1-7/32"         13         \$98.35	Item #	Size	Steps	
MLW-48-89-9204         3/16" - 7/8"         12         \$56.45           MLW-48-89-9208         1/2" - 1"         9         \$74.35	MLW-48-89-9201	1/8" – 1/2"	13	\$35.95
MLW-48-89-9208 1/2" – 1" 9 \$74.35	MLW-48-89-9203	1/4" – 3/4"	9	\$56.05
	MLW-48-89-9204	3/16" – 7/8"	12	\$56.45
MLW-48-89-9211 7/8" – 1-7/32" 13 <b>\$98.35</b>	MLW-48-89-9208	1/2" – 1"	9	\$74.35
	MLW-48-89-9211	7/8" – 1-7/32"	13	\$98.35

While

**Qtys.** Last

## MLW-48-89-9221 \$143<sup>85</sup>

## **3-Pc JAM-FREE Performance Step Drill Bit Set**

- Optimized for cordless drills in high speed
- Rapid Strike<sup>™</sup> tip
   Black oxyde finish
- #1 1/8" 1/2" by 1/32" 13 steps #2 3/16" 1/2" by 1/16" 6 steps
- #4-3/16" 7/8" by 1/16" 12 steps



Milwauke



# **Astro**

## 2-Pc Blue Steel Max-Duty Step Drill Set

## • Titanium Aluminum Nitride

- wear-preventative coating
- High speed steel
- Sizes: up to 1/2" in 1/32"; up to 3/4" in 1/16"



## **High Speed Steel Step Drills**

Item #	Des	cription	# of Hole Sizes	Hex Shank	
IRW-10231	#1	1/8"-1/2" (1/32" steps)	13	1/4"	\$39.05
IRW-15101ZR	#1	1/8"–1/2" (1/32" steps) Titanium	13	1/4"	\$51.95
IRW-10232	#2	3/16"-1/2" (1/16" steps)	6	1/4"	\$39.05
IRW-10233	#3	1/4"-3/4" (1/16" steps)	9	3/8"	\$70.35
IRW-10234	#4	3/16"-7/8" (1/16" steps)	12	3/8"	\$83.15
IRW-10235	#5	1/4"-1-3/8" (1/8" steps)	10	7/16"	\$147.35
IRW-10310	#10	1/2"	1	1/4"	\$37.85
IRW-10311ZR	#11	7/8"	1	3/8"	\$78.05
IRW-10312ZR	#12	3/8"	1	1/4"	\$30.45
IRW-10313ZR	#13	1-1/8"	1	7/16"	\$100.55
IRW-10220	#20	9/16"-1" (hole enlarging)	8	7/16"	\$80.45
IRW-10221	#21	13/16"-1-3/8" (hole enlarging)	10	7/16"	\$163.25

## TITAN



## **High Speed Steel**

## **Step Drill Bits**


• Titanium finish

• 1/4" hex shank

Item #	Size	Steps	
TIT-16501	1/8" – 1/2"	13	\$16.75
TIT-16504	1/4" – 3/4"	9	\$22.85
TIT-16503	<b>3-Piece Set:</b> 1/8" – 1/2" 3/16" – 1/2" 1/4" – 3/4"	13 6 9	\$33.35



16504



# **Fastener Extractors**



KNK-10KK7-LHSQX **\$159**<sup>55</sup> **10-Pc Left Hand Screw** 

## **Machine Drill & Square Extractor Set**

- Stubby length drill bits: 1/8", 3/16", 1/4", 5/16", 3/8" Square Extractors:
- SQE1, SQE2, SQE3, SQE4, SQE5
- 135° split point and 3 flats on the shanks

# dPAstro



**Drill & Guide Set** • Extracts screws and bolts

AST-9447 \$7005

- Removes broken fastener without breaking or jamming For use on thread sizes 5mm-16mm



## **35-Pc Screw Extractor** & Drill Bit Set

- Spiral flute screw extractors: EX-1, EX-2, EX-3, EX-4, EX-5, EX-6
- 13 Multi-spline extractors: 1/8" 1/2"
- 16 Drill Bits in sizes: 5/64" 1/2"



- 6 Spiral flute extractors
- 13 Multi-spline extractors
- 13 Bolt extractors
- 16 Left-hand cobalt drill bits

# IRWIN HANSON.

TITAN

**IRWIN** 

**IRWIN** HANSON

HANSON.

## IRW-11119 **\$73**<sup>85</sup>

## **10-Pc Spiral Extractor** & Drill Bit Set in Metal Index

- Aggressive left hand spiral design • Designed to remove broken studs, bolts, socket screws and fittings
- Spiral flute screw extractors: EX-1, EX-2, EX-3, EX-4, EX-5
- Drill bits: 5/64", 7/64", 5/32", 1/4", 19/64"

## TIT-16013 \$25<sup>25</sup>

## 10-Pc Left Hand Drill Bit & **Screw Extractor**

# • (5) Left-hand cobalt drill bits

(5) Multi-fluted, machined alloy steel screw extractors: 5/64", 7/64", 5/32", 1/4", and 19/64"



## TIT-16082 \$10455

- 9-Pc Screw Extractor Set
- · Designed to remove broken studs, bolts, sockets, screws and fittings
- Left hand spiral design
- Includes sizes: #1 to #9



### S1945 GRI-53100

## 8-Pc Jumbo

## **Screw Extractor Set**

- Made of drop forged, heat-treated
- carbon steel
- Tapered counterclockwise threads
- Includes sizes: #1 to #8



## KNI-9R 471 900 3 **\$104<sup>25</sup>** 5-Pc Bolt & Screw **Double-Edged Extractor Set** Sizes 1 to 5



**9CIRCLE** 

Comes in a vinyl pouch

IRWIN. Hanson. Screw Extractor S	53635	53535	
Item #	Description	Size Range	
IRW-53535	5-Pc Spiral Flute Set	EX-1 to EX-5	\$19.05
IRW-53635	5-Pc Straight Flute Set	ST-1 to ST-5	\$24.05
IRW-53645	6-Pc Straight Flute Set	ST-1 to ST-6	\$32.45

# 9CL-90372 \$76<sup>35</sup>

- **15-Pc Screw Extractor Set**
- Hex 12mm:
- 3mm, 4mm, 5mm, 5.5mm, 6mm, 8mm, 10mm, 1/8", 3/16", 1/4", 3/8"

• Hex 16mm: 11mm, 12mm, 14mm, 1/2'

### **IRWIN** HANSON.

**Hex Head Multi-Spline** Screw Extractor Sets

	Size Range	Description	Item #
\$46.95	1/8" to 13/32"	10-Piece Set	IRW-53226
\$120.75	1/8" to 7/8"	25-Piece Set	IRW-53227

53226









**GE8ASMHSRTP** 





GE11ASSHSRTP

GE7BSSHSRPT

GE7BSMHSRPT



## RPT™ (Rounding Prevention Technology™) Hex and Torx<sup>®</sup> Bit Socket Sets

- Completely replaces your standard Hex or Torx® tools
- Patented unique bi-directional design enables loosening & tightening
- of new and damaged fasteners ● RPT™ Technology **prevents rounding** of NEW and compromised fasteners
- RPT™ Technology provides up to 50% more torque on NEW fasteners
- RPT™ Technology provides up to 400% more torque on DAMAGED fasteners
- S2 steel for increased strength and durability

## RPT" HEX 🗰

			8 TO	
Item #	Drive	Set	Range	
GPE-GE8ASMHSRPT	1/4"	8-Pc	1.5mm – 7mm	\$111.75
GPE-GE11ASSHSRPT	1/4"	11-Pc	1/16" – 9/32"	\$124.15
GPE-GE7BSMHSRPT	3/8"	7-Pc	4mm – 10mm	\$124.15
GPE-GE7BSSHSRPT	3/8"	7-Pc	1/8" – 3/8"	\$124.15

## RPT" TORX® 🛊

Item #	Drive	Set	Range	
GPE-GE9ASTSRPT	1/4"	9-Pc	T6 – T40	\$120.45
GPE-GE14STSRPT	1/4", 3/8", 1/2	14-Pc	T6 – T60	\$211.15



## \$329<sup>15</sup>

GPE-GE14FORSESRPT

### 14-Pc G-FORS™ (Foreign Object Removal System) Extractor Set

- #1 to #7 extractors with 3/32" to 23/64" left hand drill bits
- Extractor is designed to be hammered and provides quick and easy removal of extracted object
- Designed to grip up to 100% rounded fasteners
- G-FORS™ extractor design **PREVENTS** fastener expansion and thread binding vs. standard tapered extractors that CAUSE fastener expansion leading to thread binding
- Unique non tapered geometry enables increased GRIP with the fastener sidewall
- Unique bi-directional design for loosening & tightening damaged fasteners
- S2 steel for increased strength and durability





- RPT<sup>™</sup> Socket Extractors replace multiple sets of extractors
- Unique non tapered geometry enables EXTREME GRIP on
- up to 100% damaged fasteners
- Unique bi-directional design for loosening & tightening damaged fasteners
- G-FORS™ pusher rod provides quick and easy removal of extracted object

Item #	Drive	Set	Range	
GPE-GE9AMSESRPT	1/4"	9-Pc	4mm – 12mm	\$211.15
GPE-GE9ASSESRPT	1/4"	9-Pc	3/16" – 1/2"	\$211.15
GPE-GE10BMSESRPT	3/8"	10-Pc	10mm – 19mm	\$300.55
GPE-GE7BSSESRPT	3/8"	7-Pc	3/8" – 3/4"	\$226.05



# THREADING

# Tap & Die

**IRWIN** HANSON.



## IRW-26377 \$601<sup>65</sup>

117-Pc Machine Screw/ Fractional/Metric Tap, Die, **Extractor & Drill Bit Set** • Thread size machine screw:

- #4 to #12
- Fractional: 1/4" to 1/2"
- Metric: 3mm to 12mm
- Pipe: 1/8" 27 NPT; 1/8" 28 BSP • Spiral flute screw extractor:
- EX-1 to EX-5
- Drill Bit sizes: 5/64" to 19/64"



### 7865 IRW-26394 S

53-Pc Metric Tap & Hex Die Set • Thread size metric screw:

3mm to 18mm • Pipe: 1/8" - 28 BSP; 1/4" - 19 BSP



IRW-26317 \$23895 41-Pc Metric Tap & Hex Die Set

• Thread size metric: 3mm to 12mm

- Pipe: 1/8" 28 BSP



IRW-97311 \$553<sup>25</sup> 25-Pc Metric Tap & Hex Die Set • Thread size metric: 14mm to 24mm



## IRW-26376 \$401<sup>65</sup>

76-Pc Machine Screw/ Fractional/Metric Tap & Hex Die Set • Thread size machine screw:

- #4 to #12 • Fractional: 1/4" to 1/2"
- Metric: 3mm to 12mm
- Pipe: 1/8" 27 NPT; 1/8" 28 BSP

IRW-24640

#6 to #12

\$444<sup>05</sup>

53-Pc Machine Screw/

• Fractional: 1/4" to 3/4"

00

00

41-Pc Machine Screw/ Fractional Tap & Hex Die Set

• Fractional: 1/4" to 1/2" • Pipe: 1/8" - 27 NPT

• Thread size machine screw:

000

IRW-97094ZR \$55325

• Thread size fractional: 9/16" to 1"

25-Pc Fractional

Tap & Hex Die Set

• Pipe: 1/4" - 18 NPT

COCO.

00

IRW-24606

#4 to #12

00

0 0

• Thread size machine screw:

• Pipe: 1/8" - 27 NPT; 1/4" - 18 NPT

000

C 00

\$238<sup>95</sup>



ATD-276 **\$284<sup>25</sup>** 76-Pc SAE & Metric

ATD-277 \$41565

117-Pc SAE & Metric

• Metric: 3mm to 12mm

#3 to #43; 5/64" to 29/64";

B, F, H, I, J, O, Q, R, S, U, Z

Tap & Die Set with

• SAE: #4 to 1/2";

**Drill Bits** 

• 36 drill bits:

Tap & Die Set

• SAE: #4 to 1/2" • Metric: 3mm to 12mm



3886

## **Tap and Die Sets**

Item #	Description	Size Range	
GWR-82812	114-Pc SAE/Metric	#4 - 3/4" and - 18mm	\$564.25
GWR-3886	40-Pc Metric	3mm - 12mm	\$220.05
GWR-3887	75-Pc SAE/Metric	#4 - 1/2" and 3mm - 12mm	\$304.65

AD

		ap Wrenches	
<ul> <li>T-Handle Rat</li> <li>Designed for reamers, scre other tools with</li> </ul>	use with taps, w extractors a	and HANSON.	Ĭ-1-
Item #	Length	Tap Sizes	
IRW-21101	Standard	No. 0 to 1/4" (3mm to 6mm)	\$33.55
IRW-21210ZR	10"	No. 0 to 1/4" (3mm to 6mm)	\$42.25
IRW-21202	Standard	1/4" to 1/2" (6mm to 12 mm)	\$39.95
IRW-21212ZR	12"	1/4" to 1/2" (6mm to 12 mm)	\$47.05

Carl American

## IRW-12088 \$2355



**Adjustable Tap Handle & Reamer Wrench** • For taps No. 0 to 1/2" (3mm to 12mm)



# Tap Sockets



**Thread Restoring Tools** 

C CRESCENT NICHOLSON

OIC



OTC-7402 \$17905

• Use for 1-1/4" to 5" O.D.

NIC-T33024 \$11415 4-Pc Thread Restoring File Set

 Restores damaged or worn external threads

LANG 🌅

LAN-2573 \$5345

**3-Pc Thread Restorer File Set** 

**Universal Outside Thread Chaser** Restores threads to near new condition

• Includes 6 SAE dies (4, 5, 6, 7, 7-1/2, 8, 9, 10, 11,

11-1/2, 12, 14, 16, 18, 20, 24 threads per inch)

• Regular bolt: 11, 12, 13, 14, 16, 18, 20, 24 TPI

• Regular pipe: 8, 10, 11 1/2, 14, 16, 18, 24, 27 TPI

• Extra-fine/extra-coarse bolt: 9, 10, 12, 16, 20, 27, 28, 32 TPI

• Metric bolt: .80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00 mm

- Set of sockets fit all number and fractional standard taps thru 1/2"
- Also fits 1/8" NPT taps and metric taps thru 12mm





LIS-70940 \$46<sup>95</sup> 3-Pc Tap Socket Set • Fits 5/8" (16mm),

11/16" (18mm) and 3/4"



# 5-Pc Large Tap Socket Set

Fits 5/8" (16mm), 11/16" (18mm), 3/4", 7/8" (22mm) and 1" (25mm)

# Specialty Rethreaders

LANG

## SLY-16000 \$184<sup>55</sup>

## **Diesel Exhaust Temperature**

### **Sensor Bung Re-Threader Kit** Cleans up most types of damaged EGT

- sensor bungs and allows a new sensor to be installed without needing to replace the very expensive exhaust system
- Works on cars as well as light,
- medium and heavy duty trucks
- 6 sizes: 12x1.0, 12x1.25, 12x1.5, 14x1.25, 14x1.5, 16x1.5



## LAN-1030 \$6575

## 5-Pc Spark Plug

## Thread Chaser Tap Set


• Works to restore and clean threads in spark plugs, NOx sensors and many other applications

- Includes: M10x1.0, M12x1.25, M14x1.25, M18x1.5 and M20x1.5

## **Extra Short Rethreading Taps for Sensors**

- Super short taps with integrated guide pin
- Rethreads the damaged and burned threads
- especially of NOX sensors and particle filters at exhaust systems

Made in Germany



## 9CL-91300 \$95<sup>95</sup> 8-Pc Axle Spindle

**Rethreading Set** 





**9CIRCLE** 

AME AME-31210 \$326<sup>05</sup> 9-Pc Stud Rethreading Kit

## Repairs damaged wheel studs

· For passenger, light truck, and heavy-duty vehicles

• Repairs damaged or stripped CV joint threads Sizes: M20 x 1.25, M20 x 1.50, M22 x 1.00, M22 x 1.50, M24 x 1.50, M24 x 2.00, 3/4" UNEF, 13/16" UNEF

- SAE: 7/16"-20, 1/2"-20, 9/16"-18, 5/8"-18
- Metric: 12mm-1.25, 12mm-1.50, 12mm-1.75, 14mm-1.50, 14mm-2.0





## CTA-8185 **\$102**<sup>05</sup>

### 4-Pc Thread Restoring File Set



- (3) Metric & SAE thread files (#8231, #8233, #8235): - SAE pitch sizes: 11, 12, 13, 14, 16, 18, 20, 24 threads per inch 9, 10, 12, 16, 20, 27, 28, 32 threads per inch
- Metric pitch sizes: 0.80, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50, 3.00mm
- (1) Universal metric & SAE, single blade file
- to renew and refresh threads (#2299)



- (10) Metric taps: M6-1.00 to M14-1.50
- (2) Files: 11 to 24 TPI and 0.75 to 3.00mm

# **SCRAPERS**




AD


# **KNIVES, SCISSORS & ACCESSORIES**



OLF-AB-10B 9mm Snap-Off **Precision Silver** 10 \$6.15 OLF-AB-50B **Precision Silver** \$23.35 9mm Snap-Off 50 OLF-AB-10S Snap-Off **Precision Stainless Steel** 10 \$8.55 9mm Snap-Off OLF-AB-50S Precision Stainless Steel 50 \$32.65 9mm OLF-ABB-10B 9mm Snap-Off Precision Ultra-Sharp Black 10 \$7.15 OLF-ABB-50B Precision Ultra-Sharp Black 9mm Snap-Off 50 \$26.85 OLF-LB-10B 18mm Snap-Off **Heavy-Duty Silver** 10 \$8.15 OLF-LB-50B Snap-Off **Heavy-Duty Silver** \$31.65 18mm 50 AB-10B OLF-LBB-10B 18mm Snap-Off Heavy-Duty Ultra-Sharp Black 10 \$9.35 AB-50B OLF-LBB-50B Heavy-Duty Ultra-Sharp Black 18mm Snap-Off 50 \$36.05 \$8.75 OLF-HB-5B 25mm Snap-Off Super Heavy-Duty Silver 5 OLF-HB-20B Super Heavy-Duty Silver \$29.85 25mm Snap-Off 20 -SOL-10B OLF-HBB-5B 25mm Snap-Off Super Heavy-Duty Ultra-Sharp Black 5 \$10.05 OLF-HBB-20B 25mm Snap-Off Super Heavy-Duty Ultra-Sharp Black 20 \$34.35 OLF-LSOL-10B 18mm Solid **Heavy-Duty Silver** 10 \$9.15 OLF-HSWB-1/1B **Pull-Saw Blade** \$17.15 25mm Solid 1 OLF-LH-20B Snap-Off **Hook Blade** 5 \$9.45 18mm 0LF-SKB-16/10 Quick-Change Concealed Blade Replac. Head for #OLF-SK-16 \$26.45 10



# **KNIVES, SCISSORS & ACCESSORIES**



# **EV & HEV Service Tools & Equipment**



- Extensions: 2", 4"

## WIH-31590 \$59075

# 10-Pc 3/8" Drive Insulated

- Extension: 5
- 3/8" Drive reversible ratchet

## be purchased separately

# **Insulated T-Handle**

Item #	Set		
WIH-33478	5-Pc	4mm-10mm	\$89.15
WIH-33490	6-Pc	5/32"-3/8"	\$105.75







**Open End Wrench Tray Set** • 8mm-24mm

eSHOK-GUARD™-**1000V Socket Isolator** • Withstands impact applications

Item #	Drive	
CRE-CAEAD316	1/4"	\$18.95
CRE-CAEAD324	3/8"	\$20.45
CRE-CAEAD332	1/2"	\$21.95





### 3/8" Drive 15" Long Reversible Torque Wrench, 1000V Insulated

- Transparent scale range: 5-50 Nm
- Lockable torque adjustment

## KNI-98 55 **\$101<sup>25</sup>**

### **1000-Volt Insulated Electrician's** Dismantling Knife, 7" Long

• 1.5" fixed hook blade with guide shoe at the blade point: no damage of the conductor insulation

		,
KNIPEX	Made in Germany	
111		
100		







TITAN



• Open end wrenches: 8mm-13mm • 8" Tweezers • 3-Pc pliers/cutters • 8.5" Cable stripping knife Each item in this set can also ed separately 🕀 🕀 🙆 🧧 0 🔿 🕀 🗨 🎕

### WIH-32876 66-Pc Insulated

## **Tool Set**

wiha

WIH-32800

**80-Pc Insulated Tool Set** 

in Rolling Tool Case

• Screwdrivers: - Slotted: 2.5mm – 10mm

- Phillips: #0, #1, #2, #3 - Torx®: T6–T30 - Square: #1, #2

- Terminal block: #1, #2

**26-Piece Insulated** 

**Essentials Tool Kit** Screwdrivers:

- Torx<sup>®</sup>: T20, T25, T30 • 1/4" drive, 6 pt. sockets: 5-13mm

- Phillips: #1, #2

• Nut drivers: 7/32" - 7/16", 5mm - 13mm

WIH-91890 \$795<sup>15</sup> ⊖ ⊕ ⊕ €

• 1/4" drive ratchet • 2" & 4" extension bars

- Slotted: 3.5mm, 4.5mm, 6.5mm

• Rolling water tight tool case: 22" L x 13-3/4" W x 9" H

• Sockets: 1/2" - 7/8", 13mm - 22mm

Made in

- -

① 0

۵ ک

## Screwdrivers:

- Slotted: 2mm-10mm
- Phillins' #0 #1 #2 #3
- Torx<sup>®</sup>: T8–T30
- Square: #1, #2
- Terminal block: #1, #2
- Nut drivers: 1/4" 7/16"
- Sockets: 1/2" 7/8", 8 22mm
- Hex T-Handles: 5/32" 3/8". 4 8mm

### 16-Pc 3/8" Drive Insulated Ratcheting **Torque Wrench and Socket Sets**

- Torque wrench: 4-37 ft-lb (5-50 Nm)
- Metric or SAE sockets
- Extension bars: 5" & 10"

Item #	Sockets	Range	
WIH-30190	SAE	1/4"-7/8"	6
WIH-30192	Metric	8-20mm	0

# KNI-98 33 50 \$979<sup>05</sup>





• Hex L-keys: 1/2" & 10mm

• Pliers • Cutters

Adjustable wrench

• Ratchet: 3/8" drive






# Each item in this set can also



## Each item in this set can also be purchased separately.







# **Metric Socket Set**

# **Hex Screwdriver Sets**





Each item in this set can also purchased separately.







# **EV & HEV Service Tools & Equipment**



## **1000V Insulated Pliers**

Item #	Description				
Diagonal Cutting Pliers					
CRE-6DIAGVDE	6" 1000V Insulated Diagonal Pliers	\$22.05			
CRE-7DIAGVDE	7" 1000V Insulated Diagonal Pliers	\$23.35			
Long Nose Plier	·s				
CRE-6LNVDE	6" 1000V Insulated Long Nose Pliers	\$22.05			
CRE-8LNVDE	8" 1000V Insulated Long Nose Pliers	\$25.95			
Linesman Pliers	5				
CRE-6LMVDE	6" 1000V Insulated Linesman Pliers	\$22.05			
CRE-7LMVDE	7" 1000V Insulated Linesman Pliers	\$23.35			
CRE-8LMVDE	8" 1000V Insulated Linesman Pliers	\$25.95			
Wire Stripper I	Pliers				
CRE-6WSVDE	6" 1000V Insulated Wire Stripper Pliers	\$22.05			



## WIH-32999 \$425<sup>75</sup> 9-Pc Insulated

**Pliers/Cutters Tray Set**  Assorted pliers including: lineman's pliers, long nose, diagonal cutters, stripping

pliers, crimping pliers,

cable cutter



Each item in this set can also

be purchased separately.



## KLE-11054EINS \$97<sup>15</sup>

## 1000 Volt-Rated Insulated Wire Stripper/Cutter, 8"

- · Strips and cuts:
- 8-16 AWG solid, 10-18 AWG stranded • Screw shearing: #6-32 and #8-32



## 73327

### **1000V Insulated Pliers** Description Item # **Diagonal Cutting Pliers** TIT-73346 6" Diagonal Pliers, 1000V Insulated \$29.65 TIT-73347 7" Extended Diagonal Pliers, 1000V Insulated \$32.05 TIT-73348 8" Extended Diagonal Pliers, 1000V Insulated \$34.15 **Long Nose Pliers** \$29.65 TIT-73336 6" Long Nose Pliers, 1000V Insulated TIT-73338 8" Long Nose Pliers, 1000V Insulated \$33.65 **Linesman Pliers** TIT-73326 6" Combination Linesman's Pliers, 1000V Insulated \$29.65 TIT-73327 7" Combination Linesman's Pliers, 1000V Insulated \$31.65 TIT-73328 8" Combination Linesman's Pliers, 1000V Insulated \$34.15

# TITAN

TIT-17237 \$39<sup>35</sup>




- with Magnetic Tips • Slotted: 1/8" x 3", 5/32" x 4", 7/32" x 5", 1/4" x 6"
- Phillips: #0 x 3", #1 x 4", #2 x 4"



WIH-28789

## 11-Pc Insulated TorqueVario-S Driver & SlimLine Blade Set

- TorqueVario-S driver: 10-50 in-lb
- Insulated blades: Slotted: 4mm, 6.5mm; Phillips: #1, #2; Square: #1, #2; Xeno: Terminal #1, #2



January - March 2024 138

# **EV & HEV Service Tools & Equipment**



# • Phillips: #1 x 3", #2 x 4", #3 x 6" • Square: #1 x 3", #2 x 4", #3 x 6"

## CTU-ALPV-XL-D \$17245

### **Locking Cover for Steering Wheel**

**Screwdriver Set** 

• Slotted: 1/4" x 6", 5/16" x 7", 3/8" x 8"

• ECX™: #1 × 4"

i aheN



- Up to 24.4" (62 cm) Transparent pocket (A5 size) allows to display a personalized message during the lock-out procedure
- Strap closure at the back with 10mm metal eyelets for inserting a padlock and self-gripping part

# CTU-MP-11/11 **\$169<sup>15</sup>**

## Insulating Mat - Class 0

- Insulating mat for live line work and dead work
- 3.3 ft. x 3.3 ft. (1m x 1m)
- Thickness: 2.2mm
- Operating voltage: 1000V AC 1500V DC

## CTU-MP-220 \$20905

## **Orange Insulating Blanket - Class 0**

- Used as protection for workers operating on live lines, live parts or in the vicinity of live parts
- 3.3 ft. x 3.3 ft. (1m x 1m)
- Thickness: 1.2mm
- Operating voltage: 1000V AC 1500V DC
- Oil resistance and high puncture resistance



## KNI-98 67 05 **\$177<sup>65</sup>**

## 20" x 20" Rubber Mat, 1000V Insulated

- For added protection when working live or close to live parts
- Thickness: 1/16" (1.58mm)



## **Insulating Blanket - Class 0**

- Used as protection for workers operating on live parts or in the vicinity of live parts
- Operating voltage: 1,000V AC 1,500V DC
- Acid and oil resistance
- High puncture resistance
- Gripping tape ("Velcro" type) all around the blanket for fixation
- or fitting with another blanket • Operating temp. range: -40°C to +55°C

Item #	Description		
CTU-MP-123	14" x 26"	(360mm x 660mm)	\$43.15
CTU-MP-123/1	19.5" x 35.5"	(500m x 900mm)	\$72.95
CTU-MP-123/2	31.5" x 47"	(800mm x 1,200mm)	\$155.85



### **Insulating Transparent & Flexible PVC Blanket - Class 0**

- Insulating blanket for workers operating on live parts or in the vicinity of live parts
- Operating voltage: 1,000 V AC 1,500 V DC
- Must be fixed with MP-41A70 insulating magnets or MP-41-..., or MP-62.D clamps
- Resistance to acid, oil and ozone
- Operating temp. range: -40°C to +55°C

Item #	Description		
CTU-MP-35	4.25 ft. x 82 ft.	(1.3m x 25m)	\$567.15
CTU-MP-35/12	4.25 ft. x 41 ft.	(1.3m x 12.5m)	\$301.75
CTU-MP-37	3.5" x 82 ft.	(90mm x 25m)	\$63.05



# EV & HEV Service Tools & Equipment



Mobile device or computer not included

# AC WALLBOX COMMERCIAL



# AUTEL MAXICHARGER

## AC Wallbox Level 2 Electric Vehicle Chargers

- Compatible with all EV & plug-in hybrid vehicles
- Indoor/Outdoor use, built to withstand any type of climate
- Level 2 chargers require 240V
- Up to 9X faster charge
- Dimensions: 7.36" x 13.22"
- Generous 25-foot cable
- Safe & secure access control
- Connect by Wi-Fi, Bluetooth, Ethernet, CAN, RS485 or 4G Cellular (4G Cellular works with the Commercial unit only)
- 4 LED lights on face of charger clearly indicate the status of your charger
- 24/7 customer support line
- Automatic firmware updates
- Includes 3 year warranty
- AC WALLBOX HOME Smart Charging: The Autel Mobile Charge App enables remote start, stop, monitoring and scheduling. Available at App Store or Google Play.
- AC WALLBOX COMMERCIAL Smart Charging: Smart charger capabilities with Autel Cloud Charging Portal to monitor and manage all chargers and control access from your computer or mobile device. This allows you to control station access, pricing along with hours of operation. Smart features like demand response and dynamic load balancing help with reducing operation costs.

Product	Item #	Power Output	Power Supply	Holster	Front Face	Wi-Fi	Mobile App	Internet-Based Commercial Portal	
_	AUL-MC40AP14S HOME	Adjustable up to <b>40 Amps</b> 9.6 kW	NEMA 14-50 Plug	Separate	Indicator Lights Only	~	~		\$870.05
	AUL-MC40AP6S <b>HOME</b>	Adjustable up to 40 Amps 9.6 kW	NEMA 6-50 Plug	Separate	Indicator Lights Only	~	~		\$870.05
	AUL-MC50AHS <b>HOME</b>	Adjustable up to 50 Amps 12 kW	HARDWIRED*	Separate	Indicator Lights Only	~	~		\$870.05
_	AUL-MC40AP14I HOME	Adjustable up to 40 Amps 9.6 kW	NEMA 14-50 Plug	In-Body	Indicator Lights Only	~	~		\$870.05
	AUL-MC40AP6I HOME	Adjustable up to 40 Amps 9.6 kW	NEMA 6-50 Plug	In-Body	Indicator Lights Only	~	~		\$870.05
_	AUL-MC50AHI <b>HOME</b>	Adjustable up to 50 Amps 12 kW	HARDWIRED*	In-Body	Indicator Lights Only	~	~		\$893.75
9	aul-MCC50ahi Commercial	Adjustable up to <b>50 Amps   12 kW</b> & <b>72 KM</b> of range per hour	HARDWIRED*	In-Body	5" Interactive LCD Touchscreen	~		~	\$1270.75
v	*Recommended hardwi	re for outdoor installation							

## MAXICHARGER

# EV & HEV Service Tools & Equipment



TBQ-4JPT **\$24<sup>95</sup>** 4-Pc Lifting Jack Pads for Tesla Models S, 3, X, Y

- These rubber pads are positioned under the designated Tesla lift points to prevent damage to the battery or the side rails of the vehicle when lifting
- Load capacity (4 pads): 5 ton





## CTU-MO-810 **\$411<sup>25</sup>**

### Insulating Device To Lift Up Batteries

- To lift up batteries for live working at low voltage
- To lift forklift batteries elements for maintenance operations
- Operating voltage: 1,000 V AC - 1,500 V DC
- Adjustable fixing capacity from 81mm to 118 mm
- Max. load: 507 lbs (230 kg)





## POE-Based EV A/C Dye UV Leak Detection Kit

- Compatible with R-1234g & R-134a
  TP9815EV-P3: (3) 0.25 oz (7 ml) cartridges of Electric Vehicle
- POE-based A/C Dye Mini-EZ<sup>™</sup> cartridges • **TP9845:** EZ-Ject<sup>™</sup>
- dye injector • **TP-9813** R-134a
- TP-9813: R-134a coupler and purge fitting
   TP19: fluorescent dve cleaner
- **TP9831:** R-1234yf adapter



## CTU-CD-307 **\$882<sup>15</sup>**

## Portable Fire Extinguisher for Li-Ion Battery Fire, 3L

- Can be used on batteries with a maximum voltage of 1,000 V AC 1,500 V DC
- Fire class A Limits the smoke formation
- Water extinguisher + spray additive, biodegradable
- Projection distance: 4m to 6m 
   Service life: 10 years





## Folding Modular Safety Barrier

- Lightweight and stable 3-panel intervention barrier (AL-325), used to temporarily fence off and delimit a work area
- Light and flexible structure made of PVC tubes and panels made of 100% polyester fabric in fluorescent yellow
- Modularity: possibility to add or remove panels
- AL-326: Additional element made up of a single panel,
- allowing to enlarge the barrier
- Fixing by 2 junction clips (supplied)
- For indoor use

Item #	Description	Dimensions	
CTU-AL-325	3-Panel Barrier	5.5 ft. x 3.25 ft. (1.71m x 1m)	\$460.95
CTU-AL-326	1 Panel Extension	2 ft. x 3.25 ft. (0.57m x 1m)	\$169.15

## CTU-ACA-10 \$46<sup>45</sup>

- "Electric Hazard"
- Warning Pyramid
- with Magnetic Base
- For work on HEV or batteries
  Allows an optimum 360° visualization
- of the electric danger
- Cardboard cone, 5.5" (140mm) side

## KLE-58000 \$20<sup>55</sup>

## **CAUTION Tape, Barricade**

- 3" x 200 feet (76mm x 61m)
- Made of tough, durable (2.5 mil)
- polyethylene
- Highly resistant to acids, alkalis and other components









OCC STATE





# **Personal Protective Equipment**

### CAT'ARC Multi-Risk Switching Jacket to Protect Against an Electric Arc

- Worn on top of the usual clothing
- Adjustable hood
- To be worn with a visor or a helmet
- Velcro<sup>®</sup> central fastening along the entire length

CTU-MV-138-M

CTU-MV-138-L

CTU-MV-138-XL XL (46-49)

Back length of 47" (121 cm)

-			
Item #	Size		GATII
CTU-AFG-2300-S	S	\$581.85	
CTU-AFG-2300-L	L	\$640.05	Made in France
CTU-AFG-2300-2XL	2XL	\$640.05	Trance
CTU-AFG-2300-4XL	4XL	\$581.85	

### Insulating Waterproof Overboots - Class 1

- Operating voltage:
- 7,500V AC / 11,250V DC • Meets the requirements
- of ASTM 1117 (20kV)
- Fit perfectly over safety shoes
- Fuel and oil resistant rubber sole
- Sole pattern design avoids clogging and catching on rungs when climbing ladders
   Unt contact registrant color
- Hot contact resistant sole to 300°C for 60 seconds
- Quick and easy to wear & remove

## Leather Overgloves for Low Voltage Insulating Gloves

- 12.5" long. Ensure mechanical protection for
- insulating gloves (Class 00 & 0). • Resistant to flame and contact heat of 100°C
- for 10 seconds according to EN 407

Item #	Size	
CTU-CG-981-08	8	\$87.55
CTU-CG-981-09	9	\$87.55
CTU-CG-981-10	10	\$87.55
CTU-CG-981-11	11	\$87.55

## **Undergloves for Insulating Gloves**

- Comfortable fit, washable cotton undergloves
- Helps protect from Latex allergies

Item #	Fits Size	
CTU-CG-80-F	8	\$14.95
CTU-CG-80-H	9, 10, 11	\$14.95

# CTU-CG-36-1 \$69<sup>75</sup>

## Storage Case for Insulating Gloves - Class 00, 0, 1

- 16.5" x 7" x 2" case made of repellent reinforced fabric for
- the transportation of insulating gloves
- Rear loop for belt carriage and transparent pocket

## CTU-CG-117 \$357<sup>15</sup>

## **Pneumatic Tester for Insulating Gloves**

- For compulsory control of insulating gloves from class 00 to 4 before use
- Checking is done by inflating the insulating gloves and immersing in water

	h
C	J

## No Returns Accepted

## 100% Natural Rubber Electrical Insulating Gloves

- 11" long gloves
- Ergonomically-designed hand-at-rest shape for less hand fatigue

**ANSELL GLOVE** 

SIZING CHART

Measure the width of

finger and across your

**Ansell** 

your hand from the

base of your index

knuckles.

- Generous flared cuff allows room for clothing and improves ventilation
- Exceeds ASTM D120 standards for tensile strength, elongation, tear & puncture resistance
- Product meets all applicable ASTM, NFPA, OSHA, CSA and EN standards

## **Red Gloves, Class 0**

• Max. use voltage AC/DC 1,000 / 1,500 Volt

Item #	Size	
ANS-RIG011R070	) 7	\$78.75
ANS-RIG011R080	8	\$78.75
ANS-RIG011R090	9	\$78.75
ANS-RIG011R100	) 10	\$78.75
ANS-RIG011R110	) 11	\$78.75
ANS-RIG011R120	) 12	\$78.75

## Yellow Gloves, Class 0

 Max. use voltage AC/DC 1,000 / 1,500 Volt

Item # 📃	Size	
ANS-RIG011Y070	7	\$78.75
ANS-RIG011Y080	8	\$78.75
ANS-RIG011Y090	9	\$78.75
ANS-RIG011Y100	10	\$78.75
ANS-RIG011Y110	11	\$78.75
ANS-RIG011Y120	12	\$78.75

Ansell

75mm / 3"

88mm / 3.5"

101mm / 4"

126mm / 5"

113mm / 4.5"

140mm / 5.5"

7/S

8 / M

9/L

10 / XL

11 / 2XL

12 / 3XL

### 10" Industrial Leather Protector Gloves - Class 00, 0

- Should always be worn over Rubber Insulating Gloves to meet OSHA and ASTM standards to provide mechanical protection against cuts, abrasions and punctures
- SIZING: These leather gloves should be ordered in the same size as the Rubber Electrical Insulating Gloves

Item #	Size	
ANS-RIGLVCVR070	7	\$41.55
ANS-RIGLVCVR080	8	\$41.55
ANS-RIGLVCVR090	9	\$41.55
ANS-RIGLVCVR100	10	\$41.55
ANS-RIGLVCVR110	11	\$41.55
ANS-RIGLVCVR120	12	\$41 55


## **Protective Bag with Clip**

• Canvas glove bag is designed for use with Electrical Insulating Gloves

Item #	Size	
ANS-RIGCVSBAG14	14"	\$28.05
ANS-RIGCVSBAG16	16"	\$42.05







Ansell



M (39-42)

L (43-45)

\$354.85

\$354.85

\$354.85



# RATCHETS

# **Fixed Head Ratchets**

81028T

## GW GEARWRENCH

81269 81209T



## **Full Polish Fixed Head Teardrop Ratchets**

Item #	Drive	Handle	Length	Mechanism	
Individual Ra	tchets				
GWR-81011T	1/4"	Standard	5"	90-tooth	\$42.85
GWR-81028T	1/4"	Long	6"	90-tooth	\$48.95
GWR-81211T	3/8"	Standard	8"	90-tooth	\$64.25
GWR-81264T	3/8"	Long	11"	90-tooth	\$74.95
GWR-81209T	3/8"	Stubby	4.75"	90-tooth	\$55.05
GWR-81220T Compact Head	3/8"	Standard	8"	90-tooth	\$61.15
GWR-81228T Compact Head	3/8"	Stubby	4.5"	90-tooth	\$53.55
GWR-81304T	1/2"	Standard	11"	90-tooth	\$79.55
GWR-81360T	1/2"	Long	15"	90-tooth	\$119.05
GWR-81011P	1/4"	Standard	5"	120x	\$45.85
GWR-81034	1/4"	X-Long	9"	TP- XP	\$56.65
GWR-81211P	3/8"	Standard	8"	120x	\$68.85
GWR-81269	3/8"	X-Long	18"	TP- XP	\$91.75
GWR-81304P	1/2"	Standard	11"	120x	\$85.65
GWR-81364	1/2"	X-Long	24"	P-OXP	\$130.05
<b>Ratchet Sets</b>					
GWR-81206T	<b>3-Piece</b> 1/4", 3/8", 1/2"	Standard	5", 8", 11"	90-tooth	\$168.35
GWR-81268T	<b>2-Piece</b> 1/4", 3/8"	Long	6", 11"	90-tooth	\$107.15
GWR-81253T	<b>2-Piece</b> 3/8" & 3/8"	Standard & Stubby	8", 4.5"	90-tooth	\$121.25
GWR-81206P	<b>3-Piece</b> 1/4", 3/8", 1/2"	Standard	5", 8", 11"	12 <b>0</b> =	\$195.95
GWR-81271	<b>2-Piece</b> 1/4", 3/8"	X-Long	9", 18"		\$145.35

81400 81500 GWR-81400 **\$160**<sup>65</sup>

3/4" Drive 20" Long **Quick Release** Ratchet • 24-tooth

# GWR-81500 **\$248**<sup>75</sup>

1" Drive 25" Long **Round Head** Ratchet • 24-tooth

# (2) GUI GEARWRENCH 81007T

0.



					-
Item #	Drive	Handle	Length	Mechanism	
Individual Ra	tchets				
GWR-81007T	1/4"	Standard	6"	90-tooth	\$53.55
GWR-81029T	1/4"	Long	8"	90-tooth	\$56.65
GWR-81208T	3/8"	Standard	9"	90-tooth	\$99.45
GWR-81265T	3/8"	Long	13"	90-tooth	\$81.05
GWR-81303T	1/2"	Standard	11"	90-tooth	\$122.45
GWR-81361T	1/2"	Long	16"	90-tooth	\$114.75
<b>Ratchet Sets</b>					
GWR-81207T	<b>3-Piece</b> 1/4", 3/8", 1/2"	Standard	6", 9", 11"	90-tooth	\$203.55

## **Astro**

**Cushion Grip Fixed Head Teardrop Ratchets** 

**Nano Ratchets** Item # Smaller head size AST-91410 • 72 tooth mechanism AST-93808 AST-93812 AST-91210



1/4" 10" \$33.75 \$27.45 3/8" 8" 12" 3/8" \$42.25

Length

10"





\$35.75

	Item #	Drive	Length	
Sealed Head Ratchets	TIT-12160	1/4"	6"	\$43.55
• 90 tooth	TIT-12161	3/8"	12"	\$62.45
mechanism	TIT-12162	1/2"	16"	\$86.85

Drive

1/2"

## **Quick-Release Offset Ratchets**



Item #	Drive	Length	Mechanism	
TIT-12042	1/4"	5-3/4"	72 tooth	\$20.95
TIT-12043	3/8"	8"	72 tooth	\$23.35
TIT-12044	1/2"	9-3/4"	72 tooth	\$31.35
TIT-12046	1/2"	15"	36 tooth	\$44.65

# TIT-18025 **\$70**<sup>75</sup>

3-Pc Quick-Release Offset Ratchet Set

• 1/4", 3/8", 1/2" drives • 5.5", 8", 10"



# RATCHETS




# RATCHETS

#### **Flex Head Ratchets**



Flex Head Teardrop Ratchets

Item #	Drive	Handle	Length	Mechanism	
Individual R	atchets				
GWR-81015T	1/4"	Locking Flex	7"	90-tooth	\$56.65
GWR-81012T	1/4"	Flex	7"	90-tooth	\$50.45
GWR-81266T	3/8"	Locking Flex	11"	90-tooth	\$91.75
GWR-81215T	3/8"	Flex	11"	90-tooth	\$76.45
GWR-81212T	3/8"	Stubby Flex	5"	90-tooth	\$70.35
GWR-81362T	1/2"	Locking Flex	17"	90-tooth	\$119.35
GWR-81363T	1/2"	Locking Flex	24"	90-tooth	\$153.05
GWR-81306T	1/2"	Flex	17"	90-tooth	\$91.75
GWR-81012P	1/4"	Flex	7"	120x	\$53.55
GWR-81215P	3/8"	Flex	11"	120x=	\$91.75
GWR-81212P	3/8"	Stubby Flex	5"	120x	\$73.45
GWR-81306P	1/2"	Flex	17"	120x	\$127.65
Ratchet Sets	5				
GWR-81216T	<b>2-Piece</b> 1/4", 3/8"	Flex	7", 11"	90-tooth	\$122.45
GWR-81230T	<b>4-Piece</b> 1/4", 3/8", 3/8", 1/2"	Flex	5", 7", 11", 17"	90-tooth	<b>\$211.05</b>
GWR-81274T	<b>2-Piece</b> 1/4", 3/8"	Locking Flex	7", 11"	90-tooth	\$125.45
GWR-81276T	<b>3-Piece</b> 1/4", 3/8", 1/2"	Locking Flex	7", 11", 17"	90-tooth	\$226.15
GWR-81230P	<b>4-Piece</b> 1/4", 3/8", 3/8", 1/2"	Flex	5", 7", 11", 17"	<u>120</u> 2	\$301.55



#### **Rotating Head Ratchets**

#### 💷 GEARWRENCH



#### **Roto Ratchet**

• 360° rotating head • 72 tooth mechanism

Item #	Drive	Length	
GWR-81224	1/4"	6-3/4"	\$61.15
GWR-81225	3/8"	9-3/4"	\$84.15
GWR-81223	2-Pc Set: 1/4" & 3/8"		\$110.15



#### **Swivel Head Ratchets**

• 90 tooth mechanism					
Item #	Drive	Length			
TIT-12167	1/4"	6.5"	\$71.75		
TIT-12168	3/8"	10"	\$91.05		



1/4" Drive Aluminum Swivel Head Micro Ratchets • 4" long • 90 tooth mechanism

Item #	Colour	
TIT-11316	Blue	\$33.85
TIT-11320	Red	\$33.85
TIT-11322	Orange	\$33.85



1/4" Drive Extended Reach Swivel Head Reversible Micro Ratchet • 7" long • 90 tooth mechanism

# RATCHETS



#### **Chrome Sockets**

#### ATD-1380 \$41595

#### 106-Pc 6 Point 1/4" & 3/8" **SAE/Metric Shallow & Deep** Master Socket Set

• 1/4" Shallow: 3/16" to 1/2", 4mm to 12mm

- 1/4" Deep: 3/16" to 1/2"
- 3/8" Shallow: 3/8" to 7/8", 8mm to 19mm
- 3/8" Deep: 3/8" to 7/8", 8mm to 19mm
- (2) Ratchets (4) Wobble extensions (3) Spark plug sockets
- (2) Adapters (2) Universal joints (2) Flex handles
- Bits: (3) Slotted, (4) Phillips, (6) Hex & (7) Torx<sup>®</sup>





- Caler, -

kind of job. Low-profile dualdrive sockets for tight spaces, deep sockets for extra reach and impact rated sockets.

· Includes stubby spring loaded Universal Joint, 10mm and Square Drive

81391





\$181.65

AD





6mm - 19mm

5/16" - 1"

13.5"

13.5"

#### GW GEARWRENCH

18-Pc

16-Pc

3/8"

3/8"


GWR-81392

GWR-81393



#### GWR-80550 GWR-80300 GWR-80300P GWR-80550P GWR-80301 GWR-80551 GWR-80701 GWR-80700P Piece Count 51-Piece 51-Piece 57-Piece 56-Piece 49-Piece 51-Piece 57-Piece 49-Piece 1/4" 1/4" 3/8" 3/8" 1/2" 1/4" 3/8" 1/2" Drive 6 6 6 6 6 Points 3/16" - 9/16". 3/16" - 9/16", 1/4" – 1", 1/4" – 1", 7/16" - 1-1/8". 3/16" - 9/16", 1/4" – 1", 7/16" - 1-1/8" SHALLOW Sockets 6mm - 19mm 6mm - 19mm 6mm - 19mm 4mm - 15mm 4mm - 15mm 10mm - 24mm 4mm - 15mm 10mm - 24mm 3/16" - 9/16", 3/16" - 9/16", 1/4" - 7/8", 1/4" - 7/8", 1/2" - 15/16" 3/16" - 9/16", 1/4" - 7/8", 1/2" - 15/16", **DEEP Sockets** 4mm – 15mm 6mm - 19mm 6mm – 19mm 10mm - 19mm 4mm – 15mm 6mm - 19mm 10mm – 19mm 4mm – 15mm 5" long, 120XP™ 8" long, 120XP™ 11" long, 120XP™ 5" long, 5" & 8" long 5" long 5" & 8" long 11" long, Ratchet 84-tooth 84-tooth 84-tooth 84-tooth 84-tooth **Thumbwheel Ratchet** X X X X X **Universal Joint** 1 1 1 1 J J 1 ./ Extensions 2" & 6" 2" & 6" 3" & 6" 3" & 6" 3" & 5" 2" & 6" 3" & 6" 3" & 5" \$164.25 \$174.85 \$202.35 \$234.05 \$435.75 \$173.75 \$233.45 \$357.95

#### **Chrome Sockets**



GEARV     GEARV     S0306     12 Poi		80	713	
	et Sets Drive	Piece Count	Size Range	
SHALLOW Leng		Piece Count	Size Kalige	
GWR-80306	1/4"	13-Piece	4mm – 15mm	\$50.55
GWR-80307D	1/4"	10-Piece	3/16" - 9/16"	\$37.85
GWR-80560	3/8"	14-Piece	6mm – 19mm	\$78.95
GWR-80561	3/8"	13-Piece	1/4" – 1"	\$75.85
GWR-80710D	1/2"	13-Piece	12mm – 24mm	\$102.65
GWR-80711	1/2"	11-Piece	1/2" – 1-1/8"	\$88.45
DEEP Length				
GWR-80308	1/4"	13-Piece	4mm – 15mm	\$75.85
GWR-80309D	1/4"	10-Piece	3/16" - 9/16"	\$58.45
GWR-80562	3/8"	14-Piece	6mm – 19mm	\$99.55
GWR-80563	3/8"	11-Piece	1/4" - 7/8"	\$91.65
GWR-80712	1/2"	10-Piece	10mm – 19mm	\$118.45
GWR-80713	1/2"	8-Piece	1/2" – 15/16"	\$108.95



<ul> <li>3" &amp; 6" extension</li> <li>Universal joint</li> <li>Hard case with</li> </ul>	(except #4			004	( a
Item #	Count	Drive	Standard	Deep	
MLW-48-22-9004	50-Pc	1/4"	5/32"–9/16" 5mm–15mm	5/32"–9/16" 5mm–15mm	\$1
MLW-48-22-9008	56-Pc	3/8"	1/4"-1" 6mm_10mm	1/4"–7/8"	\$1

1/2"

Milwaukee

47-Pc

**Standard & Deep** 

Kits include:

6

90-tooth ratchet

MLW-48-22-9010

**SAE & Metric Tool Sets** 

are wrench compatible



- 3" & 5" extensions

136.05 \$199.25 6mm-19mm 6mm-19mm 1/2"-1-1/8" 1/2"-15/16" \$376.15 10mm-24mm 10mm-19mm



#### Flex Head Sockets

<b>PAstro</b>	)	7407	i	1		1	-	7
				100 million		-	and the second	
6 P	oint Flex S	ocket Sets Piece Count		ze 1ge				
		Piece		nge	ò"		\$	49.9

# GEARWRENCH

6 Po	int Flex S	ocket Sets		
Item #	Drive	Piece Count	Size Range	
GWR-80311	1/4"	12-Piece	5mm – 15mm	\$150.05
GWR-80310D	1/4"	7-Piece	3/16" – 9/16"	\$94.75
GWR-80565	3/8"	10-Piece	10mm – 19mm	\$173.75
GWR-80564	3/8"	7-Piece	3/8" - 3/4"	\$110.55

10888 80310D

#### Vocational / Mechanics Tool Se<mark>ts</mark>

#### GEARWRENCH

\$28.05

\$30.55

\$30.55





1-Pc

1-Pc

1-Pc

1/2"

1/2"

1/2"

19mm

20mm

21mm

\_

CTA-1177

CTA-1178

CTA-1179

#### **Impact Sockets**

S	U	Ν	E)	K®
Т	0	0	L	S

SUN-4693

SUN-4695

SUN-5693

3/4"

3/4"

1"

26-Piece

29-Piece

21-Piece

19mm – 50mm

3/4" - 2-1/2"

3/4" - 2"

6 6	Point I	mpact So	cket Sets	
Item #	Drive	Piece Count	Size Range	
SHALLOW Le	ength			
SUN-1809	1/4"	9-Piece	5.5mm – 13mm	\$48.55
SUN-3358	3/8"	13-Piece	7mm – 19mm	\$47.95
SUN-3360	3/8"	12-Piece	5/16" – 1"	\$78.35
SUN-2652	1/2"	14-Piece	10mm – 27mm	\$83.45
SUN-2645	1/2"	26-Piece	10mm – 36mm	\$228.95
SUN-2650	1/2"	13-Piece	7/16" – 1-1/4"	\$84.65
SUN-2640	1/2"	19-Piece	3/8" – 1-1/2"	\$179.15
SUN-4684	3/4"	17-Piece	26mm – 46mm	\$470.55
SUN-4682	3/4"	11-Piece	3/4" – 1-1/2"	\$196.65
SUN-4683	3/4"	17-Piece	1" – 2"	\$602.65
SUN-4692	3/4"	26-Piece	19mm – 50mm	\$707.55
SUN-4696	3/4"	29-Piece	3/4" - 2-1/2"	\$964.45
SUN-5692	1"	21-Piece	3/4" – 2"	\$730.65
SEMI-DEEP I	Length			
SUN-3328	3/8"	14-Piece	8mm – 22mm	\$94.65
DEEP Length	1			
SUN-1812	1/4"	9-Piece	5.5mm – 13mm	\$63.35
SUN-1811	1/4"	10-Piece	3/16" - 9/16"	\$56.65
SUN-3360DD	3/8" Set inc	28-Piece ludes: 1/2"(F)	8mm – 22mm • 5/16" – 1" x 3/8"(M) Adapter, 3" Extension	\$200.25
SUN-3359	3/8"	13-Piece	7mm – 19mm	\$69.05
SUN-3361	3/8"	12-Piece	5/16" – 1"	\$100.55
SUN-5153DD	1/2" Set inc	29-Piece ludes Flip Socl	10mm – 27mm • 7/16" – 1-1/4" kets: 3/4" x 13/16" • 19mm x 21mm	\$252.65
SUN-2653	1/2"	14-Piece	10mm – 27mm	\$136.95
SUN-2646	1/2"	26-Piece	10mm – 36mm	\$383.45
SUN-2651	1/2"	13-Piece	7/16" – 1-1/4"	\$133.55
SUN-2641	1/2"	19-Piece	3/8" – 1-1/2"	\$279.05
SUN-4638	3/4"	14-Piece	3/4" – 1-5/8"	\$330.15
SUN-4685	3/4"	17-Piece	1" – 2"	\$758.55



#### **Impact Sockets**



SUN-3674	3/8"	12-Piece	5/16" – 1"	<b>\$70.85</b>
SUN-2679	1/2"	13-Piece	10mm – 24mm	\$87.15
SUN-2826	1/2"	26-Piece	10mm – 36mm	\$205.25
SUN-2678A	1/2"	14-Piece	7/16" – 1-1/4"	\$113.35
SUN-2819	1/2"	19-Piece	3/8" – 1-1/2"	\$197.55
SUN-4687	3/4"	9-Piece	Thin Wall Sockets 3/4" – 1-1/4"	\$235.75
SEMI-DEEP I	.ength			
SUN-3338	3/8"	13-Piece	7mm – 19mm	\$64.75
SUN-3337	3/8"	12-Piece	5/16" – 1"	\$68.05
DEEP Length				
SUN-3682	3/8"	13-Piece	7mm – 19mm	\$94.95
SUN-2827	1/2"	26-Piece	10mm – 36mm	\$380.85
SUN-2670	1/2"	15-Piece	3/8" – 1-1/4"	\$197.65
SUN-2820	1/2"	19-Piece	3/8" – 1-1/2"	\$318.55

#### **Pipe Plug Sockets**



SUN-3841 **\$112<sup>45</sup> 11-Pc 3/8" Drive Pipe Plug Socket Set** • For use on most vehicles • Male: 3/16" to 3/8" • Female: 1/4" to 3/8"

SUN-2841 **\$106**<sup>75</sup>

8-Pc 1/2" Drive Pipe Plug Socket Set • For use on most vehicles • Male: 7/16" to 5/8" • Female: 7/16" to 5/8"





6

#### SUN-3342 **\$184**05

42-Pc 3/8" Drive SAE & Metric Shallow & Deep Master Impact Socket Set

- Shallow: 5/16" to 3/4", 8mm to 19mm
- Deep: 5/16" to 3/4", 8mm to 19mm





SUN-2669	9mm – 30mm	9mm – 30mm	\$330.85
SUN-2668	3/8" – 1-1/2"	3/8" - 1-1/2"	\$365.05

Master Ir	<b>" Drive Std. &amp;</b> <b>npact Socke</b> s: 3", 5", 10", 1 'sal joint	t Sets 🛛 🥭		
Item #	Shallow	Deep		
SUN-2569	9mm – 30mm	9mm – 30mm	\$334.05	
SUN-2568	3/8" - 1-1/2"	3/8" - 1-1/2"	\$426.15	

1213MSD

---

#### **Impact Sockets**

A

#### GRY-9723G \$212<sup>15</sup>

23-Pc 1/4" Drive **Shallow SAE & Metric MAGNETIC Impact Socket Set** • Shallow: 3/16" - 1/2",

5mm – 15mm • 2" Extension • Universal joint

#### GRY-9772 \$622<sup>45</sup>

#### 72-Pc 1/4" Drive Shallow & Deep, SAE & Metric **Impact Socket Set**

- Shallow & Deep: 3/16" 9/16" 4mm - 15mm
- Extensions: 2", 4", 6"
- Universal joint (2) Adapters

#### GRY-81659CRD \$475<sup>35</sup>

#### 59-Pc 3/8" Drive 6-Point Shallow & Deep, SAE & Metric **Impact Socket Set**

- Stand. & Deep: 5/16" 1", 7 22mm
- 8" 72-tooth quick release ratchet
- Extensions: 3", 6"





• Shallow & Deep: 5/16" - 3/4", 8mm - 19mm • 3" Extension • Universal joint • Adapter

\$257<sup>75</sup> (6) GRY-1243RD

\$257<sup>75</sup> (12) GRY-1643RD

#### GRY-1328RD \$300<sup>65</sup>

28-Pc 1/2" Drive 6 Point Shallow & Deep **SAE Impact Socket Set** 

• Shallow & Deep: 7/16" - 1-1/4" • Universal Joint • Extension: 3"

#### GRY-1430MRD \$290<sup>35</sup>

#### 30-Pc 1/2" Drive 6 Point **Shallow & Deep Metric Impact Socket Set**

• Shallow & Deep: 10mm - 24mm • Universal Joint • Extension: 3"

#### GRY-1512DM \$33745

30-Pc 1/2" Drive 6 Point **Deep SAE & Metric Impact Socket Set** • Shallow & Deep: 7/16" - 1-1/4"

10mm – 27mm • (2) Flip sockets • Extension: 3"







				an in the state
	8038	)		1312
	oint Impa sket Sets	act 🧧		
Item #	Drive	Piece Count	Size Range	
SHALLOW Len	gth			
GRY-1213M	3/8"	13-Piece	7mm – 19mm	\$57.25
GRY-1213	3/8"	12-Piece	5/16" – 1"	\$70.45
GRY-1412M	1/2"	14-Piece	10mm – 27mm	\$94.65
GRY-1326M	1/2"	26-Piece	10mm – 36mm	\$219.45
GRY-1312	1/2"	13-Piece	7/16" – 1-1/4"	\$94.65
GRY-1319	1/2"	19-Piece	3/8" – 1-1/2"	\$176.45
GRY-8026M	3/4"	26-Piece	19mm – 50mm	\$709.45
GRY-8029	3/4"	29-Piece	3/4" – 2-1/2"	\$1174.35
SEMI-DEEP Le	ngth			
GRY-1213MSD	3/8"	13-Piece	7mm – 19mm	\$86.35
<b>DEEP</b> Length				
GRY-1213MD	3/8"	13-Piece	7mm – 19mm	\$84.55
GRY-1213D	3/8"	12-Piece	5/16" – 1"	\$96.45
GRY-1412MD	1/2"	14-Piece	10mm – 27mm	\$154.05
GRY-1326MD	1/2"	26-Piece	10mm – 36mm	\$402.15
GRY-1312D	1/2"	13-Piece	7/16" – 1-1/4"	\$155.45
GRY-1319D	1/2"	19-Piece	3/8" – 1-1/2"	\$314.55
GRY-8026MD	3/4"	26-Piece	19mm – 50mm	\$1048.55
GRY-8038D	3/4"	14-Piece	3/4" - 1-5/8"	\$395.05
SHALLOW + D	EEP Length	1		
GRY-9728M	1/4"	28-Piece	4mm – 15mm Incl. 4.5mm & 5.5mm	\$137.35
GRY-9748	1/4"	48-Piece	3/16" – 9/16" 4mm – 15mm	\$238.05
GRY-1226M	3/8"	26-Piece	7mm – 19mm	\$128.15
GRY-1224RD	3/8"	24-Piece	5/16" – 1"	\$161.45



ATD-6405 \$79705 **6** 22-Pc 3/4" Drive 6 Point SAE **Deep Impact Socket Set** • Deep: 7/8" - 2" • Budd wheel socket: 13/16" square • 19.5" Quick release teardrop ratchet Sliding T-Bar AIL

Extensions: 5", 10"

FREE! hile quantities last					Impact	Sockets	10			123
Buy #MLW-49-66 get #MLW-49-66 14-Pc 1/4" Drive Socket Set. 4mm	6-7009, 6-7002: Impact		1 10 10 10	ties last	<b>115 op</b>	84933N				84902
Socket Set, 4mm			#MI	_W-49-66-70 #MLW-49-66	16, 6-7007:	6 P	oint Impa	act Socket S	Sets 💷 G	EARWRENCH
Milway	ikee			Pc 3/8" Drive ket Set, 7mm		Item #	Drive	Piece Count	Size Range	
			49-66-7015			SHALLOW Leng	ath			
1.1000	MAD		49-66-7016		10 M 10 (co	GWR-84907	1/4"	14-Piece	4mm – 15mm	\$64.25
				Same		GWR-84906	1/4"	10-Piece	3/16" - 9/16"	\$61.15
11110			· /	Contraction of the second	00.0	GWR-84911N	3/8"	12-Piece	8mm – 19mm	\$53.55
19-66-7009			n 🦾	the last	7 2 9 1	GWR-84910N	3/8"	8-Piece	5/16" - 3/4"	\$42.85
111111				111	794-6	GWR-84930N	1/2"	12-Piece	8mm – 19mm	\$64.25
						GWR-84933N	1/2"	25-Piece	8mm – 36mm	\$183.65
				and the second se	Contraction of the local division of the loc					<b>ÅT00.00</b>
6 Poin	t Imna	ot Sockot	Sate			GWR-84931N	1/2"	12-Piece	3/8" – 1-1/6"	
6 Poin	t Impa	ct Socket								\$73.45
		Piece	Size			GWR-84931N	1/2"	12-Piece	3/8" – 1-1/6"	\$73.45
Item #	Drive					GWR-84931N GWR-84932N	1/2"	12-Piece	3/8" – 1-1/6"	\$73.45 \$137.75
Item # DEEP Length Sets	Drive	Piece Count	Size Range	While		GWR-84931N GWR-84932N DEEP Length	1/2" 1/2"	12-Piece 19-Piece	3/8" – 1-1/6" 3/8" – 1-1/2"	\$73.45 \$137.75 \$88.75
Item # DEEP Length Sets MLW-49-66-7006	Drive 3/8"	Piece Count 12-Piece	Size Range 5/16" – 1"	S While Qtys. Last	\$86.75	GWR-84931N GWR-84932N DEEP Length GWR-84909	1/2" 1/2" 1/4"	12-Piece 19-Piece 14-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm	\$73.45 \$137.75 \$88.75 \$68.85
Item # DEEP Length Sets MLW-49-66-7006	Drive	Piece Count	Size Range	S While Qtys. Last Qtys. Last	\$86.75 \$113.45	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908	1/2" 1/2" 1/4" 1/4"	12-Piece 19-Piece 14-Piece 10-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16"	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35
Item # DEEP Length Sets	Drive 3/8"	Piece Count 12-Piece	Size Range 5/16" – 1"	Qtys. Last		GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908 GWR-84914N	1/2" 1/2" 1/4" 1/4" 3/8"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75
Item # DEEP Length Sets MLW-49-66-7006 MLW-49-66-7014	<b>Drive</b> 3/8" 1/2"	Piece Count 12-Piece 14-Piece	Size Range 5/16" – 1" 10mm – 27mm	Qtys. Last	\$113.45	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908 GWR-84914N GWR-84915N	1/2" 1/2" 1/4" 1/4" 3/8" 3/8"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece 8-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm 5/16" - 3/4"	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75 \$137.75
Item # DEEP Length Sets MLW-49-66-7006 MLW-49-66-7014 MLW-49-66-7015	Drive 3/8" 1/2" 1/2"	Piece Count 12-Piece 14-Piece 29-Piece	Size Range 5/16" – 1" 10mm – 27mm 8mm – 36mm	Qtys. Last While Qtys. Last While Qtys. Last While While	\$113.45 \$248.25	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908 GWR-84914N GWR-84915N GWR-84955N	1/2" 1/2" 1/4" 1/4" 3/8" 3/8" 1/2"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece 8-Piece 14-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm 5/16" - 3/4" 10mm - 27mm	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75 \$137.75 \$331.75
Item # DEEP Length Sets MLW-49-66-7006 MLW-49-66-7014 MLW-49-66-7015 MLW-49-66-7011	Drive 3/8" 1/2" 1/2" 1/2"	Piece Count 12-Piece 14-Piece 29-Piece 12-Piece	Size Range 5/16" - 1" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/16" 3/8" - 1-1/2"	Qtys. Last While Qtys. Last While Qtys. Last	\$113.45 \$248.25 \$111.15	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908 GWR-84914N GWR-84915N GWR-84955N GWR-84935N	1/2" 1/2" 1/4" 1/4" 3/8" 3/8" 1/2" 1/2"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece 8-Piece 14-Piece 29-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm 5/16" - 3/4" 10mm - 27mm 8mm - 36mm	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75 \$137.75 \$331.75 \$122.45
Item # DEEP Length Sets MLW-49-66-7006 MLW-49-66-7014 MLW-49-66-7015 MLW-49-66-7011	Drive 3/8" 1/2" 1/2" 1/2"	Piece Count 12-Piece 14-Piece 29-Piece 12-Piece	Size Range 5/16" – 1" 10mm – 27mm 8mm – 36mm 3/8" – 1-1/16"	Qtys. Last While Qtys. Last While Qtys. Last While While	\$113.45 \$248.25 \$111.15	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908 GWR-84914N GWR-84915N GWR-84915N GWR-84935N GWR-84935N	1/2" 1/2" 1/4" 1/4" 3/8" 3/8" 1/2" 1/2" 1/2"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece 8-Piece 14-Piece 29-Piece 12-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm 5/16" - 3/4" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/6"	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75 \$137.75 \$331.75 \$122.45 \$256.35
Item # DEEP Length Sets MLW-49-66-7006 MLW-49-66-7014 MLW-49-66-7015 MLW-49-66-7011 MLW-49-66-7012	Drive 3/8" 1/2" 1/2" 1/2" 1/2" 1/2"	Piece Count 12-Piece 14-Piece 29-Piece 12-Piece 19-Piece 29-Piece	Size Range 5/16" - 1" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/16" 3/8" - 1-1/2" 7/16" - 1-1/4" 10mm - 27mm	Qtys. Last While Qtys. Last While Qtys. Last While While	\$113.45 \$248.25 \$111.15 \$203.35	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908 GWR-84914N GWR-84915N GWR-84955N GWR-84935N GWR-84934N	1/2" 1/4" 1/4" 3/8" 3/8" 1/2" 1/2" 1/2" 1/2"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece 8-Piece 14-Piece 29-Piece 12-Piece 19-Piece 27-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm 5/16" - 3/4" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/6" 3/8" - 1-1/2" 10mm - 27mm	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75 \$137.75 \$331.75 \$122.45 \$256.35
Item # DEEP Length Sets MLW-49-66-7006 MLW-49-66-7014 MLW-49-66-7011 MLW-49-66-7012 MLW-49-66-7012	Drive 3/8" 1/2" 1/2" 1/2" 1/2" 1/2"	Piece Count 12-Piece 14-Piece 29-Piece 12-Piece 19-Piece 29-Piece	Size Range 5/16" - 1" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/16" 3/8" - 1-1/16" 3/8" - 1-1/2" 7/16" - 1-1/4" 10mm - 27mm 3" Extension	Qtys. Last While Qtys. Last While Qtys. Last While While	\$113.45 \$248.25 \$111.15 \$203.35	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84908 GWR-84914N GWR-84915N GWR-84955N GWR-84934N GWR-84934N	1/2" 1/4" 1/4" 3/8" 3/8" 1/2" 1/2" 1/2" 1/2"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece 8-Piece 14-Piece 29-Piece 12-Piece 19-Piece 27-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm 5/16" - 3/4" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/6" 3/8" - 1-1/2" 10mm - 27mm	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75 \$137.75 \$331.75 \$122.45 \$256.35
Item # DEEP Length Sets MLW-49-66-7006 MLW-49-66-7014 MLW-49-66-7011 MLW-49-66-7012 MLW-49-66-7012	Drive 3/8" 1/2" 1/2" 1/2" 1/2" 1/2"	Piece Count 12-Piece 14-Piece 29-Piece 12-Piece 19-Piece 29-Piece	Size Range 5/16" - 1" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/16" 3/8" - 1-1/2" 7/16" - 1-1/4" 10mm - 27mm 3" Extension	Qtys. Last While Qtys. Last While Qtys. Last While While	\$113.45 \$248.25 \$111.15 \$203.35	GWR-84931N GWR-84932N DEEP Length GWR-84909 GWR-84914N GWR-84915N GWR-84915N GWR-84955N GWR-84935N GWR-84934N GWR-84934N GWR-84949N SHALLOW + D	1/2" 1/2" 1/4" 1/4" 3/8" 3/8" 1/2" 1/2" 1/2" 1/2" 1/2" 1/2"	12-Piece 19-Piece 14-Piece 10-Piece 13-Piece 8-Piece 29-Piece 12-Piece 19-Piece 27-Piece	3/8" - 1-1/6" 3/8" - 1-1/2" 4mm - 15mm 3/16" - 9/16" 8mm - 21mm 5/16" - 3/4" 10mm - 27mm 8mm - 36mm 3/8" - 1-1/6" 3/8" - 1-1/2" 10mm - 27mm 7/16" - 1-1/4"	\$73.45 \$137.75 \$88.75 \$68.85 \$75.35 \$62.75 \$137.75 \$137.75 \$331.75 \$122.45 \$256.35 \$218.65



GWR-84903 GWR-84916N GWR-84925N GWR-84919N GWR-84948N GWR-84947N **Piece Count** 71-Piece 44-Piece 29-Piece 25-Piece 39-Piece 39-Piece 84919N 1/4" 3/8" 3/8" 3/8" 1/2" 1/2" Drive Points 6 6 6 6 6 6 3/16" - 9/16", 5/16" - 3/4", SHALLOW Sockets 5/16" – 1" 3/8" - 1-1/2" 8mm – 22mm 9mm – 30mm 4mm – 15mm 8mm – 19mm 5/16" – 3/4", 8mm – 19mm 3/16" - 9/16", EE **DEEP Sockets** 5/16" – 1" 8mm – 22mm 9mm – 30mm 3/8" - 1-1/2" 4mm – 15mm 1/4" - 9/16", **UNIVERSAL Sockets** 5mm – 15mm Adapter 1/4" F x 3/8" M **Universal Joint** 1 1 1 1 1 1 2", 4" & 6" 3" & 6" Extensions \$512.65 \$195.95 \$183.65 \$168.35 \$256.35 \$361.85

#### **Universal Impact Sockets**


SUNEX TOOLS			3654	
	6 Point Ui Impact So	niversal ocket Sets		
Item #	Drive	Piece Count	Size Range	
<b>SHALLOW</b>	.ength			
SUN-1814	1/4"	12-Piece	5mm – 15mm	\$227.35
SUN-3657	3/8"	10-Piece	10mm – 19mm	\$191.95
SUN-3654	3/8"	7-Piece	3/8" - 3/4"	\$149.95
SUN-2655	1/2"	7-Piece	13mm – 19mm	\$180.05
SUN-2657	1/2"	9-Piece	7/16" – 15/16"	\$197.55
DEEP Leng	th			
SUN-2658	1/2"	10-Piece	10mm –19mm	\$272.55



Item #	Drive	Piece Count	Size Range	
SHALLOW Lengt	th			
GRY-9712UM	1/4"	12-Piece	5mm – 15mm	\$238.0
GRY-1210UM	3/8"	10-Piece	10mm – 19mm	\$243.2
GRY-1212U	3/8"	12-Piece	5/16" – 1"	\$295.3
GRY-1313UM	1/2"	13-Piece	12mm – 24mm	\$372.3
GRY-1314U	1/2"	14-Piece	7/16" – 1-1/4"	\$441.8
SEMI-DEEP Len	gth			
GRY-1210UMSD	3/8"	10-Piece	10mm – 19mm	\$253.8
DEEP Length				
GRY-9712UMD	1/4"	12-Piece	5mm – 15mm	\$283.8

G GEARWRENCH

84975



#### **Special Application Sockets**



#### SUN-2801 \$2775

#### 1/2" Drive Tie Rod End Socket

· Capable of removing most bolts that have 75% of their corners stripped away



#### TGR-10353 **\$209**<sup>95</sup>

#### TIGER TOOL.

#### 3/4" Drive Tie Rod End Remover Socket

#### • For Class 6-8 trucks and equipment (Kenworth, Peterbilt, Freightliner, Mack, Volvo, etc.)

• I.D.: 3.0" / Slot width: 1.25"

#### SUN-10203 \$34<sup>15</sup>

#### 1/2" Drive Axle Flange Nut Socket for Mercedes Benz

• Removes rear axle flange grooved nuts on Mercedes Benz models 107, 114, 115, 116, and 126 axles with CV



#### SUNEX

#### January – March 2024 | 155

							_
3/	8" Drive	6 Shal	low	🕑 Dee	р	Univ 🕑	ersal
	7 mm	SUN-307M	\$4.85	SUN-307MD	\$6.85		
	8 mm	SUN-308M	\$4.45	SUN-308MD	\$6.25		
	9 mm	SUN-309M	\$4.85	SUN-309MD	\$6.55		
	10 mm	SUN-310M	\$4.45	SUN-310MD	\$6.45	SUN-310UM	\$20.95
	11 mm	SUN-311M	\$5.05	SUN-311MD	\$6.95	SUN-311UM	\$21.25
	12 mm	SUN-312M	\$4.85	SUN-312MD	\$6.55	SUN-312UM	\$21.25
	13 mm	SUN-313M	\$4.45	SUN-313MD	\$9.55	SUN-313UM	\$21.25
	14 mm	SUN-314M	\$4.65	SUN-314MD	\$6.85	SUN-314UM	\$21.95
	15 mm	SUN-315M	\$5.05	SUN-315MD	\$6.85	SUN-315UM	\$22.15
	16 mm	SUN-316M	\$5.35	SUN-316MD	\$7.95	SUN-316UM	\$23.15
	17 mm	SUN-317M	\$5.35	SUN-317MD	\$7.95	SUN-317UM	\$23.55
	18 mm	SUN-318M	\$5.35	SUN-318MD	\$8.55	SUN-318UM	\$23.15
	19 mm	SUN-319M	\$5.65	SUN-319MD	\$8.75	SUN-319UM	\$23.45
	20 mm	SUN-320M	\$5.85	SUN-320MD	\$8.25	SUN-320UM	\$23.25
	21 mm	SUN-321M	\$6.25	SUN-321MD	\$9.35	SUN-321UM	\$23.25
	22 mm	SUN-322M	\$6.15	SUN-322MD	\$10.15	SUN-322UM	\$23.25
	5/16"	SUN-310	\$6.85	SUN-310D	\$6.55	SUN-310U	\$21.85
	3/8"	SUN-312	\$4.65	SUN-312D	\$6.55	SUN-312U	\$21.25
	7/16"	SUN-314	\$3.65	SUN-314D	\$6.55	SUN-314U	\$21.25
	1/2"	SUN-316	\$6.15	SUN-316D	\$6.25	SUN-316U	\$21.25
	9/16"	SUN-318	\$4.75	SUN-318D	\$6.55	SUN-318U	\$23.25
	5/8"	SUN-320	\$5.35	SUN-320D	\$7.95	SUN-320U	\$23.15
	11/16"	SUN-322	\$5.35	SUN-322D	\$8.25	SUN-322U	\$23.45
	3/4"	SUN-324	\$5.55	SUN-324D	\$8.45	SUN-324U	\$23.45
	13/16"	SUN-326	\$8.85	SUN-326D	\$9.25	SUN-326U	\$23.45
	7/8"	SUN-328	\$6.65	SUN-328D	\$10.05	SUN-328U	\$23.15
	15/16"	SUN-330	\$9.45	SUN-330D	\$11.45		
	1"	SUN-332	\$9.95	SUN-332D	\$12.05		



••••••••••••••••••••••••••••••••••••••	3011-332	QU.UU	30N-332D	<b>VIL.03</b>								
							$\bigcirc$					
1/2" Drive	6 Sha	llow	12 Sha	llow	Dee	p	X-Loi	ng Deep	Univ	/ersal	Deep L	Jniversal
10 mm	SUN-210M	\$6.85	SUN-210ZM	\$6.25	SUN-210MD	\$9.95	SUN-210MXD	<u> </u>	SUN-210UM	\$19.45	SUN-210UMD	
11 mm	SUN-211M	\$6.85	SUN-211ZM	\$6.95	SUN-211MD		SUN-211MXD		SUN-211UM	\$17.45		
12 mm	SUN-212M	\$7.05	SUN-212ZM	\$6.25	SUN-212MD	-	SUN-212MXD		SUN-212UM	\$19.45	SUN-212UMD	\$26.15
13 mm	SUN-213M	\$6.35	SUN-213ZM	\$6.15	SUN-213MD		0011 21211/10		SUN-213UM	\$25.15	SUN-213UMD	
14 mm	SUN-214M	\$6.85	SUN-214ZM	\$6.15	SUN-214MD		SUN-214MXD	\$37.65	SUN-214UM	\$26.25	SUN-214UMD	
15 mm	SUN-215M	\$7.75	SUN-215ZM	\$7.55	SUN-215MD		SUN-215MXD		SUN-215UM	\$26.25	SUN-215UMD	
16 mm	SUN-216M	\$7.95	SUN-216ZM	\$7.85	SUN-216MD				SUN-216UM	\$24.55	SUN-216UMD	
17 mm	SUN-217M	\$7.75	SUN-217ZM	\$7.85	SUN-217MD				SUN-217UM	\$26.05	SUN-217UMD	\$28.35
18 mm	SUN-218M	\$7.85	SUN-218ZM	\$8.15	SUN-218MD	\$12.55	SUN-218MXD	\$42.15	SUN-218UM	\$27.65	SUN-218UMD	\$29.65
19 mm	SUN-219M	\$9.05	SUN-219ZM	\$8.05	SUN-219MD		SUN-219MXD		SUN-219UM	\$29.65	SUN-219UMD	\$32.95
20 mm	SUN-220M	\$8.85	SUN-220ZM	\$8.05	SUN-220MD		SUN-220MXD		SUN-220UM	\$28.05	SUN-220UMD	\$30.25
21 mm	SUN-221M	\$8.85	SUN-221ZM	\$8.25	SUN-221MD	\$13.15			SUN-221UM	\$27.95	SUN-221UMD	\$30.55
22 mm	SUN-222M	\$8.85	SUN-222ZM	\$8.15	SUN-222MD	\$13.45	SUN-222MXD	\$44.05	SUN-222UM	\$27.95	SUN-222UMD	\$30.75
23 mm	SUN-223M	\$9.25	SUN-223ZM	\$8.05	SUN-223MD	\$13.75	SUN-223MXD	\$41.15	SUN-223UM	\$28.15	SUN-223UMD	\$30.95
24 mm	SUN-224M	\$10.15	SUN-224ZM	\$9.05	SUN-224MD	\$15.85	SUN-224MXD	\$46.65	SUN-224UM	\$27.85	SUN-224UMD	\$32.65
25 mm	SUN-225M	\$12.25	SUN-225ZM	\$9.45	SUN-225MD	\$17.95						
26 mm	SUN-226M	\$11.55	SUN-226ZM	\$9.35	SUN-226MD		SUN-226MXD	\$47.85				
27 mm	SUN-227M	\$12.35	SUN-227ZM	\$9.85	SUN-227MD		SUN-227MXD	\$50.85				
28 mm	SUN-228M	\$12.35			SUN-228MD		SUN-228MXD					
29 mm	SUN-229M	\$13.15	SUN-229ZM		SUN-229MD		SUN-229MXD					
30 mm	SUN-230M	\$13.25	SUN-230ZM		SUN-230MD		SUN-230MXD					
31 mm	SUN-231M	\$12.95	SUN-231ZM		SUN-231MD		SUN-231MXD	\$68.55				
32 mm	SUN-232M	\$13.25	SUN-232ZM		SUN-232MD							
33 mm	SUN-233M	\$14.45	SUN-233ZM		SUN-233MD							
34 mm	SUN-234M	\$15.95	SUN-234ZM		SUN-234MD		SUN-234MXD	\$80.15				
35 mm	SUN-235M	\$19.05	SUN-235ZM		SUN-235MD		SUN-235MXD	\$94.85				
36 mm	SUN-236M	\$19.05	SUN-236ZM		SUN-236MD					600 OF		007.75
3/8"	SUN-212	\$6.25	SUN-212Z	\$5.35	SUN-212D	\$11.45			SUN-212U	\$23.05	SUN-212UD	\$27.75
7/16" 1/2"	SUN-214	\$6.65	SUN-214Z	\$6.15	SUN-214D	\$10.15 \$10.15		\$27.25	SUN-214U SUN-216U	\$25.55		\$26.15
9/16"	SUN-216 SUN-218	\$6.65 \$6.55	SUN-216Z SUN-218Z	\$6.15 \$6.15	SUN-216D SUN-218D	\$10.15	SUN-216XD SUN-218XD	\$28.35	SUN-2180 SUN-2180	\$24.25 \$24.65	SUN-216UD SUN-218UD	\$29.05
5/8"	SUN-218 SUN-220	\$7.75	SUN-2182 SUN-220Z	\$7.75	SUN-218D SUN-220D	\$11.35	SUN-210XD SUN-220XD	\$28.75	SUN-2180	\$24.85	SUN-220UD	\$28.85
11/16"	SUN-220	\$7.95	SUN-2202	\$8.15	SUN-222D	\$11.75	SUN-222XD	\$29.35	SUN-2220	\$26.65	SUN-22200D	\$29.85
3/4"	SUN-222	\$7.85	SUN-224Z	\$8.15	SUN-222D	\$12.55	SUN-224XD	\$29.05	SUN-224U	\$26.45	SUN-224UD	\$30.15
13/16"	SUN-226	\$8.55	SUN-226Z	\$8.25	SUN-226D	\$13.25	SUN-226XD	\$31.05	SUN-226U	\$26.65	SUN-226UD	\$30.35
7/8"	SUN-228	\$8.95	SUN-228Z	\$8.15	SUN-228D	\$13.75	SUN-228XD	\$32.05	SUN-228U	\$27.25	SUN-228UD	\$31.05
15/16"	SUN-230	\$10.25	SUN-230Z	\$9.35	SUN-230D	\$16.65	SUN-230XD	\$30.25	SUN-230U	\$29.45	SUN-230UD	\$32.65
1"	SUN-232	\$11.45	SUN-232Z	\$9.95	SUN-232D	\$17.95	SUN-232XD	\$35.05	SUN-232U	\$29.45		
1-1/16"	SUN-234	\$12.55	SUN-234Z	\$11.55	SUN-234D	\$19.55	SUN-234XD	\$37.75	SUN-234U	\$29.45		
1-1/8"	SUN-236	\$13.25	SUN-236Z	\$12.85	SUN-236D	\$20.95	SUN-236XD	\$41.75	SUN-236U	\$29.45		
1-3/16"	SUN-238	\$13.95	SUN-238Z	\$13.15	SUN-238D	\$22.15	SUN-238XD	\$45.45	SUN-238U	\$29.45		
1-1/4"	SUN-240	\$14.45	SUN-240Z	\$13.45	SUN-240D	\$23.05	SUN-240XD	\$46.45	SUN-240U	\$29.45		
1-5/16"	SUN-242	\$14.65	SUN-242Z	\$15.05	SUN-242D	\$25.55	SUN-242XD	\$49.35				
1-3/8"	SUN-244	\$16.55	SUN-244Z	\$16.35	SUN-244D	\$26.65	SUN-244XD	\$53.25				
1-7/16"	SUN-246	\$32.75	SUN-246Z	\$17.65	SUN-246D	\$26.65	SUN-246XD	\$53.55				
1-1/2"	SUN-248	\$18.95	SUN-248Z	\$19.65	SUN-248D	\$25.85	SUN-248XD	\$55.75				



#### **Open Stock Impact Sockets**

3/4" Dri



					1	'Drive	6 sh	allow	6 Dee	n
4" Drive	6 Sh	allow	6 Dee	p		19 mm	SUN-519M	\$28.85	SUN-519MD	\$38.15
19 mm	SUN-419M		SUN-419MD	\$23.75		21 mm	SUN-521M	\$28.85	SUN-521MD	\$38.15
20 mm	SUN-420M		SUN-420MD	\$24.45		22 mm	SUN-522M	\$29.45	SUN-522MD	\$38.45
21 mm 22 mm	SUN-421M SUN-422M		SUN-421MD SUN-422MD	\$24.15 \$24.75		23 mm 24 mm	SUN-523M	\$29.85 \$30.15	SUN-523MD	\$38.75 \$39.05
22 mm	SUN-422M		SUN-422MD	\$25.35		24 mm 25 mm	SUN-524M SUN-525M	\$30.15	SUN-524MD SUN-525MD	\$39.05
24 mm	SUN-424M		SUN-424MD	\$25.05		26 mm	SUN-526M	\$28.85	SUN-526MD	\$39.05
25 mm	SUN-425M	\$16.15	SUN-425MD	\$25.35		27 mm	SUN-527M	\$33.45	SUN-527MD	\$39.45
26 mm	SUN-426M		SUN-426MD	\$25.75		28 mm	SUN-528M	\$33.45		
27 mm	SUN-427M SUN-428M		SUN-427MD	\$25.75		29 mm	SUN-529M	\$33.35	SUN-529MD	\$41.35
28 mm 29 mm	SUN-420M		SUN-428MD SUN-429MD	\$26.05 \$26.75		30 mm 32 mm	SUN-530M SUN-532M	\$35.45 \$35.45	SUN-530MD SUN-532MD	\$41.75 \$42.65
30 mm	SUN-430M		SUN-430MD	\$26.35		33 mm	SUN-533M	\$35.65	SUN-533MD	\$46.35
31 mm	SUN-431M	\$25.25	SUN-431MD	\$28.25		35 mm	SUN-535M	\$36.85	SUN-535MD	\$43.45
32 mm	SUN-432M		SUN-432MD	\$28.95		36 mm	SUN-536M	\$36.85	SUN-536MD	\$44.45
33 mm	SUN-433M		SUN-433MD	\$31.45		38 mm	SUN-538M	\$37.25	SUN-538MD	\$45.05
34 mm 35 mm	SUN-434M SUN-435M		SUN-434MD SUN-435MD	\$37.55 \$31.65		40 mm 41 mm	SUN-540M SUN-541M	\$37.85 \$39.55	SUN-540MD SUN-541MD	\$45.45 \$45.45
36 mm	SUN-435M		SUN-435MD	\$31.75		41 mm 42 mm	SUN-541M	\$39.55	SUN-541MD	\$49.95
38 mm	SUN-438M		SUN-438MD	\$32.05		46 mm	SUN-546M	\$42.95	SUN-546MD	\$56.15
40 mm	SUN-440M	\$25.95	SUN-440MD	\$37.65		50 mm	SUN-550M	\$50.85	SUN-550MD	\$114.75
41 mm	SUN-441M		SUN-441MD	\$37.95		52 mm	SUN-552M	\$54.25		
42 mm	SUN-442M		SUN-442MD	\$40.75		54 mm	SUN-554M	\$54.25	SUN-554MD	\$89.15
43 mm 44 mm	SUN-443M SUN-444M		SUN-443MD SUN-444MD	\$45.35 \$46.95		55 mm 56 mm	SUN-555M SUN-556M	\$61.55 \$61.25	SUN-555MD SUN-556MD	\$94.65 \$95.65
45 mm	SUN-444M		30N-444IVID	040.00		58 mm	SUN-558M	\$66.05	2014-22014ID	\$33.03
46 mm	SUN-446M		SUN-446MD	\$47.55		60 mm	SUN-560M	\$75.35	SUN-560MD	\$106.05
47 mm	SUN-447M	\$37.55	SUN-447MD	\$50.05		65 mm	SUN-565M	\$81.45	SUN-565MD	\$144.35
48 mm	SUN-448M		SUN-448MD	\$49.85		70 mm	SUN-570M	-	SUN-570MD	
49 mm	SUN-449M		SUN-449MD	\$56.25		3/4"	SUN-524	\$29.65	SUN-524D	\$38.75
50 mm 52 mm	SUN-450M SUN-452M		SUN-450MD SUN-452MD	\$56.55 \$66.45		13/16" 7/8"	SUN-526 SUN-528	\$29.75 \$29.65	SUN-526D SUN-528D	\$38.75 \$42.05
54 mm	SUN-454M			000.40		15/16"	SUN-520	\$30.45	SUN-528D	\$42.05
55 mm	SUN-455M		SUN-455MD	\$90.15		1"	SUN-532	\$30.45	SUN-532D	\$43.65
56 mm	SUN-456M					1-1/16"	SUN-534	\$31.95	SUN-534D	\$44.25
60 mm	SUN-460M		SUN-460MD	\$102.25		1-1/8"	SUN-536	\$31.95	SUN-536D	\$45.65
63 mm 65 mm	SUN-463M SUN-465M		SUN-465MD	\$108.45		1-3/16" 1-1/4"	SUN-538 SUN-540	\$31.95 \$32.95	SUN-538D SUN-540D	\$46.35 \$46.15
5/8"	SUN-420	\$15.65	SUN-405MD	\$24.15		1-5/16"	SUN-542	\$33.05	SUN-540D	\$46.05
11/16"	SUN-422	\$15.65	SUN-422D	\$24.15		1-3/8"	SUN-544	\$33.65	SUN-544D	\$51.65
3/4"	SUN-424	\$17.35	SUN-424D	\$24.15		1-7/16"	SUN-546	\$33.25	SUN-546D	\$60.05
13/16"	SUN-426	\$17.35	SUN-426D	\$24.15		1-1/2"	SUN-548	\$33.85	SUN-548D	\$52.45
7/8" 15/16"	SUN-428 SUN-430	\$17.35 \$17.35	SUN-428D SUN-430D	\$24.15 \$23.35		1-9/16" 1-5/8"	SUN-550 SUN-552	\$34.55 \$35.25	SUN-550D SUN-552D	\$51.95 \$51.25
1"	SUN-430	\$17.35	SUN-430D	\$25.35		1-11/16"	SUN-554	\$36.05	SUN-554D	\$64.25
1-1/16"	SUN-434	\$17.35	SUN-434D	\$25.95		1-3/4"	SUN-556	\$41.45	SUN-556D	\$57.35
1-1/8"	SUN-436	\$17.65	SUN-436D	\$28.25		1-13/16"	SUN-558	\$42.45	SUN-558D	\$60.35
1-3/16"	SUN-438	\$17.65	SUN-438D	\$28.95		1-7/8"	SUN-560	\$45.45	SUN-560D	\$63.65
1-1/4" 1-5/16"	SUN-440 SUN-442	\$18.05 \$19.65	SUN-440D SUN-442D	\$28.95 \$31.45		1-15/16" 2"	SUN-562 SUN-564	\$52.25 \$52.15	SUN-562D SUN-564D	\$70.05 \$79.15
1-3/8"	SUN-442 SUN-444	\$19.75	SUN-442D	\$34.35		2-1/16"	SUN-566	\$54.35	SUN-566D	\$78.95
1-7/16"	SUN-446	\$22.65	SUN-446D	\$33.35		2-1/8"	SUN-568	\$54.65	SUN-568D	\$88.45
1-1/2"	SUN-448	\$22.65	SUN-448D	\$35.25		2-3/16"	SUN-570	\$54.75	SUN-570D	\$87.95
1-9/16"	SUN-450	\$27.25	SUN-450D	\$36.05		2-1/4"	SUN-572	\$56.25	SUN-572D	\$89.45
1-5/8" 1-11/16"	SUN-452	\$29.75 \$33.65	SUN-452D	\$37.35 \$40.65		2-5/16"	SUN-574	\$58.55	SUN-574D	\$97.05
1-11/16" 1-3/4"	SUN-454 SUN-456	\$33.65 \$35.65	SUN-454D SUN-456D	\$40.65 \$41.95		2-3/8" 2-7/16"	SUN-576 SUN-578	\$65.55 \$68.85	SUN-576D SUN-578D	\$106.65 \$112.65
1-13/16"	SUN-458	\$37.05	SUN-458D	\$45.45		2-1/2"	SUN-578	\$71.85	SUN-578D	\$122.25
1-7/8"	SUN-460	\$37.75	SUN-460D	\$45.55		2-9/16"	SUN-582	\$77.35	SUN-582D	\$127.75
1-15/16"	SUN-462	\$39.65	SUN-462D	\$46.85		2-5/8"	SUN-584	\$86.75	SUN-584D	\$137.45
2"	SUN-464	\$41.65	SUN-464D	\$48.15		2-11/16"	SUN-586	\$90.55	SUN-586D	\$140.25
2-1/16" 2-1/8"	SUN-466 SUN-468	\$48.45 \$54.25	SUN-466D SUN-468D	\$65.35 \$82.25		2-3/4" 2-13/16"	SUN-588 SUN-590	\$92.75 \$99.85	SUN-588D SUN-590D	\$146.75 \$165.05
2-3/16"	SUN-470	\$57.85	SUN-470D	\$85.15		2-13/10 2-7/8"	SUN-592	\$112.25	SUN-590D	\$168.45
2-1/4"	SUN-472	\$59.25	SUN-472D	\$88.25		2-15/16"	SUN-594	\$117.95	SUN-594D	\$186.15
2-5/16"	SUN-474	\$62.55	SUN-474D	\$88.45		3"	SUN-596	\$136.35	SUN-596D	\$201.55
2-3/8"	SUN-476	\$70.55	SUN-476D	\$99.85		3-1/8"	SUN-5100		SUN-5100D	\$207.45
2-7/16" 2-1/2"	SUN-478 SUN-480	\$70.55 \$72.25	SUN-478D SUN-480D	\$100.95 \$105.75		3-1/4" 3-3/8"	SUN-5104 SUN-5108		SUN-5104D SUN-5108D	\$210.65 \$214.05
2-1/2" 2-9/16"	SUN-480 SUN-482	\$78.25	SUN-480D SUN-482D	\$118.35		3-3/8" 3-1/2"	SUN-5108 SUN-5112		SUN-5108D SUN-5112D	\$214.05
2-5/8"	SUN-484	\$82.65	SUN-484D	\$121.35		3-5/8"	SUN-5116		SUN-5112D	\$404.45
2-11/16"	SUN-486	\$85.25	SUN-486D	\$124.25		3-3/4"	SUN-5120	\$329.05	SUN-5120D	\$449.35
2-3/4"	SUN-488	\$87.35	SUN-488D	\$129.15		3-7/8"	SUN-5124		SUN-5124D	\$498.55
2-13/16"	SUN-490	\$90.25	SUN-490D	\$131.45		4" 4 1/0"	SUN-5128		SUN-5128D	\$660.75
2-7/8" 2-15/16"	SUN-492 SUN-494	\$104.15 \$111.25	SUN-492D SUN-494D	\$134.65 \$157.35		4-1/8" 4-1/4"	SUN-5132 SUN-5136		SUN-5132D	\$724.75
3"	SUN-494 SUN-496	\$130.65	SUN-494D SUN-496D	\$169.05		4-1/4" 4-1/2"	SUN-5136 SUN-5140		SUN-5140D	\$760.15
-							00.1 01 10		March 20	

January – March 2024 | 157



#### **Breaker Bars/Flex Handles**



Head swivels 180°

#### Maximum torgue: 376 ft-lb

#### TIT-12018 18" \$67.45 TIT-12024 \$70.85 24"

#### TITAN

TITAN

#### **Heavy Duty Breaker Bars**

Item #	Drive	Length	Max. Torque	
TIT-12047	1/2"	30"	335 ft-lb	\$56.25
TIT-12048	3/4"	40"	1,000 ft-lb	\$131.75
TIT-12049	1"	40"	1,855 ft-lb	\$163.05

#### TIT-11617 **\$63<sup>35</sup>**

#### 18.5" Long 3-in-1 Breaker Bar

- Breaker bar drive size: 1/2'
- Ratchet drive sizes: 3/8" and 1/2"
- Max. torque: 3/8" drive: 175 ft-lb 1/2" drive: 405 ft-lb



GU GEARWRENCH

TITAN

#### **Full Flex Handles / Breaker Bars**


Item #	Drive	Length	
GWR-81221	3/8"	12"	\$48.15
GWR-81307	1/2"	15"	\$62.75
GWR-81308D	1/2"	24"	\$68.85

#### Socket Adapters/Universal Joint Adapters

#### 

#### VIM-WSA100 \$66<sup>35</sup>

#### **3-Pc Wobble Socket Adapter Set** for Box Wrenches




- a wobble square drive
- Includes: 1/4" x 10mm, 3/8" x 14mm, 1/2" x 19mm • 2-step wobble drive can swivel up to 15° or lock in
- fixed position by pushing socket further in



#### TIT-40000 \$101<sup>95</sup>

#### 8-Pc Impact Socket Adapter Set

- 1" (F) x 3/4" (M)
- 3/4" (F) x 1/2" (M) • 1/2" (F) x 3/8" (M) • 3/8" (F) x 1/4" (M)
- 1/4" (F) x 3/8" (M) 3/8" (F) x 1/2" (M)



#### TIT-30936 **\$16<sup>85</sup>**

#### **3-Pc Low Profile**

#### **Impact Adapter Set** • 1/2" (F) to 3/4" (M)

- 1/4" (F) to 3/8" (M)
- 3/8" (F) to 1/2" (M)



TAN

#### Impact Adapters

Impact A	uapters		10050	
Item #	Size/Description		42356	42358
TIT-42356	1/2" (F) x 3/4" (M) Increasing Adapter	\$9.65	and the second	Press.
TIT-42358	3/4" (F) x 1" (M) Increasing Adapter	\$23.25	-	
TIT-42357	3/4" (F) x 1/2" (M) Reducing Adapter	\$18.35	42357	42359
TIT-42359	1" (F) x 3/4" (M) Reducing Adapter	\$33.85	No.	No.

#### TIT-16150 \$83<sup>25</sup>

5-Pc Pin-Free Locking Impact **Universal Joint Adapter Set** • 1/4" to 3/8" drive • 3/8" to 1/2" drive

• 3/8" to 1/4" drive • 1/2" to 3/8" drive

• 1/2" to 3/4" drive

# TITAN

#### **Impact Adapters**

Item #	Size	
SUN-3303	3/8"(F) x 1/4"(M)	\$12.55
SUN-2303	1/2"(F) x 3/8"(M)	\$22.75
SUN-4305	3/4"(F) x 1/2"(M)	\$44.65
SUN-5305	1"(F) x 3/4"(M)	\$67.85

SUNEX



GU GEARWRENCH

#### GWR-81205 **\$191<sup>25</sup>**

- 10-Pc 1/4", 3/8", and 1/2" Drive **Universal Adapter Set**
- Universal joints: 1/4", 3/8" drive • Impact univ. joints: 1/4", 3/8", 1/2" drive
- Adapters:
- 1/4" F x 3/8" M; 3/8" F x 1/4" M; 3/8" F x 1/2" M; 1/2" F x 3/8" M; 1/2" F x 3/4" M

#### (C CRESCENT

#### eSHOK-GUARD<sup>™</sup> - 1000V Socket Isolator

• Withstands impact applications

Ite	m #	Drive	
CRE	-CAEAD316	1/4"	\$18.95
CRE	-CAEAD324	3/8"	\$20.45
CRE	-CAEAD332	1/2"	\$21.95











#### Socket Adapters/Universal Joint Adapters



#### Female Torx<sup>®</sup> & Female Torx Plus<sup>®</sup> Bit Sockets



G GEARWRENCH









OTC-6100 \$6195

12-Pc Standard Torx® Socket Set

• 1/4", 3/8", 1/2" drives



10-Pc Stubby Tamper Resistant Torx® **Impact Bit Socket Set** 

- 1/4" drive: TR10, TR15, TR20, TR25, TR27, & TR30
- 3/8" drive: TR40, TR45, TR47, & TR50



VIM-IMPACT-HCT6 **\$118**<sup>45</sup>


**Torx® Impact Driver Set** 

鳳 凰 10 22 CT#TOT#FR

VIM-HCT1050A \$7545 10-Pc 1/4" Drive Torx® & Torx Plus® Half Cut Stubby Driver Set

• 6" green Magrail™

#### Torx<sup>®</sup> & Torx<sup>®</sup> Plus Bit Sockets



#### **Hexagonal Bit Sockets**



Item #	Drive	Count	Range	
STUBBY Len	igth			
SUN-3646	3/8"	16-Piece	6mm –19mm 1/4" – 3/4"	\$84.05
SHALLOW Le	ength			
SUN-2639	1/2"	10-Piece	6mm – 19mm	\$128.25
SUN-2638	1/2"	10-Piece	1/4" – 3/4"	\$128.15
SUN-4507	3/4"	5-Piece	14mm – 24mm	\$168.05
SUN-4506	3/4"	5-Piece	3/4" – 1-1/4"	\$168.05
SUN-5607	1"	6-Piece	14mm – 27mm	\$288.35
SUN-5606	1"	6-Piece	3/4" – 1-3/8"	\$295.15
EXTENDED L	.ength			
SUN-2639L	1/2"	10-Piece	6mm – 19mm	\$174.15
SUN-2638L	1/2"	10-Piece	1/4" - 3/4"	\$174.15
SUN-2637L	1/2"	20-Piece	6mm –19mm 1/4" – 3/4"	\$312.55



SUN-9921 **\$123<sup>85</sup>** 14-Pc 3/8" Drive Long

Ball Hex & Hex Bit Socket Set • 3mm – 10mm





**Hex Bit Impact Socket Sets** Size Range Piece Count Item # Drive 4mm – 12mm 3/16" – 1/2" GRY-1298HC 3/8" 13-Piece \$212.35 \$148.75 GRY-1498MH 1/2" 10-Piece 6mm - 19mm 1/4" - 3/4" GRY-1398H 1/2" \$148.75 10-Piece 6mm –18mm 1/4" – 3/4" (19mm) GRY-1598HC 1/2" 18-Piece \$275.05

S	U	Ν	E)	X®
Т	0	0	1	S

Individual Hex Bit Impact Sockets



Item #	Size		Item #	Size	
3/8" Drive					
SUN-36481	4mm	\$10.45	SUN-36471	3/16"	\$10.45
SUN-36482	5mm	\$10.45	SUN-36472	7/32"	\$10.45
SUN-36483	6mm	\$10.45	SUN-36473	1/4"	\$10.4
SUN-36484	7mm	\$10.45	SUN-36474	5/16"	\$10.4
SUN-36485	8mm	\$10.45	SUN-36475	3/8"	\$10.4
SUN-36486	9mm	\$10.45	SUN-36476	7/16"	\$10.4
SUN-36487	10mm	\$10.45	SUN-36477	1/2"	\$10.4
SUN-36488	12mm	\$10.45	SUN-36479	5/8"	\$10.2
SUN-36489	14mm	\$10.25			
1/2" Drive					
SUN-26491	6mm	\$14.55	SUN-26481	1/4"	\$14.6
SUN-26492	7mm	\$14.55	SUN-264811	9/32"	\$12.7
SUN-26493	8mm	\$14.55	SUN-26482	5/16"	\$14.5
SUN-26495	10mm	\$14.65	SUN-26483	3/8"	\$14.6
SUN-264914	11mm	\$13.75	SUN-26484	7/16"	\$14.6
SUN-26496	12mm	\$14.55	SUN-26485	1/2"	\$14.6
SUN-26497	14mm	\$14.65	SUN-26486	9/16"	\$14.6
SUN-264912	15mm	\$14.65	SUN-26487	5/8"	\$14.6
SUN-26499	17mm	\$14.65	SUN-26488	11/16"	\$14.5
SUN-264913	18mm	\$14.55	SUN-26489	3/4"	\$14.5
SUN-264910	19mm	\$12.95			
3/4" Drive					
SUN-450714	14mm	\$34.85	SUN-45061	3/4"	\$38.2
SUN-450717	17mm	\$34.85	SUN-45062	7/8"	\$38.2
SUN-450719	19mm	\$34.85	SUN-45063	1"	\$38.2
SUN-450722	22mm	\$34.85	SUN-45064	1-1/8"	\$38.2
SUN-450724	24mm	\$34.85	SUN-45065	1-1/4"	\$38.2

TITAN



Item #	Size kange	
TIT-16131	13mm – 22mm	\$87.35
TIT-16130	9/16" - 7/8"	\$83.05




16131

#### **Hexagonal Bit Sockets** GW GEARWRENCH 80580 Hex Bit **Socket Sets** Item # Drive Piece Count Size Range GWR-80580 3/8" 12-Piece 2mm – 12mm \$115.35 10-Piece 4mm – 17mm \$110.55 GWR-80578 3/8" & 1/2" GWR-80581 3/8" 12-Piece 1/16" - 3/8" \$102.65 GWR-80720 1/2" 7-Piece \$94.75 6mm - 19mm GWR-80721 1/2" 7-Piece 5/16" - 3/4" \$83.65 92 **\$194**55 VIM-HMS26

26-Pc Master Hex Bit Socket Set • (13) Metric: 2.5mm - 19mm • (13) SAE: 1/8" - 3/4"

10-Pc 3/8" Sq. Drive **Hex Driver Sets**  Dark gun metal gray plating

IMPACT-VI6



54.6.7, E

90

IMPACT-VM6



13784/ 13785









Hex Bit Sackat Sate

JUCKEL JEL	3		22722700702		
Item #		Drive	Piece Count	Size Range	
ATD-13785		1/4", 3/8", 1/2"	13-Piece	2mm – 14mm	\$46.55
ATD-13784		1/4", 3/8", 1/2"	13-Piece	5/64" – 1/2"	\$43.45
ATD-13787		3/8"	7-Piece	<b>4.5" Extra Long</b> 3mm – 10mm	\$39.05
ATD-13786		3/8"	7-Piece	<b>4.5" Extra Long</b> 1/8" – 3/8"	\$41.85
ATD-13794	0	1/4", 3/8", 1/2"	13-Piece	5/64" - 9/16"	\$49.15

#### **Triple Square/XZN Bit Sockets**



#### **MorTorg® Bit Sockets Triple Square/XZN Bit Sockets** AD CTA-8140 \$63<sup>75</sup> 5-Pc MorTorg® **10-Pc Triple Square XZN** Super Socket Set **Bit Socket Set** Sizes: M0, M1, M2, M3, M4, all 3/8" square drive Services new fasteners found on many GM, Chrysler, BMW, Nissan, Honda & Fiat • XZN: M4 - M12 • Tamperproof XZN: M14-M18 • 1/4". 3/8". 1/2" drives Item # Length ATD-13782 Standard \$56.65 VIM-MTS02 **\$1965** da bay ATD-13781 4" Extra Long \$77.05 3/8" Drive MorTorg® Super Driver Bit Socket • Size: 2

#### **Combination Bit Socket Sets**



### 50-Pc 1/4" Drive Stubby

- (10) Hex SAE: 5/64" 3/8"
- (10) Hex metric: 2mm 10mm
- (2) Phillips: #1, #2
- (2) Slotted: 1/4" & 3/8"
- (8) XZN: XZN4 XZN12



## ★₩₩

#### GWR-80742 **\$264**55

G GEARWRENCH

#### 84-Pc Master SAE/Metric Hex & Torx® Bit Socket Set 1/4" Drive:

- Hex bits: 1/8" to 1/4", 2.5mm to 6mm
- Torx<sup>®</sup> bits: T8 to T27 Tamper proof Torx<sup>®</sup>: T8 to T30
- Torx<sup>®</sup> long: T8 to T30 E-Torx<sup>®</sup>: E4 to E8

#### 3/8" Drive:

- Hex bits: 7/32" to 3/8", 6mm to 10mm
- Long ball Hex: 4mm to 10mm
- Torx<sup>®</sup> bits: T30 to T55 Tamper proof Torx<sup>®</sup>: T40 to T55
- Torx<sup>®</sup> long: T40 to T50 E-Torx<sup>®</sup>: E10 to E16

#### 1/2" Drive:


- Hex bits: 7/16" to 3/4", 10mm to 19mm
- Torx<sup>®</sup> bits: T60 Tamper proof Torx<sup>®</sup>: T60 E-Torx<sup>®</sup>: E18 to E24



#### SUN-3569 \$37315

#### 84-Pc 3/8" Drive Master **Impact Bit Socket Set**

- Long Hex drivers: 4 12mm, 3/16" 1/2"
- Hex drivers: 6 9mm, 1/4" 3/4" • Hex sockets: 4 - 14mm, 3/16" - 5/8
- Torx<sup>®</sup> sockets: T20 T55 • Female Torx<sup>®</sup> sockets: E5 – E16
- Tamperproof Torx®: T10H T50H
- Triple square: M4 M16



# SUNEX<sup>®</sup> OOLS



#### VIM-MMS64 \$422<sup>25</sup> 64-Pc 1/4", 3/8", 1/2" Drive


- **Stubby Bit Socket Set**
- For hand and power tools
- Torx<sup>®</sup>: T10 T70
- Tamperproof Torx®: TR10 TR55
- Female Torx®: E4 E20
- Hex SAE: 1/8" 3/4"
- Hex metric: 2.5mm 22mm






VIM-MMS450 **\$257<sup>85</sup>** 

#### **Bit Socket Set**





- (8) Torx<sup>®</sup> Plus: IP15 IP50
- (10) Torx®: T8-T50







#### **Combination Non Ratcheting Wrenches**

TITAN

Item #

TIT-17330

TIT-17329

**STANDARD Sizes** 

STANDARD 9714A	STUBBY 9930M	<b>V-GROOVE</b> 9917МА <b>JUMBO</b> 97010A	
SUNEX®	Combination Wrench Sets Piece Count	Size Range	
STUBBY Sizes			
SUN-9930M	10-Piece	10mm – 19mm	\$67.85
SUN-9930	11-Piece	3/8" – 1"	\$81.75
<b>STANDARD</b> Si			
SUN-9715A	14-Piece	6mm – 19mm	\$85.55
SUN-9917MA	12-Piece	8mm – 19mm with \	/-GROOVE \$82.45
SUN-9605MA	5-Piece	20mm – 24mm	\$56.45
SUN-9606MA	6-Piece	25mm – 32mm	\$115.55
SUN-9714A	14-Piece	3/8" – 1-1/4"	\$107.15
SUN-9915A	14-Piece	3/8" – 1-1/4" with V	-GROOVE <b>\$146.25</b>
JUMBO Sizes			
SUN-9707MA	7-Piece	33mm – 50mm	\$228.35
SUN-9707A	7-Piece	1-5/16" – 2"	\$239.25
SUN-97010A	10-Piece	1-5/16" – 2"	\$349.75
SUN-9604	4-Piece	2-1/8" - 2-1/2"	\$477.65

#### **Individual Jumbo Combination Wrenches**

Item #	Size		Item #	Size	
SUN-933A	33mm	\$31.35	SUN-952A	1-5/8"	\$55.65
SUN-934A	34mm	\$34.95	SUN-954A	1-11/16"	\$51.65
SUN-936A	36mm	\$38.65	SUN-956A	1-3/4"	\$58.95
SUN-938A	38mm	\$44.35	SUN-960A	1-7/8"	\$77.85
SUN-941A	41mm	\$47.95	SUN-962A	1-13/16"	\$81.95
SUN-946A	46mm	\$66.25	SUN-964A	2"	\$92.75
SUN-950A	50mm	\$77.35	SUN-968	2-1/8"	\$121.75
SUN-942A	1-5/16"	\$35.15	SUN-972	2-1/4"	\$132.55
SUN-944A	1-3/8"	\$36.95	SUN-976	2-3/8"	\$139.75
SUN-945A	1-7/16"	\$40.55	SUN-980	2-1/2"	\$157.65
SUN-948A	1-1/2"	\$48.15			

#### GWR-81925 **\$119<sup>55</sup>**

14-Pc 6 Point Metric **Combination Wrench Set** 

• 6mm to 19mm

- 15° offset box end
- Comes in a roll pouch

#### 16-Piece 10mm – 32mm 3/8" - 1-1/4" 14-Piece

**12 Point Combination** Wrench Sets

**Piece Count** 

JUMBO Sizes			
TIT-17292	10-Piece	30mm – 42mm	\$206.85
TIT-17289	7-Piece	34mm – 50mm	\$211.05
TIT-17288	10-Piece	1-5/16" – 2"	\$291.35
TIT-17290	6-Piece	1-3/8" – 2"	\$206.85
TIT-17291	4-Piece	2-1/8" – 2-1/2"	\$299.75

17330

Size Range

#### ĒŊ

**(12**)

**Raised Panel Combination Wrench Sets** 

\$82.45

\$80.25

Item #	Piece Count	Size Range		NP
STANDARD S	ize			
TBQ-5116M	16-Piece	10mm – 32mm	In a Roll Pouch	\$72.05
TBQ-6014	14-Piece	3/8" – 1-1/4"	In a Roll Pouch	\$70.95
JUMBO Size				
TBQ-5110MJ	10-Piece	30mm – 42mm		\$141.65
TBQ-6010J	10-Piece	1-5/16" – 2"		\$200.65
TBQ-6004J	4-Piece	2-1/8" – 2-1/2"		\$206.65

#### PLATINUM

PLATING Long Pattern Combination	<b>W</b>	ĨĨĨĨĨĬĬ	
Item #	Piece Count	Size Range	
ATD-PLT99570	17-Piece	8mm – 24mm	\$198.15
ATD-PLT99550	17-Piece	1/4" – 1-1/4"	\$233.65



#### GWR-81900 \$376<sup>95</sup>

24-Pc 12 Point SAE/Metric Long Pattern **Combination Wrench Set** • 1/2" to 1' • 8mm to 22mm

#### GWR-81903 **\$216<sup>55</sup>** 20-Pc 12 Point SAE/Metric **Stubby Combination** Wrench Set

• 3/8" to 15/16"

- 10mm to 19mm
- Offset box end for increased access





6



#### Combination Ratcheting Wrenches

GШ

• 9000/910	0 Series a	are 72-Tooth	86000 Serie	es are 90-	Tooth.
Item #	Size		Item #	Size	
GWR-86906	6mm	\$24.85	GWR-86940	1/4"	\$24.85
GWR-86907	7mm	\$26.35	GWR-86941	5/16"	\$26.35
GWR-86908	8mm	\$27.85	GWR-86942	11/32"	\$27.85
GWR-86909	9mm	\$26.05	GWR-86943	3/8"	\$26.25
GWR-86910	10mm	\$27.15	GWR-86944	7/16"	\$27.25
GWR-86911	11mm	\$28.05	GWR-86945	1/2"	\$28.85
GWR-86912	12mm	\$29.15	GWR-86946	9/16"	\$33.65
GWR-86913	13mm	\$30.35	GWR-86947	5/8"	\$35.15
GWR-86914	14mm	\$32.05	GWR-86948	11/16"	\$38.05
GWR-86915	15mm	\$33.55	GWR-86949	3/4"	\$40.95
GWR-86916	16mm	\$34.95	GWR-86950	13/16"	\$49.75
GWR-86917	17mm	\$36.55	GWR-86951	7/8"	\$51.25
GWR-86918	18mm	\$38.25	GWR-86952	15/16"	\$60.05
GWR-86919	19mm	\$39.45	GWR-86953	1"	\$61.45
GWR-86920	20mm	\$49.75	GWR-86954	1-1/16"	\$65.85
GWR-86921	21mm	\$51.25	GWR-86955	1-1/8"	\$76.15
GWR-86922	22mm	\$52.75	GWR-86956	1-1/4"	\$86.35
GWR-86924	24mm	\$60.05	GWR-9060D	1-5/16"	\$86.35
GWR-86925	25mm	\$61.45	GWR-9062D	1-3/8"	\$87.85
GWR-9127D	27mm	\$65.85	GWR-9040	1-7/16"	\$109.85
GWR-9130D	30mm	\$73.15	GWR-9042	1-1/2"	\$111.25
GWR-9132	32mm	\$80.55	GWR-9044	1-9/16"	\$128.85
GWR-9134D	34mm	\$87.85	GWR-9046D	1-5/8"	\$130.35
GWR-9141D	41mm	\$125.95	GWR-9048	1-11/16"	\$153.75
GWR-9146D	46mm	\$183.05	GWR-9050D	1-3/4"	\$155.15
GWR-9150	50mm	\$222.55	GWR-9052D	1-13/16"	\$183.05
			GWR-9054D	1-7/8"	\$184.45
			GWR-9056D	2"	\$219.65

#### 90-Tooth Reversible Combination Ratcheting Wrenches

<b>N</b> .	Item #	Size		Item #	Size
	GWR-86608	8mm	\$24.85	GWR-86641	5/16"
1	GWR-86609	9mm	\$24.85	GWR-86642	11/32"
	GWR-86610	10mm	\$27.05	GWR-86643	3/8"
	GWR-86611	11mm	\$29.25	GWR-86644	7/16"
	GWR-86612	12mm	\$31.35	GWR-86645	1/2"
	GWR-86613	13mm	\$33.55	GWR-86646	9/16"
Τ	GWR-86614	14mm	\$35.55	GWR-86647	5/8"
	GWR-86615	15mm	\$37.65	GWR-86648	11/16"
	GWR-86616	16mm	\$39.55	GWR-86650	13/16"
	GWR-86617	17mm	\$41.75	GWR-86651	7/8"
	GWR-86618	18mm	\$46.15	GWR-86652	15/16"
	GWR-86619	19mm	\$46.15	GWR-86653	1"
	GWR-86621	21mm	\$55.65		
	GWR-86622	22mm	\$55.65		
	GWR-86624	24mm	\$65.25		
	GWR-86626	25mm	\$65.25		

#### 90-Tooth Flex-Head Combination Ratcheting Wrenches

1	Item #	Size		Item #	Item # Size
	GWR-86708	8mm	\$35.15	GWR-86741	GWR-86741 5/16"
-	GWR-86709	9mm	\$36.55	GWR-86742	GWR-86742 11/32"
) (	GWR-86710	10mm	\$38.05	GWR-86743	GWR-86743 3/8"
1	GWR-86711	11mm	\$39.55	GWR-86744	GWR-86744 7/16"
1	GWR-86712	12mm	\$40.95	GWR-86745	GWR-86745 1/2"
	GWR-86713	13mm	\$42.45	GWR-86746	GWR-86746 9/16"
	GWR-86714	14mm	\$43.95	GWR-86747	GWR-86747 5/8"
0A 12	GWR-86715	15mm	\$45.35	GWR-86748	GWR-86748 11/16"
1	GWR-86716	16mm	\$46.85	GWR-86749	GWR-86749 3/4"
÷.	GWR-86717	17mm	\$48.25	GWR-86750	GWR-86750 13/16"
	GWR-86718	18mm	\$49.75	GWR-86751	GWR-86751 7/8"
1	GWR-86719	19mm	\$51.25	GWR-86752	GWR-86752 15/16"
-1	GWR-86721	21mm	\$67.35	GWR-86753	GWR-86753 1"
5 4	GWR-86722	22mm	\$68.85		
$\cap$	GWR-86724	24mm	\$79.05		
$\mathbf{U}$	GWR-86725	25mm	\$81.95		

#### **Combination Ratcheting Wrenches**

Milwaukee



Combination Ratcheting Wrench Sets

VVI enc	11 0013	_		
Item #	Head	Pieces	Range	
MLW-48-22-9529	Flex Head	7-Piece	8mm – 17mm	\$255.75
MLW-48-22-9513	Flex Head	15-Piece	8mm – 22mm	\$461.35
MLW-48-22-9413	Flex Head	15-Piece	1/4" — 1"	\$461.35
MLW-48-22-9416	Non-Flex Head	15-Piece	1/4" – 1"	\$275.35







GU GEARWRENCH



Combination **Ratcheting Wrench Sets** 

Item #	Pieces	Range	Mechan.	Packaging	
GWR-9417	7-Pc	8 – 18mm	72-Tooth	Rack	\$76.45
GWR-9412	12-Pc	8 – 19mm	72-Tooth	Tray	\$153.05
GWR-85597	12-Pc	8 – 19mm	72-Tooth	Rack	\$271.35
GWR-86927	12-Pc	8 – 19mm	<b>90</b> 7	Rack	\$196.45
GWR-9416	16-Pc	8 – 24mm	72-Tooth	Rack	\$211.05
GWR-86928	16-Pc	8 – 25mm	<b>90</b> =	Rack	\$321.05
GWR-86958	10-Pc	1/4" – 3/4"	<b>90</b> 7	Rack	\$169.25
GWR-9317	7-Pc	5/16" – 3/4"	72-Tooth	Rack	\$76.45
GWR-9312	13-Pc	1/4" – 1"	72-Tooth	Rack	\$241.25
GWR-86959	14-Pc	1/4" – 1"	<b>90</b> 7	Rack	\$275.65



#### GEARWRENCH



72-Tooth Reversible Combination **Ratcheting Wrench Sets** 

		a contraction of the second
Piece Count	Size Range	
12-Piece	8mm – 19mm	\$241.25
16-Piece	8mm – 25mm	\$369.55
8-Piece	5/16" – 3/4"	\$168.35
13-Piece	5/16" – 1"	\$346.75
	12-Piece 16-Piece 8-Piece	12-Piece         8mm – 19mm           16-Piece         8mm – 25mm           8-Piece         5/16" – 3/4"



9602N

Or



#### GEARWRENCH



**Flex-Head Combination Ratcheting Wrench Sets** 





#### **Double Box Wrenches**

#### GU GEARWRENCH

GWR-86126 \$49755 10-Pc 120XP<sup>™</sup> Universal Spline XL Flex Head GearBox™ Ratcheting **Metric Wrench Set** • 10mm – 19mm







#### 72-Tooth XL GearBox™ **Double Box Ratcheting Wrench Sets**

Item #	Piece Count	Size Range	
GWR-85988	12-Piece	8mm – 19mm	\$376.95
GWR-85998	9-Piece	5/16" - 3/4"	\$228.75



#### 72-Tooth Extra Long Reversible Double Box **Ratcheting Wrenches with Flex Heads**

Item #	Piece Count	Size Range	
SETS			
ATD-PLT99652	2-Piece	21mm – 25mm	\$339.75
ATD-PLT99650	5-Piece	8mm – 19mm	\$381.95
ATD-PLT99750	4-Piece	5/16" - 3/4"	\$293.85
OPEN STOCK			
ATD-PLT99658	Single	8mm x 10mm	\$78.75
ATD-PLT99662	Single	12mm x 14mm	\$90.35
ATD-PLT99663	Single	13mm x 15mm	\$96.75
ATD-PLT99666	Single	16mm x 18mm	\$116.35
ATD-PLT99667	Single	17mm x 19mm	\$124.05
ATD-PLT99755	Single	5/16" x 3/8"	\$80.35
ATD-PLT99757	Single	7/16" x 1/2"	\$92.35
ATD-PLT99759	Single	9/16" x 5/8"	\$98.45
ATD-PLT99761	Single	11/16" x 3/4"	\$127.95



#### EZR-NR5M \$36105

#### 5-Pc Extra Long **Flex Head Spline**

Ratcheting Wrench Set • 8 x 10mm, 12 x 14mm,

13 x 15mm, 16 x 18mm, 17 x 19mm

#### 

#### VIM-FPRW100 \$153<sup>15</sup>

#### 3-Pc Nano Flex 72-Tooth

- **Ratcheting Wrench Set** • Compact size ideal for use in tight spaces including dashboards, door panels, engine bays, or other areas with limited access
- 7x 9mm, 8 x 10mm, 11 x 13mm





#### 5-Pc Double Box Torx<sup>®</sup> Wrench Set

• E6 x E8, E10 x E12, E14 x E16, E18 x E20, E22 x E24



Item #	Piece Count	Size Range	
KT0-1707SR	7-Piece	1/4" – 1-1/8"	\$117.85
KT0-1710MR	10-Piece	6mm – 32mm	\$180.55

#### SUNEX TO OLS

#### Half Moon Wrench Sets

Item #	Piece Count	Size Range	
SUN-9935M	5-Piece	8mm – 22mm	\$53.85
SUN-9935	5-Piece	5/16" - 7/8"	\$51.25



#### SUNEX

#### S-Style Wrench Sets

Item #	Piece Count	Size Range	
SUN-9940M	5-Piece	10mm – 19mm	\$55.65
SUN-9940	5-Piece	5/16" - 3/4"	\$55.65



#### **Open End Wrenches**

#### SUNEX<sup>®</sup>

#### 9914 9914M **Angled Head Open End Wrench Sets** Piece Count Item # Size Range SU SL

SUN-9926         6-Piece         20mm – 25mm         \$96.45           SUN-9927         7-Piece         26mm – 32mm         \$147.45           SUN-9916         6-Piece         1-3/8" – 2"         \$233.05           SUN-9914A         14-Piece         3/8" – 1-1/4"         \$129.05	SUN-9914MA	14-Piece	6mm – 19mm	\$117.45
SUN-9916 6-Piece 1-3/8" – 2" \$233.05	SUN-9926	6-Piece	20mm – 25mm	\$96.45
	SUN-9927	7-Piece	26mm – 32mm	\$147.45
SUN-9914A 14-Piece 3/8" - 1-1/4" <b>\$129.05</b>	SUN-9916	6-Piece	1-3/8" – 2"	\$233.05
	SUN-9914A	14-Piece	3/8" – 1-1/4"	\$129.05



## Wrench Sets

Item #	Piece Count	Size Range	
GRI-90122	9-Piece	8mm – 32mm	\$55.75
GRI-90120	7-Piece	3/8" – 1-1/4"	\$52.65



-MFW100	7-Piece	6mm – 19mm	\$150.45
-MFW200	5-Piece	20mm – 32mm	\$292.65
-SFW100	4-Piece	1/4" – 3/4"	\$97.55



VIM-

#### **Super Thin Open End** Wrench Sets

Item #	Piece Count	Size Range	
ATD-PLT99537	7-Piece	3/8" – 1-1/4"	\$165.95
ATD-PLT99589	9-Piece	8mm – 32mm	\$172.25

#### PLATINUM

**Angled Head** Open End **Wrench Sets** 





**JUMBO** Service Wrench Sets



Item #	Piece Count	Size Range	
GRI-90182	21-Piece	20mm – 50mm	\$271.15
GRI-90185	21-Piece	3/4" – 2"	\$271.15

#### **Flare Nut Wrenches**





**Line Wrench Kits** 

Item #	Piece Count	Size Range	
MUK-457 705	5-Piece	8mm – 12mm	\$160.55
MUK-457 705/SAE	5-Piece	5/16" - 1/2"	\$160.55

#### GU GEARWRENCH

**Flex Head Flare Nut Wrench Sets** 



Item #	Piece Count	Size Range	
GWR-81911D	6-Piece	9mm – 21mm	\$211.05
GWR-81910	5-Piece	1/4" – 7/8"	\$183.65

D

#### GEARWRENCH

#### **Flare Nut Wrench Sets**

• 15° offset wrench heads

Item #	Piece Count	Size Range	
GWR-81906	6-Piece	9mm – 21mm	\$149.25
GWR-81907	6-Piece	1/4" - 7/8"	\$134.95

#### **Crowfoot Wrenches**

# GEARWRENCH



3/8" Drive Crowfoot Wrench Sets

Item #	Piece Count	Size Range	
NON-RATCHE	ETING		
GWR-81909	10-Piece	10mm – 19mm	\$137.75
GWR-81908	11-Piece	3/8" – 1"	\$153.05
RATCHETING			
GWR-89119	10-Piece	10mm – 19mm	\$155.85
GWR-89118	11-Piece	3/8" – 1"	\$171.05





1/2" Drive JUMBO Crowfoot Wrench Sets

Item #	Piece Count	Size Range	
GRI-90152	16-Piece	20mm – 46mm	\$197.75
GRI-90150	14-Piece	1-1/16" – 2"	\$166.65



#### **Crowfoot Wrench Sets**

3/8" Drive FLARE NUT Wrenches           SUN-9710M         10-Piece         10mm – 19mm           SUN-9708         8-Piece         3/8" – 7/8"           1/2" Drive OPEN END Wrenches         SUN-9730A         8-Piece         24mm – 32mm	
SUN-9708         8-Piece         3/8" – 7/8"           1/2" Drive OPEN END Wrenches	
1/2" Drive OPEN END Wrenches	\$61.8
	\$47.8
SUN-9730A 8-Piece 24mm – 32mm	
	\$104.9
SUN-9740A 7-Piece 34mm – 46mm	\$157.1
SUN-9720A 7-Piece 1"-1-1/2"	\$104.7
SUN-9721A 14-Piece 1-1/16" - 2"	\$162.7
SUN-9722A 6-Piece 1-5/8" - 2-1/4"	\$121.4



PLT99370





#### **Crowfoot Wrench Sets**

Item #	Piece Count	Drive	Size Range	
ATD-PLT99450	11-Piece	3/8"	3/8" – 1"	\$102.95
ATD-PLT99370	15-Piece JUMBO	1/2"	1" – 2"	\$251.05
ATD-PLT99380	17-Piece JUMBO	1/2"	20mm – 46mm	\$272.25



VIM-SCF14	1/4"	5mm – 12mm	\$33.05
VIM-SCF38	3/8"	8mm – 17mm	\$41.35
VIM-SCF12	1/2"	14mm – 32mm	\$55.55
VIM-SCF12XL	1/2"	20mm – 48mm	\$117.65
VIM-SCF100	3-Piece	e Set: #SCF14, #SCF38, #SCF12	\$123.75

#### **Adjustable Wrenches**



#### **Adjustable Wrenches**

• Metric scale on one side and SAE scale on the other side

Item #	Length	
ATD-425	<b>4-Piece Set:</b> 6", 8", 10", 12"	\$88.25
ATD-426	6"	\$13.65
ATD-427	8"	\$18.55
ATD-428	10"	\$28.05
ATD-429	12"	\$38.65
ATD-415	15"	\$85.45
ATD-418	18"	\$134.95
ATD-424	24"	\$210.45



#### **Adjustable Chrome Wrenches**

• Metric scale on one side and SAE scale on the other side

Item #	Length	Jaw Capacity	
CRE-AC24VS	4"	1/2" (13mm)	\$21.25
CRE-AC26VS	6"	15/16" (24mm)	\$22.75
CRE-AC28VS	8"	1-1/8" (29mm)	\$25.75
CRE-AC210VS	10"	1-5/16" (34mm)	\$33.35
CRE-AC212VS	12"	1-1/2" (39mm)	\$37.85
CRE-AC215VS	15" (Tapered Handle)	1-11/16" (43mm)	\$69.75
CRE-AC218VS	18" (Tapered Handle)	2-1/16" (53mm)	\$90.95
CRE-AC224VS	24" (Tapered Handle)	2-7/16" (62mm)	\$197.15



#### **Adjustable Wrenches**

Item #	Length	Jaw Capacity	
KT0-3611-06RQ	6"	20mm / 23/32"	\$22.65
KT0-3611-08RQ	8"	25mm / 1"	\$24.75
KT0-3611-10RQ	10"	30mm / 1-3/16"	\$34.45
KT0-3611-12RQ	12"	35mm / 1-13/32"	\$45.65
KTO-3611-15HRQ	15"	43mm / 1-9/16"	\$93.25
KTO-3611-18HRQ	18" (Tapered Handle)	52mm / 2-3/16"	\$196.15
KTO-3611-24HRQ	24" (Tapered Handle)	62mm / 2-11/16"	\$309.95


### IRWIN VISE-GRIP

VIS-2078706 **\$100<sup>15</sup>** 4-Pc Adjustable Wrench Tray Set • Contains: 6", 8", 10" & 12"

#### 

SUN-9618A \$8595 4-Pc Adjustable Wrench Set • 6", 8", 10", 12"

Individual Adjustable Wrenches



#### Slim Jaw **Adjustable Wrenches** • Rubber handle

Item #	Length	
GRI-87020	6"	\$24.95
GRI-87022	8"	\$34.95
GRI-87024	10"	\$46.45

#### Wide Jaw **Adjustable Wrenches**

• Rubber handle

Item #	Length	
SUN-9611	6"	\$41.65
SUN-9612	8"	\$51.95
SUN-9613	10"	\$72.75
SUN-9614	12"	\$104.05



#### TITAN

#### **Adjustable Construction**

- Wrenches
- Laser etched fractional and metric scales on the head
- Continuous tapered handle for use with aligning bolt and rivet holes

Item #	Jaw Capacity	Length	
TIT-211	1-5/16"	10"	\$36.05
TIT-216	1-1/2"	12"	\$53.55



# **Special Application Wrenches**



#### **Adjustable Gland Nut Wrenches**

- · Fits hydraulic cylinders on vehicles with gland nuts
- Reverses to work on pinholes
- Use with ratchet or breaker bar



- Gland nuts: 1" to 3-3/4" / 25mm to 95mm (pin to pin)
- Pinholes 1/4" or 7/32"

#### CTA-8605 \$89<sup>25</sup>

3/4" Drive - Large

- Gland nuts: 2" to 6" /
- 51mm to 152mm (pin to pin) • Pinholes 17/64" or 21/64"

#### **Chain Wrenches**



Item #	Handle Length	Min./Max. Pipe Capacity	Chain Length	
TIT-21370	12"	2" / 4"	17"	\$54.05
TIT-21372	24"	2" / 6-1/2"	21.65"	\$87.35

#### **Strap Wrenches**



#### Self-Tightening Strap Wrench

- Loosen or tighten cylindrical or rectangular objects

#### TIT-21315 **\$28<sup>15</sup>**

TITAN

Lisle

• Use on pipes and fittings, filters, shafts, and irregular shapes

#### TITAN

#### Wrench Accessories







 Helps loosen tight connections in hard to reach areas



Item #	Description	Length	Max. Width	
MUK-745 099	Mini	9"	1/2"	\$64.45
MUK-745 100	Standard	13-3/8"	1"	\$82.05
MUK-745 101	Medium	17.7"	1-1/4"	\$133.55
MUK-745 102	Large	22-7/8"	1-13/16"	\$236.45





#1910PL - 22"

#### **Pipe Wrenches**

CRESCENT

#### CRE-CPW12 **\$37<sup>85</sup>** 12" Long Self-Adjusting Dual Material Pipe Wrench • Jaw capacity: 1.5" (38.1mm)



# 



#### **Heavy-Duty Pipe Wrenches**

TIT-21310         10"         1-1/2"         \$13.65           TIT-21312         12"         1-3/4"         \$17.95           TIT-21314         14"         2"         \$23.85           TIT-21318         18"         2-1/2"         \$32.75           TIT-21324         24"         3"         \$56.35           TIT-21336         36"         5"         \$85.65	Item #	Length	Max. Cap.	
TIT-21312         12"         1-3/4"         \$17.95           TIT-21314         14"         2"         \$23.85           TIT-21318         18"         2-1/2"         \$32.75           TIT-21324         24"         3"         \$56.35           TIT-21336         36"         5"         \$85.65	TIT-21308	8"	1"	\$9.85
TIT-21314         14"         2"         \$23.85           TIT-21318         18"         2-1/2"         \$32.75           TIT-21324         24"         3"         \$56.35           TIT-21336         36"         5"         \$85.65	TIT-21310	10"	1-1/2"	\$13.65
TIT-21318         18"         2-1/2"         \$32.75           TIT-21324         24"         3"         \$56.35           TIT-21336         36"         5"         \$85.65	TIT-21312	12"	1-3/4"	\$17.95
TIT-21324         24"         3"         \$56.35           TIT-21336         36"         5"         \$85.65	TIT-21314	14"	2"	\$23.85
TIT-21336 36" 5" <b>\$85.65</b>	TIT-21318	18"	2-1/2"	\$32.75
• • • • • •	TIT-21324	24"	3"	\$56.35
TIT-21337 48" 6" <b>\$149.85</b>	TIT-21336	36"	5"	\$85.65
	TIT-21337	48"	6"	\$149.85

#### **Aluminum Pipe Wrenches**

Item #	Length	Max. Cap.	
TIT-21330	10"	1-1/2"	\$26.85
TIT-21334	14"	2"	\$40.45
TIT-21338	18"	2-1/2"	\$56.35
TIT-21344	24"	3"	\$81.95
TIT-21346	36"	5"	\$163.15
TIT-21348	48"	6"	\$284.95



#### **Cast Iron Pipe Wrenches**

Item #	Length	Max. Cap.	
VIS-274105	8"	1"	\$33.95
VIS-274101	10"	1-1/2"	\$35.35
VIS-274106	12"	2"	\$44.75
VIS-274102	14"	2"	\$46.15
VIS-274103	18"	2-1/2"	\$57.95
VIS-274104	24"	3"	\$83.55
VIS-274107	36"	5"	\$171.65
VIS-274108	48"	6"	\$248.45



#### **Aluminum Pipe Wrenches**

Length	Max. Cap.	
10"	1-1/2"	\$58.75
12"	2"	\$79.75
14"	2"	\$83.05
18"	2-1/2"	\$104.15
24"	3"	\$161.55
36"	5"	\$252.85
48"	6"	\$495.25
	10" 12" 14" 18" 24" 36"	10"         1-1/2"           12"         2"           14"         2"           18"         2-1/2"           24"         3"           36"         5"



#### Heavy-Duty Straight Pipe Wrenches

Item #	Length	Max. Cap.	
RGD-31010	10"	1-1/2"	\$48.95
RGD-31015	12"	2"	\$53.45
RGD-31020	14"	2"	\$58.15
RGD-31025	18"	2-1/2"	\$85.45
RGD-31030	24"	3"	\$128.55



#### Aluminum Straight Pipe Wrenches

Length	Max. Cap.	
14"	2"	\$92.95
18"	2-1/2"	\$117.45
24"	3"	\$181.85
36"	5"	\$335.35
48"	6"	\$627.45
	14" 18" 24" 36"	Length         Cap.           14"         2"           18"         2-1/2"           24"         3"           36"         5"

		•			
	Item #	Length	Max. Cap.		ATD
I	ATD-608	8"	1"	\$21.85	
	ATD-612	12"	1.5"	\$37.25	
	ATD-614	14"	2"	\$50.65	
	ATD-618	18"	2.36"	\$71.15	
	ATD-624	24"	3"	\$107.25	
	ATD-625	4-Pc Se 12", 14"	t: ', 18", 24"	\$205.55	

#### Milwaukee

**Cast Iron Pipe Wrenches** 

Steel Pipe Wrenches



Item #	Length	Max. Cap.	
MLW-48-22-7108	8"	1"	\$39.25
MLW-48-22-7110	10"	1-1/2"	\$42.25
MLW-48-22-7112	12"	2"	\$49.15
MLW-48-22-7114	14"	2"	\$56.05
MLW-48-22-7118	18"	2-1/2"	\$75.25
MLW-48-22-7124	24"	3"	\$110.95
MLW-48-22-7136	36"	5"	\$237.25
MLW-48-22-7148	48"	6"	\$378.25
MLW-48-22-7160	60"	8"	\$564.45

#### Aluminum Pipe Wrenches



10"	1-1/2"	\$58.25
12"	2"	\$64.85
14"	2"	\$71.95
18"	2-1/2"	\$94.05
24"	3"	\$145.75
36"	5"	\$279.55
48"	6"	\$551.45
	12" 14" 18" 24" 36"	12"         2"           14"         2"           18"         2-1/2"           24"         3"           36"         5"

#### Aluminum Offset Head Pipe Wrenche

PROPERTY.

Pipe Wrenches	s 🔰		
Item #	Length	Max. Ca	
MLW-48-22-7184	14"	2"	

MLW-48-22-7184	14"	2"	\$102.35
MLW-48-22-7185	18"	2"	\$141.65
MLW-48-22-7182	24"	3"	\$212.55

D.

#### MLW-48-22-7314 **\$142<sup>85</sup>**

#### **CHEATER Adaptable**

#### **Pipe Wrench**

- Two interchangeable threaded handles
  3-length design:
- 3-length design: 10", 18", 24"
- Max. jaw cap.: 2-1/2"



# **GEARWRENCH**

# L-Key Caddy Sets & T-Handle Hex Keys

## LONG ARM L-KEY CADDY SETS

Item #	Description	Fastener End Type	Size Range	
GWR-83519	9-Pc Metric Hex L-Key Set	Hex	1.5mm – 10mm	\$9.55
GWR-83502	13-Pc SAE Hex L-Key Set	Hex	0.05" – 3/8"	\$18.05
GWR-83504	26-Pc SAE/Metric Hex L-Key Set	Hex	0.05" – 3/8" 1.5mm – 10mm	\$29.65
GWR-83521	9-Pc Metric Ball End Hex L-Key Set	Hex Ball Hex	1.5mm – 10mm	\$11.75
GWR-83524	13-Pc SAE Ball End Hex L-Key Set	Hex Ball Hex	0.05" – 3/8"	\$21.55
GWR-83505	26-Pc SAE/Metric Ball End Hex L-Key Set	Hex Ball Hex	0.05" – 3/8" 1.5mm – 10mm	\$37.35
GWR-83525	13-Pc SAE <u>MAGNETIC</u> Ball End Hex L-Key Set	Hex Ball Hex	0.05" – 3/8"	\$49.45
GWR-83526	22-Pc SAE/Metric <u>MAGNETIC</u> Ball End Hex L-Key Set	Hex Ball Hex	0.05" – 3/8" 1.5mm – 10mm	\$66.45
GWR-83522	9-Pc Torx <sup>®</sup> L-Key Set	Torx®	T8 – T40	\$13.75
GWR-83527	31-Pc <u>MAGNETIC</u> SAE/Metric Hex and Torx <sup>®</sup> L-Key Master Set	Hex Ball Hex Torx®	0.05" – 3/8" 1.5mm – 10mm T10 – T50	\$88.65



# **T-HANDLE HEX KEY SETS**

Item #	Description	Fastener End Type	Size Range	
GWR-83514	14-Pc SAE/Metric T-Handle Hex Key Set	Hex	3/32" – 1/4" 2.5mm – 10mm	\$49.65
GWR-83516	7-Pc Metric T-Handle Ball End Hex Key Set	Hex Ball Hex	2.5mm – 10mm	\$25.25
GWR-83520	8-Pc Metric T-Handle Ball End Hex Key Set – Metal Storage Stand	Hex Ball Hex	2mm – 10mm	\$54.75
GWR-83515	7-Pc SAE T-Handle Ball End Hex Key Set	Hex Ball Hex	3/32" – 1/4"	\$25.25
GWR-83523	10-Pc SAE T-Handle Ball End Hex Key Set –Metal Storage Stand	Hex Ball Hex	3/32" – 3/8"	\$62.65
GWR-83517	7-Pc Torx <sup>®</sup> T-Handle Hex Key Set	Torx®	T10 – T40	\$25.25

#### GWR-83518 **\$63<sup>25</sup>**

33-Pc Ratcheting T-Handle Set with Blow Mold Case Set includes 32 bits in SAE/Metric Hex. Torx<sup>e</sup>. Phillips<sup>e</sup>. Square

#### Long Arm Bits: Hex: 3/8", 5/16", 1/4" 7mm, 8mm, 10mm, Torx®: T25, T30, T40, T45, T50 Phillips®: PH1, PH2 Square: SQ1, SQ2, SQ3,

Short Arm Bits: Hex: 3/8", 5/16", 1/4" 7mm, 8mm, 10mm, Torx®: T25, T30, T40, T45, T50 Phillips®: PH1, PH2 Square: SQ1, SQ2, SQ3,

\$\$ • • € ○ @ € 0

# <complex-block>

83523

316 **(1)** 

#### **L-Shaped Wrenches**









Tamperproof Torx®

#### Long Length L-Wrenches

Item #	Тір	Sizing	Piece Count	Size Range	
B0S-10938	Ball End	Inch	10	1/16" – 1/4"	\$23.95
B0S-10937	Ball End	Inch	13	0.050" – 3/8"	\$37.75
BOS-10999	Ball End	Metric	9	1.5mm – 10mm	\$30.65
BOS-10990	Ball End	Metric	10	1.5mm – 10mm (Includes 7mm)	\$39.35
B0S-12138	Hex End	Inch	10	1/16" – 1/4"	\$11.85
B0S-12137	Hex End	Inch	13	0.050" – 3/8"	\$21.65
B0S-12195	Hex End	Metric	15	1.27mm – 10mm	\$34.55
B0S-11332	Ball Torx®	Torx®	8	T9 – T40	\$89.25
B0S-32434	Tamper Resistant Torx®	Torx®	8	TR9 – TR40	\$48.85



# TIT

ITT-12713         \$43 <sup>95</sup> 13-Pc Extra Long SAE           Non Slip Hex L-Key Set           • .05" - 3/8"

TIT-12714 **\$35**<sup>45</sup> 9-Pc Extra Long Metric Non Slip Hex L-Key Set

• 1.5mm – 10mm

#### ₩ TIT-12715 **\$48<sup>75</sup>**

13-Pc Extra Long Non Slip Tamper Resistant Star L-Key Set • TR6 – TR50

#### **T-Handle Wrenches**

Ball End Hex T-Handle Wrenches					
Item #	Tip	Sizing	Piece Count	Size Range	ALC: NO
BOS-13190	Ball End	Inch	10	3/32" – 3/8"	\$121.95
BOS-13189	Ball End	Metric	8	2mm – 10mm	\$101.25
B0S-13390	Hex End	Inch	10	3/32" - 3/8"	\$107.45
B0S-13389	Hex End	Metric	8	2mm – 10mm	\$98.55





#### **10-Pc T-Handle Wrench Sets**

Item #	Тір	Sizing	Size Range	
ATD-574	Hex End	Inch	3/32" – 3/8"	\$15.55
ATD-575	Hex End	Metric	2mm – 10mm	\$15.65
ATD-576	Torx <sup>®</sup> End	Torx®	T7 – T40	\$12.85



#### GorillaGrip® Fold Up Wrenches

BOS-12897         Ball End         Metric         5         5mm – 10mm         \$29.75           BOS-12589         Hex End         Inch         9         5/64" – 1/4"         \$14.65	Item #	Тір	Sizing	Piece Count	Size Range	
BOS-12589 Hex End Inch 9 5/64" - 1/4" \$14.65	BOS-12894	Ball End	Inch	5	3/16" - 3/8"	\$29.75
	BOS-12897	Ball End	Metric	5	5mm – 10mm	\$29.75
BOS-12595 Hex End Metric 6 3mm – 10mm \$22.75	BOS-12589	Hex End	Inch	9	5/64" - 1/4"	\$14.65
	BOS-12595	Hex End	Metric	6	3mm – 10mm	\$22.75

#### TITAN

**Locking Fold Up Wrenches** 




• 3 locking positions: 90°, 130° & 180°

Item # Tip	Sizing	Count	Range	
TIT-12770 Hex End	Inch	8	3/32" – 1/4"	\$23.35
TIT-12771 Hex End	Metric	8	1.5mm – 8mm	\$23.35
TIT-12772 Torx® End	Torx®	8	T9 – T40	\$23.35

# **TORQUE TOOLS**

#### **Torque Wrenches**



PRECISION Made in INSTRUMENTS ISA

#### **Micrometer Adjustable**

#### **Click Torque Wrenches**

• All torque wrenches come in a blow molded case

Item #	Drive	Torque	Increm.	Head Style	
PRC-M1R200HX	1/4"	30-200 in-lb	1 in-lb	Rigid	\$517.75
PRC-M2FR100FX	3/8"	20-100 ft-lb	0.5 ft-lb	Flex	\$553.45
PRC-M3R250FX	1/2"	30-250 ft-lb	1 ft-lb	Rigid	\$624.85

#### PRECISION INSTRUMENTS Made in USA



#### Split-Beam Click Torque Wrenches

- Not necessary to adjust to the lowest torque setting after use
- Setting the tool requires only fingertip force
- Torque setting locks on adjustable wrenches for repetitive applications
- All torque wrenches come in a blow molded case

Item #	Drive	Torque	Increm.	Head Style	
PRC-C2FR50F	3/8"	10-50 ft-lb	1 ft-lb	Flex	\$308.95
PRC-C2FR100F	3/8"	20-100 ft-lb	2 ft-lb	Flex	\$308.95
PRC-C3FR250F	1/2"	40-250 ft-lb	5 ft-lb	Flex	\$389.15



#### Split-Beam Click Torque Wrenches with Detachable Ratchet

- The #C4D600F36H Combo Kit includes #C4D600F Torque Wrench and
- #XT36H Breaker Bar Handle that extends from 31" to 41'
- All torque wrenches come in a blow molded case

Item #	Drive	Torque	Increments	
PRC-C4D600F	3/4"	200-600 ft-lb	10 ft-lb	\$899.25
PRC-C4D600F36H	3/4"	200-600 ft-lb	10 ft-lb	\$1015.15
PRC-C5D600F	1"	200-600 ft-lb	10 ft-lb	\$926.85

- 100-600 ft-lb (152.6-830.6 Nm)
- Includes storage case

#### **Torque Wrenches**



#### **Rugged Steel Grip Electronic Torque Wrenches** with Angle Measurement



- Sealed head
- Dual progressive LEDs allows user to view active torque
- readings and to anticipate torque target for more accurate torque Automatically compensates for flex related torque variances
- Audible beep and handle vibrations
- 7 modes: ft-lb, in-lb, Nm, dNm, kg-cm, angle and torque then angle
- Fully programmable with 10 memory presets

Item #	Drive	Ft-lb	In-Lb	Nm	
WLM-2401EFRMH	1/4"	1-20 ft-lb	12-240 in-lb	1.36-27.12 Nm	\$905.45
WLM-1002EFRMH	3/8"	5-100 ft-lb	60-1200 in-lb	6.8-135.0 Nm	\$1086.45
WLM-2503EFRMH	1/2"	12.5-250 ft-lb	150-3000 in-lb	16.9-339 Nm	\$1303.75
WLM-6004ERMH	3/4"	30-600 ft-lb	360-7200 in-lb	40.7-813.5 Nm	\$2310.45

<b>O</b> -	2955N renches		e A	GEAR	2956N 2957N
Item #	Drive	Torque	Nm	Increments	
GWR-2955N	1/4"	0-80 in-lb	0-9 Nm	2.5 in-lb/.25 Nm	\$81.25
GWR-2956N	3/8"	0-800 in-lb	0-90 Nm	50 in-lb/12 Nm	\$103.35
GWR-2957N	1/2"	0-150 in-lb	0-190 Nm	5 in-lb/27 Nm	\$112.75

**Fixed-Head 120XP Micrometer Torque Wrenches** 

• Thin profile, tear-drop head design

Item #	Drive	Torque	Nm	Increm.	
GWR-85171	1/4"	30-200 in-lb	3.95-23.16 Nm	1 in-lb	\$301.55
GWR-85176	3/8"	10-100 ft-lb	20.3-142.4 Nm	1 ft-lb	\$283.65
GWR-85181	1/2"	30-250 ft-lb	54.2-352.6 Nm	2 ft-lb	\$354.85

85181

#### **Fixed-Head Micrometer**

**Torque Wrenches** £1. +

85062M

G GEARWRENCH

<ul> <li>Thin profile, tear-drop head design</li> </ul>			GU GEARWRENCH		
Item #	Drive	Torque	Nm	Increm.	
GWR-85060M	1/4"	30-200 in-lb	3.95-23.16 Nm	1 in-lb	\$229.15
GWR-85061M	3/8"	30-250 in-lb	4.52-29.38 Nm	1 in-lb	\$221.05
GWR-85062M	3/8"	10-100 ft-lb	20.3-142.4 Nm	1 ft-lb	\$214.45
GWR-85063M	1/2"	20-150 ft-lb	33.9-210.2 Nm	1 ft-lb	\$253.55
GWR-85066M	1/2"	30-250 ft-lb	54.2-352.6 Nm	2 ft-lb	\$232.35
GWR-85065M	3/4"	100-600 ft-lb	153-830 Nm	2.5 ft-lb	\$1043.75

#### GEARWRENCH

0		
	the second se	

#### **Flex Head Micrometer**

#### **Torque Wrenches**

• Thin profile, tear-drop head design

Item #	Drive	Torque	Nm	Increm.	
GWR-85086M	3/8"	5-75 ft-lb	10-105 Nm	.5 ft-lb	\$276.25
GWR-85087M	1/2"	30-250 ft-lb	54-353 Nm	2 ft-lb	\$309.55



#### Flex-Head 120XP **Electronic Torque Wrenches** with Angle Measurement

#### • 15° flex head

- Multiple alerts when the target torque is reached: handle vibrates, buzzer sounds and LED light shows solid
- Five torque measurement units: Nm, ft-lbs, in-lbs, kgf-m, kgf-cm

Item #	Drive	Torque	Nm	Increm.	
GWR-85194	1/4"	2-20 ft-lb	2.7-27.0 Nm	0.1 ft-lb	\$427.95
GWR-85195	3/8"	10-100 ft-lb	13.5-135 Nm	0.1 ft-lb	\$446.35
GWR-85196	1/2"	25-250 ft-lb	34-340 Nm	0.1 ft-lb	\$507.65

#### **Electronic Torque Wrenches**

• Five torque measurement units: Nm, ft-lbs, in-lbs, kgf-m, kgf-cm

Item #	Drive	Torque	Nm	Increm.
GWR-85076	3/8"	7.4-99.6 ft-lb 88.5-1,194 in-lb	10-135 Nm	0.1 ft-lb 1 in-lb <b>\$380.45</b> 0.1 Nm
GWR-85077	1/2"	25.1-250.8 ft-lb 300-3,008 in-lb	30-340 Nm	0.1 ft-lb 1 in-lb <b>\$405.65</b> 0.1 Nm



#### **Electronic Torque Wrenches**

with Angle Measurement • 15° flex head

• Five torque measurement units: Nm, ft-lbs, in-lbs, kgf-m, kgf-cm

			-	-	
Item #	Drive	Torque	Nm	Increm.	
GWR-85078	3/8"	10-100 ft-lb 88.5-1,194 in-lb	10-135 Nm	0.1 ft-lb 1 in-lb 0.1 Nm	\$466.65
GWR-85079	1/2"	25-250 ft-lb 300-3,000 in-lb	34-340 Nm	0.1 ft-lb 1 in-lb 0.1 Nm	\$530.45

# **TORQUE TOOLS**

#### **Torque Wrenches**





#### **12-Piece Interchangeable**

**Torque Wrench Sets** • 9mm x 12mm adapter size

Item #	Drive	Nm	Set Range	
GWR-89450	1/4"	5-25 Nm	5/16"-13/16"	\$511.85
GWR-89451	1/4"	5-25 Nm	8mm-17mm	\$488.15
GWR-89452	3/8"	20-100 Nm	5/16"-13/16"	\$570.95
GWR-89453	3/8"	20-100 Nm	8mm-17mm	\$547.35



#### 3/4" Drive Heavy-Duty Break-Back

#### **Industrial Torque Wrench**

- Compact, 2-piece design for easy transport & storage
- Range: 150-600 ft-lb and 200-800 Nm Replaceable ratchet assembly
- Easier to calibrate, easier to read and set



#### **Break-A-Way Torque Wrenches**

- "Break Back" action provides an unmistakable signal that can be seen and felt when the set torque is reached
- Comes in a blow molded case



#### @ESCO

Download the App to your smart device



- Won't allow over torquing
- Designed to torque a complete range of wheel types and sizes
- Use on single and dual wheels



Made in Great Britain

AME

Item #	Drive	
ESC-10007-EXT	3/4"	\$177.05
ESC-10010-EXT	1"	\$184.65

#### **CP86 Series - Cordless Digital Torque Wrenches**

Drive

3/4"

1"

Torque

150-600 ft-lb

200-750 ft-lb

Nm

200-800 Nm

300-1,000 Nm

- Precise, compact and lightweight
- ±4% accuracy (6 sigma)
- Extended operation

PLATINUM

**Break-Back Style Torque Wrenches** 

Item #

ATD-PLT12600

ATD-PLT12750

· Won't allow over torquing • Comes in a blow molded case

- Models connected to your smart device with the **CPLinQ** App allow for tool maintenance (C, CQ), job control (C, CQ), quality process reports (CQ)
- Delivered with:
- (2) 36V 2.5Ah batteries, (1) Charger, (1) Power cord, (1) Storage case



\$689.05

\$824.85





Item #	CPT-8613	CPT-8613C	CPT-8613CQ	CPT-8626	CPT-8626C	CPT-8626CQ	CPT-8641	CPT-8641C	CPT-8641CQ	CPT-8681
Version	Standalone	Connected for tool maintenance	Connected for maintenance & quality process	Standalone	Connected for tool maintenance	Connected for maintenance & quality process	Standalone	Connected for tool maintenance	Connected for maintenance & quality process	Standalone
CPLinQ App		~	~		~	~		~	~	
Square Drive	3/4" Drive		1" Drive		1" Drive			1-1/2" Drive		
Min./Max. Torque	220-960 ft-lb (300-1300 Nm)			520-1910 ft-lb (700-2600 Nm)		740-3020 ft-lb (1000-4100 Nm)			1470-5970 ft-lb (2000-8100 Nm)	
Max. Speed	10 RPM			5 RPM		3 RPM			1.2 RPM	
Weight	11.7 lbs			15.9 lbs		25.13 lbs			36.4 lbs	
	6	6	6	6	6	6	6	6	6	6

## **TORQUE TOOLS**



KTO-34688

2,000 ft-lb


3/4'


1"

\$1129.75

• Has 1/2" male and female square drives

## **Screwdriver Sets**










## Bit Sets





## **Mixed Pliers**



## CNL-GB-3 \$114<sup>55</sup>

3-Pc Pliers Set

Set includes:

#430 – 10" Tongue & Groove Pliers
 #338 – 8" XLT™ Diagonal Cutting Pliers

Made in USA

- #3017 8" Long Nose Pliers
- \_\_\_\_\_

## CNL-TOOL ROLL-1 **\$196<sup>15</sup>**

### 5-Pc Tool Roll Pliers Set

Tool roll includes:

- #526 6" slip joint pliers
- #447 8" diagonal lap joint pliers
- #420 9-1/2" multi tongue &
- groove pliers • #317 8" long nose pliers
- #909 9-1/2" crimping pliers

## CNL-TOOL ROLL-2 \$20105

#### **5-Pc Technician's Pliers Set** Tool roll includes:

- #420 tongue and groove pliers
- #909 crimping and cutting tool
- #447 diagonal cutters
- #317 long nose pliers
- #426 tongue and groove pliers

### CNL-TOOL ROLL-3 \$164<sup>15</sup>

### 5-Pc Professional Pliers Set

- Tool roll includes:
- #430<sup>®</sup> tongue and groove pliers
  #420<sup>®</sup> tongue and groove pliers
- #420 tongue and groove pile
  #337 cutting pliers
- #3017 long nose pliers
- #526 slip joint pliers



## VIS-2078702 **\$28**95

2-Pc ProPlier Set • 6" Slip Joint

- 6" Long Nose
- \_\_\_\_\_

### VIS-2078707 \$85<sup>95</sup>

#### 4-Pc Traditional Pliers Tray Set

- 6" Diagonal6" Slip Joint
- Silp Joint
   S" Long Nose
- 10" Groove Joint

#### \_\_\_\_\_

## VIS-2078708 **\$121**<sup>45</sup>

### 5-Pc Traditional Pliers Set

January - March 2024

- 6" Slip Joint
- 6" Diagonal

188

- 8" Lineman
- 10" Adjustable Wrench
  10" Groove Joint









#### 7-Pc Multi-Purpose Pliers Set

- 6" Needle nose pliers
- with side cutter
- 8" HD diagonal cutting pliers
- 8" Linesman pliers
- 8" Slip joint pliers
- 10" Crimping & cutting pliers
- 10" Tongue & groove pliers
- 12" Tongue & groove pliers

## SUN-3610V **\$112**<sup>85</sup>

#### 5-Pc Multi-Purpose

#### Pliers Set

- 8" Long nose pliers
- 8" Lineman's pliers
- 8" Slip joint pliers, bent jaw
- 8" Bent jaw cutter
- 12" Tongue & groove pliers, straight jaw

### Milwaukee

## MLW-48-22-6331 **\$63**<sup>75</sup>

### 3-Pc Comfort Grip Pliers Kit

- 8" Long Nose Pliers (#48-22-6101)
- 7" Diagonal Cutting Pliers (#48-22-6107)
  10" Straight-Jaw Pliers (#48-22-6310)
- 10 Straight-Jaw Pilers (#48-22-6310)

#### G GEARWRENCH

### GWR-82202-06 **\$107<sup>35</sup>**

#### **3-Piece Electrician's Pliers Set**

- 9" Linesman Pliers (#82181)
- 8" Diagonal Cutting Pliers (#82179)
- 8" Long Nose Pliers (#82177)

#### GEARWRENCH

### GWR-82203C-06 **\$131**<sup>75</sup>

#### 4-Pc Mixed Pliers Set

- 8" Diagonal Cutting Pliers (#82179C)
- 8" Long Nose Pliers (#82177C)
- 8" Slip Joint Pliers (#82175C)
- 10" V-Jaw Tongue & Groove Pliers (#82172C)

#### GW GEARWRENCH

### GWR-82204C-06 \$211<sup>55</sup>

#### 6-Pc Mixed Pliers Set

- 8" Diag. Cutting Pliers (#82179C)
- 8" Long Nose Pliers (#82177C)
- 8" Slip Joint Pliers (#82175C)
- 9" Linesman Pliers (#82181C)
- 10" Straight Jaw Tongue & Groove Pliers (#82170C)
- 12" Straight Jaw Tongue & Groove Pliers (#82171C)



ATD





## **Mixed Pliers**



### KNI-9K 00 80 156 US **\$219**<sup>45</sup>

#### 3-Pc Top Selling Pliers Set

- 87 01 180: 7-1/4" Cobra® water pump pliers
- 86 01 180: 7-1/4" Pliers wrench
- 82 01 200: 8" TwinGrip slip joint pliers







#### KNI-9K 00 80 157 US **\$210**<sup>95</sup>

#### 3-Pc Professional Pliers Set

• #74 01 200: 8" High leverage diagonal cutter

• #09 01 240: 9-1/2" High leverage lineman's pliers

• #87 01 250: 10" Cobra® water pump pliers

Slip Joint Pliers with Wire Cutting Shear							
ı	and a second						
\$21.45							
\$22.15	CHAN NEL LOCK	Made in USA					
	Shear \$ <b>21.45</b>	shear <b>\$21.45</b>					



- Slim head design
- Large front and side gripping capacity: 5/32" 7/8" (4mm 22mm)

#### GEARWRENCH DECT

Cushion Grip Slip Joint



•	• 2 jaw positions
I.	

Item #	Length	Cut Capacity	Jaw Capacity	
GWR-82174C	6"	AWG12	1.25"	\$27.15
GWR-82175C	8"	AWG11	1.5"	\$30.05

## Adjustable / Tongue & Groove Pliers

## CHANNEL LOCK Made in USA


## NL-GLS-1 \$58<sup>35</sup>

2-Pc GripLock<sup>®</sup> Tongue & Groove Pliers Set • #GL10 – 9.5" Griplock<sup>®</sup> • #GL12 – 12.5" Griplock<sup>®</sup>

### CNL-PC-1 \$15695

**4-Pc Pro's Choice Tongue & Groove Pliers Set** • #424 - 4.5" • #426 - 6.5" • #440 - 12" • #460 - 16.5"

#### SPEEDGRIP™ Straight Jaw Tongue & Groove Pliers





IRWIN VISE-GRIP

VISE-GRIP<sup>®</sup> GrooveLock Pliers • Press-n-slide button adjusts jaws 2X faster

Jaw Jaw Item # Model # Length Capacity Туре \$26.45 VIS-2078108 GV8® 8" V-Jaw 1-3/4" VIS-2078110 GV10® 10" V-Jaw 2-1/4" \$31.75 VIS-2078112 GV12® 12" V-Jaw 2-3/4" \$38.05

#### IRWIN VISE-GRIP



VISE-GRIP® Groove Joint Pliers

Item #	Model #	Length	Jaw Type	Jaw Capacity	
VIS-2078510	GJ10®	10"	Curved	2"	\$20.55
VIS-2078512	GJ12®	12"	Curved	2-1/4"	\$24.25

### Milwaukee



#### Ream & Punch™ Straight-Jaw Pliers

Item #	Length	Jaw Capacity	
MLW-48-22-6312	12"	2-3/4"	\$25.25
MLW-48-22-6316	16"	3"	\$58.05
MLW-48-22-6320	20"	5-1/2"	\$80.95



## **PI TERS**

## Adjustable / Tongue & Groove Pliers



Swedish Pipe
Wrenches with
Rapid Adjustment

 S-type jaw provides 3-contact point grip that securely handles round, square, hex and flat workpieces


5							
Item #	Length	Max. Capacity					
KNI-83 61 010	13"	1-5/8"	\$139.05				
KNI-83 61 015	17"	2-3/8"	\$208.15				

22"

KN	PEX
	Made in Germany



KNI-83 61 020



2-3/4"

\$314.95

#### **KNIPEX Pliers Wrenches**

- · Perfect for gripping, holding, pressing and bending
- Smooth, parallel jaws with high degree of pressure
- Push-button adjustment directly on the workpiece (#86 04 100 is one-handed slide adjustment, no push-button)
- Pinch guard prevents fingers from being pinched

Item #	Length	Hex	Adjustments	
KNI-86 04 100	4"	3/4" (21mm)	10	\$87.05
KNI-86 03 180	7-1/4"	1-3/8" (35mm)	13	\$104.95
KNI-86 03 250	10"	2" (52mm)	19	\$121.45
KNI-86 03 300	12"	2-3/8" (60mm)	22	\$156.05

Made in German





#### **Cobra® High-Tech Water Pump Pliers**

- Works on square, hex, round and flat workpieces
- Gripping surfaces with hardened teeth
- Push-button adjustment directly on the workpiece (#87 00 100 is one-handed slide adjustment, no push-button) Self-locking on pipes and nuts
- Pinch guard prevents fingers from being pinched

Item #	Length	Hex	Pipe	Adjustm.	
KNI-87 00 100	4"	1" (28mm)	1" (28mm)	11	\$60.45
KNI-87 01 125	5"	1-1/16" (27mm)	1-1/16" (27mm)	13	\$63.35
KNI-87 01 180	7-1/4"	1-27/64" (36mm)	1-1/2" (42mm)	18	\$68.75
KNI-87 01 250	10"	1-3/4" (46mm)	2" (50mm)	25	\$72.95
KNI-87 01 300	12"	2-3/64" (60mm)	2-3/4" (70mm)	30	\$101.75
KNI-87 01 400 US	16"	3-3/4" (95mm)	3-1/2" (90mm)	27	\$175.95
KNI-87 01 560 US	22"	4-3/4" (120mm)	4-1/2" (115mm)	20	\$263.05



#### Cobra® QuickSet High-Tech Water Pump Pliers

- Fully open, push, grab!
- Fast adjustment on the workpiece by
- sliding the pliers handle
- Self-locking on pipes and nuts
- The pliers stay locked in place and can only be readjusted by pressing the button and resetting

Item #	Length	Hex	Pipe	Adjustm.	
KNI-87 21 250	10"	1-3/4" (46mm)	2" (50mm)	25	\$76.15
KNI-87 21 300	12"	2-3/64" (60mm)	2-3/4" (70mm)	25	\$112.75



### KNIPEX Cobra® ES Extra-Slim

- **High-Tech Water Pump Pliers**
- Long, narrow jaws
- · Good access to the workpiece due to the very slim construction of head and joint area
- · Grips flat material due to three-point rest
- · Adjustment at the touch of a button directly on the workpiece
- Self-locking on pipes and nuts
- · Pinch guard prevents fingers from being pinched

Item #	Length	Hex	Pipe	Adjustm.	
KNI-87 51 250	10"	1-3/8" (35mm)	1-1/4" (32mm)	19	\$77.65



#### KNIPEX Raptor<sup>™</sup> Pliers

- Reliable and tight gripping of rounded, rusty or overly painted nuts and screws
- Quick tightening of nuts and bolts using ratchet action
- Ideal for work on vehicle brake systems
- Self-locking from 11/16" (17mm)
- Adjustment at the touch of a button directly on the workpiece
- Pinch guard prevents fingers from being pinched


Item #	Length	Hex	Adjustments	
KNI-87 41 250	10"	3/8" – 1-1/4" (10mm – 32mm)	15	\$81.55





- 50% lighter in weight than comparable wrenches
- Gripping surfaces with hardened teeth
- Self-locking on pipes and nuts
- Robust adjustment mechanism, dirt resistant, easy to clean
- · Pinch guard prevents fingers from being pinched

Item #	Length	Hex	Pipe	Adjustm.	
KNI-88 01 400	16"	3-3/4" (95mm)	3-1/2" (90mm)	11	\$152.95












Adjustable / Tongue & Groove Pliers											
2-Pc Min in Belt Pc Includes: • #87 00 1 4" Cobra Water Pu 1" grippii • #86 04 1 4" Pliers	. <b>00:</b> <sup>∞</sup> XS µmp Pliers, ng capacity	t		NEW	KNI-00 20 06 US1 3-Pc Cobra® High- Water Pump Plier • 7-1/4", 10", and 12"		8-Pc Co Water F Pliers S Includes: •#87 00 •#87 01 •#87 01 •#87 01 •#87 01 •#87 01	Pump et 100 (4") 125 (5") 150 (6" 180 (7-1/4") 250 (10")	\$81	.0 <sup>35</sup>	
<u>CHAN NE</u> Nutbusto Tongue & Item #	er° X Groove I	Pliers Capacity	Adjust.		Made in USA	Straight Jav Tongue & Gi • Self-locking j	r <b>oove Pliers</b> aws				82592C
CNL-410 CNL-414	9.5" 13.5"	1.12" 2"	4 6	\$36.45 \$59.25		Item # GWR-82592C	Length 10"	Capacity 2.2"	<b>Jaw Posit</b> 25	ions	\$42.95
CHAN NE						GWR-82594C	4-Piece S	et: 6", 8", 10",	12"		\$121.65
Straight Tongue & Item # CNL-424	Jaw X Groove I Length 4.5"	Capacity 0.5"	Adjust.	\$30.55	Made in USA	ew gearv Letre				Cushion G	rip
CNL-426 CNL-428 CNL-420 CNL-430	6.5" 8" 9.5" 10"	0.87" 1.5" 1.5" 2"	5 4 5 7	\$26.45 \$31.55 \$31.85 \$33.15		Straight Jav Tongue & Gi Pliers		-			
CNL-440	12"	2.25"	7	\$37.55 \$62.45		Item #	Handles	Length	Capacity	Adjust.	
CNL-460 CNL-480	16.5" 20.5"	4.25" 5.5"	8 12	\$02.45 \$122.25		GWR-82169C	Cushion Grip	8"	1.6"	8	\$32.95
CHANNE		5.5				GWR-82170C GWR-82166	Cushion Grip Dipped Handles	10" 16"	2.1" 4.2"	8 8	\$35.75 \$65.85
V-Jaw Tongue & Item # CNL-422	<b>Croove F</b> Length 9.5"	Pliers Capacity 1.5"	Adjust.	\$32.35	Made in USA	GU GEARV	WRENCH	R		Cushion G	rip
CNL-432	10"	2"	7	\$34.85					State in the		
CNL-442	12"	2.25"	7	\$36.25					B		
<u>CHAN</u> NE Code Blu	T <u>LOCK</u>	(	-			V-Jaw Tongue & Gr Pliers Item #	Handles	Length	Capacity	Adjust.	
		Capacity	Adjust.		Made in USA	GWR-82168C	Cushion Grip	8"	1.6"	8	\$32.95
-	a number		- (1) [5]			GWR-82172C	Cushion Grip	10"	2.1"	8	\$35.75
Item #	Length				USA USA	0110	0 11 01		0.0"	-	A
-	3 9.38"	1.5" 2"	5 7	\$46.55 \$47.75	USA	GWR-82173C GWR-82167	Cushion Grip Dipped Handles	12" 16"	2.6" 4.2"	8 8	\$41.55 \$65.85



Made in Germany

\$68.35

\$89.65

\$71.15

\$92.25

\$111.45

ipped Handles

Milwaukee

## Long Nose / Needle Nose Pliers







Long Nose

Plier Sets • Serrated jaws

Item #	Length	Content	
TIT-60769	11"	5-Piece Set: Straight, Flat, 45°, 90°, Large Hose Grip Pliers	\$68.45
TIT-60770	11"	3-Piece Set: Straight, 45°, 90°	\$40.85
TIT-60787	16"	3-Piece Set: Straight, 45°, 90°	\$56.95





4-Pc 11" Long Needle Nose Pliers Set
Straight, 45°, 90° and S-type offset pliers



ATD-863 **\$101<sup>25</sup> 3-Pc 16" Long Needle Nose Pliers Set** • Straight, 45°, 90°



**Bolt Cutters** 

Item #	Length/ Blades	Soft	Medium	Hard	Piano	
KNI-71 01 160	6-1/4" <b>Straight</b>	13/64" (5.3mm)	11/64" (4.4mm)	1/8" (3.2mm)	1/8" (3mm)	\$89.15
KNI-71 01 200	8" Straight	1/4" (6mm)	13/64" (5.2mm)	5/32" (4.2mm)	9/64" (3.6mm)	\$109.65
KNI-71 01 250	10" Straight	_	7/32" (5.5mm)	5/32" (4.2mm)	5/32" (4mm)	\$137.95
KNI-71 21 200	8" <b>20° Angle</b>	1/4" (6mm)	13/64" (5.2mm)	5/32" (4.2mm)	9/64" (3.6mm)	\$130.55
KNI-71 31 200	8" Straight	1/4" (6mm)	13/64" (5.2mm)	5/32" (.24mm)	9/64" (3.6mm)	\$117.05
KNI-71 31 250	10" Recessed Straight	_	1/4" (6mm)	11/64" (4.3mm)	11/64" (4.2mm)	\$144.15

(12.7mm) (11mm) (9.5mm) 9/16" 1/2" 7/16" RGD-14233 \$276.35 38" (14.3mm) (12.7mm) (11mm)11/16" 9/16" 1/2" RGD-14238 44" \$338.85 (17.5mm) (14.3mm) (12.7mm)

ECLIPSE	Item #	Length	Cutting Cap.	
	ECL-ETBC14	14"	3/16"	\$28.25
Heavy-Duty	ECL-ETBC18	18"	1/4"	\$32.85
Tubular Handle Bolt Cutters	ECL-ETBC24	24"	5/16"	\$44.95
Doit Gutter 5	ECL-ETBC30	30"	3/8"	\$62.75
	ECL-ETBC36	36"	7/16"	\$80.15
1.10				

## **Snips**







10" Long 5-Blade HVAC Hand Crimper Compound action jaw





- 9" Long Hand Seamers
- Used for bending and flattening sheet metal
- 1/4" depth markings from 1/4" to 1-1/4"
- Produces a permanent, tight-fitting seam





## WIS-CTFDUCTC \$60<sup>65</sup>

#### 17.5" Long Compound Action **Flex Duct Cutter**

- Dual-cut technology provides a serrated and smooth cutting surface
- Cutter integrated into the base for easy cutting of the hard still wire within the flex duct



#### **Precision Sheet Metal Fabrication Tools**

• Cuts 18 gauge sheet metal & 22 gauge stainless steel





LEN-22209C5 \$5345 **5 Blade Crimper** 





\$5345 LEN-22211N2 1" V Notcher



Aviation Snips			
IRW-2073111 Cu	its left and straight	10"	\$26.45
IRW-2073112 Cu	its right and straight	10"	\$26.45
IRW-2073113 Cu	its straight and wide curves	10"	\$26.45
Offset Snips			
IRW-2073211 Cu	its straight and angles or curves left	9.5"	\$29.65
IRW-2073212 Cu	its straight and angles or curves right	9.5"	\$29.65
Tinner Snips			
IRW-22010 Cu	its straight and wide curves	10"	\$26.85
IRW-22012 Cu	its straight and wide curves	12-3/4"	\$33.95
IRW-23012 Cu	its straight and tight curves	12-3/4"	\$34.45



## TITAN

## TIT-11463 **\$64<sup>85</sup>** 3-Pc Aviation Snip Set • Right, straight and left cut snips









• 9-3/4" long • Cuts up to 18 gauge low carbon, rolled steel

Item #	Description	
WIS-M123R	3-Pc Set: Includes M1R, M2R, M3R	\$75.85
WIS-M1R	Cuts straight and left	\$30.35
WIS-M2R	Cuts straight and right	\$30.35
WIS-M3R	Cuts straight, left and right	\$30.35

## Wire Stripping-Cutting-Crimping Pliers



## Wire Stripping-Cutting-Crimping Pliers

## OTC

## OTC-5950D \$7285

8" Long Angled Wire Sripper/Cutter

• AWG20 to AWG12



## KNI-13728 **\$10805**

#### 8" Forged Wire Stripper /Cutter

- Reaming head
- Cuts 6-32 and 8-32 screws
- Sheer-type cutter cuts 1/2" cable, fine-stranded
- Strips 10-20 AWG solid and stranded wire



### MLW-48-22-3079 \$43<sup>35</sup>



- Wire stripper: strips 8-18 AWG (solid wire); 10-20 AWG (stranded wire)
- Reaming head design smooths edges of metal pipe from 1/2" to 1"
- Bolt cutter: thread and cut #6 and #8 bolts
- · Curved cutting blade for clean cuts through larger wire sizes

#### 

SGT-18950 \$35<sup>75</sup>

#### **Heavy Duty Automatic Wire Stripper**

• Strips, crimps and cuts

Automatically self-adjusts to strip solid or stranded 10-26 gauge wires

### TITAN

### TIT-11475 **\$43<sup>65</sup>**

#### **Self Adjusting Wire Stripper**

- For 10-24 AWG wires
- Built-in wire cutter
- Crimps 10-22 AWG insulated, 10-22 AWG non-insulated and 7-9mm ignition terminals

## KLEIN


### KLE-11063W \$60<sup>85</sup>

6.5" Katapult<sup>®</sup> Solid & Stranded Wire Stripper/Cutter

- Strips and cuts: 8-20 AWG solid; 10-22 AWG stranded
- Compound action stripping: grip and strip via
- single-action squeezing motion
- Removes up to 1" long insulation jacket layer in a single step

### KLE-11061 \$5055

#### 8-1/4" Self-Adjusting Wire Stripper/Cutter



- 12/2 and 14/2 Romex® wire
- Adjustable stopper to control the length of the core strip
- Tensioning thumb wheel allows for precise stripping of smaller gauge wire

## Τιταν

### TIT-11980 **\$141<sup>15</sup>**

#### **Hydraulic Cable Crimper**

- 5-ton capacity
- Includes 9 dies
- Crimps aluminum and copper, AWG 12 to 2/0

## TIT-11981 \$16345

#### **High Capacity Hydraulic Cable Crimper**

- 70 kN (15,736 Lbf) capacity
- Includes 8 dies
- Aluminum: AWG 4-3/0 (25-95mm<sup>2</sup>)
- Copper: AWG 6-4/0 (10-120mm<sup>2</sup>)





### IMP-IE150 \$183<sup>85</sup>

#### **Open & Closed Barrel Crimper**

- Crimps insulated and non-insulated open & closed barrel and flag terminals, 10-22 AWG
- Screw sizing and cutting stations

### 

### SGT-18610 \$67<sup>65</sup>



- Crimps 10-26 AWG non-insulated terminals
- Forms "B" crimp

## SGT-18600 \$4875

#### **Open Barrel Crimping Tool**

- Crimps most open barrel terminals such as Deutsch, computer sensor and Weather Pack
- Handles wire sizes 14-24 AWG

Ferminal C For Deutscl Ferminals	rimpers h Closed Ba	ırrel	22
Item #	Gauge	Contact Size	
SGT-18880	14, 16, 18	16	\$70.85
SGT-18890	20 & 22	20	\$68.95

### SGT-18900 \$55<sup>95</sup>

**Professional Ratcheting Terminal Crimper** 

Crimps 22-10 AWG insulated terminals





## Wire Stripping-Cutting-Crimping Pliers



• Stripping stations for 7-8mm and 10-18 AWG


Anvil-type cutter

Specialized terminal release tool for disassembling packs

## Lineman's / Electrician's Pliers

		Emon							
	Tran			<b>GEARWRE</b>	NCH				
KLE-D213-9NE <b>\$68<sup>25</sup></b>				L-UT <b>BULL</b>		đ		Section of the sectio	
9" Lineman's Side-Cutting	Pliers			Lineman's Pliers	with				
Application: #8 AWG copper, a		oft metals		Wire Cutter & Cr					
• Jaw capacity: 1.375" (3.5 cm)				Reaming edges for					
				• Fish tape channel fo	or flat st	teel fish tape	S	_	
				Item # Lei	ngth	Cut Capacit	у		
KLEIN Wade in USA				GWR-82180C-06	8"	AWG5	\$38.35	5	
TOOLS W PRODA				GWR-82181C-06	9"	AWG6	\$43.05	5	
		and the second second							
KLE-D2000-9NE \$84 <sup>45</sup>									
<ul> <li>9" High-Leverage Heavy-D</li> <li>Application: ACSR, screws, nail</li> </ul>									
• Jaw capacity: 1.375" (3.5 cm)	is, most har dened wir	C		GEARWRE	NCH				
• The 2000 series blades are de	signed for heavy-duty	/ cutting		L=Un <b>Blul</b>			a		
					400	05			
					\$36				
KLEIN Wade in USA		Contraction of the local division of the loc		8" Universal Plier		ľ			
TOOLS W PAR USA				• Cut capacity: AWG6					
KLE-J213-9NE <b>\$82<sup>55</sup></b>		Later of the later	And a state of the	<ul> <li>Bolt grip zone for tu</li> </ul>		uts and faste	eners		
· · · · · · · · · · · · · · · · · · ·	on'o Sido Cutting I	Dlione			0				
9.5" Journeyman <sup>™</sup> Linema • Application: General purpose	an's Side-Cutting P	Pliers							
• Jaw capacity: 1.375" (3.5 cm)									
• Dual-material, comfort grip ha	andles			CHAN NEL LOCK	7		and the second s		
					y	1			
				XLT <sup>™</sup> Round Nose	•				
Milwaukee		and the second se		Lineman's Pliers	e	Item #	Length		
				Emerians r ners		CNL-367	7.5"	\$55.4	5
MLW-48-22-6502 \$40 <sup>95</sup>		and the second second		Made in USA		CNL-368	8.5"	\$55.8	5
9" Long High Leverage Line						CNL-369	9.5"	\$57.7	5
• Cuts #2 ACSR									
							VISE	sue 🦰	
	48-22-6100			VISE·GRIP		-		No. of Concession, Name	
Milwaukee	A DESCRIPTION OF THE OWNER.	To all and the second sec							71051
100		10.00.0		VISE-GRIP®	I	tem #	Model #	Length	
		48-22-6	5500	Lineman's Pliers	M	S-2078208	LP8®	8"	\$24.45
9" Long High Leverage				with Cutting Edge	e				\$28.35
• Cuts #2 ACSR	Item # H	andle			V	S-2078209	LP9®	9.5"	<b>720.3</b> 3
Crimps insulated and	MLW-48-22-6100 Cu	ushion Grip	\$37.45						
non-insulated terminals		ipped Handles	\$44.05						<b>A</b>
<ul> <li>Fish tape puller</li> </ul>									
						- LIN	A		-
1.05						NE			4
Milwaukee		-							
				1000 DECK	Made in				7
MLW-48-22-6503 \$59 <sup>35</sup>				KNIPEX -	Germany			∥∖∖ !	
9" Long High Leverage Line	man's Pliers								-
with Thread Cleaner				KNI-9K 00 80 158 U	JS 💲	26365			100
<ul> <li>Cuts #2 ACSR</li> <li>Crimps insulated and non-insula</li> </ul>	ated terminals			3-Pc Electrical Pli					
• A hinged opening on the pliers a	allows you to hold and			• 9 1/2" Lineman's pl		-			
clean 5/8" (16mm) pole line, bol	its and threaded rod			• 8" Forged wire strip					
<ul> <li>Fish tape puller</li> </ul>				• 10" High leverage d	diagonal	l cutters			•
				1					


## **Hose Clamp Pliers**



PITERS








## **Retaining Ring & Snap Ring Pliers**



## **Retaining Ring & Snap Ring Pliers**







#### Quick Switch Snap Ring Pliers with Adjustable Stop and Tip Kit

Item #	Internal	External	
LAN-1421	1/4" to 1"	1/8" to 1"	\$41.75
LAN-1434	3/8" to 2"	1/4" to 2"	\$47.35
LAN-75	1-13/16" to 4"	1-1/2" to 4"	\$100.15
LAN-1450	2-Piece Set Inclu	\$108.95	
LAN-1465	3-Piece Set Inclu	des #1421, #1434 and #75	\$205.55



GW GEARWRENCH

**Snap Ring Plier Set** 






#### Heavy Duty Snap Ring Pliers

 Spring ratchet locking mechanism securely holds against snap ring tension
 Straight 0.120" tip

Item #	Description / Size Range	
LAN-1485	INTERNAL Snap Ring Pliers 3-1/16" - 6-1/4" (78mm - 159mm)	\$131.85
LAN-1486	EXTERNAL Snap Ring Pliers 3-1/2" - 6-1/2" (89mm - 165mm)	\$131.85
LAN-1487	2-Piece Set Includes #1485 & #1486	\$250.55

1487



(90mm - 175mm)

204 | January – March 2024

## **PITERS**

## **Locking Pliers**

## Milwaukee

### MLW-48-22-3690 \$151<sup>25</sup>

#### 10-Pc Torque Lock™ **Locking Pliers Kit**

- TORQUE LOCK<sup>™</sup> and MAXBITE<sup>™</sup> features provide faster tool setup maximized pressure points
- · Contains curved jaw, straight jaw, long nose pliers and C-clamp locking pliers with regular jaws
- Limited lifetime warranty





#### \$225<sup>25</sup> VIS-1078TRAY

**10-Pc Original Locking Pliers Tray Set** • Contains: 10R®,10CR®, 7R®, 7WR®, 7CR®, 5WR®, 6LN®, 9LN®, 6R® & 11R®





#### VIS-641 **\$140**<sup>65</sup> 6-Pc Original Locking **Pliers Kitbag with** 6 Koozie Cups Set • Contains: 10WR®, 9LN®,

7R®, 6LN®, 5CR® & 4WR®



### VIS-68 **\$113<sup>25</sup>** 5-Pc Original Locking **Pliers Kitbag Set** • Contains: 10R<sup>®</sup>, 10CR<sup>®</sup>, 7WR<sup>®</sup>, 6LN<sup>®</sup>, & 5CR<sup>®</sup>



VIS-71 **\$90**<sup>45</sup> **4-Pc Original Locking Pliers Kitbag Set** • Contains: 10CR®, 7R®, 6LN® & 5WR®





#### **Straight Jaw Locking Pliers**

Item #	Length	
MLW-48-22-3507	7"	\$18.35
MLW-48-22-3510	10"	\$19.65



#### **Curved Jaw Locking Pliers**

Item #	Length	
MLW-48-22-3610	10"	\$20.65

#### **Locking Pliers with Grip**

Item #	Length	
MLW-48-22-3410	10"	\$18.35

## Long Nose Locking Pliers

Item #	Length	
MLW-48-22-3506	6"	\$18.45

#### **Locking C-Clamps**

Item #	Length	
MLW-48-22-3531	11"	\$29.95

### Locking C-Clamps

Item #	Length	
MLW-48-22-3522	6"	\$20.35
MLW-48-22-3521	11"	\$31.75

#### **Locking Chain Wrench**

Item #	Length	
MLW-48-22-3542	9"	\$36.95

#### **Straight Jaw Locking Pliers**

Item #	Length	Cap.	
ECL-E10R	10"	1-3/4"	\$16.95

#### **Curved Jaw Locking Pliers**

Item #	Length	Cap.	
ECL-E10CR	10"	1-7/8"	\$19.15

#### **Curved Jaw Locking Pliers** with Wire Cutters

Item #	Length	Cap.	
ECL-E10WR	10"	1-7/8"	\$19.35

#### Locking C-Clamps, Regular Tips


Item #	Length	Cap.	
ECL-E11R	11"	3-1/8"	\$29.35

### **U-Jaw Locking Welding Clamp**

Item #	Length	Cap.	
ECL-E9R	9"	1-3/4"	\$22.35













**ECLIPSI** 









## **Locking Pliers**

### **IRWIN VISE-GRIP**



**VISE-GRIP® Curved Jaw Locking Pliers with Wire Cutter** 

Item #	Model #	Length	Jaw Capacity	
VIS-1002L3	4WR®	4"	1"	\$19.55
VIS-902L3	5WR®	5"	1-1/8"	\$21.75
VIS-702L3	7WR®	7"	1-1/2"	\$22.35
VIS-502L3	10WR®	10"	1-7/8"	\$22.75

#### **VISE-GRIP® Curved Jaw Locking Pliers**




Item #	Model #	Length	Jaw Capacity	
VIS-4935578	7CR®	7"	1-1/2"	\$22.35
VIS-4935576	10CR®	10"	1-7/8"	\$22.75


#### **VISE-GRIP®** Straight Jaw Locking Pliers



Item #	Model #	Length	Jaw Capacity	
VIS-302L3	7R®	7"	1-1/2"	\$22.35
VIS-102L3	10R®	10"	1-7/8"	\$22.75



			our oup aony	
VIS-1602L3	4LN®	4"	1-5/8"	\$22.15
VIS-1402L3	6LN®	6"	2"	\$23.55
VIS-1502L3	9LN®	9"	2-3/4"	\$28.15



### **IRWIN VISE-GRIP**



**VISE-GRIP®** Locking C-Clamps with Regular Tips

Item #	Model #	Length	Jaw Capacity	
VIS-17	6R®	6"	2-1/8"	\$20.95
VIS-19	11R®	11"	4"	\$35.35
VIS-21	18R®	18"	8"	\$51.75
VIS-275	24R®	24"	10"	\$63.75






with Swivel Pads

Item #	Model #	Length	Jaw Capacity	
VIS-18	6SP®	6"	2-1/8"	\$23.55
VIS-20	11SP®	11"	4"	\$37.95
VIS-22	18SP®	18"	8"	\$53.15
VIS-28	24SP®	24"	10"	\$66.35



Item #	Model #	Length	Jaw Capacity	
VIS-27ZR	20R®	9"	18"	\$50.15

VISE-GRIP® Locking Welding Clamp				
Item #	Model #	Length	Jaw Capacity	
VIS-25ZR	9R®	9"	2-3/4"	\$39.55



## HAMMERS

## **Ball Pein Hammers**



#### **Ball Pein Hammers with Fiberglass Handles**

• Meets or exceeds ANSI specs

Item #	Head Weight	
ATD-4035	5-Pc Set: 8, 12, 16, 24, 32 oz	\$164.25
ATD-4038	16 oz	\$32.35
ATD-4039	24 oz	\$45.55
ATD-4040	32 oz	\$56.35







**Ball Pein Hammers** • Fiberglass handles with cushion grip

Item #	Weight	<b>Overall Length</b>	Face Diameter	
WLM-JHW20542	8 oz	10-3/4"	7/8"	\$16.65
WLM-JHW20543	12 oz	11-3/4"	7/8"	\$19.25
WLM-JHW20544	16 oz	13"	1-7/8"	\$22.55
WLM-JHW20545	24 oz	15"	1-1/4"	\$25.35
WLM-JHW20546	32 oz	15"	1-1/4"	\$28.25






#### B.A.S.H® **Ball Pein Hammers**

Item #	Head Weight	Handle Length	Face Diameter	
WIL-32414	1.5 lbs (24 oz)	14"	1-1/2"	\$82.75
WIL-33214	2 lbs (32 oz)	14"	1-3/4"	\$93.95
WIL-34014	2.5 lbs (40 oz)	14"	1-7/8"	\$105.15



WIL-11110 **\$224**<sup>45</sup> 3-Pc B.A.S.H® **Ball Pein Hammer Kit** • 1-1/2 lb head, 1-1/2" face diam.

• 2 lb head, 1-3/4" face diam.



• 14" handles



## **Sledge Hammers**

USA



#### **Sledge Hammers**

• Fiberglass handles

Item #	Weight	Overall Length	Face Diameter	
WLM-JHWSHF-4A	4 lbs	14"	1-5/8"	\$72.95
WLM-JHWSHF-6A	6 lbs	32"	1-3/4"	\$90.05
WLM-JHWSHF-8A	8 lbs	32"	2"	\$103.95
WLM-JHWSHF-10LA	10 lbs	32"	2-1/8"	\$131.15
WLM-JHWSHF-12A	12 lbs	32"	2-1/4"	\$143.85
WLM-JHWSHF-16LA	16 lbs	32"	2-5/8"	\$181.05
WLM-JHWSHF-20A	20 lbs	32"	2-3/4"	\$212.55

## WEIN BASH



#### **B.A.S.H® Sledge Hammers**

Item #	Head Weight	Handle Length	Face Diameter	
WIL-20416	4 lbs	16"	1-3/4"	\$123.05
WIL-20624	6 lbs	24"	1-7/8"	\$167.75
WIL-20636	6 lbs	36"	1-7/8"	\$187.85
WIL-20836	8 lbs	36"	2-1/8"	\$209.35
WIL-21036	10 lbs	36"	2-1/4"	\$241.75
WIL-21236	12 lbs	36"	2-1/4"	\$271.95
WIL-21436	14 lbs	36"	2-3/8"	\$295.65
WIL-22036	20 lbs	36"	2-3/4"	\$403.25

#### **Double Face Sledge Hammers with 30" Long Indestructible Handles**

Item #	Head Weight		
0TC-5790ID-830	8 lbs	\$222.05	4
OTC-5790ID-1030	10 lbs	\$235.55	
0TC-5790ID-1230	12 lbs	\$253.45	OTC
0TC-5790ID-1430	14 lbs	\$255.35	

#### Sledge Hammers with 16" **Indestructible Handle**

Head Weight	
6 lbs	\$181.25
8 lbs	\$177.75
	6 lbs



## **Rubber Mallets**

#### **Rubber Mallets**

Item #	Size	
TIT-63217	16 oz	\$14.35
TIT-63232	32 oz	\$20.25



## HAMMERS

## **Dead Blow Hammers**





B.A.S.H<sup>®</sup> Dead Blow Hammers

Item #	Head Weight	Handle Length	Face Diameter	
WIL-55114	1.5 lbs	14"	1-1/2"	\$82.75
WIL-55214	2 lbs	14"	1-3/4"	\$91.65
WIL-55314	3 lbs	14"	1-7/8"	\$102.85
WIL-55416	4 lbs	16"	2-1/4"	\$143.15
WIL-55830	8 lbs	30"	2-5/8"	\$198.55
WIL-11113	<b>3-Pc Kit:</b> 2	lb, 3 lb, 4 lb		\$265.45

#### **Dead Blow Hammers**

Item #	Head Weight	
MLW-48-22-9150	28 oz	\$43.75
MLW-48-22-9151	48 oz	\$56.65



Milwaukee

#### Dead Blow Ball Pein Hammers

Item #	Head Weight	
MLW-48-22-9140	16 oz	\$67.05
MLW-48-22-9141	32 oz	\$92.85

#### **Dead Blow Hammers**

Item #	Head Weight	
TIT-63008	8 oz	\$14.25
TIT-63116	16 oz	\$16.75
TIT-63124	24 oz	\$20.05
TIT-63032	32 oz	\$22.95



## TITAN

TITAN

### TIT-63143 **\$62<sup>85</sup>**

**3-Pc Double-Faced Dead Blow Hammer Set** • 16 oz (1 Lb), 32 oz (2 Lb), 48 oz (3 Lb)



## TIT-63133 **\$61<sup>25</sup>**

3-Pc Dead Blow Hammer Set

12 oz. brass hammer
1 lb ball-pein hammer

1 lb ball-pein hammer
1/2 lb dead blow hammer





ATD-4082 \$77<sup>15</sup>



**3-Pc Dead Blow Hammer Set** • Includes: 1/2 lb, 1 lb and 2 lbs

Dead Blow Hammers

• Non-marring polyurethane head

Item #	Weight	
GWR-82240	18 oz	\$38.25
GWR-82242	33 oz	\$53.55
GWR-82244	54 oz	\$68.85



#### **Dead Blow Hammers**

Item #	Head Weight	Overall Length	
GWR-69-550G	5.5 lbs	20"	\$168.35
GWR-69-551G	9 lbs	30"	\$192.95
GWR-69-552G	10.5 lbs	30"	\$271.35
GWR-69-554G	12 lbs	36"	\$301.55

## **Drilling Hammers**

#### 💷 GEARWRENCH

GWR-82255 **\$33<sup>65</sup>** 

3 Lb (48 oz) Drilling Hammer with Fiberglass Handle



WLM-JHW20678 **\$26<sup>35</sup> 2 Lb (32 oz) Drilling Hammer** • Fiberglass handle with cushion grip • Overall length: 10-1/4"



WIL-20212 **\$93**<sup>95</sup> B.A.S.H<sup>®</sup> Drilling/

Sledge Hammer

- Head weight: 2-1/2 lb
- Face diameter: 1-1/2"
   Handle length: 12"
- Handle length: 12"


## отс

## Club/Hand Drill Hammers with Indestructible Handles

Item #	Head Weight	Handle Length	
0TC-5791ID-412	4 lbs	12"	\$110.75
0TC-5791ID-416	4 lbs	16"	\$118.45

## HAMMERS

## **Mixed Hammer Sets**



## **PRY BARS**







3-Pc Professional Rolling Head Pry Bar Set • 1/2" x 12", 5/8" x 16", 3/4" x 21" SUN-9804 **\$73<sup>45</sup> 4-Pc Rolling Head Pry Bar Set** • 6", 12", 16", 20" SUNEX<sup>®</sup>

## **PUNCHES & CHISELS**



## **PUNCHES & CHISELS**

AD BRANNER

d land

ants A 46

AD

AD

AST-1600 **\$43<sup>65</sup>** 16-Pc Punch and Chisel Set

ATD-714 \$80<sup>85</sup>

ATD-720 **\$107<sup>15</sup>** 

14-Pc Punch & Chisel Set

20-Pc Punch & Chisel Set

• 6 Pin punches: 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"



**13-Pc Interchangeable** 


**Punch & Chisel Set** 

27-Pc Punch and Chisel Set

Includes a roll pouch

• 5 Starter punches: 1/8", 5/32", 3/16", 1/4", 5/16" • 3 Center punches: 1/4", 3/8", 1/2" • 6 Flat chisels: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8" ATD-729 **\$140**<sup>05</sup> AD 29-Pc Punch & Chisel Set ATD • 7 Pin punches: 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8" 6 Starter punches: 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" • 4 Center punches: 1/4", 5/16", 3/8", 1/2" 7 Flat chisels: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8" • 2 Cape chisels: 1/4", 5/16' • 1 Half-round nose chisel: 5/16" • 2 Diamond point chisels: 5/16", 3/8" AD **Steel Letter &** 9601 9603 **Number Stamp Sets** • 27-Pc letter sets contain: A through Z and "&" • 9-Pc number sets contain: 0 through 9 (6 and 9 are interchangeable) Item # Description \$84.65 ATD-9600 Letter Set: 3" x 3/16' ATD-9602 Letter Set: 3" x 1/4" \$106.85 ATD-9601 Number Set: 3" x 3/16" \$28.85 ATD-9603 Number Set: 3" x 1/4" \$36.25 9600/9602 Fowler FOW-72-482-028-0 \$3895 28-Pc Transfer Punch Set • Range: 3/32" - 1/2" **S168**<sup>25</sup> FOW-72-482-040-0 36-Pc Heavy Duty **Transfer Punch Set**  Sizes ideal for heavy duty applications • Range: 1/2"-1" in 1/64" • 3 master punches and 33 -owler individually sized sleeves

## HOOKS & PICKS



## **TOOL STORAGE & ACCESSORIES**

## **Tool Storage**









#### **RS Pro Series Features:**

• Full-length aluminum drawer pulls

- Removable ball-bearing glides in every drawer
- Custom PVC foam drawer liners included
- Lift latch drawer pulls
- 3 Power outlets in top till
- Roller cabinets with 6" casters
- Limited lifetime warranty; 1-year on paint finish.



#### 54" RS Pro Series **TOP CHEST**

• 8 drawers

• 54" x 23-1/2" x 21-3/8"

• 279 lbs	3
Item #	
HOM-BK02065800	\$1392.95
HOM-BL02065800	\$1392.95
HOM-RD02065800	\$1392.95
HOM-LG02065800	\$1392.95
HOM-OG02065800	\$1392.95

54" RS Pro Series **ROLLER CABINET** 

• 10 drawers

- 54-1/2" x 24" x 40-3/8"
- 370 lbs

Item #	
HOM-BK04054010	\$2094.35
HOM-BL04054010	\$2094.35
HOM-RD04054010	\$2094.35
HOM-LG04054010	\$2094.35
HOM-OG04054010	\$2094.35



Item #



100111 #	model width	Weight	
HOM-SS05041244	41"	49 lbs	\$384.45
HOM-SS05056185	54"	56 lbs	\$545.75
HOM-SS05072185	72"	80 lbs	\$593.05



#### 41" RS Pro Series **TOP CHEST**

HOM-BK02004173	\$1741.45
Item #	
• 226 lbs	3
<ul> <li>7 drawers</li> <li>40-1/2" x 23-1/2"</li> </ul>	x 21-3/8"

HOM-BK02004173	\$1741.45
HOM-BL02004173	\$1741.45
HOM-RD02004173	\$1741.45
HOM-LG02004173	\$1741.45
HOM-OG02004173	\$1741.45

41"	RS	Pro	Serie	es
RO	LLE	R C	ABIN	ЕΤ

•	9 dra	awer	S	
•	41">	(24"	Х	39'

HOM-LG04004193

HOM-OG04004193

308 IDS	
Item #	
HOM-BK04004193	\$2423.
HOM-BL04004193	\$2423.
HOM-RD04004193	\$2423

35

35 35

\$2423.35

\$2423.35



TOP CHEST	
<ul> <li>12 drawers</li> </ul>	
• 71-1/2" x 23-1/2" x	21-3/8"
• 393 lbs	3

Item #	
HOM-BK02072120	\$1892.75
HOM-BL02072120	\$1892.75
HOM-RD02072120	\$1892.75
HOM-LG02072120	\$1892.75
H0M-OG02072120	\$1892.75

• 16 drawers • 72" x 24" x 40-3/8" • 563 lbs

Item #	
HOM-BK04072160	\$2784.85
HOM-BL04072160	\$2784.85
HOM-RD04072160	\$2784.85
HOM-LG04072160	\$2784.85
H0M-OG04072160	\$2784.85



## RU SSI TOOL STORAGE

TCBT720923ORBK

RCBT7215240RBK

RCBT721524BLBK

RCBT721524LGBK

RCBT721524RDBK

TCBT720923BLBK

TCBT720923LGBK

TCBT720923RDBK



# " HD SERIES TOP CHESTS AND ROLLING CABINETS

#### 72" 9-Drawer Top Chest

- 2 Separate deep lids with 2 power strips
- 19-gauge steel body
- 100 lb rated soft close drawer slides
- Pull-out work surface drawer with flip-up wood top
- PVC drawer liners and 4mm thick top chest mat
- 2 attachment plates for securing onto 72" roller cabinet
- Dimensions: 72" W x 23" D x 23" H Gross weight: 300 lbs

#### 72" 15-Drawer Rolling Cabinet

- 18-gauge steel body
- 100 lb rated soft close drawer slides
   (double slides on top wide drawer and 3 bottom deep drawers) • Rated load capacity: 3,500 lbs
- Power strip on the left side wall
- 18mm wood work surface
- PVC drawer liners
- Six 6" x 2" HD casters (4 swivel with brake + 2 rigid)
- Dimensions: 72" W x 24" D x 39.5" H
- Gross weight: 516 lbs

7

T

	6 Outlets 2 USB		
72" HD Top Chests	6 Outlets 2 USB	72" HD Rolling Cabinet	ts
BQ-TCBT720923ORBK	\$1603.25	TBQ-RCBT721524ORBK	\$2457.45
IBQ-TCBT720923LGBK	\$1603.25	TBQ-RCBT721524LGBK	\$2457.45
BQ-TCBT720923RDBK	\$1603.25	TBQ-RCBT721524RDBK	\$2457.45
IBQ-TCBT720923BLBK	\$1603.25	TBQ-RCBT721524BLBK	\$2457.45





While Quantities Last \*\*

FREE 61"

TOBER Top Chest

with purchase of a

TCBT610623LGBK

While Quantities Last \*\* FREE 41"

TOBEA Top Chest

with purchase of a

matching colour 41" Roller Cabinet.

matching colour 61

Roller Cabinet.

#### 61" 6-Drawer Top Chest

- 19-gauge steel body Deep clamshell lid with built-in power strip
- 100 lb rated soft close drawer slides Privacy drawer with separate lock
- PVC drawer liners and 4mm thick top chest mat
- 2 attachment plates for securing onto 61" rolling cabinet
- Dimensions: 61" W x 23" D x 23" H Gross weight: 262 lbs

#### 61" 11-Drawer Rolling Cabinet

- 19-gauge steel body
- 100 lb rated soft close drawer slides (double slides on top wide drawer and 2 bottom deep drawers)
- Rated load capacity: 3,000 lbs
- Power strip on the right side wall
- Bulk storage with door and adjustable height shelf and storage bin
- 18mm wood work surface PVC drawer liners
- Four 6" x2" HD casters (2 swivel w/brake + 2 rigid)
- Dim.: 61" W x 23" D x 38.4" H Gross weight: 383 lbs

61" HD Top Chests	6 Outlets 2 USB
TBQ-TCBT610623ORBK	\$1252.55
TBQ-TCBT610623LGBK	\$1252.55
TBQ-TCBT610623RDBK	\$1252.55
TBQ-TCBT610623BLBK	\$1252.55
	-

61" HD Rolling Cabinets				
TBQ-RCBT611123ORBK	\$2499.95			
TBQ-RCBT611123LGBK	\$2499.95			
TBQ-RCBT611123RDBK	\$2499.95			
TBQ-RCBT611123BLBK	\$2499.95			



#### 41" 4-Drawer Top Chest

- 19-gauge steel body Deep clamshell lid with built-in power strip
- 100 lb rated soft close drawer slides
- PVC drawer liners and 4mm thick top chest mat
- 2 attachment plates for securing onto 41" rolling cabinet
- Dimensions: 41" W x 21.5" D x 23" H Gross weight: 175 lbs

#### 41" 11-Drawer Rolling Cabinet

- 19-gauge steel body
- 100 lb rated soft close drawer slides
- (double slides on top wide drawer and 2 bottom deep drawers) • Rated load capacity: 2,500 lbs
- PVC drawer liners
- Four 6" x 2" HD casters (2 swivel with brake + 2 rigid)
- Dimensions: 41" W x 21.5" D x 40.3" H Gross weight: 285 lbs

	6 Outlets 2 USB	41" HD Rolling Cabinet	s
TBQ-TCBT410421ORBK	\$895.55	TBQ-RCBT411121ORBK	\$1799.95
TBQ-TCBT410421LGBK	\$895.55	TBQ-RCBT411121LGBK	\$1799.95
TBQ-TCBT410421RDBK	\$895.55	TBQ-RCBT411121RDBK	\$1799.95
TBQ-TCBT410421BLBK	\$895.55	TBQ-RCBT411121BLBK	\$1799.95

풆		10-
ĸ	RCBT4	1
51	œ	1
RCBT4111210RBK	- Contra	-
41	and the second s	
ᇤ		
и Ш	UT-	

21

7411121LGBK

RCBT411121RDBK

TCBT610623BLBK

3T61

Attachment Plate for 41" & 61 Models

TCBT410421LGBK

TCBT4104210RBK

RCBT411121BLBK

TCBT410421RDBK

**RCBT6111230RBK** 


RCBT611123BLBK

TCBT610623RDBK

TCBT6106230RBK

RCBT611123LGBK

TCBT410421BLBK



#### 22" RS Pro Series Side Lockers

- 5 Drawers with lift latch pulls and PVC foam liners
- Full-length aluminum drawer pulls with black plastic end caps
- Removable ball-bearing glides in every drawer
- (2) 6" x 2" casters 22" W x 24" D x 53-5/8" H 205 lbs

Item #		
HOM-BK08021050	\$1946.05	*
HOM-BL08021050	\$1946.05	
HOM-RD08021050	\$1946.05	S,
HOM-LG08021050	\$1946.05	
H0M-OG08021050	\$1946.05	



#### 14.5" RS Pro Series Side Cabinets with Stainless Steel Top

- 7 Drawers with lift latch pulls and PVC foam liners
- Full-length aluminum drawer pulls with black plastic end caps
- Removable ball-bearing glides in every drawer
- (2) 6" x 2" casters 14-1/2" W x 24" D x 32-7/8" H 147 lbs





WILLIAMS

Designed for the toughest outdoor work environments

WILLIAM

- Heavy 16 gauge steel construction with 12 gauge feet
- Recessed and concealed locking area protects padlock for ultimate security against drills and bolt cutter
- Fully welded seams provide maximum strengthReinforced overlapping lid provides protection from
- weather and forced entry
- · Heavy duty industrial lid stays prevents accidental closure

Item #	Colour	Dimensions W x D x H	EXTRA D
WLM-JHW50950B		32" x 19" x 17.5"	\$456.65
WLM-JHW50951B		42" x 20" x 23.5"	\$599.05
WLM-JHW50952B		48" x 24" x 27.5"	\$761.05

# **Tool Storage**



# MLW-48-22-8426 \$149<sup>05</sup>

PACKOUT<sup>™</sup> Rolling Tool Box, 250 Lbs Capacity

- Modular connectivity with ALL PACKOUT<sup>™</sup> components
- 9" all-terrain wheels
- Interior organizer tray
- Weather seal
- Retractable handle • Box dim.: 22.1" W x 18.6" D x 15.5" H



Shown in use Tools not included.

### MLW-48-22-8425 \$115<sup>95</sup>

#### PACKOUT<sup>™</sup> Large Tool Box, 100 Lbs Capacity

- Modular connectivity with ALL PACKOUT<sup>™</sup> components
- Interior organizer tray
- Weather seal
- Box dim.: 22.1" W x 16.1" D x 11.3" H

#### MLW-48-22-8443 \$23895

#### PACKOUT<sup>™</sup> 3-Drawer Tool Box, 50 Lbs Capacity

- Modular connectivity with ALL PACKOUT<sup>™</sup> components
- Ball bearing slides
- Metal reinforced corners
- Locking security bar
- Internal customizable quick-adjust dividers
- 22.1" W x 16.2" D x 14.3" H

#### MLW-2357-20 \$25905

### M18<sup>™</sup> PACKOUT<sup>™</sup>

### Light/Charger

- 3,000/1,500/1,000 lumens
- Three independent pivoting light heads
  Power source: M18<sup>™</sup> cordless or
- 120V corded (battery not included)
- 2.1 Amp USB output for USB device charging
- Small storage compartment for
- devices and small items • Modular connectivity with
- ALL PACKOUT™ components

#### \$7**4**<sup>95</sup> MLW-48-22-8488

#### **PACKOUT™** Customizable Work Top, 50 Lbs Capacity

- Impact resistant polymer construction with 1/2" marine grade wood top
- · Fastener-ready design, which allows you to attach vises, chargers, and a variety of other items for easy and secure transport
- Modular connectivity with
- ALL PACKOUT™ components • 23.9" W x 15.32" D x 2.0" H







# Professional Small Parts

STANLEY.



### STN-028001L \$88<sup>55</sup>

#### 9.2 Gallon Extra Heavy Duty

#### Professional FatMax® Toolbox

- Water resistant 
   Portable half tray • V-groove with ruler on lid holds
- place for cutting





 Built-in pad lock eye for small locks • 19" L x 10" W x 10" H

# STN-020800R \$20355

#### FatMax<sup>®</sup> 4-in-1 Heavy Duty **Mobile Work Station**

- Storage includes toolbox, part bins, portable tray and oversized lower bin for larger items
- Telescopic handle
- Ball bearing slides
- V groove on top lid for
- onsite cutting needs
- Heavy duty metal latches with pad lockable eyelets
- 21.6" L x 16.2" W x 24.8" H





### KNI-00 21 50 LE \$606<sup>55</sup> Modular X18 Tool Backpack,

# **33 Lbs Capacity**

- Two separate inner compartments for tools, measuring instruments, notebook or tablet
- Durable fabric, splash-proof and easy to clean
- Waterproof, impact-resistant molded bottom for a secure upright position
- A total of 21 retaining loops and 37 pockets, some with zips
- Luggage strap for fixing to telescopic handles of tool cases
- 20-7/8" x 13-3/8" x 8-1/4" Tools not included

KNIPEX





- materials such as lumber & pipes in
- 27.3" L x 12.48" W x 11.31" H
- STN-019151M \$3045



# Organizers





014725R










# **TOOL STORAGE**







#### 2-Row Trays for Regular and Deep Sockets

Item #	Drive	Size	Colour	Slots	
HAN-1402	1/4" Metric	4mm – 15mm		26	\$16.15
HAN-3802	3/8" Metric	6mm – 20mm		30	\$16.45
HAN-1202	1/2" Metric	10mm – 27mm		34	\$19.05
HAN-1401	1/4" <b>SAE</b>	1/8" – 5/8"		26	\$16.15
HAN-3801	3/8" <b>SAE</b>	1/4" — 1"		26	\$16.45
HAN-1201	1/2" <b>SAE</b>	3/8" - 1-1/4"		28	\$19.05
HAN-9302		ic Grey Socket Trays 202, 1402, 3802	;		\$46.25
HAN-9301		Red Socket Trays 201, 1401, 3801			\$46.25
HAN-92000		& Grey Socket Trays 201, 1202, 1401, 140		2	\$109.15

#### 3-Row Trays for Regular, Semi-Deep and Deep Sockets

Item #	Drive	Size	Colour	Slots	
HAN-14023	1/4" Metric	4mm – 15mm		42	\$19.15
HAN-38023	3/8" Metric	6mm – 20mm		45	\$20.55
HAN-14013	1/4" <b>SAE</b>	1/8" – 5/8"		39	\$19.15
HAN-38013	3/8" <b>SAE</b>	1/4" – 1"		39	\$20.55
HAN-92003		& Grey Socket Trays 013, 14023, 38013,			\$77.85

# **Tool Organizers**

# 



# VIM-V444 \$52<sup>35</sup>

6" x 18" Socket Tray with 4 Rails


• 20 clips in each drive size - 1/4", 3/8" & 1/2"

	-33		
der Rails	Item #	Drive / Clips	
	VIM-V420	1/4" drive – 16 clips	\$9.85
	VIM-V421	3/8" drive – 16 clips	\$10.45
	VIM-V422	1/2" drive – 16 clips	\$10.35
	VIM-V424	3/4" drive - 10 clips	\$12.55

VIM-V423 3-Pc Set: 1/4", 3/8", 1/2"

32097

# TITAN



\$27.35

• Accepts standard and deep sockets

			-			100
Item #	Dr.	Colour	Slots	Size Range	Rail Size	
TIT-36098	1/4"		12	4mm – 13mm, Adapter, U-Joint	8" x 1-5/16"	\$24.45
TIT-38098	3/8"		14	6mm – 19mm	12-3/4" x 1-5/16"	\$39.05
TIT-32098	1/2"		14	10mm – 22mm, U-Joint	16" x 1-5/16"	\$48.75
TIT-36097	1/4"		12	5/32" – 1/2", Adapter, U-Joint	8" x 1-5/16"	\$24.45
TIT-38097	3/8"		14	1/4" – 1", U-Joint	14-1/4" x 1-5/16"	\$39.05
TIT-32097	1/2"		14	3/8" – 1-1/4"	17" x 1-5/16"	\$48.75



# **Tool Organizers**



LAS25MBG LAS25

#### Lock-A-Socket -**Single Row Socket Rails**


• The underside contains a full length, high-powered, no-adhesive magnet

Item #	Colour	Drive	Locking Posts	
MTS-LAS25MBG	Mat Black/Green	1/4"	13	\$38.35
MTS-LAS38MBG	Mat Black/Green	3/8"	14	\$41.05
MTS-LAS50MBG	Mat Black/Green	1/2"	16	\$43.75
MTS-LAS25	Red	1/4"	13	\$35.25
MTS-LAS38	Red	3/8"	14	\$38.05
MTS-LAS50	Red	1/2"	16	\$40.75

Lock-A-Socket – 2-Row Socket Trays				LASDR50
Accommodates all types	Item #	Drive	Posts	
of sockets	MTS-LASDR25	1/4"	26	\$56.55
<ul> <li>No-adhesive magnet on the underside</li> </ul>	MTS-LASDR38	3/8"	28	\$72.35

the underside · Simply turn the socket to lock or unlock

Itelli #	DIIVE	1 0313		
MTS-LASDR25	1/4"	26	\$56.55	
MTS-LASDR38	3/8"	28	\$72.35	
MTS-LASDR50	1/2"	32	\$99.55	





Easy Car	ry Wre	ench Racks		TITAN
Item #	Slots	Size Range		RRRRRRRRRRRRRRRR
TIT-98012	12	8 – 19mm	\$7.65	and the second second
TIT-98013	13	1/4" – 1"	\$7.65	98013
	-			
		V512		V516
and the	1900			Contraction of the second
1.110	188			State of the second sec
				V514
Wrench	Racks			Contraction of the local division of the loc
Item #	Descr	ription	Slot	s
VIM-V512	Stubby	/ Wrench Grippe	er 10	\$18.95
VIM-V514	Wrenc	h Gripper	15	\$22.75
VIM-V516	Wrenc	h Rack	16	\$22.65

#### GW GEARWRENCH

#### GWR-83121 \$3955

#### 2-Pc 16 Slot Reversible Wrench Rack Set

- Reversible side rails with a quick-change design
- 2 side rail colours for easy differentiation
- Size range up to 1" / 25mm 3500 FANSEN



• Peel-off size labels in metric & SAE (#3500 & #5300)

Item #	Description	Colour	Metric	SAE	
HAN-3500	<b>Reversed Universal</b>		6–20mm	1/8" – 1"	\$10.65
HAN-5300	Universal		6–20mm	1/8" – 1"	\$10.65
HAN-5301	Quick-Pick SAE			1/4" – 1"	\$11.75
HAN-5302	Quick-Pick Metric		7–19mm		\$11.75






#### **13-Slot Pliers & Wrench Racks**

- Ten 5/8" wide slots for narrow tools and three 7/8" wide slots for
- larger tools
- Only 1-5/8" tall

Item #	Colour	
LIS-40460		\$29.15
LIS-40490		\$30.45

Wrenches

not included



# **Tool Organizers**

#### STEELMAN<sup>®</sup> PRO

#### STE-79011 **\$26<sup>15</sup>** Lug Bucket Magnetic **Parts Holder**

- Grooved dividers help separate
- parts while working
- 3 powerful magnets and 6 magnet positions
- Dimensions: 5"x 7" x 3.5"





Item #	Description	Size	Magnets	
ATD-8760	Round	5-3/8" diameter	1	\$11.15
ATD-8761	Rectangular	8-3/4" x 5"	2	\$24.05
ATD-8762	Square	10-3/4" x 10-3/4"	4	\$44.75
ATD-8763	Large Rectangular	14" x 6"	3	\$31.55



GRI-67486 **\$1015** 



8" Magnetic Storage Tray • 1" deep



#### SEZRED.

# EZR-EZTRAY-CLR \$3795

Set of 3 Collapsible Magnetic Trays, 4" x 4" • Expands from 3/4" to 2"



#### **QUAD Expandable Magnetic Trays**

Vert

• Expands from 3/4" to 2"

- Magnets on the inside hold loose parts
- 9" x 9" x 3/4"

# \$51<sup>65</sup>

EZR-EZTRAY-QRD Red





#### VIM-RTT20 \$9595 20" Low Profile **Rolling Tool Tray** Center metal plate to attach any magnetic tray or light with magnetic base



TOOLGRID

**Customizable Tool** 

• Tools not included



Item #	Description	Pieces	
TLG-SOCKETBDL400	*1/4", 3/8", 1/2" Drive Socket Bundle	397 Holders 400 Screws	\$208.65
TLG-WRENCHBDL200	*Wrench Bundle – Metric & SAE	200 Holders 200 Screws	\$150.35
TLG-HANDBDL150	*Hand Tool Bundle (Pliers & Screwdrivers)	148 Holders 200 Screws	\$162.75
TLG-34DRBDL100	*3/4" Drive Socket & Ratchet Bundle	98 Holders 100 Screws	\$104.85
TLG-CONTBDL52	*Container & Divider Bundle	52 Contain./Dividers 100 Screws	\$85.55
TLG-52000	TG-04, Board 24-1/2" x 26-1/16"	1	\$63.55
TLG-52001	TG-05, Board 29-1/16" x 26-1/16"	1	\$75.35
TLG-52002	TG-06, Board 15-7/8" x 26-1/16"	1	\$44.95
TLG-52003	TG-10, Board 24-1/2" x 22-3/16"	1	\$55.65
* The Toolgrid™ board is no	t included in the bundles.	www.MANTIS	CANADA.com

#### TGB-6X6 - 6" x 6" Modular Boards

- Fully customizable and fun to configure! • TGB-6X6 boards work with all Toolgrid holders and screws and are compatible
- with the original Toolgrid boards • Trim off the right amount, for a perfect fit
- Each colour is sold in packs of 16

Item #	Colour	
TLG-52015	White	\$135.45
TLG-52016	Black	\$135.45
TLG-52017	Grey	\$135.45
TLG-52018	Blue	\$135.45
TLG-52019	Red	\$135.45
TLG-52020	Yellow	\$135.45
TLG-52021	Green	\$135.45





# **Gear, Bearing & Pulley Pullers / Splitters**

Mechanical Gear & Bear • Remove and fast, effective	ring Puller I install parts	s 🚺		1020	
Item #	Capacity	Style	Max. Reach	Max. Spread	
0TC-1020	1-Ton	2-Jaw	2-1/8"	3-1/4"	\$73.15
0TC-1021	1-Ton	3-Jaw	2-1/8"	3-1/4"	\$84.65
0TC-1022	2-Ton	2-Jaw <b>(Rev. Jaws)</b>	3-1/4"	4"	\$78.95
0TC-1023	2-Ton	2/3-Jaw <b>(Rev. Jaws)</b>	3-1/4"	4-3/4"	\$95.35
0TC-1024	5-Ton	2-Jaw <b>(Rev. Jaws)</b>	3-1/4"	6"	\$152.05
0TC-1026	5-Ton	2/3-Jaw <b>(Rev. Jaws)</b>	3-1/4"	7"	\$252.45
0TC-1025	5-Ton	2-Jaw (Rev. Jaws)	5-1/2"	6"	\$185.85
0TC-1027	5-Ton	2/3-Jaw <b>(Rev. Jaws)</b>	5-1/2"	7"	\$315.75
OTC-1035	7-Ton	2-Jaw <b>(Rev. Jaws)</b>	5"	9"	\$165.55
0TC-1037	7-Ton	2/3-Jaw <b>(Rev. Jaws)</b>	5"	10-1/2"	\$238.05
0TC-1036	7-Ton	2-Jaw	8-3/4"	11"	\$151.55
0TC-1038	7-Ton	2/3-Jaw	8-3/4"	11"	\$206.95
OTC-1039	13-Ton	2-Jaw	11"	12"	\$244.45
0TC-1041	13-Ton	2/3-Jaw	11"	12"	\$512.75
0 . 140					

#### 3-in 1 "GripLock" Pullers

• 2 or 3 jaw application

• Both external and internal pulling action

Item #	Capacity	Max. Reach	Max. Spread	E D	
0TC-464	2-Ton	4"	3" – 4"	- Sella	\$151.55
0TC-465	5-Ton	7"	3" – 7"	1	\$255.85

### OTC-522 \$13765

#### Large Gear & Pulley Puller

- · Easily remove a wide range of gears, pulleys, or other parts that have tapped holes
- Puller spread is 2" to 7-3/4"
  Forcing screw is 3/4" 16 x 11-5/8" long

# OTC-7393 \$78<sup>25</sup>

#### **Gear & Pulley Puller**

- · Perfect for removing timing gears, fan pulleys, harmonic balancers, and many other parts having tapped holes
- Puller spread: 1-1/2" to 4-1/4"

### OTC-6614 **\$216**<sup>85</sup>

#### **Heavy-Duty Gear Puller**

- Removes gears up to 7-1/4" in diameter, including most cam gears
- Rated at 8 tons, for most heavy-duty applications; includes a pair of M12x1.75" x 90mm metric bolts





#### **Push Pullers**

• To remove and install press-fit parts

Item #	Capacity	Max. Reach	Max. Spread	
0TC-927	10-Ton	8-1/4"	2-1/8" - 7-1/4"	\$254.05
0TC-938	17-1/2 Ton	11-1/2"	3-1/8" – 11-3/4"	\$473.25
OTC-939	30-Ton	10-1/2"	7" – 16-1/4"	\$889.35

1121





Bearing Splitters

Item #	Maximum Spread	Minimum Spread	
0TC-1121	15/16"	1/4"	\$82.65
0TC-1122	2"	1/8"	\$96.45
0TC-1123	4-5/8"	1/2"	\$161.55
0TC-1124	5-3/4"	1/2"	\$328.65
OTC-1130	9"	1/2"	\$374.65
OTC-1126	8"	5/8"	\$552.15
0TC-1127	13-3/8"	3/4"	\$1326.15



# Gear, Bearing & Pulley Pullers / Splitters



# **Puller Sets**

• Reversible for internal and external applications

• For removing bearings, gears, discs, etc.

	KKU-K-2030-10+S	KKU-K-2030-10-S	KKU-K-2030-20+S	KKU-K-2030-20-S	
Capacity	5-Ton	5-Ton	10-Ton	10-Ton	
Jaw Type	Narrow Jaws with Quick-Adjust Knobs	Narrow Jaws	Stand. & Narrow Jaws with Quick-Adjust Knobs	Standard & Narrow Jaws	
2-Jaw	1-3/16" to 4-3/4"		1-5/8" to 7-7/8"		
Width	(30-120mm)		(40-200mm)		
2-Jaw	3-7/8" to	9 13-3/4"	5-7/8" to 23-5/8"		
Depth	(100-3	50mm)	(150-600mm)		
3-Jaw	1-1/16"	to 5-1/8"	1-3/8" to 7-7/8"		
Width	(27-13	30mm)	(35-200mm)		
3-Jaw	3-7/8" to 13-3/4"		5-7/8" to 17-23/32"		
Depth	(100-350mm)		(150-450mm)		
	\$1254.75	\$1296.25	\$2050.05	\$1822.25	



Item #	Application	Inner Diameter of Ball Bearing	
KKU-K-22-A	Automotive	1/4" - 1-3/16" (6mm-30mm)	\$722.45
KKU-K-22-B	Industrial	1-1/8" - 2-3/4" (28mm-70mm)	\$1106.15

# SUNEX

SUN-3909 \$33075

### **10 Ton Capacity**

- **Hydraulic Gear Puller**
- Provides up to 10 ton of pulling force with hydraulic ram
- Makes 8 different pulling combinations for total versatility



### GRI-21120 **\$8705**

#### 3-Pc 3-Jaw Gear Puller Set

- · Removes gears, pulleys,
- bearings and flywheels
- 3", 4", 6<sup>"</sup>





#### **Universal Race Puller**

- Universal three-legged bearing ring puller provides equal gripping power on each side, avoiding any tilt
- Adjustable clamping chain offers ideal grip and power
- Fits all kinds of bearings and sleeves between 40mm and 60 mm
- For manual use, not with an impact tool

### OTC-7494A \$12055

- **Rear Axle Bearing Puller Set**
- For the removal of semi-floating
- rear axle bearings • Set includes three pullers: 1" to 1-7/8", 1-5/16" to 2-3/8", 1-3/8" to 2-7/8"



# 9CL-40291 \$640<sup>15</sup>

**9CIRCLE** 

**16-Pc Blind Hole Bearing** Puller & Slide Hammer Set 8mm to 58mm, M10 x 1.50, M8 x 1.25, M6 x 1.00

### CAL-29 \$35865

#### **Blind Hole Bearing Puller**

- 2.5 lbs slide hammer • Includes 4 collets:
- 3/8" 1/2" (10-14mm) 9/16" 11/16" (15-19mm) 5/8" 1" (18-25mm)
- 1" 1-1/4" (25-32mm)







# **Power Steering & Alternator Pulley Pullers**



#### LAN-5238 \$179<sup>85</sup> Master Power Steering **Pulley Remover and** Installer Set

- Designed to remove and install press-on-type belt-driven accessory pulleys
- found on most major domestic vehicle platforms
- Applications include: GM Quad 4, GM 3.1L and Ford 4.6L engines



OIC


#### LIS-57650 \$5125

#### **Alternator Decoupler Pulley Tool Kit**

 For removing and installing many alternator decoupler pulleys (one way and overriding/freewheeling) on the most popular domestic vehicles

#### OTC-6358 \$160<sup>35</sup>

#### **Alternator Decoupler Pulley Remover & Installer Tool**



- Applications include 2004+ Chrysler/Dodge/Jeep vehicles
- Similar to Miller #MLR-8433A

### OTC-4529 **S87**<sup>45</sup>

#### **Power Steering/ Alternator Pulley Puller/Installer** Set

• Properly replaces pressed-on power steering and alternator pulleys on Ford, Chrysler, and late GM engines

### OTC-7185 **\$80<sup>15</sup>**

#### **Power Steering Pump Pulley Puller**

• Removes power steering pulleys on most Ford, Chrysler, VW, and GM vehicles with Saginaw, Thompson, and Ford C2 and C111 power steering





#### ATD-3052 **\$10815**

#### Alternator/Power **Steering Pulley Puller** and Installer


- Remove pressed-on alternator and power steering pulleys on late model GM, Ford & Chrysler engines
- Installs late model GM alternator & power steering pulleys, incl. Quad 4 Puller fits AMC vehicles

# OIC

#### OTC-6359 \$314<sup>25</sup>

#### **Power Steering Pulley Puller**

- Also used to remove alternator pulley on Chrysler vehicles
- Similar to Miller #MLR-C-4333A
- Applications:
- Chrysler 2006-2008 Pacifica, Sebring, Town & Country
- Jeep 2006 2008 Liberty, Wrangler
- Dodge 2006 2008 Stratus, Caravan,
- Grand Caravan PT Cruiser







### OTC-7830A \$169<sup>45</sup>

**Power Steering Pump Pulley Kit** 

### Removes and installs power steering

pump pulleys in Chrysler, Ford, and GM vehicles with Saginaw, Thompson, and Ford C111 and C2 power steering pumps



# OIC

#### OTC-4530 \$88<sup>65</sup>

#### **Power Steering Pump Pulley Remover/Installer Set**

- Works on most domestic vehicles
- Fits pulley hubs with diameters of 1-1/8", 1-1/4", 1-5/16" and 1-3/8'
- Includes the necessary adapters for servicing: GM 3.1 L, 3100, 3400, and 3800 V6 engines, GM 2.3L Quad 4 fourcylinder engines and Ford 4.6L, 5.4L, and 5.8L modular V8 engines



# **Steering Wheel/Column Pullers**



#### ATD-3059 **\$182<sup>35</sup>**

**Steering Wheel Remover & Steering Column Service Tool Set** 

 For most domestic and import vehicles with standard or tilt/telescoping columns







# Harmonic Balancer Pullers

P TOOLS

SIY-18350

#### CAL-38000 \$13195

#### **Ratcheting Harmonic Balancer Puller**

- Three ratcheting legs with puller feet
- eliminate the need for bolts
- Applications:
- Ford 5.0 Coyote GM 5.3L, 5.7(LS1), 6.0 (LS2), 6.2(LS3), 7.0L
- Most 3 and 6 spoke harmonic balancers/pulleys



### Harmonic Damper

- **Pulley Puller**
- For Chrysler, GM, Mitsubishi, and Dodge



#### Harmonic Balancer **Puller/Installer Set**

- · For easy removal and installation of most press-fitted harmonic balancers and drive pulleys
- Harmonic balancers adapter sizes included: M16 x 2.0, M14 x 1.5, M12 x 1.5, 1/2"-20, 7/16"-20, 3/4"-16, 5/8"-18, and 9/16"-18



#### **Harmonic Balancer Puller**

- Designed for removing damper pulleys in tight engine compartments, without removing the radiator
- Covers many GM, Cadillac, Chevrolet trucks, Chrysler, Ford, Mitsubishi Eclipse models

### OTC-6669 \$189<sup>95</sup>


#### Harmonic Balancer Puller Kit

- Applications: • GM 2000 Generation III 4.8L, 5.3L,
- 5.7L 6.0L, and 8.1L V8s
- Cadillac 4.5, 4.6, and 4.9L V8s beginning in 1988
- Chevrolet trucks 2003+ 4.2L I6, 2004-current 3.5L I5; 2005-current 2.8L I4
- Chrysler engines from 1990+, including 2.0L, 2.4L-cyl; plus 2.5L, 2.7L, 3.3L, 3.5L, and 3.8L V6s
- Ford 1995+ V8 engines with 3 spoke pressed-on damper
- Mitsubishi Eclipse 1995-1999 2.0L DOHC non-turbo
- Saab 9-7X: 200 -2009 4.2L, 5.3L, 6.0L
- Volkswagen Routan: 2009-2010 4.0L

# LIS-54810 \$379<sup>45</sup>

lisle

**Master Harmonic** Balancer **Puller Set** 







Callan

P TOOLS SLY-18000 \$59395 **15-Pc Master Harmonic Damper Pulley Puller Set** • 4 pulley puller kits in one: #64900B, #18350, #17400 and #13450A This kit accommodates a multitude of appli-

Jaws

2-Jaw

3-Jaw

cations that include, but are no limited to: • 2018+ Ford Coyote engines as well as various models and production years of GM/

Chevrolet and other vehicles equipped with 3- and 6-spoke pulleys • Many Ford, Dodge, Chrysler, GM and other

Applications

with 4-spoke pulleys

Low-profile, narrow design for smaller cars

GM 3.6L Camaro, 2018+ Ford Coyote engines

and other vehicles equipped with

3-spoke and 6-spoke pulleys

domestic vehicles as well as some import vehicles and compact cars equipped with 3-, 4- and 6-spoke pulleys



18350

\$268.05

\$362.15

#### **Astro** AST-78450 \$114<sup>25</sup>

#### **Heavy-Duty Harmonic Crank Pulley Puller**

- For use on three winged style crank pulley dampeners without female threaded holes
- · Works on: GM LS, Ford Coyote, GMC, Chrysler, Dodae & Jeep



#### **Drum & Rotor Pullers Astro** AST-78830 \$282<sup>15</sup> Heavy Duty Hub, Drum & Rotor Puller Kit Impact grade • Small, medium and large hub adapters



### OTC-6980 \$27945

#### **Brake Drum and Rotor Puller**

- Handles large components such as brake drums, rotors, drive wheels, gears, flywheels, and pulleys
- Spread to 12-3/4" and 5" of reach 7-tons of force
- OTC-6979 \$525<sup>85</sup>

#### **Heavy Duty Brake Drum and Rotor Puller**

- Designed for removing frozen, rusted or seized drums and rotors found on 1-ton pickups, school buses and larger vehicles
- Spread to 17.5" and a max. reach of 12.25"








OIC





# **Slack Adjuster Pullers**





# **Pitman Arm Pullers**



### LIS-41970 **\$67<sup>65</sup>**

Heavy-Duty Pitman Arm Puller for Ford

• For the large Pitman arms on 2005 and later Ford F250 and F350 trucks



# 




### **Pitman Arm Puller**

• Will handle nearly any Pitman arm job on passenger cars and light trucks Spread between jaw tips: 1-5/16"



#### OTC-6496 **\$161**<sup>55</sup> **Pitman Arm Puller**

· New design saves time and increases productivity Works on most domestic 4WD SUVs and pickups



Tiger Tool.

Made in

Canada

2

IMPROVED

### OTC-6497 **\$181<sup>65</sup>**

#### **Super-Duty Pitman Arm Puller**

• Works on 2005 and newer Ford F-250 and F-350 4WD Super-Duty trucks

Maximum jaw spread is 3-1/4"



TGR-10389 \$356<sup>95</sup>

Sheppard M110

Pitman Arm Puller

# **Tie Rod Pullers**

#### OTC-7503 \$127<sup>15</sup>

domestic vehicles

**5 Ton Capacity Outer Tie Rod Remover** • Works on FWD and RWD import and



### OTC-7503HD \$25355

#### **10 Ton Capacity Universal Heavy Duty Tie Rod and Ball Joint Remover**

- · For use on a variety of cars, trucks, SUVs and
- heavy-duty vehicles • 3" jaw spread and 4" reach for a wider variety of
- applications and larger vehicles
- Forcing screw: 3/4"-10, 6.5" long
- · Interchangeable tips including cone, flat and cup for multiple applications
- The tool will also remove pitman arms and can be used in many pulling situations that require a 2 jaw puller on other vehicles types and machinery



#### 



The Slugger -10 Lb. Dent Puller & Slide Hammer

SGT-81500 \$95<sup>35</sup> Junior Slugger -3 Lb. Dent Puller & Slide Hammer



Wiper Arm / Battery Terminal Pullers

#### **9CIRCLE**

#### 9CL-83170 **\$147<sup>75</sup>**

5-Pc Wiper Arm Puller Set • Includes 4 cup extractors and 1 adjustable puller to work on a wide range of applications






**Battery Terminal &** Wiper Arm Puller



GWR-202D \$3065 **Battery Terminal** Puller







### TGR-10385 **\$241**<sup>45</sup> Sheppard M100 Pitman Arm Puller



# SLY-11880A \$676<sup>85</sup>

#### Large Pitman Arm Remover

 Works with Ford F250/F350 and many 3/4 to 1 ton pickup trucks using the larger TRW steering box, and now the F450/F550 models with ZF steering gear

### SLY-14900 \$55255

#### **Sheppard Pitman Arm Remover** Applications:

- M80, M90, M100, M110, 292, 392, 492 & 592 Used on Chevy/GMC, Freightliner, Kenworth, Mack, Navistar, Paccar, Peterbuilt, Volvo, and many others



# **Bottle Jacks**



#### **Bottle Jacks**

Item #	Capacity	Lift H	Lift Height		
Item#	Gapacity	Low	High	Weight	
Hydraulic Bot	ttle Jacks				
NRC-76502B	2-Ton	7.13"	14.5"	6 lbs	\$115.95
NRC-76503B	3-Ton	7.5"	15.56"	8 lbs	\$132.45
NRC-76505B	5-Ton	9.06"	18.88"	11.5 lbs	\$175.95
NRC-76508B	8-Ton	9.06"	18.75"	14 lbs	\$202.15
NRC-76512B	12.5-Ton	6.69"	13.19"	15 lbs	\$212.45
NRC-76412B	12.5-Ton	9.45"	18.9"	18 lbs	\$220.55
NRC-76820B	22-Ton	8.27"	14.96"	25 lbs	\$316.55
NRC-76520B	22-Ton	10.83"	20.2"	31 lbs	\$326.75
NRC-76560	60-Ton	12"	18.75"	82 lbs	\$978.45
Air/Hydrauli	c Bottle Jacks	;			
NRC-76320B	20-Ton	10.88"	20.5"	41 lbs	\$645.35
NRC-76350	50-Ton	12"	19"	70 lbs	\$1030.55
NRC-76399	100-Ton	11.8"	17.7"	190 lbs	\$3473.15

# ESCO

# ESC-10450 **\$313**<sup>95</sup>

#### 20-Ton Air/Manual Bottle Jack

- Extension screw gives added height
- Min./Max. height: 10.3"/19.2"
- Weight: 35 lbs

### ESCO

#### ESC-10382 \$36575

**Pro Series 20-Ton** "Shorty" Air/Hydraulic **Bottle Jack** 

- Min. height: 7-1/8"
- Max. height: 12-5/8" • Weight: 34 lbs



### ESC-10383 **\$551**<sup>45</sup>

**Pro Series 30-Ton Air/Hydraulic Bottle Jack** • Min. height: 10-7/8" • Max. height: 20" • Weight: 63 lbs





**Bottle Jacks** 

Item #	Capacity	<u>Lift H</u> Low	<u>leight</u> High	Weight	
Hydraulic Bo	ottle Jacks				
SUN-4402	2-Ton	7.1"	13.6"	5.5 lbs	\$55.45
SUN-4404	4-Ton	7.6"	14.7"	7.3 lbs	\$60.45
SUN-4406	6-Ton	8.3"	16.3"	9.9 lbs	\$84.55
SUN-4408	8-Ton	9.1"	18.1"	11.5 lbs	\$95.75
SUN-4412S	12-Ton Short	7.5"	14.4"	12.8 lbs	\$149.95
SUN-4412	12-Ton	9.1"	17.3"	14.3 lbs	\$109.85
SUN-4420S	20-Ton Short	7.5"	13.8"	17.9 lbs	\$200.15
SUN-4420	20-Ton	9.5"	17.8"	20.5 lbs	\$186.05
SUN-4430	30-Ton	11"	17.5"	26.9 lbs	\$430.05
Air/Hydraul	ic Bottle Jacks				
SUN-4412AH	12-Ton	9.6"	18.7"	29.8 lbs	\$365.55
SUN-4420AH	20-Ton	9.6"	18.7"	38.8 lbs	\$539.95



#### **Professional Hydraulic Bottle Jacks**

Capacity	<u>Lift H</u> Low	<u>leight</u> High	Weight	
2-Ton	6"	12.1	5.3 lbs	\$35.85
4-Ton	7.7"	14.7"	6.4 lbs	\$41.05
8-Ton	7.9"	14.9"	9.7 lbs	\$59.75
12-Ton	8"	15.4"	13.2 lbs	\$67.05
12-Ton Low Profile	7.5"	13.8"	12.1 lbs	\$64.55
20-Ton	9.6"	17.5"	21 lbs	\$98.15
20-Ton Low Profile	7.5"	13.4"	18.7 lbs	\$94.15
30-Ton	10"	17.9"	38.6 lbs	\$177.55
	2-Ton 4-Ton 8-Ton 12-Ton 12-Ton Low Profile 20-Ton 20-Ton Low Profile	Capacity         Low           2-Ton         6"           4-Ton         7.7"           8-Ton         7.9"           12-Ton         8"           12-Ton         8"           20-Ton         9.6"           20-Ton         7.5"	Low         High           2-Ton         6"         12.1           4-Ton         7.7"         14.7"           8-Ton         7.9"         14.9"           12-Ton         8"         15.4"           12-Ton         7.5"         13.8"           20-Ton         9.6"         17.5"           20-Ton         9.5"         13.4"	Capacity         Low         High         Weight           2-Ton         6"         12.1         5.3 lbs           4-Ton         7.7"         14.7"         6.4 lbs           8-Ton         7.9"         14.9"         9.7 lbs           12-Ton         8"         15.4"         13.2 lbs           12-Ton         8"         15.4"         13.2 lbs           12-Ton         7.5"         13.8"         12.1 lbs           20-Ton         9.6"         17.5"         21 lbs           20-Ton         7.5"         13.4"         18.7 lbs



**Floor Jacks** 

#### **Floor Service Jacks**

Item #	Capacity	<u>Lift H</u> Low	leight High	Chassis Length	Weight	
Hydraulic Floor	Jacks					
SUN-6602LP	2-Ton	2.75"	24"	36"	97 lbs	\$530.95
SUN-6602ASJ Aluminum Body	2-Ton	3.5"	20"	26.5"	58 lbs	\$630.25
SUN-6604	5-Ton	5"	22"	55.5"	225 lbs	\$1499.95
SUN-6609	10-Ton	6.25"	22.5"	61"	359 lbs	6
Air/Hydraulic F	loor Jacks					
SUN-6606	5-Ton	5"	22"	55.5"	230 lbs	6
SUN-6614	10-Ton	6.25"	22.5"	61"	364 lbs	6
SUN-6620	20-Ton	7.3"	24.6"	59"	589 lbs	6

SUNEX TOOLS



Floor Servic	e Jacks		n	DLCO		On all Norco Floor Jacks
Item #	Capacity	<u>Lift H</u> Low	<u>leight</u> High	Chassis Length	Weight	
Hydraulic Flo	or Jacks		-			
NRC-71233B	2-Ton	2-3/4"	20"	27-7/8"	92 lbs	\$549.45
NRC-71331	3-Ton	3"	19-3/4"	31"	71 lbs	\$649.45
NRC-71335A	3.5-Ton	4"	21-3/8"	28-1/2"	106 lbs	\$669.95
NRC-71500G	5-Ton	5-5/8"	27-1/4"	62-1/4"	270 lbs	6
NRC-71000D	10-Ton	6-1/8"	27-1/4"	69-1/2"	455 lbs	6
Air/Hydrauli	c Floor Jacks					
NRC-71550G	5-Ton	5-5/8"	27-1/4"	62-1/4"	270 lbs	6
NRC-71100A	10-Ton	6-1/8"	27-1/4"	68-1/2"	466 lbs	6
NRC-72230A	20-Ton	7-1/4"	26-1/4"	71-1/2"	670 lbs	6



# LDJ35

# OTC



Item #	Capacity	<u>Lift H</u> Low	<u>leight</u> High	Chassis Length	Weight	
Hydraulic Flo	or Jacks					
OTC-LDJA2	2-Ton	3.25"	18.625"	25.125"	47 lbs	\$749.05
OTC-LDJ35	3.5-Ton	5.2"	21.9"	28.5"	100 lbs	\$597.05
OTC-HDJ5	5-Ton	6"	22"	56"	254 lbs	\$1795.95
OTC-HDJ10	10-Ton	5"	22"	55.5"	280 lbs	\$2011.15
OTC-HDJ20	20-Ton	6.25"	22.5"	61"	561 lbs	6
Air/Hydrauli	c Floor Jacks					
OTC-HDJ5P	5-Ton	5.875"	22"	55.5"	375 lbs	\$1750.55
OTC-HDJ10P	10-Ton	6.375"	22"	61"	410 lbs	\$3650.45





# **Floor Jacks**





### OME-25055B \$642<sup>15</sup>

2.5-Ton Magic Lift Service Jack and **3-Ton Jack Stands Combo** 2.5-ton low profile service jack: • Min./Max. height: 3.35"/19.3" • Weight: 69.5 lbs

- 3-ton jack stands:
- The rated capacity is per pair
- Min./Max. height: 11.5"/17"

Weight: 16 lbs





#### ATD-7500 \$48295

#### **3-Ton Jack Pack**

- 3-ton service jack:
- Min. height: 5-3/8"
- Max. height: 19-1/2"
- Weight: 78 lbs
- Pair of 3 ton jack stands:
- Min. height: 11-13/16"
- Max. height: 7-5/16"
- Weight: 15 lbs






# **Air/Hydraulic Axle Jacks**



#### Air/Hydraulic Jacks

Item #	Capacity	<u>Lift l</u> Low	<u>leight</u> High	Weight	
TBQ-AJ22000A	22-Ton	8-3/4"	17-11/16"	72.6 lbs	\$794.55
TBQ-TAJ40200	40/20-Ton	5.9"	16.1"	79.4 lbs	\$1651.85
TBQ-AJ50000	50-Ton	11-3/8"	21-1/4"	101.2 lbs	\$1193.35
TBQ-TAJ53150	50/30/15-Ton	5.9"	17"	123.5 lbs	\$2268.75
TBQ-TAJ60000	60-Ton	16.5"	40.6"	278 lbs	\$3411.35





6


OTC



Item #	Capacity	<u>Lift H</u> Low	<u>leight</u> High	Net Weight	
Ratcheting J	lack Stands				
SUN-1003C	3-Ton	11-5/8"	16-3/4"	15 lbs	\$89.55
SUN-1006C	6-Ton	15-3/4"	24"	30 lbs	\$156.05
SUN-1012C	12-Ton	19-1/2"	30"	71 lbs	\$406.05
Pin Type Jac	k Stands				
SUN-1210	10-Ton	11"	17.3"	58 lbs	\$328.95
SUN-1410	10-Ton	28.1"	46.5"	115.6 lbs	\$481.25
SUN-1522A	22-Ton	11.8"	19.7"	72.7 lbs	\$332.55



Jack Stands	with Lock	Handle				
NRC-81004C	Imported	3 Tons	12"	17-1/2"	19 lbs	\$101.45
NRC-81012	Imported	12 Tons	19-5/8"	29-3/8"	86 lbs	\$424.85
Jack Stands	s – Pin Type	with Square	Base			
NRC-81205 NRC-81205i	USA Imported	5 Tons	9-1/2"	15-3/4"	38 lbs	\$479.95 \$245.05
NRC-81225 NRC-81225i	USA Imported	25 Tons	12"	20"	65 lbs	\$853.75 \$500.35
Jack Stands	s – Pin Type	with Four Le	egged Bas	se		
NRC-81208i	Imported	10 Tons	10-1/2"	17"	60 lbs	\$416.65
NRC-81209 NRC-81209i	USA Imported	10 Tons	18-1/2"	30"	80 lbs	\$964.45 \$551.45
NRC-81210 NRC-81210i	USA Imported	10 Tons	28"	47"	106 lbs	\$1196.55 \$714.85



with included extended handle 3 height positions:



- 15.5"/17.5"/20.5"
- Saddle extension: 2"
- Max. height: 22.5"



	Jack S	Stands		
<u> </u>	<b>@ESC</b>		SC-10803	
10802 10803	<b>STAR</b>		10000	
		ew Style Ja screw for heig		
	<ul> <li>Sold per sta</li> </ul>	0		
1.	Item #	Height	Weight	
	ESC-10802	16.5" – 26.5"	65 lbs	\$427.55
I	ESC-10803	24" - 46"	82 lbs	\$623.85
	500	C-10804 <b>\$</b> 4	AE 905	
		-10804 🏼 🍑 Ton Pin Styl		and
	• Pi	n adjustable he	eight	
		in./Max. height ′eight: 79 lbs ●		and
	_			
		ESC-1049		
			eavy-Dut t Jack Sta	
	/ 1 \	<ul> <li>Foldable</li> </ul>	tripod star pring loade	nd
		• Min./Ma	x. height: 4	3"/69-1/4"
· · · · · · · · · · · · · · · · · · ·	• •	• Weight: :	200 lbs • S	old per stand
Jack Stands (Pair) • Flat top rubber pad g the lifting point • 2 tons per stand • Min. height: 13.8" • Max. height: 21.81"	rips		A	
	J	<b>Å</b>		
<b>\$612</b> <sup>35</sup>	\$449 <sup>9</sup>	5	\$414	65
AME-14415	AME-1442	25	AME-14	
20-Ton OTR (Off-The-Road)	24-Ton Heavy Dı	ıtv	40-Ton Heavy	
Screw Style	Jack Sta	nds (Pair)	Jack St	tands (Pair)
look Stand	I2 tons n	er stand		s per stand
Jack Stand • Min. height: 26"	• Min. heig			eight: 12"
Jack Stand				eight: 12" eight: 20"
Jack Stand • Min. height: 26"	• Min. heig • Max. heig 565 Pin Style (Pair) dle			





LSCO

# ESCO

# ESC-10316 \$492<sup>05</sup>

10-Ton Stak-Able **Hydraulic Ram Kit** 

Ideal for low clearance applications

- 1", 2" and 3" extensions, .375" saddle
- Retracted height: 3.5" Max. height: 11.25"

#### **10-Ton Hydraulic Rams**

• Used to break the beads on the backside of the tire • 3-year warranty

Item #	Retracted Height	Stroke	
ESC-10301	4.75"	2-1/8"	\$406.65
ESC-10302	6.75"	4-1/8"	\$434.45
ESC-10303	9.75"	6-1/8"	\$473.45
ESC-10304	11.75"	8"	\$525.45
ESC-10305	13.75"	10-1/8"	\$545.85



4 IV P

#### **High Flow Hydraulic Couplers**

• Interchange with Enerpac C604 and Power Team/OTC 9795

Item #	Description	
AME-16000	Male & Female Set	\$79.95
AME-16050	Male End	\$35.95
AME-16060	Female End	\$39.95



# **Foot Pumps**



# SUN-4998 **\$598**<sup>95</sup>

Air/Hydraulic Foot Pump • Develops 10,000 PSI

• 98 cu. in. of usable oil






OTC-2510A \$687<sup>55</sup> Air/Hydraulic Foot Pump • Develops 10,000 PSI • 98 cu. in. of usable oil



#### NRC-910130A **\$590<sup>25</sup> Air/Hydraulic Foot Pump** with 10,000 PSI Capacity Aluminum reservoir



**Pro Series 1/2 Gallon Air/Hydraulic Foot Pump** • Develops 10,000 PSI • High volume 135 cu. in. of usable oil



6

NRC-72000Ei

1.5-Ton 7-3/4" 36-1/2"

45"

28"

310

72000Ei (Imported)

# Transmission Jacks

# OTC



2,000 Lbs Capacity Low Lift Transmission Jack

- Includes adapter plate for Eaton<sup>®</sup> Fuller<sup>®</sup> RoadRanger<sup>®</sup> transmissions
  Height range: 6-7/8" to 35-1/4"
- Weight: 352 lbs





#### 9 OTC-5019A

#### 2,000 Lbs Capacity Low-Lift Transmission Jack

- Special mounting adapter fits popular Eaton<sup>®</sup> Fuller<sup>®</sup> RoadRanger<sup>®</sup> transmissions used on nearly all Class 7 and 8 heavy-duty trucks
- Min. height: 8-1/4" Max. height: 36-1/2"
- Weight: 376 lbs





#### **`**@ OTC-TJH10

#### 1,000 Lbs Capacity High-Lift **Transmission Jack**

- Universal saddle, adjustable corner brackets and safety chains
- · Head tilts front to back and side to side
- Min. height: 35
- Max. height: 71-5/8"
- Weight: 158 lbs



# OIC

#### (D) OTC-5078 2,000 Lbs Capacity High-Lift **Transmission Jack for**

- **Trucks & Buses** • Foot-operated air pump
- Includes an adapter for Allison 500 and 600
- series automatic transmissions
- Min. height: 41-1/2' Max. height: 65'
- Weight: 312 lbs





### HWA-HW93718

#### **1-Ton Manual Floor Transmission Jack**

- · Designed for heavy duty transmissions
- Low height: 10.25"
- High height: 45.25
- Base: 47.5" x 28.25'





• Weight: 309 lbs



# **Engine Lifting Equipment & Accessories**





# 

### SUN-8300DP \$8005

**Oil Drip Pan for** 

#### **Engine Stand**

• For use on engine stands with "T" or "I" shaped bases

# (norco)



#### 2,000 Lbs Capacity

- 75:1 Gear-Driven Engine Stand
- Capable of handling large automotive engines and small diesel engines
- Height: 42'
- Width (front): 21-1/4 (rear): 40"
- Length: 38-1/4" 53-1/4"
- Weight: 289 lbs

# OTC

**`**M OTC-1735B 2,000 Lbs Capacity

#### Heavy-Duty Motor-Rotor® **Universal Repair Stand**

- · Handles a wide variety of engines, transmissions, torque converters, and rear axles from trucks, tractors, and construction machinery
- Universal arm assemblies
- Dimensions: 59" x 24" x 16"
- Weight: 290 lbs



#### SUN-8300GB \$79765 1/2-Ton Capacity Folding **Engine Stand**

- 63 to 1 ratio gearbox easily rotates engine to desired position by turning a crank handle
- Overall length x width: 38.6" x 35.8"
- · Weight: 96 lbs

### SUN-8400 \$51045

#### **1-Ton Capacity Folding Engine Stand**

- 8 locking positions secure the engine at multiple angles for different applications
- Overall length x width: 41.7" x 28.5
- Weight: 132 lbs











# **Engine Lifting Equipment & Accessories**

### (norco)



#### 2,500 Lbs Capacity Powertrain Lift/Work Table

- Handles powertrain components like engines, transmissions, transaxle assemblies, rear ends and large electric vehicle batteries
- Air/hydraulic foot pump
- Lift height: 31" to 78"
- Overall dim.: 50" L x 33" W x 35" H

(D)

**Powertrain Lifting Table** 

• Designed to handle heavy engine, drive axle

2,500 Lbs Capacity

- Table size: 19" x 36"
- Saddle tilt: 15°
- Weight: 665 lbs

ATD-7478



### OTC



### **Power Train Lift with**

- **Tilting Plate**
- Ideal for engine and
- transaxle service • Height range:
- 29-1/2" to 68-1/2"
  Weight: 372 lbs



# OIC



#### 6,000 Lbs Capacity **Revolver® Diesel Engine Stand**

- Rotates components 360°; handle locks in any position
- Universal adapter assembly permits use with a wide variety of mounting plates
- Weight: 722 lbs





# SUN-5207 \$242<sup>35</sup>

**Engine Transverse Bar** with Arm Support • Extends from 34.5" to 61"



# (norco)

### NRC-78099 \$37175

700 Lbs. Capacity **4-Point Engine** Support Tool • Fully adjustable, up to 47-1/2"

#### OTC-7100 **\$106**<sup>55</sup> Pair of Lifting Brackets,

4,000 Lbs Capacity Attach directly to component for easy lifting

• Will take 1/2" diameter bolts





• Folding, space-saving design


EXTRA

- Dual pump pistons rapidly reach
- max height • 4 boom positions adjust for optimal reach based on required capacity
- Weight: 225 lbs
  - SUNEX TOOLS
- APP-PP7136 \$5805 Engine Lift Sling Combo™ • Lifts up to 600 lbs • Use either slip hooks or engine bolt attachments • Use as a sling or engine lift AMERICAN

#### OTC-4305 **\$161<sup>15</sup>** 1,500 Lbs Capacity **Engine Load Leveler** • Designed to hook to a crane or hoist to handle and position large, bulky components Adjustable horizontal tilt



# **Under Hoist Stands**



# **Truck Ramps**

(norco)

**20-Ton Capacity** Pair of Truck Ramps

• 10 ton each ramp Telescopic 34" T-handle





Item #	Max. Tread Width	L x W x H	Ship Weight	
NRC-82019	10"	48.25" x 12.625" x 9"	204 lbs	\$1180.55
NRC-82020	16"	50.5" x 18.375" x 9.25"	346 lbs	\$1620.85

AD

# **Vehicle Positioning Dollies**

Wheel Dollies / Tire Carts



#### **Vehicle Positioning Dollies**

• For normal shop use, standard "Right Hand" units are all you need • The "Left Hand" version is useful if the car is disabled and the front tire is turned at an extreme angle. In this situation, the foot pedal on the "Left Hand" GoJak is oriented to point out of the wheel well.

Item #	Pedal Style	Max. Tire W x D	Max. Cap. Per Dolly	Max. Vehicle Cap. (4 Dollies)	
GOJ-G5211	Right	11" x 34"	1,300 lbs	5,200 lbs	\$487.85
GOJ-G6313	Right	13" X 36"	1,575 lbs	6,300 lbs	\$519.35
GOJ-G6313L	Left	13" X 36"	1,575 lbs	6,300 lbs	\$519.35

# ATD-7466 **\$16105**

- Car Dollies Set of 2
- Capacity: 1,500 lbs per dolly
- 3" casters (2 locking)
- 12" x 16" x 4.8"

### ATD-7465 \$265<sup>35</sup>

#### **Hydraulic Vehicle**

- **Position Jack**
- Capacity: 1,500 lbs per jack
- Tire capacity: up to 12" wide • Min./Max. Opening: 13.58"/21.6"

#### OTC-1580 **\$407<sup>35</sup>**

#### Stinger<sup>®</sup> Easy Roller™ Hydraulic Vehicle

**Position Jack** 

JohnDow Industries

Tire Taxi™

JDI-JDI-TT1 **\$122**<sup>55</sup>

Maximum load of 265 lbs

• Capacity: 1,500 lbs per jack • Fits tread widths up to 12"



### GAI-GTJ-01 **\$199**<sup>85</sup>

#### TRAC Tire Jack - Tire & Wheel Assembly **Assistance Cart for Tire Rotations & Installs**

- 350 lbs capacity
- Allows to remove or install a tire from a vehicle near the ground, by simply sliding it under the tire and carrying it off or on the vehicle
- Manipulate tires without lifting with your back
- Steel construction with convenient rollers

### GAI-GTRP-01 \$124<sup>35</sup>

#### **TRAC Roller Plate** Accessory

- For use with the **TRAC** Tire Jack
- Allows for an easier alignment of the holes of the wheel to
- the studs of the hub
- · Heavy-duty welded steel construction



#### SUN-1501 **\$1095<sup>35</sup>** 1,500 Lbs Capacity

# Hydraulic Wheel Dolly

• For the removal, installation, and transportation of single, tandem, and duplex tire and wheel combinations up to 52" diameter

• Transports 5 tire and wheel assemblies or up to 8 tires

**SUNEX** 

OOLS

- Lift range: 0" to 9.25"
- Lift arm spread: 21" to 25"
- Overall dim.: 31" L x 43" W x 35" H
- Weight: 143 lbs







NEW

# Wheel Dollies / Tire Carts

### TBQ-WD01500A \$829<sup>05</sup>

#### 1,500 Lbs Capacity

- Hydraulic Wheel Dolly
- Lift arms can be adjusted to handle different wheel combinations
- Safety chain for securing loads
- Lift arm length: 25-3/16"
- Lift arm min./max. spread:
- 23-7/16" 27"
- Ram: 4-11/16"
- 40-15/16" L x 42-3/4" W x 35" H
- Weight: 143 lbs





#### GAI-Y471106 **\$766**95

#### **SAFERGO - Truck Tire Dolly**

- The easiest way to install and remove truck wheels without having to manually lift wheel sets
- Simply slide the rollers underneath the tire and use the jack handle to raise it to the
- desired height
  Use the included Gaither
  O-LINE-ER<sup>®</sup> to perfectly position the wheel for easy installation
- Lifting capacity: 350 lbs
- Collapsible handle frame





# NRC-82306 🔇

#### 200 Lbs Capacity Air Operated Tire/Wheel Lift

#### Air Operated Lire/Wheel Lift

- Offset design offers open access from the rear to mount wheel to the vehicle
- 6-1/4" low height of support legs
- Lift travel: 39"
- Built-in tray for holding lug nuts
- Overall dim.: 16" L x 17" W x 58" H
- Weight: 210 lbs







#### Wheel Assist – Wheel & Tire Lifter and Mover

- Easily lift and move heavy tire/wheel assemblies
  Handles all passenger sizes,
- Handles all passenger siz including run-flats
- Comes equipped with a loading ramp, sliding tire roller sleeves, and an assist step
- The Wheel Assist travels from floor to post-lift height and is free of hydraulics, pneumatics, and electric components making it virtually maintenance-free
- Lifting capacity: up to 80 lbs without assist, up to 150 lbs with assist





246 | January - March 2024



3/4" thick back plates

### **Cribbing & Safety**

# AME Made USA

	er application			
Item #	Dimensions	Lanyard	Working Load Limit/Block	
AME-15210	4" x 4" x 18"	Yellow - Light	45,194 lbs	\$126.55
AME-15230	6" x 7" x 24"	Blue - Medium	111,010 lbs	\$365.95
AME-15239	6" x 7" x 24"	Orange - Heavy	129,631 lbs	\$404.95

#### **Jack Plates**

• Jack plates provide greater stability to

bottle jacks and hydraulic rams Non-skid surface

oil and most chemicals

Item #	Capacity	Dimensions	
AME-14464	50 Tons	12" x 12" x 1"	\$153.75
AME-14465	100 Tons	12" x 12" x 1.5"	\$226.45
AME-14466	200 Tons	18" x 12" x 3"	\$449.95



#### () AME-15273

8-Pc Super Stacker

Cribbing Kit

Includes: •(6)#15239

•(1) #14465

•(1)#14466

#### ぬ AME-15255 10-Pc FR Industrial **Super Stacker Cribbing Kit**

Includes: • (3) #15210

- (6) #15230
- •(1) #14465

### AME-15300 \$26<sup>85</sup>

#### **Rubber Wheel Chock**

- Durable rubber construction
- Ribbed pyramid design 
   Sold individually
- Dimensions (LxWxH): 11.5" x 10" x 7.25"




# **Lifting Jack Pads**

#### TBQ-4JPT \$2495 4-Pc Lifting Jack Pads for Tesla Models S, 3, X, Y

- These rubber pads are positioned under the designated Tesla lift points to prevent damage to the battery or the side rails of the vehicle when lifting
- Load capacity (4 pads): 5 ton



# **CARGO HANDLING / HOISTING EQUIPMENT**



# Chain Hoists/Chain Pullers

AMERIC

#### 

	Item #	Rated Capacity	Unit Lift	Load Chain Diameter	
50	APP-402	1/4 Ton	10 feet	3/16" (4mm)	\$279.35
	APP-405	1/2 Ton	10 feet	1/4" (6mm)	\$270.15
	APP-410	1 Ton	10 feet	1/4" (6mm)	\$356.75
	APP-415	1.5 Ton	10 feet	5/16" (8mm)	\$452.55
	APP-420	2 Ton	10 feet	5/16" (8mm)	\$486.95
	APP-430	3 Ton	10 feet	5/16" (8mm)	\$583.35
	APP-450	5 Ton	10 feet	13/32" (10mm)	\$734.05

#### 600 Series Chain Pullers

Thick steel construction with drop forged hooksLifetime warranty

Item #	Rated Cap.	Unit Lift	Load Chain Diameter	
APP-602	1/4 Ton	5 feet	3/16" (4mm)	\$221.25
APP-603	1/2 Ton	5 feet	3/16" (4mm)	\$315.05
APP-605	3/4 Ton	5 feet	1/4" (6mm)	\$307.35
APP-610	1 Ton	5 feet	1/4" (6mm)	\$355.95
APP-615	1.5 Ton	5 feet	5/16" (8mm)	\$409.35
APP-635	3 Ton	5 feet	13/32" (10mm)	\$566.85
APP-660	6 Ton	5 feet	13/32" (10mm)	\$1104.15
APP-690	9 Ton	5 feet	13/32" (10mm)	\$2553.35

#### **Professional Electric Chain Hoists**

• Built-in, multiple-disc, magnetic brake provides positive load holding and spotting

<ul> <li>Adjustable upper and</li> </ul>	lower limit switches for m	aximum flexibility in	regulating load travel

Item #	Capacity	Lift	Lifting Speed	Chain	Control Cord Length	HP	Voltage (AC)*	Full Load Motor Amps*	Phase	
MLW-9560	1/2 Ton	10 Ft.	16 Ft./Minute	Single	6 Ft.	1/2 HP	115V/230V	7.6/3.8	Single	6
MLW-9561	1/2 Ton	15 Ft.	16 Ft./Minute	Single	11 Ft.	1/2 HP	115V/230V	7.6/3.8	Single	6
MLW-9562	1/2 Ton	20 Ft.	16 Ft./Minute	Single	16 Ft.	1/2 HP	115V/230V	7.6/3.8	Single	6
MLW-9565	1 Ton	10 Ft.	16 Ft./Minute	Single	6 Ft.	1 HP	115V/230V	14/7	Single	6
MLW-9567	1 Ton	15 Ft.	16 Ft./Minute	Single	11 Ft.	1 HP	115V/230V	14/7	Single	6
MLW-9568	1 Ton	20 Ft.	16 Ft./Minute	Single	16 Ft.	1 HP	115V/230V	14/7	Single	6
MLW-9570	2 Ton	10 Ft.	8 Ft./Minute	Double	6 Ft.	1 HP	115V/230V	14/7	Single	6
MLW-9572	2 Ton	15 Ft.	8 Ft./Minute	Double	11 Ft.	1 HP	115V/230V	14/7	Single	6
MLW-9573	2 Ton	20 Ft.	8 Ft./Minute	Double	16 Ft.	1 HP	115V/230V	14/7	Single	6

\* Refer to the Operator's Manual for specific amperage draw, nominal voltage, electrical requirements and installation by a certified professional.



603


APP-660

APP-690

# CHOOSING A WATER PUMP

- Water transfer pumps: General-purpose pumps that effectively move water.
- High pressure pumps: Greater pressure, but lower volume. Push water greater distances.
- Chemical pumps: Move a variety of agriculture and industrial chemicals such as liquid fertilizer.
- Semi-trash pumps: For applications with dirty water. ill handle dirt, grit and solids up to 5/8".
- Tool-less access when the pumps need to be cleaned out. • Trash pumps: Powerful and rugged pumps. Will handle solids up to 1\* diameter. Easy access system for opening and cleaning out refuse.





Б





### Water Transfer Pumps



### Semi-Trash & Trash Pumps



	BEP-TP-2065HT	BEP-TP-3070R	BEP-TP-3065HR	BEP-TP-3013HM	BEP-TP-4013HM
Series	COMMERCIAL	WORKSHOP	COMMERCIAL	INDUSTRIAL	INDUSTRIAL
Pump Type	SEMI-TRASH	SEMI-TRASH	SEMI-TRASH	TRASH	TRASH
Engine Type / CC	HONDA GX200 / 196CC	R225 / 223CC	HONDA GX200 / 196CC	<b>HONDA</b> GX390 / 389CC	HONDA GX390 / 389CC
Inlet/Outlet Port Size	2"	3"	3"	3"	4"
Flow	158 GPM	264 GPM	264 GPM	370 GPM	580 GPM
Suction Lift / Total Lift	26 ft. / 85 ft.	26 ft. / 85 ft.	26 ft. / 85 ft.	26 ft. / 98 ft.	26 ft. / 95 ft.
Fuel Tank Capacity	3.1L (0.82 GAL)	3.1L (0.82 GAL)	3.1L (0.82 GAL)	6.1L (1.6 GAL)	6.1L (1.6 GAL)
Capacity for Solids	Up to 5/8"	Up to 5/8"	Up to 5/8"	Up to 1"	Up to 1"
Shipping Dimensions (LxWxH)	21" x 17" x 19"	21" x 17" x 19"	21" x 17" x 19"	26" x 18" x 22"	26" x 18" x 22"
Weight	80 lbs	90 lbs	90 lbs	144 lbs	152 lbs
Warranty (For Manufacture Defects)	2 Years Pump 3 Years Engine	2 Years Pump 2/5 Years Engine	2 Years Pump 2/5 Years Engine	2 Years Pump 3 Years Engine	2 Years Pump 3 Years Engine
	\$1079.45	\$718.45	\$1150.65	\$2611.35	\$2741.95

# **Chemical Pumps**

NP-2070R **Chemical Pumps** BEP-NP-2070R BEP-NP-3070R BEP-NP-2065HR BEP-NP-3065HR Series WORKSHOP WORKSHOP COMMERCIAL COMMERCIAL NP-3070R POWEREASE POWEREASE HONDA HONDA Engine Type / CC R225 / 223CC R225 / 223CC GX200 / 196CC GX200 / 196CC Inlet/Outlet Port Size 2" 3" 2" 3" Flow 154 GPM 265 GPM 154 GPM 265 GPM NP-2065HR Suction Lift / Total Lift 26 ft. / 115 ft. 26 ft. / 92 ft. 26 ft. / 115 ft. 26 ft. / 92 ft. **Fuel Tank Capacity** 3.1L (0.82 GAL) 3.1L (0.82 GAL) 3.1L (0.82 GAL) 3.1L (0.82 GAL) NP-3065HR 21" x 17" x 19" Shipping Dim.(LxWxH) Weight 60 lbs 64 lbs 60 lbs 64 lbs Warranty 2 Years Pump 2 Years Pump 2 Years Pump 2 Years Pump (For Manufacture Defects) 2/5 Years Engine 3 Years Engine 2/5 Years Engine 3 Years Engine \$521.35 \$587.85 \$1067.55 \$1126.95

**High Pressure Fire Style Pumps** 

• Engine: 196cc

• Flow: 126 GPM

• Inlet/Outlet: 2"

• Kit includes:

50 ft. fire hose,

BEP-HPFC-2065HR **\$1435**<sup>65</sup>

**Fire Suppression Pump Cart** 

• Fuel tank capacity: 3.6L (0.95 gal)

12 ft. suction hose with foot valve,

• Suction lift/Total lift: 26/197 ft.



# BEP-HPFK-2070R **\$913<sup>15</sup>**

### **High Pressure Water Pump Kit**

- Engine: 225cc Flow: 126 GPM • Fuel tank capacity: 3.6L (0.95 gal)
- Inlet/Outlet: 2"
- Suction lift/Total lift: 26/197 ft. • Kit includes: 50 ft. fire hose.
- fire hose nozzle, 12 ft. suction hose
- Ship dim.: 28" x 20" x 18" Weight: 86 lbs
- Warranty: 2/5 yrs Engine/2 yrs Pump



### fire hose nozzle • Shipping dim.: 30" x 29" x 23"

 Weight: 130 lbs Warranty: 3 yrs Engine/2 yrs Pump

# \$1388<sup>15</sup>



### Pump

- Engine: 196cc
- Flow: 85 GPM
- Fuel tank capacity: 3.6L (0.95 gal)

HONDA

WILDLAND,


- 1.5" inlet/outlet (2) 1" outlets
- Suction lift/Total lift: 26/120 ft.
- Shipping dim.: 27" x 18" x 17"
- Weight: 70 lbs
- Warranty: 3 yrs Engine/2 yrs Pump

January - March 2024 250

# Water Transfer Pumps



# **Multi-Fluid Pumps**



DEF

AD





\$93.45

\$262.35

# **Fluid Refilling Systems**



# **Fluid Evacuation and Refill Reservoirs**

- Utilizes compressed "shop-air" for dispensing and extracting
- Isolated flow control valve and pressure/vacuum switch
- Includes combination pressure/vacuum gauge
  Lid is interchangeable with other reservoir sizes

	9		
Item #	Capacity	Included Accessories	
MIT-MV7102	2.5 Quart (2.5L)	Flex hose with control valve and 12" evacuation wand	\$342.35
MIT-MV7105	1.2 Gallon (5L)	Flex hose with control valve and 12" evacuation wand	\$368.95
MIT-MV7110	2.5 Gallon (10L)	Flex hose with control valve and 12", 61.5", 97.5" evacuation wands	\$363.95
MIT-MV7120	5.3 Gallon (20L)	Flex hose with control valve and 12", 61.5", 97.5" evacuation wands	\$400.55

MIT-MV6412A <b>\$559</b> <sup>25</sup> 2.5-Gallon (10L) Automatic Transmission Fluid Refill System • Includes a kit of 10 adapters (#MIT-MVA8 to connect to Ford, Toyota, BMW, Honda, N VW, Audi, Mercedes, and Volvo transmissi	Vissan,
FREE! Buy #MIT-MV6412A and obtain #MIT-MVA6851 for free: 7 oz. Fluid Extractor/Dispenser.	
<ul> <li>2.5 Gallon (10L)</li> <li>Automatic Transmission</li> <li>Fluid Refill &amp; Evacuation Kit</li> <li>Utilizes compressed "shop-air" for dispensing and extracting</li> <li>Includes a kit of 13 adapters to connect to various transmissions (#MIT-MVA5800A)</li> <li>Isolated flow control valve and pressure/A</li> </ul>	)



# CTA-7400 **\$361**<sup>65</sup>

- **9L Capacity ATF Filling System**
- Works on most makes & models
- 5 ft. clear dispensing hose
- 0 35 PSI (0 2.5 bar) gauge
- Compatible with other brands of adapters

# **9CIRCLE**°

# 9CL-65801 **\$546<sup>65</sup>**

# 12.5L Capacity

- Fluid Refilling System Kit
- Used for ATF, gear oil,
- and differential refilling

  Pneumatic or manual refilling
- Includes 10 adapters for most
- popular vehicles: Audi, Ford, Mercedes, Toyota, Volkswagen and Volvo



# **9CIRCLE**°

# 9CL-65820 **\$367**95

## 6L Capacity Manual ATF Refilling System

- Refills automatic transmissions
   without a dipstick
- For most transmissions: Audi, Cadillac, Ford, GMC, Infiniti, Mercedes, Nissan, Toyota, VW, and Volvo
- Tank base designed for feet to step on to stabilize the tank while pumping

# **9CIRCLE**

# 9CL-65821 **\$141**<sup>45</sup>

# 20-Pc ATF Refilling Adapters Kit

- For filling automatic transmissions without no dipstick
- Suitable for Audi, Cadillac, Chevrolet, Ford, Honda, Hyundai, Infiniti, Mercedes, Nissan, Toyota, Volkswagen, and Volvo








**19-Pc Master ATF Filler Adapter Set** • For use with #CTA-7400, plus other brands of tanks







Outlet

1" / 3/4"

1" / 3/4"

1-1/4" / 3/4'

1"/1"

Heavy Duty	
Fuel Transfer	
Pump Kits	

• Compatible with: Gasoline, Diesel, B20, E15 (E10 for #FR8) Kerosene • Cast iron housing

Item #

FIL-FR8

FIL-FR1210H

FIL-FR700V

FIL-FR4210H

Voltage

12V DC

12V DC

115V AC

12V DC

8/30

15/57

20 / 76


20 / 76

- construction
- UL/cUL certified motor



# Arctic Duty 12V DC **Fuel Pumps Kits**

- Compatible with: Gasoline, Diesel, B20, E15 and Kerosene
- Temperature rating: -20°F / -29°C
- Arctic duty automatic nozzle with diesel spout
- Arctic duty swivel Cast iron construction
- UL/cUL certified



Motor

1/12 HP

1/4 HP

1/3 HP

1/4 HP

Nozzle

Manual - 3/4"

Manual - 3/4"

Manual - 3/4"

Manual - 1"

Hose

3/4" x 12 ft.

3/4" x 12 ft.

3/4" x 12 ft.

1" x 12 ft.

13-13/16" to 37"

20" to 34-3/4"

20" to 34-3/4"

\$546.95

\$650.95

\$1071.75

\$807.75



- Compatible with Diesel and Antifreeze
- 10 GPM (38 LPM)
- 1/5 HP motor, 17 Amps
- Inlet/Outlet: 3/4" NPT
- Cast iron body





# \$30955 FIL-FR1614

- Pump Kit • Plastic nozzle
- 8 ft. PVC suction and discharge hoses

January - March 2024 256

# **Gas/Diesel Pumps & Accessories**



**Automatic Nozzles** 

- Compatible with: Gasoline, Diesel, E15, B20 and Kerosene
- Operates to -20°F (-29°C)

· Insulated hand grip

• UL/cUL listed

# **Gas/Diesel Pumps & Accessories**



## **Fuel Transfer Hoses**

- For Gasoline, Diesel, B20, E15, Kerosene
- Internal spring guard
- Stainless steel ground wire
- Suitable for all electric pumps

Arctic Duty hoses rate to -40°F/-40°C

Item #	Size x Length	
FIL-FRH07512	3/4" x 12 feet	\$57.15
FIL-FRH07514	3/4" x 14 feet	\$69.65
FIL-FRH07520	3/4" x 20 feet	\$85.65
FIL-FRH10020	1" x 20 feet	\$112.45

Size x Length

1" x 20 feet

3/4" x 20 feet \$176.45

\$314.35

**ARCTIC DUTY Fuel Hoses** 

Item #

FIL-ARCH07520A

FIL-ARCH10020A





Item #	Inlet/Outlet	
FIL-B075F350	3/4" FNPT	\$96.45
FIL-B100F475	1" FNPT	\$207.85



#### S4685 FIL-FRTC

# **Tank Vent Cap**

Hole and tab for padlock security

#### \$73<sup>25</sup> FIL-FRTCB

# **Tank Vent Cap**

## with Base

- Fits standard 2" NPT
- threaded bung
- · Cast iron base
- Hole and tab for padlock security

#### \$332<sup>95</sup> MUK-515 007/V2 Universal

## **Diesel Filter Filler**

- For all diesel vehicle filter changing as well as removing air from the system
- Can also be used in diesel injection engines in European cars



## **Multi-Plane Swivels**

- Full 360° spherical rotation for
- easy movement of the nozzle
- Operates to -40°F (-40°C)

Item #	Size	
FIL-S075H1314	3/4"	\$89.25
FIL-S100H1315	1"	\$142.85





-ILL-RIT

A GORMAN-ROPP COMPANY

# **Fuel Storage & Transfer Caddies**



# Carrytanks

JDI-JDI-DEF40

- · Fits easily in the back of a pickup truck below the truck bed sides
- Rugged polyethylene construction 12V transfer pump 10 GPM
- Automatic dispensing nozzle with removable drip tray
- Integrated forklift pockets
- Integrated recesses for ratchet straps Protective and lockable cover

DEF

 Internal baffle prevents sloshing during transport (JDI-AGT40 only) Item # Designation Capacity Dimensions Weight JDI-JDI-AFT58LP Diesel 58 Gal 45" x 31" x 17.7' 56 lbs 6 6 JDI-JDI-AGT40 Gasoline 40 Gal 38" x 23" x 18" 66 lbs


40 Gal

38" x 23" x 18"

66 lbs

Η

ලා



- For use with gasoline, kerosene, diesel or mixed fuels
- · Heavy-duty cast iron pump with carbon vanes Two-way pump operation for
- siphoning or dispensing • Pump 1 gallon for every 12 revolutions
- 8 ft. discharge hose
- Ground wire and clamp
- Complies with OSHA guidelines
- 25" x 21" x 47-1/4" Weight: 88 lbs



# **30-Gallon UL Listed Steel Caddies**

- For use with: gasoline, diesel, kerosene, bio-diesel, transmission fluid
- 10 micron internal filter Decal set for contents identification
- 8 ft. PVC suction/discharge hose Ground wire & clamp

Item #	Designation	Pump	Colour	LIXTRA P
JDI-FC-P30A-UL	Gas	Air-Operated	Red	6
JDI-FC-P30A-UL-D	Diesel	Air-Operated	Yellow	6
JDI-FC-P30-UL	Gas	Manual	Red	6
JDI-FC-P30-UL-D	Diesel	Manual	Yellow	6



- Used to ground equipment operating in hazardous atmospheres
- Dissipates static electrical buildup, reducing the
- chances of sparking and the potential of explosion

Item #	Cable Length	Cable Size	Rewind Method	
RFT-G 3050	50 ft.	3/32" O.D. Steel Aircraft Cable	Spring Driven	\$531.05
RFT-GHC3100 N	100 ft.	1/8" O.D. Hi-Vis Orange Nylon Covered Cable	Hand Crank	\$547.75



Workforce® Pro Heavy-Duty **Pistol Grip Grease Gun** 


• 4-jaw coupler • 12" flexible grease hose 6" straight extension

Item #	Style	Extension	Hose	PSI	
ATD-5001	Lever	6" Rigid	12"	10,000	\$60.75
ATD-5002	Pistol	6" Rigid	18"	5,500	\$62.35

1888

# Battery-Operated Grease Guns

INCOL	N PowerLuber Rechargeable	Grease Guns			1884
Item #	Battery	Charger	Pressure		
LIN-1884	<ul> <li>(2) 20V Li-lon (#1871)</li> <li>36" hose</li> <li>Multi-function LCD Displattery charge, blocked</li> </ul>		10,000 psi ut,	\$602.15	FREE!
LIN-1888	<ul> <li>(2) 20V Li-lon (#1871)</li> <li>2-speed: 3.5 oz / 10 oz is a state indicators identify battery charge, blocked</li> </ul>	grease output,	10,000 psi	\$573.15	Buy #LIN-1884 and obtain #LIN-1871 for free: 20V Li-Ion PowerLuber Battery.



# **Air-Operated Grease Guns**



# **Grease Accessories**

10.00









# **Oil Drains & Pans**





18232

\$14.65

\$23.55

19702

# **Oil Filter Pliers. Sockets & Wrenches**



# ASSENMACHER SPECIALTY TOOLS

# Made in

# ASM-2123 \$19705 8-Pc Oil Filter Wrench Socket Set

- 24mm, 27mm, 32mm, 36mm
- 64mm 14 Flats

- The oil filter wrench sockets cover many foreign and domestic applications
- The 24mm covers the 3.6L found in Chrysler/Dodge/Jeep/RAM vehicles
- The 27mm, 32mm, and 36mm hex sizes covers VW/Audi, BMW, newer Mercedes 4-cyl. engines, Saturn & GM 2.2L Ecotec engines
- The 64mm covers Jaguar/Land Rover 2.0L
- The 3 cups style wrenches cover many Audi, BMW, Dodge, Ford, Mazda, Mercedes, Toyota, VW and Volvo (1999-2020) models

# ASSENMACHER SPECIALITY TOOLS ASM-TOY640 \$3265

# 64mm Toyota Oil Filter Wrench

- 14 flutes
- Fits new 3.5L and 5.7L Toyota V8 engines • Also used to remove and install the transmission cooling return line filter on
- 45RFE & 545RFE transmissions found in Chrysler, Dodge and Jeep vehicles

# ſisle

# LIS-61160 \$67<sup>25</sup>

# 65mm End Cap

Wrench for Toyota

• 14 flutes • For 4 cylinder

Toyota, Lexus and Scion

ASM-M0219 \$33<sup>85</sup> 74mm Oil Filter Wrench 14 flutes

Made in USA

Made in

USA

Made in

1ISA

ASSENMACHER SPECIALITY TOOLS

\$3585



ASSENMACHER SPECIALTY TOOLS

# ASM-V410 \$3485

## 86.5mm BMW/Volvo Oil Filter Wrench 16 flutes

- Fits all 1999-2006 Volvo models
- (except 2005 40 and 50 Series)
- Fits 2006-2017 BMW models with
- N20, N26, N52, N54, N55 & N63 engines







# LIS-13300 \$74<sup>85</sup>

ROMM

24MM

# 5-Pc 3/8" Drive Very Low Profile **6 Point Filter Socket Set**

- 24mm, 27mm, 29mm, 32mm & 35/36mm
- For use on oil and fuel filter canisters

# LIS-14500 **\$17<sup>75</sup>**

35/36mm Oil/Fuel Filter Socket for 6.0L Ford Diesel

# LIS-14700 **\$15<sup>85</sup>**

32mm Oil Filter Socket for **GM 2.2L Ecotec Engines** 

# LIS-40600 \$85<sup>05</sup>

- 7-Pc Offset Filter Wrench Set • Low profile, 6 point wrench with offset 3/8" square drive for
- clearance in hard-to-reach spaces • Use on oil and fuel filter canisters

# LIS-61450 **\$149<sup>35</sup>**

# 10-Pc Heavy Duty **End Cap Filter** Wrench Set

• Fit the most popular domestic and import vehicles

# LIS-61460 **\$248<sup>85</sup>**

21-Pc Heavy Duty End Cap **Filter Wrench Set** 

- Fit the most popular
- domestic and import vehicles • Includes four new sizes to fit
- some Jaguar, Jeep, Land Rover, MB and Oldsmobile



# ASM-2175 \$3495 74.5mm **Oil Filter**

Socket Wrench











Made in USA







# **Oil Filter Pliers, Sockets & Wrenches**

\$31.15

\$53.45

A250

Oil/

Fuel

61640 9CIRC	9	601	61603	61641	61660	61604
Oil Filter Wrenches	<b>6</b> 16	50	61651	61630	61605	61662
Item #			Applications			
9CL-61640	64.5mm	14	Toyota 4 Cylind			\$29.75
9CL-61601	64.5mm	14	Toyota 6 & 8 Cy			\$29.75
9CL-61603	64.5mm	14	•	xus Set (#61640	& #61601)	\$58.85
9CL-61641	64.5mm	14	<ul> <li>Toyota/Lexus 8</li> <li>Provides high</li> </ul>	Honda/Acura torque: 264 ft-lb		\$42.45
9CL-61660	74.2mm	14	Ford, Audi, BM Porsche, MB, V	N, Mazda, Toyota W	a,	\$29.95
9CL-61604	84.4mm	14	Dodge/Mercede Mercedes-Benz	e <b>Oil Filter Wrend</b> s-Benz Sprinter (2 V6 & V8 Diesel, 3.0L V6 Diesel (20	2007/-),	\$31.15
9CL-61650	86.6mm	16	3 Series 2006-2	<b>il Filter Wrench</b> Twin Turbo, 535i 011, X6 3.0L Twi s 1999-2006, exc	n Turbo	<b>Ş3U.99</b>
9CL-61651	86.6mm	16	BMW: 335i 3.0L	& Diesel) Oil Fil Twin Turbo, 535i 011, X6 3.0L Twi	3.0L Twin Turbo,	\$32.05
9CL-61630	88.8mm	15		Dil Filter Wrench SUV with Diesel		\$28.55

**9CIRCLE** 



# 9CL-62607 **\$298**<sup>65</sup> 13-Pc Oil Filter Wrench Set

- Covers most cartridge oil filters including: Audi, BMW, Dodge, Ford, GM, Hyundai, Jeep, Kia, Land Rover, Lexus, Mazda, Mercedes, Toyota, Volkswagen, and Volvo
- Includes a universal oil filter wrench for oil canisters (2-1/2" to 3-1/4" / 63-83 mm)



# 11-Pc Cap-Type Oil Filter

# Wrench Kit for Spin-On Filters

•	#A255 - 65/67mm x 14 Flute
•	#A256 - 68mm x 14 Flute
•	#A254 - 73mm x 14 Flute
	# 10 FQ 7 1 mm v 1 F Fluto

- #A258 74mm x 15 Flute
- #A250 74/76mm x 15 Flute
- #A263 76mm x 8 Flute
- #A251 76mm x 14 Flute
- #A264 76mm x 15 Flute
- #A257 80mm x 15 Flute • #A252 - 93mm x 15 Flute
- #A253 93mm x 36 Flute

AD ATD-5231 \$24205 31-Pc Cartridge-Type

- **Oil Filter Wrench Set** • Fits many BMW, Volvo, Honda,
- Audi, Ford, Toyota and Nissan models with cartridge oil filters • Includes (28) 3/8" drive oil
- cartridge filter sockets in a wide range of sizes, a socket drive wrench and (2) adjustable filter wrenches



Toyota/Lex Filter Wren		71113	A 71110A	71114
Item #	Size	Flutes	Applications	
PBT-71110A	64.5mm	14	Toyota/Lexus 4 cylinder	\$39.15
PBT-71113A	64.5mm	14	Toyota/Lexus 6 & 8 cylinder	\$39.15
PBT-71115A	Kit Include: #71110A, # #71114 Dra Assembly	71113A +	Toyota/Lexus 4, 6 & 8 cylinder	\$126.85



Wrenches

93mm

2465

9CL-61605 90.2mm

9CL-61662

15

36

Ford

LUBRICATION

Item #	Size	Flutes	Drive	Applications	
CTA-2465	64mm	14	3/8"	Toyota/Lexus/Scion 6 & 8 cylinder	\$38.25
CTA-2475	64mm	14	1/2"	Extra heavy-duty wrench for Toyota/Lexus	\$54.85
CTA-1726	64mm	14	1/2"	Toyota/Lexus/Scion 4, 6 & 8 cylinder (excluding Prius)	\$50.95
CTA-A250	74mm/ 76mm	15	3/8"	Various AC Delco, FRAM, MOPAR, Motorcraft, NAPA, OEM Mazda, Penzoil, Purolator, WIX	\$6.35

Land Rover Oil Filter Wrench

Land Rover Range Rover Sport

· Made of forged steel

Land Rover LR4, Land Rover Range Rover,

# LAN-524 **\$53<sup>95</sup>**

ANG 24 & 36mm Fuel/Oil Made in USA

# Filter Socket

• 3/8" drive double sided socket





Diameter

2-3/8" to 2-5/8"

2-7/8" to 3-1/4"

3-1/2" to 3-7/8"

4-1/8" to 4-1/2"

4-5/16" to 4-3/4"

5-1/4" to 5-3/4"

Diameter

2-3/8" to 2-5/8"

2-7/8" to 3-1/4"

3-1/2" to 3-7/8"

4-1/8" to 4-1/2"

4-5/16" to 4-3/4"

\$19.65

\$18.75

\$19.05

\$20.95

\$26.65

\$27.85

\$25.95

\$24.45

\$25.15

\$26.65

\$34.65

\$35.25

UNIVEL-ORIPPET



adjustable from 76-102mm (3" - 4-1/32")

#### 5-1/4" to 5-3/4" \$35.85

Item #	Diameter	
GWR-3083D	2-7/8" to 3-1/4"	\$14.15
GWR-3082D	3-1/2" to 3-7/8"	\$13.85







# **Oil Filter Pliers, Sockets & Wrenches**



GEARWRENCH

## **Heavy-Duty Truck Oil Filter Wrenches**

Item #	Band	Diameter	
GWR-2320D	1-1/2"	3-3/4" to 4-1/2"	\$37.15
GWR-2321	1-1/2"	4-1/2" to 5-1/4"	\$38.25
GWR-2322D	1-1/2"	5-1/4" to 5-3/4"	\$37.15
GWR-2320W	3"	4-1/8" to 4-1/2"	\$45.65
GWR-2321W	3"	4-3/8" to 5-1/4"	\$45.65
GWR-2322W	3"	4-3/4" to 5-1/2"	\$45.65



**Heavy-Duty Truck Oil Filter Wrenches** Two sets of dimples have been added to

create a non-slip surface on the band


	•		
Item #	Band	Diameter	
LIS-53030	3"	3-3/4" to 4-1/2"	\$63.45
LIS-53050	3"	4-1/4" to 5-1/4"	\$64.75
LIS-53090	3"	5-1/4" to 5-3/4"	\$65.95

# CHANNELLOCK Made in USA

Pliers for Oil Filters and	Item #	Length	Capacity	Adjustments	
PVC Conduits	CNL-209	9"	1.75" to 3"	4	\$34.45
& Fittings	CNL-212	12"	2.5" to 3.75"	5	\$47.55
	CNL-215	15.5"	2.5" to 4.5"	6	\$57.15

# **Oil Filter Pliers**

Item #	Capacity	
LIS-50750	2-1/4" to 4"	\$52.65
LIS-50950	3-5/8" to 6"	\$72.15



9" Comfort Grip Pliers for **Oil Filters, PVC Conduits & Fittings** 3.5" jaw capacity

# VIM-V2400G \$8755

**Auto Adjusting Locking Oil Filter Pliers** • Range: 2.36" to 4.72"

# **Adjustable Oil Filter Pliers**

Item # Capacity CAL-302 2-1/4" to 6" \$44.75 CAL-291 3-3/4" to 7" \$78.85

# ATD-5247 \$7875

# 17" Truck and Tractor Filter Pliers

• Range: 3-3/4" to 7"

• Use on virtually all CAT and large diesel filters

# **Oil Drain Plug Tools**





threads

# LIS-58850 **\$228<sup>35</sup>**

# **Oil Pan Plug**

**Rethreading Kit** 



# LIS-58650 **\$44**<sup>45</sup>

5-Pack Plug and Gasket Set for #LIS-58850 Oil Pan Plug **Rethreading Kit** 



lisle


48.67 F


Callan

# CTA-1320 **\$132**<sup>65</sup>

# 8-Pc Drain Plug Kit

- Used for removing plastic drain plugs found on many late model vehicles
- Services both oil drain plugs and radiator drain plugs
- Applications: GM, Ford, Lincoln, Dodge, Mercedes Benz, BMW, Porsche, Volkswagen & Audi





• Sizes fit most oil drain, transfer case and differential plugs



- Removes pre-loosened oil pan drain plugs
- without dropping them
- · Provides universal application to hex heads

# **Oil Drain Plug Tools**



# **Oil Pumps**



Item #	Capacity	Flow	Length	
TXL-PU05060	60L (16 Gal)	14L/min (3.6 GPM)	29"	\$606.45
TXL-PU05205	205L (54 Gal)	14L/min (3.6 GPM)	37"	\$609.55
TXL-PU05060HD	60L (16 Gal)	40L/min (10.5 GPM)	29"	\$1030.65
TXL-PU05205-HD	205L (54 Gal)	40L/min (10.5 GPM)	37"	\$1102.95

# OTC

# OTC-2352 **\$103<sup>35</sup>**

# Lever Action Bucket Pump

- . For use with transmission, differential & heavier oils
- Up to 4.6 oz. / stroke
- Fits 5 gallon pails
- Includes 12" drum cover
- 3 position handle for different fluid viscosity
- Supplied with 5 ft. hose



# ATD-5008 \$10855

# Lever Action Oil Transfer Pump

- · For use with transmission,
- differential and heavier oils • Up to 2.14 oz. / stroke

LMX-LX-1300 \$74<sup>25</sup>

automotive additives

Lever Action Bucket Pump

• Fits 25-50 lbs / 5 gallon pails

• 18" x 1-1/2" suction tube

- Includes 18" pump and 12" cover for 25-50 lbs drums/5 gallon pails
- 4 ft. hose with nozzle



# LIN-4491 **\$832**<sup>65</sup>

# Value Series Oil Transfer Pump

- · For oil, ATF, gear oil and other fluid lubricants
- Pump ratio: 3.5:1
- Application: 250 to 275 gallon tank
- Output per stroke: 5.6 cubic inch (91 cubic cm)
- Delivery output: 6 gpm (22 LPM) • Down tube length: 47'

# (D)

# LIN-279092 **Oil Trolley Kit**

- Dispenses oil directly from 55-gallon or 400-pound drums Includes:
- Heavy duty trolley
- Series 25 universal 3:1 pump
- Heavy duty reel with 30 ft. (9 m) hose
- · Electronic meter that measures pints, guarts, gallons or liters
- Air control with filter/regulator/gauge
- Oil connection hoses and fittings
- Drum not included



INCOLN

# TXL-PU05060KD-HD \$1311<sup>85</sup> **Pneumatic Oil Pump Kit for**

- 60L (16 Gallon) Drums • Flow: 40L/min (10.5 GPM)
- Pump: 5:1 ratio
- Cart for 60L drum
- Digital oil control nozzle with rigid spout • Hose: 25 ft. x 1/2"
- Drum cover

# TXL-PU05205KD-HD \$1451<sup>85</sup>

## **Pneumatic Oil Pump Kit for** 205L (54 Gallon) Drums

- Flow: 40L/min (10.5 GPM) Pump: 5:1 ratio
- Cart for 205L drum
- Digital oil control nozzle with rigid spout
- Hose: 25 ft. x 1/2"

# TXL-PU05205KDR-HD \$194655 **Pneumatic Oil Pump Kit for**

- 205L (54 Gallon) Drums
- Flow: 40L/min (10.5 GPM)
- Pump: 5:1 ratio
- Cart for 205L drum
- Digital oil control nozzle with rigid spout
- Hose reel: 50 ft. x 1/2"
- Hose: 6 ft. x 1/2"

# ATD-5226 **\$2822<sup>55</sup>**

# **Trolley Mounted Air-Operated** Oil Pump Kit

- 3:1 ratio pump with 2" bung
- Designed for use with 55 gal. (205 L) oil drums (not included)
- Digital oil gun with flexible hose and manual non-drip tip

AD

- Hose: 30 ft. x 1/2"
- Trolley with locking wheels





# **Grease Pumps**



# LIN-279091 V Grease Trollev Kit

LINCOLN

# • Dispenses grease directly from

Dispenses process production of 400-pound drums
Includes: heavy duty trolley, Series 20 50:1 pump with cover, follower for 400 lb (181 kg) drums, heavy-duty reel with 30 ft (9 m), high-pressure hose, control valve, universal swivel, air control with filter/regulator/gauge and grease connection hoses and fittings

Drum not included





LIN-6917 🔇

# Air-Operated Portable Grease Pump Package

- Ratio: 50:1
- Works with 120 lb drum (not included)
- Max. pressure: 7,500 psi
- Output: 80 cubic in./min
- 7 ft. heavy duty grease hose, heavy duty control valve and universal swivel, standard follower

Buy #LIN-917 and obtain #LIN-58000 for free: 7-Pc Heavy-Duty Grease Adapter Kit.

Four-wheel dolly

FREE!

# LINCOLN



# Lubrigun Air-Operated Portable Grease Pump Package

- Ratio: 50:1
- Works with 120 lb drum (not included)
- Max. pressure: 7,500 psi
- Output: 80 cubic in./min.
- 7 ft. grease hose, heavy-duty control valve and swivel, universal follower
- 17" roll-a-round base

# LIN-989 **W** Air-Operated Double Acting Heavy Duty Grease Pump

- Ratio: 50:1
- Works with 25-50 lb containers (not included)
- Max. pressure: 7,500 psi
- Output: 80 cubic in./min.
- 7 ft. grease hose, control valve, straight and universal swivels, drum cover, flexible follower plate



# AD

# ATD-5225 **\$3126<sup>45</sup>**

# Trolley Mounted Air-Operated

- Grease Pump Kit
- Pump: 50:1 ratio
  Designed for use with 55 gal. (400 lbs)
- grease drums (not included)
- 30 ft. x 1/4" grease hose, control valve with swivel, follower plate, drum cover
- Trolley with locking wheels



TURBOXL

TXL-PU50060K \$883<sup>45</sup>

## Air-Operated Portable Grease Pump Package

- Ratio: 50:1 Works with 120 lb drum (not included)
- Output: 8,000 gr/min
- 20 ft. grease hose, control valve with swivel,
- follower plate, drum cover

Trolley for 55 kg drums

# Hose Reels for Oil & Grease

## Professional Series Hose Reels for Oil and Grease

# JohnDow Industries

- · Oli and Grease
- Heavy-duty steel construction
- Corrosion resistant powder-coat finish
- Guide arm is adjustable up to nine positions permitting wall, ceiling or floor mount

Item #	Applications	<b>PSI</b> Rating	Hose	1
JDI-JDM-3850	Oil & ATF	2,250 PSI	3/8" x 50 ft.	\$571.85
JDI-JDM-1250	Oil & ATF	2,250 PSI	1/2" x 50 ft.	\$610.05
JDI-JDH-1450	Grease	5,000 PSI	1/4" x 50 ft.	\$621.35



### High Pressure Hose Reels for Oil and Grease

Item #	Applications	<b>PSI</b> Rating	Hose	
TXL-H820102	Grease	5,000 PSI	1/4" x 33 ft.	\$524.45
TXL-H808203	Oil & Grease	4,000 PSI	3/8" x 65 ft.	\$850.95

# 

# RFT-7850 OMP \$948<sup>95</sup>

# **Medium Pressure Oil Reel**

- 50 ft. x 1/2"
- Hose outlet/reel inlet: 1/2" NPT
- Max. pressure: 3,000 psi
- Max. temperature: 210°F (99°C)





JDH-1450

H808203

# **Face Shields/Visors**



# **Standard Face Shields**

- Impact-resistant polycarbonate shield for long lasting protection
- Curved design protects a larger area for facial protection
- Push and turn ratchet-sizing adjustment
- · Easy dial adjustment for individual visor positioning
- Suitable for general grinding applications
- Window size: 203mm (H) x 254mm (W) Thickness: 1.5mm
- Meets ANSI Z87.1-2015 standards

Item #	Description	Colour	
SAS-5140	Standard Face Shield	Clear	\$24.95
SAS-5142	Standard Face Shield	Dark Green*	\$24.95
SAS-5150	Standard Replacement Lens	Clear	\$11.85

\* Not suitable for welding



# **Deluxe Face Shields**

- Impact-resistant polycarbonate shield for long lasting protection
- Aspherical lens design provides larger area for facial protection
- Large spark deflection
- Push and turn ratchet-sizing adjustment
- Tension dials increase and decrease tension of shield placement
- Closer curved fit for comfort and greater range of motion
- Window size: 203mm (H) x 235mm (W) Thickness: 1.5mm
- Meets ANSI Z87.1-2015

Item #	Description	Colour	
SAS-5145	Deluxe Face Shield	Clear	\$35.65
SAS-5147	Deluxe Face Shield	Dark Green*	\$35.35
SAS-5155	Deluxe Replacement Lens	Clear	\$13.15
SAS-5157	Deluxe Replacement Lens	Dark Green*	\$13.15
* Not suitable	for welding		

# **Masks & Respirators**

1

# TBQ-NB-0128 \$2<sup>65</sup>

## **3-Ply Disposable** Face Mask

- High filtration capacity
- Easy to breathe fabric
- Adjustable nose bar
- Box of 50 masks

# **Dual Cartridge Respirator Packout,** Organic Vapor/P95

- Includes 2 pairs of P-95 filters (#07194)
- For spray paint applications
- For occupational use only

Item #	Size	
3MM-7178	Medium	\$81.35
3MM-7179	Large	\$81.35



# SAS-8661-92 **\$26<sup>25</sup>**



## **Bandit®** Disposable **Dual Cartridge Respirator** with Organic Vapor/N95 Filters

- Size: Medium
- Pre-assembled respirator
- · Face piece is lightweight, flexible and comfortable with a secured fit
- Adjustable head strap Low profile cartridge
- Resealable storage bag

# SAS-8611 **\$27<sup>25</sup>**

# N95 Valved Particulate Respirator

- Lightweight, maintenance-free
- construction • Exhalation valve reduces hot air build up
- Adjustable nose bridge with foam strip
- · Latex-free stapled head strap
- Box of 10 masks



# **Neck Gaiters**

# Milwaukee

## **Multi-Functional Neck Gaiters**

- Moisture wicking fabric • Washer and dryer safe
- Anti-microbial treatment prevents
- odors & bacteria build-up
- Blocks 98% of UV rays
- 86% Polyester, 14% Spandex

	Item #	Colour	
1	MLW-423G	Gray	\$19.75
I	MLW-423HV	High Vis	\$19.7
I	MLW-423R	Red	\$19.75
1	MLW-423G MLW-423HV	Gray High Vis	\$19.7 \$19.7



12262

**Safety Glasses** 

12261

# **Knee Pads**

DEWAL

# DEW-DWST590012 \$5355

# **Stabilizing Knee Pads with Gel**

- Semi-rigid, TPE flat cap designed for slip prevention on unbalanced surfaces
- · Protective gel zone, multiple layers of support, and swiveling buckles for comfort on long days
- Dual straps with quick adjustment

# DEW-DWST590013 \$5455

# Hard-Shell Knee Pads with Gel

- Protective cap withstands repeated traction • Protective gel zone, multiple layers of support,
- and swiveling buckles for comfort on long days
- Dual straps with quick adjustment

# DEW-DWST590014 \$3445

# Flooring Knee Pads with Gel

- Soft, durable outer surface protects finished surfaces from scuff marks
- High-density foam, a protective gel zone, and swiveling buckles for comfort on long days
- Dual straps with quick adjustment

# MLW-48-73-6040 \$5395

## Non-Marring **Performance Knee Pads**

# • Robust, durable cap for longest life

- · Pressure reducing foam maintains shape
- Layered gel absorbs pressure
- and supports knee
- 2 secure adjustable buckles
- Soft, comfortable straps

# SAS-7102 \$2455

- **Deluxe Knee Pads**
- Plastic cap over tough nylon fabric with soft foam rubber core
- Water and abrasion resistant
- Hook-and-loop closures



# **Deluxe Gel Knee Pads** • Super-thick 1/2" high density



ALC: PO

- closed-cell foam • Large, low-profile cap designed to prevent "roll over"
- Anti-compression air injected gel
- Hook-and-loop closures

# MUK-905 000-3 **\$106**<sup>65</sup>

# **3-Pc Kneeling Pads Set**

- Resistant to UV, oil, gas, water and numerous other chemicals
- Can be used for seat protection • Dimensions: 19" x 12-1/2" x 1-1/2"

# GEARWRENCH

# GWR-86996 \$40<sup>35</sup> 225 Lbs Capacity **Extra Large Kneeling Pad**

- Solvent resistant EVA foam
- Magnetic parts tray for convenient storage
- 24" x 16" x 1-1/8"

# 



48-73-2125

Lenses

Clear

Tinted

Yellow

Grev

\$23.35

\$23.35

\$23.35

\$23.35

\$44.85

M	il	wa	uke	-
	1		~	

- Performance **Safety Glasses**
- High impact protection, with fog-free and anti-scratch lenses
- Performance **Safety Glasses** Item # Lenses \$34.15

Item #

MLW-48-73-2020

MLW-48-73-2025

MLW-48-73-2120

MLW-48-73-2125

48-73-2025

## with Removable Gasket Removable gasket protects

your eyes against debris



# **Eye Protection**

# SAS-5134-00 \$35545

## 9-Gallon Portable **Emergency Eyewash** Station

- One-hand operation • Gravity fed, no plumbing required
- Provides a min. 15-minute flushing period
- Lockable cap
- Measures: 9.5" x 16.5" x 20.15" Compliance – ANSI Z358.1-2014
- Includes: mounting bracket (#5134-12), inspection tag (#5137) and preservative for eyewash (#5136-01)
- Change water every 3 to 6 months





# **Hearing Protection**



# **Disposable Gloves**

## 93-260 Chemical Resistant Nitrile + Neoprene Disposable Gloves

- Extra soft and thin material
- Textured fingertips, beaded cuff
- Finger thickness: 9 mil Length: 11.8'
- 50 Teal Green gloves/box

Item #	Size	
MCF-93260070	Small	\$23.05
MCF-93260080	Medium	\$23.05
MCF-93260090	Large	\$23.05
MCF-93260100	X-Large	\$23.05
MCF-93260110	XX-Large	\$23.05



MICR FLEX

# **DURA FLOCK® Flocked-Lined Nitrile Industrial Grade Disposable Gloves**

- Fully textured grip, beaded cuff
- Finger thickness: 8 mil
- Length: 10.6" 50 Green gloves/box

Item #	Size	
MCF-DFK-608-M	Medium	\$34.95
MCF-DFK-608-L	Large	\$34.95
MCF-DFK-608-XL	X-Large	\$34.95
MCF-DFK-608-XXL	XX-Large	\$34.95

# n Fran

DIAMOND

# DIAMOND GRIP<sup>™</sup> Powder-Free **Disposable Latex Gloves**

- Textured fingers, beaded cuff
- Finger thickness: 8 mil
- Length: 9.6" 100 Natural Colour gloves/box

Item #	Size	
MCF-MF-300-M	Medium	\$17.75
MCF-MF-300-L	Large	\$17.75
MCF-MF-300-XL	X-Large	\$17.75

# MIDKNIGHT<sup>™</sup> Premium Powder-Free Nitrile Disposable Gloves

- · Fully textured grip, beaded cuff
- Finger thickness: 6 mil Length: 9.6"
- 100 Black gloves/box

Item #	Size	
MCF-MK-296-XS	X-Small	\$15.05
MCF-MK-296-S	Small	\$15.05
MCF-MK-296-M	Medium	\$15.05
MCF-MK-296-L	Large	\$15.05
MCF-MK-296-XL	X-Large	\$15.05
MCF-MK-296-XXL	XX-Large	\$15.05



# **ONYX® General Purpose Powder-Free** Nitrile Disposable Gloves

- Textured fingertips, beaded cuff
- Finger thickness: 5 mil
- Length: 9.6"
- 100 Black gloves/box

Item #	Size	
MCF-N642	Medium	\$13.65
MCF-N643	Large	\$13.65
MCF-N644	X-Large	\$13.65



# SAFEGRIP® Extended Cuff Powder-Free MICR@FLEX\* **Disposable Latex Gloves**

- 3x thicker than standard latex gloves
- Textured fingertips, beaded cuff
- Finger thickness: 14 mil Length: 11.6
- 50 Blue gloves/box

Item #	Size	
MCF-SG-375-S	Small	\$16.85
MCF-SG-375-M	Medium	\$16.85
MCF-SG-375-L	Large	\$16.85
MCF-SG-375-XL	X-Large	\$16.85

# SUPRENO® SE Powder-Free **Nitrile Disposable Gloves**

- Textured fingers, beaded cuff
- Finger thickness: 7 mil Length: 9.6"
- 100 Blue Violet gloves/box

Item #	Size	
MCF-SU-690-XS	X-Small	\$17.95
MCF-SU-690-S	Small	\$17.95
MCF-SU-690-M	Medium	\$17.95
MCF-SU-690-L	Large	\$17.95
MCF-SU-690-XL	X-Large	\$17.95

# MICR FLEX

SAFEGRIP

# **Raven® Powder-Free Nitrile Disposable Gloves**

- Textured for excellent chemical
- resistance and great grip
- Thickness: 6 mil 100 Black gloves/box

Item #	Size	
SAS-66517	Medium	\$23.45
SAS-66518	Large	\$23.45
SAS-66519	X-Large	\$23.45
SAS-66520	XX-Large	\$23.45





- Fully textured for superior arip
- Beaded cuff Thickness: 14 mil
- Length: 12" 50 Blue gloves/box

Item #	Size	
SAS-6602	Medium	\$23.55
SAS-6603	Large	\$23.55
SAS-6604	X-Large	\$23.55
SAS-6605	XX-Large	\$23.55





- Made of powder coated steel
- Fits all common sizes of disposable glove boxes, both 50 and 100 packs
- · 3 adjusting springs hold on to the various box sizes





# **Work Gloves**

# Ansell

# **HYFLEX® 11-727R**

# **Cut and High Abrasion Resistant Gloves**

- · Excellent flexibility and fit with high levels of cut protection
- ANSI Level 4 abrasion protection
- An ultralight fabric and tailored-to-hand fit,
- creates the sensation of bare hand comfort Soft ultralight-duty seamless liner breathes to
- keep hands cool and dry

Item #	Size	
ANS-11727R00L	Large	\$12.05
ANS-11727R0XL	X-Large	\$12.05



# Winter Performance Gloves

- Waterproof and windproof layer • The cold weather work gloves are designed
- to stay warm with 60g of insulation • Durable reinforced layer between the thumb and index finger
- SMARTSWIPE<sup>™</sup> knuckle allows you to use touch screens without removing your gloves
- Terry cloth sweat wipe

Ny	lon	pul	1
	Ny	Nylon	Nylon pul

Item #	Size	
MLW-48-73-0030	Small	\$38.95
MLW-48-73-0031	Medium	\$38.95
MLW-48-73-0032	Large	\$38.95
MLW-48-73-0033	X-Large	\$38.95
MLW-48-73-0034	XX-Large	\$38.95



111ilwaukee

# **ANSI Cut Level 3** Winter Dipped Gloves

- Insulated work gloves are designed to provide ultimate warmth, all-day comfort, and best in class dexterity for handling small objects
- · Breathable and comfortable glove design
- ANSI 3; EN511: 02X; EN 388: 2442C
- Sandy latex finish for grip performance
- 3/4 double dipped latex palm microfinish for water resistance and warmth
- 15 Gauge for better dexterity
- 7GA inner liner for warmth

Item #	Size	
MLW-48-22-8920	Small	\$13.65
MLW-48-22-8921	Medium	\$13.65
MLW-48-22-8922	Large	\$13.65
MLW-48-22-8923	X-Large	\$13.65
MLW-48-22-8924	XX-Large	\$13.65



# **Free-Flex Work Gloves**

- Smartswipe<sup>™</sup> touchscreen compatible fingertips, knuckles and palms
- High dexterity finger tips
- Breathable lining provides all day comfort
- Reinforced thumb seam
- Free-Flex elastic cuff
- Built-in terry cloth sweat wipe

Item#	Size	
MLW-48-22-8715	Small	\$16.15
MLW-48-22-8711	Medium	\$16.15
MLW-48-22-8712	Large	\$16.15
MLW-48-22-8713	X-Large	\$16.15
MLW-48-22-8714	XX-Large	\$16.15





## **Performance Gloves**

- Ultimate durability and all day comfort
- Smartswipe<sup>™</sup> touchscreen compatible fingertips, knuckles and palms
- High dexterity finger tips Breathable lining provides all day comfort
- Reinforced thumb seam
- Secure Velcro® closure
- · Built-in terry cloth sweat wipe

Item #	Size	
MLW-48-22-8725	Small	\$15.05
MLW-48-22-8721	Medium	\$15.05
MLW-48-22-8722	Large	\$15.05
MLW-48-22-8723	X-Large	\$15.05
MLW-48-22-8724	XX-Large	\$21.65



## Leather Performance Gloves

- Touchscreen compatible knuckles
- Durable palm with a lightweight design
- Breathable lightweight back
- Secure Velcro<sup>®</sup> closure
- · Built-in terry cloth sweat wipe

Item #	Size		
MLW-48-73-0020	S		\$29.65
MLW-48-73-0021	М	S While Qtys. Last	\$29.65
MLW-48-73-0022	L	S While Qtys. Last	\$29.65
MLW-48-73-0023	XL	S While Qtys. Last	\$29.65
MLW-48-73-0024	XXL		\$29.65

# **Impact Resistant Goatskin Leather Gloves**

- Top grain goatskin leather for maximum comfort and performance
- Reinforced palm
- Keystone thumb for mobility
- Cut resistance: ANSI level 5 rated
- Impact resistance: ANSI/ISEA level 2 rated

Item #	Size	
MLW-48-22-8780	Small	\$42.75
MLW-48-22-8781	Medium	\$42.75
MLW-48-22-8782	Large	\$42.75
MLW-48-22-8783	X-Large	\$42.75
MLW-48-22-8784	XX-Large	\$42.75





Milwaukee

# Work Gloves

# FastFit® Easy On/Off Elastic Cuff Gloves

- Cool and comfortable
- Stretch-elastic cuff
- Reinforced thumb and index finger
- High-dexterity synthetic leather infused with touchscreen technology
- Machine washable

Item #	Size	
MCX-MFF-02-009	Medium	\$24.25
MCX-MFF-02-010	Large	\$24.25
MCX-MFF-02-011	X-Large	\$24.25
MCX-MFF-02-012	XX-Large	\$24.25
MCX-MFF-05-009	Medium	\$24.25
MCX-MFF-05-010	Large	\$24.25
MCX-MFF-05-011	X-Large	\$24.25
MCX-MFF-05-012	XX-Large	\$24.25





# The Original® Work Gloves

- Form-fitting TrekDry® helps keep hands cool and comfortable
- Adjustable Thermoplastic Rubber (TPR) closure
- Reinforced thumb and index finger
- Touchscreen-capable synthetic leather
- Machine washable

Item #	Size	
MCX-MG-02-009	Medium	\$34.35
MCX-MG-02-010	Large	\$34.35
MCX-MG-02-011	X-Large	\$34.35
MCX-MG-02-012	XX-Large	\$34.35
MCX-MG-05-009	Medium	\$34.35
MCX-MG-05-010	Large	\$34.35
MCX-MG-05-011	X-Large	\$34.35
MCX-MG-05-012	XX-Large	\$34.35

# M-Pact® Impact Resistant Gloves

- Thermoplastic Rubber (TPR) impact protection and finger protection
- Adjustable Thermoplastic Rubber (TPR) closure
- Breathable TrekDry® keeps hands cool and comfortable
- Touchscreen capable synthetic leather
- Reinforced palm, index finger and thumb
- Palm padding 
   Machine washable

Item #	Size	
MCX-MPT-52-009	Medium	\$47.45
MCX-MPT-52-010	Large	\$47.45
MCX-MPT-52-011	X-Large	\$47.45
MCX-MPT-52-012	XX-Large	\$47.45



# **M-Pact® Covert Tactical Impact Gloves**

• Same features as M-Pact<sup>®</sup> Series, but with 0.8mm synthetic leather

MCX-MPT-55-009 Medium \$47 MCX-MPT-55-010 Large \$47	
MCX-MPT-55-010 Large \$47	.45
· · · · · · · · · · · · · · · · · · ·	.45
MCX-MPT-55-011 X-Large \$47	.45
MCX-MPT-55-012 XX-Large \$47	.45



# Coveralls

# AlphaTec Ansell

# 1500 - Model 101 - Protective Coverall

- Applications: General maintenance, asbestos related work, handling powders, construction, chemical products
- Protection: Particle-filtering SMS protective suit filters 100% of particles over 3 microns, Type 5/6 protection
- Suit features: Stitched seams, 3-piece hood, elasticated hood, wrists, waist and ankles, 2-way front zipper with re-sealable
- storm flap • Comfort: Breathable, air and water vapor permeability
- Silicone-free design

Item #	Size		
ANS-WH15-S-92-101-03	Medium	\$7.85	04
ANS-WH15-S-92-101-04	Large	\$7.85	Other sizes available
ANS-WH15-S-92-101-05	X-Large	\$7.85	upon request
ANS-WH15-S-92-101-06	XX-Large	\$7.85	. oquoot

# 1800 STANDARD - Model 111 - Protective Coverall

- Applications: General maintenance, food,
- paint spraying, powder handling
  Protection: Low hazard liquid spray and fine particulates
  Suit features: Bound seams, 3-piece hood,
- elasticated hood, wrists, waist and ankles, 2-way front zipper with re-sealable storm flap
- Comfort: Breathable, moisture vapor permeable
- Silicone-free design, anti-static

Item #	Size		
ANS-WH18-B-92-111-03	Medium	\$10.45	
ANS-WH18-B-92-111-04	Large	\$10.45	Other sizes available
ANS-WH18-B-92-111-05	X-Large	\$10.45	upon request
ANS-WH18-B-92-111-06	XX-Large	\$10.45	request

# 1800 COMFORT - Model 195 - Protective Coverall

- Applications: Composites, general maintenance,
- Paint spraying, surface prep
  Protection: Low hazard liquid chemicals and
- fine particulates, Type 5/6 protection
  Suit features: Bound seams, blue SMS hood, full back and underarms, 3-piece hood, elasticated hood, wrists, waist and ankles, 2-way front zipper with re-sealable storm flap,
- finger loops • Comfort: Breathable, air & moisture vapor permeable • Silicone-free anti-static low liption
- Silicone-free, anti-static, low linting

Item #	Size		
ANS-WN18-B-92-195-03	Medium	\$11.75	01
ANS-WN18-B-92-195-04	Large	\$11.75	Other sizes available
ANS-WN18-B-92-195-05	X-Large	\$11.75	upon request
ANS-WN18-B-92-195-06	XX-Large	\$11.75	roquoot

# 2300 STANDARD - Model 111 - Protective Coverall

- Applications: Oil and gas, life sciences, machinery and equipment, chemical, food processing, utilities
- Protection: Numerous inorganic liquid chemicals, acids and bases, Type 5/6 protection
- Suit features: Bound seams, 3-piece hood, elasticated hood, wrists, waist and ankles, 2-way front zipper with re-sealable storm flap, finger loops
- Comfort: Lightweight and durable

• Anti-static			
Item #	Size		
ANS-YY23-B-92-111-03	Medium	\$19.65	
ANS-YY23-B-92-111-04	Large	\$19.65	Other size available
ANS-YY23-B-92-111-05	X-Large	\$19.65	upon request
ANS-YY23-B-92-111-06	XX-Large	\$19.65	request











# **Pressure Washers**

stream

stream

BZ

# **Electric Pressure Washers** - Cold Water

# Automatic Start/Stop System

B	E stream

ltem #	# BEP-P1715EN BEP-P2115EN		BEP-P2314EN	
Series	Workshop	Workshop	Workshop	
PSI	1,700 psi	2,150 psi	2,300 psi	
Motor	1.2 HP, 120V	1.5 HP, 120V	1.6 HP, 120V	
Max. Flow	1.7 GPM	1.6 GPM	1.7 GPM	
Hose	20 ft.	25 ft.	25 ft.	
Accessories	Spray Wand, 15° High Pressure Nozzle, Soap Foam Cannon	Spray Wand, 15°, 25° High Pressure Nozzles, Rotary Turbo Nozzle, Soap Foam Cannon	0°, 25°, Soak, Turbo Nozzles & Lance	
Weight 20 lbs		35 lbs	45 lbs	
	\$195.95	\$307.55	\$390.65	







P1715EN

X-2565HWCOM

**Gas Pressure Washers** - Cold Water


Item #	BEP- BE276RA	BEP- X-2565HWCOM	BEP- X-2565HWGENSP	BEP- X-4013HWA	
Series	Workshop	Commercial	Xstream	Commercial	
PSI	2,700 psi	2,700 psi	2,500 psi	4,000 psi	
Engine	208cc, Powerease	196cc, Honda	196cc, Honda	389cc, Honda	
Max. Flow	2.5 GPM	3.0 GPM	3.0 GPM	4.0 GPM	
Hose	25 ft.	25 ft.	50 ft.	50 ft.	
Accessories	Spray Gun & Lance	Spray Gun & Lance	Spray Gun & Lance	Spray Gun & Lance	
Weight	80 lbs	100 lbs	110 lbs	150 lbs	
	\$516.55	\$1210.05	\$1542.55	6	





# **Electric Wall Mounted Pressure Washers**

- Cold water:
- Models X-1520FW1ARH and X-2050FW1A
- Hot water capable: Model X-1520FW1GENH






X-1520FW1ARH/X-1520FW1GENH



X-2050FW1A






• Warranty: - Engine: 2 years Basic /5 years Registered

- Electronics: 1 year

Item #	BEP-BE3800	BEP-BE4800	BEP-BE7000	BEP-BE9000	BEP-BE11000	BEP-BE12500T
Max. Watt Output	3,800 Watt	4,800 Watt	7,000 Watt	9,000 Watt	11,000 Watt	12,500/11,000/9,000 W (Gas/LPG/NG)
Running Watt Output	3,000 Watt	3,800 Watt	5,500 Watt	6,500 Watt	7,500 Watt	9,500/8,500/7,500 W (Gas/LPG/NG)
Engine	212cc, Powerease	323cc, Powerease	312cc, Powerease	389cc, Powerease	420cc, Powerease	458cc, Powerease
Fuel Type	Gas	Gas	Gas	Gas	Gas	Gas/Liquid Propane/Natural Gas
Fuel Capacity	15L (3.9 Gal)	15L (3.9 Gal)	20L (5.3 Gal)	25L (6.6 Gal)	25L (6.6 Gal)	25L (6.6 Gal)
Approximate Run Time @ 1/2 Load	13.8 hours	11 hours	13.3 hours	8 hours	14.4 hours	8 hours
Start Type	Recoil	Recoil	Recoil	Recoil	Electric / Recoil	Electric / Recoil
Receptacle Types	<ul> <li>B 4x 120V 20A</li> <li>C 1x 120V 30A</li> </ul>	<ul> <li>B 4x 120V 20A</li> <li>D 1x 120V/240V 30A</li> </ul>	A 1x DC 12V 8A B 6x 120V 20A D 1x 120V/240V 30A	A 1x DC 12V 8A B 6x 120V 20A D 1x 120V/240V 30A	A 1x DC 12V 8A B 6x 120V 20A D 1x 120V/240V 30A	A 1x DC 12V 8A B 4x 120V 20A D 1x 120V/240V 30A E 1x 120V/240V 50A
Li-lon Battery	×	×	×	×	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li>✓</li> </ul>
dBA Rating	71 dBA	70 dBA	69 dBA	67 dBA	73 dBA	73 dBA
Ship Weight	105 lbs	116 lbs	150 lbs	193 lbs	202 lbs	207 lbs
	6	6	6	6	6	6



# MLW-MXF002-2XC \$2998<sup>95</sup>

# MX FUEL<sup>™</sup> Carry-On<sup>™</sup> Power Supply with Inverter Technology

- Peak/running Watts: 3,600W/ 1,800W
- Pure sine wave for sensitive electronics
- Push button start
- (2) 120V 15A outlets
- Ideal for 1-2 users
- Safe and quiet to use in indoors
- Lockable battery bays
- Sound level: 60 dBa
- Weight: 50 lbs Dim.: 15" L x 12" W x 21" H
- (2) MX FUEL<sup>™</sup> XC406 battery packs (MXFXC406)

Item #

Capacity

Peak Watts

**Running Watts** 

**110V AC Outlets** 

USB Port 2.4A

USB Port 3.0A

12V DC Port

**DC Output Ports** 

(12V DC, 10A Max.)

- (1) Detachable charging cord
- 2-Year warranty

# **Portable and Quiet Power Generators with Inverter Technology**

- · Pure sine wave inverter • Excellent source of power for emergencies, tailgating and camping, safe for indoor use
- · Digital display with On/Off button
- DC output ports for charging electronic devices
- Ultra bright LED light with SOS mode
- Rechargeable Li-Ion internal battery
- AC charging adapter



SHM-SL1460

330 Wh

400 Watts

200 Watts

2

3

1

2

1

\$659.25

# MLW-2845-20 \$721<sup>15</sup>

## M18<sup>™</sup> Carry-On<sup>™</sup> Power Supply

- Delivers 3600W/1800W for aggressive 15A applications with (4) M18<sup>™</sup> batteries (sold separately)
- Run demanding tools like table saws, compressors, and pipe threaders
- Pure sine wave inverter protects sensitive electronics
- Integrated 3A standard simultaneous M18™ charger
- Sound level: 66 dBa

880 Wh

2 000 Watts

1.000 Watts

2

3

1

2

1

6

- Weight: 28 lbs Dim.: 15" L x 12" W x 14" H
- 3-year warranty

SHM-SL1466

535 Wh

1.000 Watts

500 Watts

2

3

1

2

1

\$874.25









Milwaukee





Item #	Description	Max. Height	Max. CFM	Speed	Blades	Motor	Output	weight	
ATD-30320A	20" High Velocity Floor Fan		4,650 CFM	3-Speed	3-Blade	1/8 HP	130W	13 lbs	\$128.75
ATD-30331A	30" Wall Mount Fan		5,440 CFM	2-Speed	3-Blade	1/6 HP	210W	33 lbs	\$399.25
ATD-30334A	30" Oscillating Wall Mount Fan		5,440 CFM	2-Speed	3-Blade	1/6 HP	210W	38 lbs	\$414.85
ATD-30330A	30" Pedestal Fan with 4 Wheels	75"	7,497 CFM	3-Speed	3-Blade	1/6 HP	210W	59 lbs	\$439.75
ATD-30335A	30" Oscillating Pedestal Fan with 4 Wheels	75"	7,497 CFM	3-Speed	3-Blade	1/6 HP	210W	59 lbs	\$506.65
ATD-30332	30" Tilting Pedestal Fan with Misting Attachment and 4 Wheels	74"	6,800 CFM	3-Speed	3-Blade	1/3 HP	220W	53 lbs	\$584.65

# MLW-0820-20 \$12795

# M12™ Mounting Fan (Bare Tool)

- 3 speed settings: High, Medium, Low
- Max. air velocity: 400 CFM, 22km/h
- 6" blade diameter
- 360° adjustable head
- Multiple mounting features:
- Integrated magnets;
  2" spring-loaded clamp;
- Keyhole hangers;
- Pass-through holes





# 18V M18™ Cordless

# Jobsite Fan (Bare Tool)

- Powerful airflow system circulates air over 40 feet
- 3 speed settings: High, Medium, Low
- Max. air velocity: 284 CFM, 29km/h
  Runtime: up to 17 hours on low with a M18<sup>™</sup>
- REDLITHIUM<sup>™</sup> XC 5.0 battery (sold separately)
- 120° adjustable head and 9 stopping positions
  Multiple hanging orientations
- Multiple hanging offentations
- AC adaptor included for extended run-time







# ATD-40300 \$17545

# **300 CFM Pro Air Blower**

- 120 Volts, 60 Hz
- · Variable speed switch controls motor
- Motor Speed: 900-1500 RPM
- Power Outlets: (2) 11Amp built-in grounded receptacles
- Built-in overload protection

# ATD-40302 \$9275

# **Heater Attachment**



for Pro Air Blower • 1,320 Watts, 11 Amps, 5,000 BTU

# MLW-0801-20C \$29795

## M18<sup>™</sup> Forced Air **Propane Heater**

- 70,000 BTU
- Heats up to 1,700 sq. ft
- Runs up to 8 hrs
- Includes hose and regulator
- Propane tank, battery and charger not included

# ENR-F340662 \$34095

## **Cordless Forced Air Propane Heater**

- 27,000/68,000 BTU per hour 300 CFM
- Heats up to 1,700 sq. ft.
- Runs 7 to 13 hrs on a 20 lb propane tank
- High temperature limit switch
- Quiet burner technology
- · Hose and regulator included
- Powered by the 20V MAX® & FLEXVOLT® family of DEWALT® batteries, sold separately • 19.75" x 12" x 18"
- Propane tank not included

# ENR-F340640 \$50705

# **240V Forced Air Electric Heater**

- 11,260 BTU per hour
- 230 CFM 3,300 Watts
- Heats up to 275 sq. ft.
- Equipped with a 25°F-95°F thermostat Minimum breaker required: 2 pole, 15A
- Single phase Thermostatically controlled
- Cord/plug not included
- 13.62" x 15.75" x 17.12"

# ENR-F170125 \$42905

# **Forced Air Propane Industrial Heaters**

- 75,000 125,000 BTU/hr 350 CFM
- Heats up to 3,000 sq. ft.
- Runs up to 11 hrs on a 40 lb propane tank
- Rugged and durable steel construction
- · Economical, efficient and clean burning • Heavy duty high output fan
- 20 ft. hose and regulator included
- Electrical rating: 115V, 3A
- #F170035 dim.: 20.75" x 9.75" x 12.75"
- #F170125 dim.: 21.25" x 11.75" x 15.75"

January - March 2024

Propane tank not included

284



Milwaukee

EGi

EGi

# ENR-F170275 \$50785

## **Forced Air Kerosene Industrial Heater**

- 75.000 BTU per hour
- 240 CFM
- Heats up to 1,750 sq. ft.
- Runs up to 11 hrs
- Use with kerosene #1 & #2, diesel #1 & #2, home heating oil, and JP-8
- 6-gal/23L fuel tank capacity
- Enclosed motor
- Overheat safety shutdown
- Built-in thermostat 
   Fuel gauge
- Electrical rating: 115V, 10A
- 32.25"x 14.25" x 17"





EGi

EG

EG

MRHEATER

DEWALT

THE PARTY

DEWALT

MRHEATER



# **Portable Buddy Radiant Propane Heater**

- 2 heat settings 4,000/9,000 BTU per hour
- Heats up to 225 sq. ft.
- Runs 2.4 to 5.4 hours on a 1 lb disposable
- propane cylinder • Runs 48 to 108 hours on a 20 lb propane tank with optional hose and filter
- One button Piezo ignition on function
- Accidental tip-over safety shut-off
- Automatic low oxygen shut-off system
- Swivel regulator
- Fold down handle
- 14 25" x 9" x 15"
- Propane cylinder or tank not included

# ENR-F332100 \$342<sup>15</sup>

## **Cordless Radiant Propane Heater**

# • 6.000/12.000 BTU per hour

- Rugged handle with LED light bar
- High speed fan
- Dual 1 lb tank capacity for a 7-hr run time
- 3 USB charging ports
- Tip-over safety switch Oxygen Depletion System
- Powered by the 20V MAX<sup>®</sup> & FLEXVOLT<sup>®</sup> family of DEWALT® batteries, sold separately
- 15.75" x 10.5" x 14"
- Propane tank not included

# ENR-F242100 \$83<sup>95</sup>

# Liquid Propane

- **Tank Top Radiant Heater** 10,000/12,000/15,000 BTU per hour
- Runs up to 28 hours on a
- 20 lb propane tank, not included No tool needed, hand wheel installation
- Tip-over safety shut-off
- CSA certified

Propane tank not included

#### Professional IRWIN **Mechanics' Vises** Record Jaw Width Weight 4" 33 lbs \$148.85 5" 53 lbs \$248.55 6" 70 lbs \$306.65

\$365.05

ECLIPSE

REC-6, REC-8ZR Vises

WIL-10010 \$500<sup>45</sup>

# Multi-Purpose Vise with Pipe Jaw

84 lbs

Weight

8"

Jaw Width

5"

 360° swivel base Anvil work surface

Item #

REC-3

REC-5

REC-6

REC-8ZR

Item #

ECL-EMPV-5



# **Mechanics' Vises**

Jaw Width Weight Item # ECL-EMV3 4" 21 lbs \$103.85 ECL-EMV5 5" 35 lbs \$161.65 ECL-EMV6 6" 55 lbs \$244.45 ECL-EMV8 8" 87 lbs \$324.85

**Swivel Bases for Eclipse Vises** Rotates the vise 360° and locks it into the required working position.

Vise Size Item # ECL-EMVSB3 4" ECL-EMVSB5 5" ECL-EMVSB6 6" ECL-EMVSB8 8"



EMV-8

Professio 360° Swiv				9306
Item #	Jaw Width	Weight		
ATD-9305	5"	43 lbs	\$338.45	2
ATD-9306	6"	56 lbs	\$443.35	

# Swivel Bench Vise with Pipe Jaw

- Pipe capacity: 1/4"-3"
- 210° swivel base Anvil work surface

#### Jaw Widtl Item # Weight ATD-9316 6" 40 lbs \$230.45

# Wilton Shop Vises

360° lockable swivel base

Item #	Jaw Width	Weight	
WIL-63301	5"	30 lbs	\$360.45
WIL-63302	6"	46 lbs	\$510.95
WIL-63304	8"	70 lbs	\$768.55





<ul> <li>Inroat depth</li> </ul>	:5-1/2 (140mm)	
Item #	<b>Clamp Capacity</b>	
ECL-EC-GS12	12" (300mm)	\$100.45
ECL-EC-GS16	16" (400mm)	\$107.65
ECL-EC-GS20	20" (500mm)	\$113.75
ECL-EC-GS24	24" (600mm)	\$120.15



# **Presses & Accessories**

ම


٢ 6

6

# **TOBEQ™** Professional Workshop Presses

- · Fully welded construction for exceptional strength and durability
- Double speed pump with built-in safety overload valve
- Large pressure gauge filled with glycerin for easy reading Polycarbonate guard provides maximum protection and clear view
- 15 and 20-Ton presses delivered with a V-block set
- 30, 50, 75 and 100-Ton presses delivered with a pin set and a V-block set

Item #	Cap.	Press	Min./Max. Work Height	Ram Stoke	Press Bed D x W	Weight
TBQ-SP15000	Bench Press <b>15-Ton</b>	Hydr.	6-5/16" x 18-1/8" (160.5 x 461mm)	6-1/4" (160mm)	4-3/4" x 19-11/16" (120 x 500mm)	168 lbs (76 kg)
TBQ-SP20000	20-Ton	Hydr.	12-1/2" x 47-3/16" (318 x 1198mm)	7-1/4" (185mm)	5-3/16" x 20-1/16" (132 x 510mm)	238 lbs (108 kg)
TBQ-SP30000	30-Ton	Hydr.	16-1/16" x 50-11/16" (408 x 1288mm)	6-11/16" (170mm)	5-1/2" x 21-1/16" (140 x 535mm)	416 lbs (188.5 kg)
TBQ-SP50000	50-Ton	Hydr.	14-15/16" x 53-1/2" (379 x 1359mm)	7-7/8" (200mm)	8-1/8" x 28-3/4" (207 X 730mm)	687 lbs (311.5 kg)
TBQ-SP75000	75-Ton	Air/ Hydr.	18-7/16" x 46-9/16" (468 x 1182mm)	9-13/16" (250mm)	8-9/16" x 31-1/2" (217 x 800mm)	1098 lbs (498 kg)
TBQ-SP100000	100-Ton	Air/ Hydr.	18-1/2" x 46-1/16" (470 x 1170mm)	11-13/16" (300mm)	10-9/16" x 31" (268 x 787mm)	1689 lbs (766 kg)




- 2 step stroke system: full stroke for guick approach or
- small stroke for fine tuning of the load
- Large gauge measures short and metric tons
- Models 86151/86201: Delivered with protection cage and 2 V blocks

# Models 86301/86501/86751/86101

• Delivered with protection cage, 2 V blocks, a quick chuck and 8 punches

Item #	Capacity	Press	Weight	Overall Dim. H x W x D	
CPT-86151	Compact Bench Press <b>15-Ton</b>	Hydraulic	166 lbs	35" x 28" x 21"	6
CPT-86201	20-Ton	Hydraulic	232 lbs	70" x 29" x 28"	6
CPT-86301	30-Ton	Hydraulic	368 lbs	70" x 31" x 28"	6
CPT-86501	50-Ton	Hydraulic	657 lbs	72" x 41" x 32"	6
CPT-86751	75-Ton	Air/Hydraulic	1,098 lbs	72" x 45" x 32"	6
CPT-86101	100-Ton	Air/Hydraulic	1,689 lbs	72" x 47" x 35"	6



SP15000







# MUK-432 650 \$777<sup>75</sup>

## **Universal Workshop Press** Support

- Makes the shop press safe and easy to use
- Creates three points of contact for stability and is infinitely adjustable to fit irregularly shaped objects



# **Bench Grinders**

## SUNEX TODLS

# SUN-5002A \$401<sup>35</sup>

## 8" Bench Grinder with Light • 3/4 HP

- 5.0A
- Has two grit wheels:
- coarse 36 and medium 60
- 3,450 RPM







# **Bench Grinders**

• Includes: 36 and 60 grit wheels

Item #	Wheel Size	Motor	Amps	
DEW-DW756	6"	5/8 HP	4.0 Amps	\$178.25
DEW-DW758	8"	3/4 HP	4.2 Amps	\$247.55




# **Bench Grinders**

- Adjustable shatter resistant eye shields; (1) magnifying and (1) standard
- Has two grit wheels:
- coarse 36 and medium 60
- 3,450 RPM

Item #	Wheel Size	Motor	Amps	
ATD-10556	6"	1/2 HP	2.8 Amps	\$257.15
ATD-10558	8"	3/4 HP	4.8 Amps	\$315.25






RIDGID

GREENLEE.

G

# ridgid.com

# greenlee.com



1875W, 15A

2500W, 20A

1625W, 13A

2500W, 20A

1875W, 15A

1250W, 10A

Indoor

Indoor

Indoor

Indoor

Indoor

Indoor

Thermoplastic

Thermoplastic

Thermoplastic

Thermoplastic

Thermoplastic

Thermoplastic

\$267.35

\$373.55

\$253.25

\$374.45

\$385.35

\$356.95

# 288 | January - March 2024

ALT-8140T-P

ALT-8645TFI

ALT-8150MP

ALT-8665TFS

ALT-8665TFQ

ALT-8675MFT

40 ft.

45 ft.

50 ft.

65 ft.

65 ft.

75 ft.

SJTOW 12/3

SJTOW 12/3

SJTOW 14/3

SJTOW 12/3

SJTOW 12/3

SJTOW 14/3

3

1

3

1

4

3

Magnets

# **Extension Cords & Cord Reels**



#### **Extension Cord Reels**

- Lighted triple tap outlet
- Circuit breaker with reset button
- $\bullet$  Oil, water and sunlight resistant cord, remains flexible in low temperatures
- Swivel mounting bracketGrounded plug includes 5 ft. lead-in cord
- cULus listed

Item #	Length	Gauge	Max. Rating	
LEG-FZ8160253	25 feet	16/3 SJTOW	1250W, 10A	\$170.75
LEG-FZ8140503	50 feet	14/3 SJTOW	1625W, 13A	\$263.55
LEG-FZ8120603 Flexzilla® Pro Re	60 feet el with Self-	12/3 SJTOW Leveling System	1875W, 15A	\$362.85

### legacy ELEXTAULAN

#### **Outdoor Extension Cords**

- Extreme all-weather flexibility
- (-58°F to 140°F)
- Abrasion and corrosion-resistant
  Glow-in-the-dark stripe
- Bower indicator light
- Resists kinks and easy to coil
- Grounded plug
- cULus listed

Item #	Length	Gauge	Max. Rating	
LEG-FZ512930	50 feet	10/3 SJTW	1,875 Watt, 15A	\$222.85
LEG-FZ512830	50 feet	12/3 SJTW	1,875 Watt, 15A	\$136.85
LEG-FZ512935	100 feet	10/3 SJTW	1,875 Watt, 15A	\$428.85
LEG-FZ512835	100 feet	12/3 SJTW	1,875 Watt, 15A	\$261.55
LEG-FZ512735	100 feet	14/3 SJTW	1,875 Watt, 15A	\$173.05

#### Heavy Duty Indoor/Outdoor Professional Extension Cords

- 3-wire grounded cord
- Safety power GLOW plug
- Non-marring cord is oil,
- chemical and abrasion resistant
- Remains flexible down to -40°F
- Meets OSHA standards cULus listed

	Тар	Gauge	Length	Item #
\$46.95	Single	16/3 SJTW	25 feet	ATD-8002
\$83.75	Single	12/3 SJTW	25 feet	ATD-8040
\$152.65	Single	12/3 SJTW	50 feet	ATD-8041

A-Pc Mini Rubber-Coated Magnetic Holder Set • 49mm diam. x 51mm long Item # Colour MUK-905 143/NEUN Neon Green \$70.35 MUK-905 143/NEON Neon Green \$70.35 MUK-905 143/NEON Neon Green \$70.35		1110	gnoto	
Rubber-Coated Magnetic Holder Set         • 49mm diam. x 51mm long         Item # Colour         MUK-905 143/BLUE       Blue       \$70.35         MUK-905 143/NEON       Neon Green       \$70.35		00		NEW
MUK-905 143/BLUE         Blue         \$70.35           MUK-905 143/NEON         Neon Green         \$70.35	Rubber-Coated Magnetic Holder S • 49mm diam. x 51mn	nlong		
MUK-905 143/NEON Neon Green \$70.35				
	MUK-905 143/BLUE	Blue	\$70.35	
MUK-905 143/ORANGE Orange \$70.35	MUK-905 143/NEON	Neon Green	\$70.35	
	MUK-905 143/ORANGE	Orange	\$70.35	



### fisle

# LIS-21520 **\$79<sup>95</sup>**

#### **Truck Pedal Depressor**

- For clutch & brake pedals
- Extends from 18-1/2" to 34-1/2"



#### THEXTON MANUFACTURING COMPANY

ATD





#### Professional Magnetic Universal Hood/Tailgate Strut Rod Lock

- Fits strut rods up to 9/16" in diameter
- Magnet allows for one-handed application
- Securely attaches to strut rod and holds hood, trunk or tailgates in place
- Can be used to change strut rods on vehicles with two strut rods
  - January March 2024 | 289



# **Tire Steps**



#### 400 Lbs Capacity **Heavy Duty Portable Tire Steps**

• Folds for compact storage	
(less than 4")	

Item #	Tire Size	
ESC-60202	Super Single	\$100.05
ESC-60203	22.5"-24.5"	\$123,15

# ATD-10310 **\$155**<sup>75</sup>

#### 400 Lbs Capacity Heavy-Duty Truck Tire Step

- Ideal for working on your truck, van or SUV
- Folds flat for easy storage
- Width: 28" • Height: 13"









#### APP-3489 **\$169<sup>05</sup> Cart-N-Box 800 Lbs Capacity Collapsible Hand Truck**

- Heavy gauge steel tubing
- High quality 10" pneumatic tires
  32" x 14.5" x 8"
- Weight: 24 lbs
- 10 year warranty on frame,
- 1 year warranty on tires



#### MLW-48-22-8415 **\$318**<sup>95</sup> PACKOUT<sup>™</sup> 2-Wheel Cart, **400 Lbs Capacity**

Mil

- Modular connectivity with ALL PACKOUT™ components: integrated PACKOUT™ mounting on the base and frame that allows you to securely stack or hang PACKOUT™ products
- Integrated long tool storage and small accessories compartments
- Impact resistant body
- 10" flat-free, in-board wheels
- Dimensions 20" W x 12" D x 48" H



# **Stools & Platforms**

	ATD	P-1	9534
STK-20350 \$330 <sup>15</sup> Pro Step Heavy Duty Stool	Heavy Duty Aluminum Plat • Maximum capa • Lightweight, spi design folds aw storage • Anti-slip work p • Non-slip rubber	icity: 330 lbs ace saving ay for easy platform r feet on work	10325
Heavy-duty 500 lbs capacity     32" x 16" platform	platform for add	W x D x H	
Foam bumpers protect vehicle finish     Adjustable height: 6-1/2" to 22-1/2"	ATD-9534	38" x 12" x 19-7/10"	\$262.25
	ATD-10325	30-3/4" x 11-3/4" x 19-1/2"	<b>\$213.85</b>

**Work Stands** 



# **Sprayers & Cleaning Accessories**



### How to Choose your Solo Sprayer

The sprayer seals should be paired to the type of chemicals you are using. While buying a sprayer, remember to always consider the seal.

Iter

SL0

SL0

SLO SLO

SL0

SL0

SL0

SL0

SL0

- Nitrile/Buna
- pH scale: Neutral fluids (pH 7) • Uses:
- Green cleaning; Deodorizing • Product types:
- General cleaners; Neutral cleaning solutions; Deodorizers; Detergents; Disinfectants

#### Viton®

- pH scale: Acidic fluids (pH 1-7)
- Uses: General cleaning; Removing rust and lime residue; Applying bleach solutions; Sanitation against germs and bacteria
- Product types: Toilet bowl cleaners; Tub & tile cleaners; Solvents; Bleach solutions; Rust removers; Pool/spa cleaners

### EPDM

- pH scale: Alkaline fluids (pH 7-14)
- Uses: Removing organic fats and oils; Removing protein residue; Cleaning glass; Disinfecting; Carpet spot cleaning;
- Degreasing • Product types: Multi-surface cleaners; Glass/window cleaners; Disinfectants; Carpet cleaners; Degreasers



em #	Description	Cap.	Wand	Hose	Nozzle	
0-415	Pressure Sprayer for <u>NEUTRAL FLUIDS</u>	1L			Plastic adjustable nozzle	\$18.55
0-418	One-Handed Pressure Sprayer	1 L	3.5"		Multi-directional	\$37.25
0-418-2L	One-Handed Pressure Sprayer	2 L	3.5"		Multi-directional	\$38.35
0-378	<b>Concrete Sprayer with Large Base</b> Designed for concrete preparation and treatment as well as general spraying tasks	3 Gal	28"	48"	<ul> <li>1 gpm, 110° flat fan</li> <li>Plastic adjustable nozzle</li> <li>Hollow cone • Jet stream</li> </ul>	\$174.25
0-388	Industrial Acetone Sprayer Designed for applying acetone-based formulations, most alcohols and ammonia	3 Gal	28" brass	72"	<ul> <li>Brass cones: 0.2 &amp; 0.4 gpm</li> <li>Brass fan: 0.5 gpm</li> </ul>	\$230.05
0-458-HD	Heavy Duty Professional All-Purpose Sprayer	3 Gal	28"	48"	<ul> <li>Brass Fan: 0.4 gpm</li> <li>Plastic Adjust.</li> <li>Hollow Cone</li> <li>Jet Stream</li> </ul>	\$172.05
0-430-1G-HD	Heavy Duty Sprayer Designed for medium-to-large jobs	1 Gal	28"	48"	<ul> <li>Brass Fan</li> <li>Plastic Adjustable</li> <li>Fan Spray</li> <li>Hollow Cone</li> <li>Jet Stream</li> </ul>	\$100.15
0-430-2G-HD	Heavy Duty Sprayer Designed for medium-to-large jobs	2 Gal	28"	48"	<ul> <li>Brass Fan</li> <li>Plastic Adjustable</li> <li>Fan Spray</li> <li>Hollow Cone</li> <li>Jet Stream</li> </ul>	\$104.55
0-430-3G-HD	Heavy Duty Sprayer Designed for medium-to-large jobs	3 Gal	28"	48"	<ul> <li>Brass Fan</li> <li>Plastic Adjustable</li> <li>Fan Spray</li> <li>Hollow Cone</li> <li>Jet Stream</li> </ul>	\$117.45



Item #	Description	Cap.	Wand	Hose	Nozzle/Accessories	
SL0-301-A	One-Handed Pressure Sprayer	1.25 L			Hollow cone adjustable nozzle	\$47.55
SL0-301-B	One-Handed Pressure Sprayer	1.25 L			Hollow cone adjustable nozzle	\$47.55
SL0-302-A	One-Handed Pressure Sprayer	2 L			Hollow cone adjustable nozzle	\$51.05
SL0-302-B	One-Handed Pressure Sprayer	2 L			Hollow cone adjustable nozzle	\$51.05
SL0-305-A	Piston Pump Sprayer	1.5 Gal	20"	54"	Flat spray nozzle     Shoulder strap	\$130.85
SL0-305-B	Piston Pump Sprayer	1.5 Gal	20"	54"	Flat spray nozzle      Shoulder strap	\$131.25
SL0-307-A	Piston Pump Sprayer	2 Gal	20"	54"	Flat spray nozzle      Shoulder strap	\$137.95
SL0-307-B	Piston Pump Sprayer	2 Gal	20"	54"	Flat spray nozzle      Shoulder strap	\$145.45
SL0-315-A	Backpack Sprayer	4 Gal	20"	54"	Shoulder strap & waist belt	\$247.65
SL0-303-FA	Pressure Sprayer with FOAMING FUNCTION	1.25 L			Flat spray nozzle	\$54.65
SL0-303-FB	Pressure Sprayer with FOAMING FUNCTION	1.25 L			Flat spray nozzle	\$54.65
SL0-309-FA	Piston Pump Sprayer with FOAMING FUNCTION	2.5 Gal	20"	54"	<ul> <li>Flat spray nozzle</li> <li>Shoulder strap</li> <li>"varioFOAM" foaming function</li> </ul>	\$176.45
SL0-309-FB	Piston Pump Sprayer with FOAMING FUNCTION	2.5 Gal	20"	54"	<ul> <li>Flat spray nozzle</li> <li>Shoulder strap</li> <li>"varioFOAM" foaming function</li> </ul>	\$182.65

## 292 | January - March 2024

# **Sprayers & Cleaning Accessories**

### ATS-95500 **\$181**<sup>95</sup>

#### **Tornado Turbo Cleaner**

- Powerful cleaning tool with precision control
- Cleans and air dries in seconds
- Suitable for 240V compressors





Refer to the **FBS Chemical Compatibility Chart** to choose the right sprayer for your needs.

#### FKM/PA -

# Performance Compression Sprayers

• Do not use with <u>acetone</u> or other non-compatible chemicals Applications:

- Wax & grease removers
- Brake & parts cleaners
- Degreasing & cleaning agents
- Surface coatings
- The 1.8L sprayer has the ability to be charged with compressed air



Item #	Capacity	
FBS-50100	1L	\$65.85
FBS-50400	1.8L	\$94.65

# FBS-50201 **\$92<sup>45</sup>**

#### KPV-FPV/FPE -Engine Cleaner and Degreaser Sprayer, 1L

Applications:

- Engine degreasers & cleaning agents
- Brake & parts cleaners
- Wax & grease removers
- Surface coatings

# FPV/FPE - Performance Series Sprayers

Applications:

- Wax & grease removers, preconditioners
- Engine degreasers & cleaning agents
- Surface coatings
   Proke Superior alage
- Brake & parts cleaners, solvents, spray gun wash & much more
- Ability to be charged with compressed air

Item #	Capacity	
FBS-50300	1L	\$131.45
		_

FBS-50404	1.8L	\$143.35

# FBS-50350 **\$110<sup>15</sup>**

#### FPV/SPP Pump Sprayer for Acid Based Cleaners, 1L

Applications:

- Wheel & rim cleaners
- Metal & steel parts cleaners
- Aluminum cleaners & brighteners



## CHA-1002 **\$28<sup>65</sup>**

#### 48 oz Multi-Purpose Sprayer

- Compatible with common fertilizers, weed killers and pesticides
  Adjustable nozzle
- In-tank anti-clog filter

# CHA-1046 \$5195

#### 48 oz Industrial Cleaner/Degreaser

- Compatible with most industrial chemicals, also suitable for home use
- Adjustable poly and brass cone nozzles
- In-tank anti-clog filter

#### CHA-16200 \$44<sup>25</sup>

#### 2-Gallon/7.6L Home and

#### Garden Sprayer

- Compatible with common herbicides, pesticides, fertilizers and general cleaners
- Includes: 12" wand, 34" hose
- Adjustable nozzle In-tank filter

# CHA-1949 **\$283<sup>35</sup>**

#### 3.5-Gallon/13.2L Industrial Concrete Open Head Sprayer

- Chemical-resistant seals
- 4" wide mouth opening for easy filling and cleaning
- 48" reinforced hose with threaded fittings
- 24" wand Brass pump, wand, nozzle and shut-off with lock-on feature



#### TITAN

Spot Spray 32 oz Non-Aerosol

Sprayers

- Not for use with paint products or
- flammable propellants
- 80-150 PSI

## SUR-A1000G **\$109**<sup>65</sup>

#### 32 oz Powder-Coated Industrial Steel Sprayer (Green)

- Multi-use spray nozzle sprays mist or pinstream
- For cleaners, degreasers, penetrating oils,
- brake cleaners, solvents etc.
- Not recommended for paint

# TITAN

### TIT-19426 **\$107**<sup>75</sup>

# 227 ml Aluminum

- Spray Bottle • Max. pressure: 116 psi
- 2 nozzles:
- conventional and 6.1" jet nozzle
- Jet nozzie



Colour

\$79.75

\$79.75

\$79.75

\$79.75

\$79.75

Item #

TIT-19419

TIT-19422

TIT-19423

TIT-19424

TIT-19425

sure shot



LIS-19772 **\$14<sup>05</sup> 1L Industrial** 

# Sprayer

fisle





**BRM-PWCST** 

**BRM-PWAST** 

Straight Handle - Soft Tip Ideal for Wheel Cleaning

Straight Handle - Soft Tip - Flow Thru

Ideal for Wheel Cleaning

# **Parts Wash Brushes**

\$19.75

\$21.05

89530

89540

89680

\$25.15

\$38.05

\$26.35

\$27.65

\$39.35

PWAST

\$50.45

\$80.35

\$33.35

\$60.85

294

# **Vacuum Cleaners**

# Milwaukee

#### MLW-0880-20 **\$148<sup>25</sup>** 2-Gallon M18<sup>™</sup> Wet/Dry Vacuum (Bare Tool)

- 45 CFM
- Built-in blower port
- On-board attachments storage
- Stackable tool box design
   Run time: 30+ minutes on an M18<sup>™</sup> REDLITHIUM<sup>™</sup> 9.0 battery pack (sold separately)
- (1) HEPA filter (49-90-1900)



# MLW-0970-20 **\$278<sup>95</sup>**

#### 2.5-Gallon M18™ PACKOUT™ Wet/Dry Vacuum (Bare Tool)

- 50 CFM
- Built-in blower port
- Run time: 30-50 minutes on a HIGH OUTPUT™ 8.0 battery pack (sold separately)
- (1) HEPA filter (49-90-1900)





### MLW-49-90-1900 **\$34<sup>85</sup>**

HEPA Filter • Compatible with #0880-20 and #0970-20

### MLW-0850-20 \$10895

 Creates suction for a wide range of construction materials, such as wood chips and metal shavings

#### M12™ Compact Vacuum (Bare Tool)



 Run time: up to 29 minutes using REDLITHIUM<sup>™</sup> XC4.0 batteries (sold separately)

### MLW-0882-20 \$177<sup>95</sup>

#### 36 Oz. M18™ Compact Vacuum (Bare Tool)

- For cleanup of common jobsite
- debris

• 33 CFM

- 40 CFM
- Run time: up to 25 min. on a XC5.0 battery pack, and 43 min. on a HIGH DEMAND<sup>™</sup> 9.0
- (1) HEPA filter (49-90-0160)



#### MLW-49-90-1951 **\$25<sup>75</sup>** M18™ Compact Vacuum HEPA Dry Filter Kit (2-Pack)


Compatible with #0882-20





#### M18 FUEL™ Wet/Dry Vacuum Kits

- Interchangeable motor heads, tanks and carts
- Integrated accessory storage
  All kits include:
- All kits include: motor head, tank, cart (model #0930 comes with a premium cart), high efficiency filter, (2) extension wands, crevice tool, floor utility nozzle, 9 ft. flexible hose



# **Vacuum Cleaners**

### RIDGID

#### RGD-62703 \$20805 12-Gallon NXT Wet/Dry Vacuum (Model RT1200)

- 130 CFM
- 5.0 peak HP
- 9 Amp
- · Blowing capacity
- Locking accessories
- Built-in oversized drain
- 15 ft. power cord
- Premium locking hose: 2.5" x 8 ft.
- (1) Standard filter





# RGD-50338 \$46345 16-Gallon Motor-On-Bottom

#### Wet/Dry Vacuum (Model 1650RV) • 190 CFM • 6.5 peak HP • 12A

- Blowing capacity
- Locking accessories
- Built-in oversized drain
- 20 ft. power cord
- Premium locking hose:
- 2.5" x 8 ft.



**Outdoor Power Equipment** 

### RIDGID





#### MLW-2724-20 \$252<sup>85</sup> M18 FUEL<sup>™</sup> Blower (Bare Tool)

- Power to clear from 15 ft.
- Maximum air volume: 450 CFM
- Maximum air speed: 120 MPH
- High/Low speed settings

# MLW-2825-21ST \$47805

### M18 FUEL<sup>™</sup> String Trimmer Kit with QUIK-LOK<sup>™</sup>

- Power head compatible with multiple QUIK-LOK<sup>™</sup> System attachments such as the Edger, Articulating Hedge Trimmer, and Pole Saw attachments
- Cutting swath: 14" 16'
- 0-4900 / 0-6200 RPM
- Line diameter:
- 0.080"/0.095" (1) M18<sup>™</sup>
- XC8.0 battery
- (1) M18<sup>™</sup>/M12<sup>™</sup> rapid charger

# MLW-2825-20ST \$332<sup>35</sup>

M18 FUEL<sup>™</sup> String Trimmer with Power Head (Bare Tool)



#### MLW-2824-20 \$40575 M18 FUEL<sup>™</sup> Dual Batterv

# **Blower (Bare Tool)**

- Maximum air volume: 600 CFM
- Maximum air speed: 145 MPH • Nozzles: (1) flat & (1) tapered
- (2) M18<sup>™</sup> batteries required

#### MLW-2727-20C \$432<sup>85</sup> M18 FUEL<sup>™</sup> 14" Chainsaw (Bare Tool)

Milwaukee

- Cuts faster than gas and delivers up to 150 cuts per charge • 6,600 RPM
- Reaches full throttle in under 1 second
- .043" chain gauge and 3/8" low profile chain pitch

### MLW-2727-21HD \$66795

#### M18 FUEL™ 16" Chainsaw Kit

- Cuts faster than gas and delivers up to 150 cuts per charge
- 6,600 RPM Reaches full throttle in under 1 second
- .043" chain gauge and
- 3/8" low profile chain pitch
- Automatic oiler for chain lubrication



MLW-49-16-2749 \$3405 14" Replacement Saw Chain

MLW-49-16-2715 \$37<sup>15</sup> 16" Replacement Saw Chain





# **Seat Covers & Floor Mats**





Item #	Description	Size	Quantity	
SPK-P200S	PADS - Oil Only	15" x 18"	100 pads	\$56.65
SPK-UP200S	PADS - Universal	15" x 18"	100 pads	\$56.25



#### Spill Containment Flexible Socks and Booms

- Keep fluids from spreading into larger areas and becoming slippery hazards
  Socks are ideal for surrounding spilled fluids and conform around
- machine bases to offer a snug fit with no leakage
- Booms have end loops with ties and are ideal for outdoor applications

Item #	Description	Size	Quantity	
SPK-MOPO1548	Oil Only Socks	3" x 4 ft.	15/case	\$82.95
SPK-MOPO10120	Oil Only Socks	3" x 10 ft.	10/case	\$145.55
SPK-B510	Oil Only Boom	5" x 10 ft.	4/case	\$155.25
SPK-GP1548	Gen. Purpose Socks	3" x 4 ft.	15/case	\$82.95
SPK-GP10120	Gen. Purpose Socks	3" x 10 ft.	10/case	\$135.85

#### 5 pillows (8" x 18"), 1 pair gloves, 1 disposal bag, 1 pair goggles

**55 Gallon Spill Kit** 

Item #

SPK-SK30

SPK-GPSK30

1 disposal bag, 1 pair goggles

Description

\$369.25

\$381.15

Oil Only

Universal

Item #	Description	
SPK-SK55	Oil Only	\$565.15
SPK-GPSK55	Universal	\$579.75

• Contents: 100 pads, 2 booms (5" x 10 ft.),






• Designed for the ultra high absorption and quick clean-up of water, grease, oil, paints, alcohols, solvents, coolants and fuels

-17


SK55

- Small granules made of diatomaceous earth, delivers 50% more absorbency per pound than clay alternatives
- 20 lbs/bag


**298** January – March 2024











# **Assortment Sets**



Item #	HEAT SHRINK TUBES	
ATD-393	235-Pc 6" Heat Shrink Tube Assortment, 3/32" - 3/4"	\$25.55
ATD-394	115-Pc 3" Long Dual Wall Adhesive Lined Heat Shrink Tube Assortment, 1/8" - 1"	\$23.95
TIT-45238	171-Pc Heat Shrink Tube Assortment, 3/32" - 3/4"	\$19.95
TIT-45239	106-Pc Dual-Wall Heat Shrink Tube Assortment	\$45.95
TFX-10004	61-Pc Heat Shrink Tube Assortment, 6" Long	\$58.05



Item #	O-RINGS	
ATD-3600	407-Pc SAE Universal O-Ring Assort., I.D. 1/8"-2-1/4"	\$30.85
ATD-3601	419-Pc Metric Univer. O-Ring Assort., I.D. 3mm-50mm	\$20.25
TIT-45202	407-Pc SAE O-Ring Assortment	\$26.45
TIT-45203	419-Pc Metric O-Ring Assortment	\$26.45
ATD-356	270-Pc HNBR O-Ring Assortment for R12 and R134A	\$53.65
TIT-45201	270-Pc HNBR O-Ring Assortment for R134A	\$15.55
ATD-387	350-Pc HNBR O-Ring Assortment for R12 and R134A	\$104.35

# **Assortment Sets**



Item #	SCREWS, NUTS & BOLTS	
ATD-349	200-Pc Hex Washer Head Self-Drilling Screw Assortment – #8, #10	\$23.25
ATD-381	200-Pc SAE Hex Head Socket Screw Assortment	\$39.55
TIT-45251	160-Pc Metric Hex Head Socket Screw Assortment	\$16.95
TIT-45235	160-Pc SAE Hex Head Socket Screw Assortment	\$27.65





Item #	E-CLIPS	
ATD-351	300-Pc E-Clip Assortment, 1/16" - 7/8"	\$13.05
TIT-45208	300-Pc E-Clip Assortment, 1/16" - 7/8"	\$14.95



Item #	SNAP KINGS	
ATD-354	300-Pc External Snap Ring Assortment, 1/4" - 1-1/4"	\$16.95
TIT-45212	<b>300-Pc Snap Ring Assortment</b> Internal: 3/16" - 7/8" • External: 1/8" - 1-1/4"	\$14.25





Item #	<b>PINS (Cotter Pins, Hitch Pins, Roll Pins)</b>	
ATD-350	555-Pc Cotter Pin Assortment, 1/16" - 5/32"	\$11.65
TIT-45205	555-Pc Cotter Pin Assortment, 1/16" - 5/32"	\$17.45
ATD-363	144-Pc Large Cotter Pin Assortment, 1/8" - 5/16"	\$12.05
TIT-45206	144-Pc Large Cotter Pin Assortment, 1/8" - 5/16"	\$23.65
ATD-353	150-Pc Hitch Pin (Hair Pin) Assortment, 3/32" - 5/32"	\$25.05
TIT-45210	150-Pc Hitch Pin (Hair Pin) Assortment, 3/32" - 5/32"	\$13.75
ATD-372	315-Pc Roll-Pin Assortment, 1/16" - 3/8"	\$62.35
ATD-373	245-Pc Roll-Pin Assortment, 1/16" - 1/4"	\$35.25



Item #	WASHERS	
ATD-359	110-Pc Copper Washer Assortment, 1/4" - 5/8"	\$57.65
TIT-45217	110-Pc Copper Washer Assortment, 1/4" - 5/8"	\$26.65
ATD-360	350-Pc Stainless Lock Washer and Flat Washer Assortment, #6, #8, #10, 1/4", 5/16", 3/8"	\$28.15
ATD-371	200-Pc Fiber & Nylon Washer Assortment, 1/8" - 1/2"	\$42.65



Item #	SPRINGS	
ATD-352	200-Pc Extension & Compression Spring Assortment	\$20.75
TIT-45200	200-Pc Extension & Compression Spring Assortment	\$13.35

		Assortm	nent Sets	ATD-39352	
ATD-337	ATD-346 TIT-45228	A REAL	ATD-39350	ATD-39355	ATD-39356
Item #	RIVETS	2 X		1111	-
ATD-337	150-Pc Rivet Nut Assortment, M5 x 13mm, M6 x 15mm, M8 x 18mm, 10-24, 1.4"-20, 5/16"-18	\$14.25	2: 20 F		E VIL
ATD-346	500-Pc Aluminum Blind Rivet Assortment, 1/8" - 3/16"	\$25.55		ATD-39358	* * * *
TIT-45228	500-Pc Aluminum Blind Rivet Assortment, 1/8" - 3/16"	\$19.95		444	HX.
Sales -	A 5 30 - 535 82	00000	fet for	4444 - 2. 44444 - 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	ATD-39360
	GREASE & OIL		H & H & A	D-39359	ATD-39360
	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment	\$29.55	F444	SALL SAL	ATD-39360
ATD-357 ATD-374	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment			2. 20 W 101 4 19	
ATD-357 ATD-374 TIT-45215	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment	\$29.55 \$29.25	Item #	RETAINERS & SCREWS (BOD	
ATD-357 ATD-374 TIT-45215 TIT-45274	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 70-Pc SAE Grease Fitting Assortment	\$29.55 \$29.25 \$20.05		2. 20 W 101 4 19	V) \$74.1
ATD-357 ATD-374 TIT-45215 TIT-45274	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 70-Pc SAE Grease Fitting Assortment 110-Pc Metric Grease Fitting Assortment	\$29.55 \$29.25 \$20.05 \$27.15	<b>Item #</b> ATD-39350	RETAINERS & SCREWS (BOD 90-Pc GM Retainer Assortment	PY) \$74.5 \$130.1
ATD-357 ATD-374 TIT-45215 TIT-45274 ATD-389	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 70-Pc SAE Grease Fitting Assortment 110-Pc Metric Grease Fitting Assortment	\$29.55 \$29.25 \$20.05 \$27.15	<b>Item #</b> ATD-39350 ATD-39352	RETAINERS & SCREWS (BOD 90-Pc GM Retainer Assortment 120-Pc FORD Retainer Master Assortment	VY) \$130. \$85.
ATD-357 ATD-374 TIT-45215 TIT-45274 ATD-389	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 70-Pc SAE Grease Fitting Assortment 110-Pc Metric Grease Fitting Assortment 120-Pc Oil Drain Plug Gasket Assortment	\$29.55 \$29.25 \$20.05 \$27.15	<b>Item #</b> ATD-39350 ATD-39352 ATD-39353	RETAINERS & SCREWS (BOD 90-Pc GM Retainer Assortment 120-Pc FORD Retainer Master Assortment 80-Pc CHRYSLER Retainer Assortment	YY) \$74.3 \$130.4 \$85.4 \$137.4
ATD-357 ATD-374 TIT-45215 TIT-45274 ATD-389	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 70-Pc SAE Grease Fitting Assortment 110-Pc Metric Grease Fitting Assortment 120-Pc Oil Drain Plug Gasket Assortment	\$29.55 \$29.25 \$20.05 \$27.15	Item # ATD-39350 ATD-39352 ATD-39353 ATD-39354	RETAINERS & SCREWS (BOD 90-Pc GM Retainer Assortment 120-Pc FORD Retainer Master Assortment 80-Pc CHRYSLER Retainer Assortment 80-Pc HONDA Retainer Assortment	PY) \$74.5 \$130.4 \$85.4 \$137.5 \$143.5
ATD-357 ATD-374 TIT-45215 TIT-45274 ATD-389	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 70-Pc SAE Grease Fitting Assortment 110-Pc Metric Grease Fitting Assortment 120-Pc Oil Drain Plug Gasket Assortment	\$29.55 \$29.25 \$20.05 \$27.15	Item # ATD-39350 ATD-39352 ATD-39353 ATD-39354 ATD-39355	RETAINERS & SCREWS (BOD 90-Pc GM Retainer Assortment 120-Pc FORD Retainer Master Assortment 80-Pc CHRYSLER Retainer Assortment 80-Pc HONDA Retainer Assortment 80-Pc TOYOTA Retainer Assortment	PY) \$74.9 \$130.0 \$85.0 \$137.3 \$143.3 \$88.0
ATD-357 ATD-374 TIT-45215 TIT-45274 ATD-389	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 10-Pc SAE Grease Fitting Assortment 110-Pc Metric Grease Fitting Assortment 120-Pc Oil Drain Plug Gasket Assortment D-391 ATD-39361	\$29.55 \$29.25 \$20.05 \$27.15	<b>Item #</b> ATD-39350 ATD-39352 ATD-39353 ATD-39354 ATD-39355 ATD-39356	RETAINERS & SCREWS (BOD 90-Pc GM Retainer Assortment 120-Pc FORD Retainer Master Assortment 80-Pc CHRYSLER Retainer Assortment 80-Pc HONDA Retainer Assortment 80-Pc TOYOTA Retainer Assortment 60-Pc Push-Pin Type Retainer Assortment	NY) \$74.3 \$130.4 \$85.4 \$137.4 \$137.4 \$137.4 \$137.4 \$137.4 \$137.4 \$137.4 \$137.4 \$137.4 \$137.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$130.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$150.4 \$15
ATD-357 ATD-374 TIT-45215 TIT-45274 ATD-389	GREASE & OIL 110-Pc SAE Hydraulic Grease Zerk Fitting Assortment 110-Pc Metric Grease Zerk Fitting Assortment 70-Pc SAE Grease Fitting Assortment 110-Pc Metric Grease Fitting Assortment 120-Pc Oil Drain Plug Gasket Assortment	\$29.55 \$29.25 \$20.05 \$27.15	Item # ATD-39350 ATD-39352 ATD-39353 ATD-39355 ATD-39356 ATD-39356 ATD-39357	RETAINERS & SCREWS (BOD 90-Pc GM Retainer Assortment 120-Pc FORD Retainer Master Assortment 80-Pc CHRYSLER Retainer Assortment 80-Pc HONDA Retainer Assortment 80-Pc TOYOTA Retainer Assortment 60-Pc Push-Pin Type Retainer Assortment 105-Pc ERGO TUFLOK® Retainer Assortment	VY) \$74.3 \$130.4 \$130.4 \$85.4 \$137.4 \$143.4 \$88.4 \$143.4 \$88.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.4 \$143.



# **Cable Ties**

#### Made in USA

#### Black Cable Ties • Heat stable to 250°F and UV resistant

· Heat Stable to 25		1 631316	liit	
Item #	Length	Tensile	Qty	
MAY-MB5-40HS-C	5"	40 lbs	100	\$4.25
MAY-MB5-40HS-M	5"	40 lbs	1000	\$33.55
MAY-MB7-50HS-C	7"	50 lbs	100	\$7.95
MAY-MB7-50HS-M	7"	50 lbs	1000	\$67.65
MAY-MB8-40HS-C	8"	40 lbs	100	\$5.85
MAY-MB8-40HS-M	8"	40 lbs	1000	\$60.85
MAY-MB11-50HS-C	11"	50 lbs	100	\$11.45
MAY-MB11-50HS-D	11"	50 lbs	500	\$52.75
MAY-MB14-50HS-C	14"	50 lbs	100	\$13.75
MAY-MB14-50HS-D	14"	50 lbs	500	\$54.75
MAY-MB14-120HS-C	14"	120 lbs	100	\$25.15



Black Cable Ties
• UV stabilized

Item #	Length	Tensile	Qty	
ATD-20418	18"	120 lbs	25	\$18.05
ATD-20425	25"	175 lbs	25	\$25.15
ATD-20436	36"	175 lbs	25	\$25.95

# **CREEPERS & SEATS**

Jeepers Keeper<sup>™</sup> Creeper Hanger

• 24" rail with adjustable ABS plastic hooks can be attached to most toolboxes, benches or walls

fisle

lsle

LIS-21350 \$41<sup>25</sup>

LIS-95002 **\$91<sup>65</sup>** 

ATD-81015 \$101<sup>35</sup>

**Foldable Creeper Pad** 

• Made from heavy duty EVA foam

• 47-5/8" x 16-1/2" x 1-1/8" (unfolded)

that is water, chemical and impact resistant

• Adds comfort and protection on the job


• 18" x 48"

AD

Padded Vinyl Fold-Up Creeper

# Creepers





• Rubber oil/fuel resistant wheels

# ATD-81051 \$99<sup>95</sup>

#### **300 Lbs Capacity** • 39.75" L x 19" W x 4.25" H

• (6) 3" swivel casters

#### ATD-81060 \$12255

400 Lbs Capacity • 45" L x 22.5" W x 6" H • (6) 4" swivel casters



AL

#### GW GEARWRENCH

### GWR-86995 \$272<sup>65</sup>

#### 41" Low Profile

- **Blow Molded Creeper**
- Weight capacity: 300 lbs
- (6) 3" casters with ball bearings
- Steel plates next to headrest to hold magnetic-backed lights and tools in place
- Magnetic parts trays for convenient storage



- · Cushioned red vinyl cover

# 

### SUN-8505 \$17015

#### 40" Creeper with

#### Adjustable Head Rest

- Weight capacity: 250 lbs
- · Cushioned red vinyl cover
- (6) Casters: 2.5" • Ground clearance: 1.75"
- Dimensions: 40" x 17" x 4"



- 5-Position head rest
- (4) Casters: 3.5" Ground clearance: 1.75"
- Dimensions: 45.5" x 19" x 5"





#### **300 Lbs Capacity Plastic Creepers**

• (6) Casters

fisle

- Dimensions:
- 38" L x 17-1/2" W

Item #	Description	Colour	Casters	Height	Floor Clear.	
LIS-92032	XL Wheels	Red	4"	8-5/8"	3-3/4"	\$277.95
LIS-92102	Low Profile	Red	2"	4"	7/8"	\$199.55
LIS-93202	Low Profile	Orange	2"	4"	7/8"	\$210.95
LIS-97102	Low Profile	Black	2"	4"	7/8"	\$199.55
LIS-99102	Low Profile	Green	2"	4"	7/8"	\$210.95

# OMEGA .....

#### OME-91902 \$16375

#### 48" Plastic Creeper with **Dual Tool Trays**

- Weight capacity: 440 lbs
- 6 oil resistant 3" swivel casters
- Padded head rest














SUN-8515 \$34555

#### **Deluxe Comfort Extreme Creeper**

#### • Weight capacity: 300 lbs

- Cushioned red vinyl cover



# **CREEPERS & SEATS**

### Creepers

#### TRAXION engineered products

### TRX-1-200 \$179<sup>95</sup>

#### King Crawler "All-Terrain" Creeper

- Weight capacity: 400 lbs
  Thick, high-gloss padded deck is very durable and easy to clean
- X-frame design minimizes frame interference and maximizes mobility
- Casters: 5"
- Dimensions: 43" x 26.25" x 6.875"

#### TRAXION engineered products

### TRX-1-100 **\$199**<sup>95</sup>

#### **ProGear Wide Body Creeper**

- Weight capacity: 400 lbs
- Wide body deck with lumbar support
- Casters: 5"
- Ground clearance: 2"
- Dimensions: 40" x 21.25" x 6.5"



### ATD-81046 **\$230**<sup>65</sup>

40" Low Profile Creeper

- Weight capacity: 400 lbs
- 2" height to the top of the bed
  1/2" answed eleganopee
- 1/2" ground clearance
- (6) 3" casters
- 40" L x 26-3/4" W



ATD

# ATD-81042 **\$151<sup>45</sup>**

#### 40" Professional Creeper

- Weight capacity: 300 lbs
- Adjustable head rest
- (6) 3" industrial strength casters
  40" L x 16-3/4" W
- ATD

# ATD-81045 \$226<sup>35</sup>

#### 40" Convertible Creeper/Shop Seat • Weight capacity: 300 lbs

- Heavy duty steel frame
- (6) 3" casters with full ball bearings
- 40" L x 19" W x 6-1/2" H



# AD



- Z-Creeper seat to L-Seat • (6) 3" casters
- 40" L x 26" W x 4-3/4" H







## TRX-3-100 \$430<sup>65</sup>

#### Topside Creeper®

- Weight capacity: 400 lbs
- Ergonomic design
- Locking casters for security and leverage
- Padded deck is comfortable and easy to clean
- The Topside Creeper folds up for easy and compact storage
- Height adjustment: 48" to 64"
- Dimensions: 55" x 24" x 64"



# TRAXION

## TRX-3-700 \$599<sup>95</sup>

**ProGear Topside Creeper** 

#### Weight capacity: 400 lbs

- I-Base design for more flexible
- positioning around vehicle
- Fully padded frame with cleanable and replaceable padded upholstery cover
- The ProGear Topside Creeper®
- folds up for easy and compact storage
- Height adjustment: 52" to 72" in increments of 6"
- Dimensions: 52" x 36" x 72"


#### ATD-8116F \$550<sup>25</sup>

### Foldable

#### Topside Creeper

- Weight capacity: 400 lbs
- Adjustable from 48" to 64"
- Slip-resistant steps
- 3-position locking angle adjustment
- 3" Heavy duty locking casters
- · Folds compact for easy storage







A HER

# **CREEPERS & SEATS**

Seats



### ATD-81010 \$26155

#### **Hydraulic Creeper Seat**

- Weight capacity: 300 lbs
- Height adjustment: 16" to 21"
- (5) 2-1/2" wheels (ATD-81001)
- Heavy vinyl padded seat





#### SUN-8509 \$13605

#### **Pneumatic Shop Seat**

- Weight capacity: 300 lbs
- Height adjustment: 15.5" to 20.5"



#### ATD-81047 **\$267<sup>15</sup>**

**Heavy-Duty Toolbox Creeper Seat** 

- Weight capacity: 450 lbs
- (4) 3" swivel casters
- 3 drawers with roller bearing slides
- Front and back tool trays • 18-1/4" H x 14-3/4" W x 18-3/4" D





# ATD-81009 **\$91**<sup>75</sup>

**Mechanic's Padded Creeper Seat** • Weight capacity: 250 lbs

- 2.5" casters (ATD-81008)
- •14"Hx17"L





#### SUN-8507 \$99<sup>35</sup>

**Creeper Seat** 

#### • Weight capacity: 200 lbs

Vinyl seat with 2" high compression foam

- 2.5<sup>"</sup> casters
- 14" H x 17" L



#### GW GEARWRENCH

### GWR-86994 \$22915

- **Adjustable Height**
- **Swivel Mechanics Seat**
- Weight capacity: 225 lbs
- Height adjustment: 18" to 22"
- 3-1/2" casters
- 5 removable magnetic parts trays in the base



#### ATD-81012 \$372<sup>15</sup>

**Hydraulic Tractor Style Creeper Seat** 

- Weight capacity: 300 lbs
- Height adjustment: 16" to 21"
- (5) 2-1/2" wheels
- Seat dimensions: 18" W x 9.5" D

# SUNEX TOOLS

#### SUN-8514 \$24725

- **Pneumatic Tractor Seat**
- Weight capacity: 300 lbs • Seat height adjustment: 18" to 22"



# TRAXION engineered products

# TRX-2-230 **\$213<sup>35</sup>**

**MonsterGear Seat** 

- Weight capacity: 400 lbs
- Large padded tractor seat
- Spinning gear tray
- Casters: 5'
  - Seat height adjustment: 13-1/2" to 17-1/2"

# TRAXION engineered products

#### TRX-2-700R \$239<sup>95</sup>

- **ProGear Race Seat**
- Weight capacity: 400 lbs
- Comfortable, padded seat
- Giant spinning gear tray
- Casters: 5" Seat height adjustment:
- 13-1/2" to 17-1/2"





# EXHAUST

# **Garage Exhaust Solutions**



#### ACT Hoses (No Wire)

- Designed for use with larger gas vehicles and diesel trucks
- The hose, which does not contain a wire helix, returns back to its original shape if "crushed" by any vehicles or other machinery
- Hoses will withstand exhaust temperatures up to 600°F when used with a proper adapter and a fan assisted system



- Designed for use with smaller gas vehicles, SUV's and pickup trucks
- The FlareLok® system with male and female ends, allows multiple lengths to be connected without the need for a splice connector
- Hoses will withstand exhaust temperatures up to 600°F when used with a proper adapter and a fan assisted system

Item #	Hose Size		allan
CRU-FLT250	2.5" I.D. x 11 ft. long	\$145.65	
CRU-FLT300	3" I.D. x 11 ft. long	\$176.05	
CRU-FLT350	3.5" I.D. x 11 ft. long	\$249.85	
CRU-FLT400	4" I.D. x 11 ft. long	\$275.25	



 It will withstand exhaust temperatures of up to 70°F when used with a fan assisted system, and will survive where other hoses cannot

Item #	Size	Tailpipe Diameter	
CRU-ACT400DYN0	4" I.D. x 11 ft. long		\$355.45
CRU-F475DYN0	3" x 6" oval	Twin up to 2"	\$93.05
CRU-F350DYN0	3.5" diameter	Up to 3"	\$81.75



Item #	Hose Size	
CRU-ACT500	5" I.D. x 11 ft. long	\$389.55
CRU-ACT600	6" I.D. x 11 ft. long	\$492.05

#### Y-Assembly Kits

 Includes two 4-ft. hoses, one "Y" connector and two hose adapters

Item #	Hose Size	
CRU-YA250	2.5"	\$216.65
CRU-YA300	3"	\$262.15
CRU-YA400	4"	\$430.65

#### **Y-Connectors**

Item #	Hose Size	Material	
CRU-RY25	2.5" hose	Rubber	\$46.65
CRU-RY30	3" hose	Rubber	\$49.05
CRU-AY40	4" hose	Aluminum	\$119.75



#### Door Ports

Item #	Hose Size	Material		1
CRU-DF25	2.5" hose	Rubber	\$45.85	
CRU-ADF30	3" hose	Aluminum	\$54.95	
CRU-ADF40	4" hose	Aluminum	\$73.75	





#### **Hose Adapters & Accessories**


Item #	Style	Max. Tailpipe O.D.	Hose I.D.	
CRU-RA250	Bell	5"	2.5", 3.5"	\$51.55
CRU-RA300	Bell	5"	2", 3"	\$51.55
CRU-F475	Oval, for Twin Tailpipe	2.5" x 5.5"	3", 4"	\$56.95
CRU-F575	Oval, for Twin Tailpipe	3" x 8"	3", 4"	\$73.15
CRU-F675	Oval, for Twin Tailpipe	2.5" x 10.5"	3", 4"	\$144.75
CRU-DSR600	Diesel Stack	5.5"	4", 5"	\$114.35
CRU-DSR600-6	Diesel Stack	5.5"	6"	\$134.35



### January – March 2024 307

# **EXHAUST**

# **Tailpipe Stretchers**



910006B

NTRA P



# <u> Porto-Power</u>

- BHK-B65114 **\$568**<sup>75</sup> **4-Ton Body Repair Equipment Kit**
- Pump: 8,000 psi
- Ram closed: 11' • Ram extended: 15.75"
- Ram effective area: 0.99 in<sup>2</sup>



# <u>Porto-Power.</u>

# BHK-B65115 \$803<sup>25</sup>

### **10-Ton Body Repair** Equipment Kit

- Pump: 10,000 psi
- Ram closed: 13.63"
- Ram extended: 19.75"
- Ram effective area: 2.41 in<sup>2</sup>



# ATD-5800A \$582<sup>85</sup>

#### **4-Ton Hydraulic Body Repair Kit**

- Pump: 8,000 psi
- Ram closed: 10.5'
- Ram extended: 15.2"
- Ram effective area: 1.1 in<sup>2</sup>

#### ATD-5810A \$76205

#### **10-Ton Hydraulic Body Repair Kit**

- Pump: 10,000 psi
- Ram closed: 12.7
- Ram extended: 17.8"
- Ram effective area: 2.46 in<sup>2</sup>

## ATD-5801 **\$915**<sup>75</sup>

#### 10-Ton Mini Hydraulic Ram Kit

- Perfect for lifting, pulling, pushing, alignment, etc.
- For use with ATD body repair kits or most other manufacturers
- Ram stroke: 1.5"
- Min./Max. cylinder height: 3.5"/5"
- Cylinder effective area: 2.35 in<sup>2</sup>









### **Collision/Maintenance**

#### **Repair Kits** Cast adapters

• 10,000 psi pump with gauge

Item #	Capacity	
NRC-904005B	4-Ton	\$469.75
NRC-910006B	10-Ton	\$694.45

# norco



#### NRC-920020A 20-Ton Collision/

#### **Maintenance Repair Kit**

- A deluxe kit for repairing heavy road machinery, trucks, farm
- equipment and also used for some heavy construction applications
- Forged adapters Two-speed pump with gauge

#### ÇÐ DTF-DF-505/220V

#### The Maxi - Steel Dent Pulling System

- This 220 volt single phase station provides the power to shrink stretched metal and pull all types of dents and creases without putting holes in the panel
- Just weld on a pull rod, pull the dent out and twist to release the weld
- The Maxi unit comes with:
- Light pulling and slide hammer rods
- Leverage puller Electrodes
- Wiggle wire weld tip
- 2 Bear Claws (9 and 4 finger)
- Sample stud weld pins and pull keys
- 1 pound of wiggle wire

### DTF-DF-DM555UDX \$614<sup>15</sup>

#### Ultra Ding Massager - Glue Puller Kit for Paintless Dent Repair

- Excellent method for removing dings and small dents from OEM paint when access to the back panel is not possible
- The kit includes:
- Squeeze puller and T-puller
- Knock down tool with
- pointed and rounded heads
- 6 knockdown & shaping tools
- Slide Hammer 120V Glue gun
- Plastic scraper stick 12 Glue sticks
- 24 Different pulling nibs




HAS-GPR-7571 \$999<sup>85</sup> **GPR-Pro Glue Pulling System for Dent Repair** 









# **Plastic Welders & Accessories**

### URT-6485 **\$18205**

# Aluminum Tape


- Holds broken plastic parts together while you do your plastic welding
- 2" x 180 ft. x 4 mil thick

#### URT-5700HT \$463<sup>35</sup>

#### Mini-Weld Model 7 – 200 Watt Plastic Welder

- Complete kit for making quality repairs to virtually any type of plastic including TEO, TPO, and Polypropylene
- Temperature selection control box
   Includes 8 types of plastic welding rod for repairing virtually any thermoplastic

#### **Plastic Welding Rods**



Polyvance

Polyvance

Item #	Material	Profile	Colour	Qty	
URT-R02-01-03-BK	Polypropylene	• 1/8"	Black	30 ft.	\$22.05
URT-R03-01-03-WH	ABS	• 1/8"	White	30 ft.	\$22.05
URT-R04-01-03-NT	Polyethylene	• 1/8"	Natural	30 ft.	\$22.05
URT-R10-04-03-BK	Fiberflex	3/8" x 1/16"	Black	30 ft.	\$55.85

# BUARD

## MOT-MS-2500 \$361<sup>35</sup>

#### Magna-Stitcher<sup>™</sup>-

- Plastic Repair System
- Three power levels for rapid and precise staking of all thermoplastic materials Kit contains:
- (1) Ironing Tip for smoothing rough areas (MS2045)
- (100) S Shaped Stakes for flat surface repair (MS2014)
- (100) **M Shaped Stakes** for tabs and narrow sections (MS2015)
- (100) V Shaped Stakes for inside corner repair (MS2016)
- (100) W Shaped Stakes for outside corner repair (MS2017)



#### Replacement Item # Quantity Shape Magna-Stakes™ \$37.95 M0T-MS2004 S-shaped 50/package M0T-MS2005 \$37.95 M-shaped 50/package M0T-MS2006 V-shaped 50/package \$37.95 M0T-MS2007 W-shaped 50/package \$37.95 M0T-MS2040 S-M-V-W \$224.45 100 per shape

### URT-6204 **\$398**<sup>95</sup>

### Hot Spot Cordless

### **Rechargeable Plastic Stapler**

- Makes plastic repairs stronger
   Holds broken plastics together securely and simplifies aligning for weld repairs
- Includes: • (100 open) 0 from \$ 0.0
- (100 each) 0.6mm & 0.8mm flat staples • (100 each) 0.6mm & 0.8mm wave staples
- (100 each) 0.6mm & 0.8mm wave stap
   (100) inside corner staples

Polyvance

#### Nitro-Fuzer® Nitrogen Welding Systems for Plastic Repair

- Make repairs on virtually any type of plastic
- Make repairs that are stronger than any two-part epoxy or hot air weld
- Repair tabs, mounting holes, and slots that are impossible to repair with two-part adhesives
- Completely assembled and ready to go. It is packaged with three Welding Rod Organizer Cases filled with a large selection of welding rods, a hand seamer, aluminum tape, and the Bumper Mate 2 Workstation.

Features



URT-8202 URT-8203

realures	081-0202	081-0203
	Nitrogen Tank	Nitrogen Generator
Programmable Start-Up Settings	•	
Digitally Encoded Temperature Control		
LED Displays for Power Setting		
Single Gas Input (Air <u>or</u> Nitrogen)		
Switchable Dual Gas Input (Air and Nitrogen)		
Automatic Air-to-Nitrogen Switching		
Nitrogen Bottle Regulator and Hose		
6066 Nitrocell Nitrogen Generator		
Precision Flow Valves for Air and/or Nitrogen		
Direct-Reading Precision Flow Gauge		
200W Airless Welder Element with Ceramic Core		
550W Air/Nitrogen Heating Element		
	6	6

# HAS-UNI-8100 🔇

#### Nitro-Weld Plastic Welder


- Built-in compressor
- Contaminate-free nitrogen
- hot iron/staple capabilities
- Package includes nitrogen welder with both welding + hot staple/reflow torches, professional cart w/cylinder support, starter plastic and staple consumable kit, hand seamer, hot melt blades, aluminum tape, dual gauge regulator w/hose, 80CF nitrogen cylinder
- 115VAC, 50/60Hz single-phase
- Input current: 8 Amps
- Output current: 5-75 Amps @ 4.6 volts
- Gas max. temp.: 950°F (500°C)







# Stud Welders





15 ft. torch cable, 115VAC power supply, aluminum & steel studs and pull tabs, tips and weld-tip puller, storage case

Made in USA

### MOT-JO1050 \$472<sup>15</sup>

# Magna-Spot<sup>™</sup> Entry-Plus

- Magna-Spot™ 1050 gun
- High power, low heat design









- Pack of 500 strong, flexible studs
- Guarantees a solid weld on all steels

Item #	Size	Application	
M0T-J20014	2.0mm	Regular pulling applications/panel repair	\$25.65
M0T-J20015	2.5mm	Heavy pulling applications/structural repair	\$28.15



 Virtually eliminates blast overspray • Four blast cones conform to any surface

• All debris are instantly directed into the collection bag

- Capacity of 26 oz
- Working PSI: 70 -100 PSI
- Suggested air compressor: 3 HP

# January – March 2024 | 313

# **Pinstripe Removers/Surface Preparation Tools**





## MNT-USSP-05-02 \$110455

#### MBX<sup>®</sup> Die Blaster<sup>®</sup> **Surface Preparation Kit**

- Specially designed to remove corrosion in areas that are difficult to reach and to create a "textured/blasted surface" for superior adhesion
- Includes:
- Patented accelerator bar for Die Blaster<sup>®</sup>
- 2 Die Blaster® belts, 11 mm
- 2 Die Blaster® half belts, 11 mm, right
- 2 Die Blaster® half belts, 11 mm, left



### DTF-DF-700DX \$957<sup>35</sup>

#### "Eliminator" -**Inline Undercoat** & Decal Remover Kit

Includes:

- Decal eraser for water based paint
- Regular decal eraser
- (6) Fiber discs
- (1) Coarse and (1) fine 23mm brush • (1) Coarse and (1) fine 11mm brush
- Disc and brush holders

#### S5285 DTF-DF-705

#### **Decal Eraser**

 Takes away an inch wide strip at a time • Use with the DF-701 or DF-700DX



# DYB-NZ1K \$68935

#### NitroZip - Surface Conditioning/ **Decal Pinstrip Removal Tool Kit**

- 0.5 HP, 3,500 RPM
- Includes:
- (1) 4" x 1/2" Coarse wire wheel • (1) 4" x 3/4" Coarse wire wheel
- (1) 1-1/4" W x 4" Diam. Red-Tred® Zip eraser wheel



#### Accessories

Item #	Description	
DYB-92255	Red-Tred <sup>™</sup> Eraser Wheel 4" Diam. x 1-1/4" Wide	\$62.15
DYB-92245	Coarse Wire Wheel 4" Diam. x 3/4" Wide	\$61.25



# (IR) Ingersoll Rand.

#### IRC-324 **\$263**<sup>05</sup>

#### **Pinstripe Remover**

- Comes with (12) 4-inch pads
- 3,700 rpm



# d Astro AST-32 **\$281**<sup>75</sup>

#### **Pinstripe Removal Kit**

- For the removal of pinstripes, adhesive, double faced tape and molding
- Includes (12) 4-inch Smart Eraser<sup>®</sup> pads (#400E)

# ante A B

#### AST-400E \$1775 4" Smart Eraser<sup>®</sup> Pad

• For the removal of pinstripes, adhesive, double faced tape and molding

#### **\$3**<sup>05</sup> AST-400E-AR

Arbor for Smart Eraser<sup>®</sup> Pad



# **Spray Guns & Paint Accessories**



# **Spray Guns & Paint Accessories**



- design affixes to most spray gun nozzle sizes
- 500/250 lumens, 95+ CRI rating and 4000K color temperature
- 90° tilt. 360° rotation
- Hand motion On/Off
- Adjustable light mount tilts to direct light where needed
- USB-C rechargeable

MLW-2127-20 \$26795

M12<sup>™</sup> Paint and Detailing

• 1000 lumens of output with a

98+ colour rendering index

• Strong magnet for storage

AST-4550A \$31695

• Shaking time: 1.5 minutes

• Speed: 1,400 cycles/min

**Air Operated Paint Shaker** 

Max. capacity: 8.45 pint (1.06 Gallon)

• Accommodates pints, quarts and gallons

**Colour Match Light (Bare Tool)** 

to illuminate metallics and imperfections in the paint

• 5 colour temperatures and 3 brightness modes



UV

tools to effectively clean spray guns including HVLP paint spray guns GUARD MOT-D-12-2 \$2275 MOT-DD1008-2 S35<sup>5</sup> **Disposable Desiccant Disposable HVLP Spray Gun Filters Spray Gun Filters** • 1/4" NPT • Max. flow: 30 CFM • "Change Filter" color indicator • 1/4" NPT Removal rating: .01 microns Max. flow: 20 CFM 
 Removal rating: 5 microns • Pack of 2 filters Pack of 2 filters ATD-7812 \$2425 ATD **Paint Spray Gun Filters** • NPT: 1/4" • Max. flow @ 80 psi: 30 CFM • Max. pressure.: 100 psi • Removal rating: .01 microns • Pack of 3 filters AD 25 45 55 4 ATD-6753 \$32<sup>2</sup> S8345 ATD-6926 Locking Air Regulator • 1/4" fittings at the air tool Adjustment range: 0-150 psi • 0 to 160 psi gauge ATD-6825 \$125<sup>35</sup>

SGT-17280 \$2005

**Spray Gun Cleaning Kit** • Contains all necessary brushes and

#### **Digital Air Pressure Regulator**

- Accurate measurement of air pressure to spray guns or other air tools
- Up to 160 PSI

**Astro** 

- Units: PSI, BAR, KG/CM<sup>2</sup>, KPA
- Automatic shut-off 1/4" universal thread
- Battery-operated



AY GUN CLEAN

### 1/4" Air Control Gauge Adjusts air pressure



**Astro** 557003 **500 lbs Capacity** 557010 Portable Work Stands • 1/2" foam padded top **Steel Tubing** Height Adjust. Item # Description \$86.35 AST-557003 Heavy Duty 1" 33" - 40" AST-557010 Extra Heavy Duty 1-1/4" 35" - 45" \$96.25

Milwaukee

# AST-557100 \$4075


#### The Fender Extender, 200 Lbs Cap.

• Used with a portable work stand

3 way adjustable from 77.5" to 80"







# **Upholstery, Trim & Door Panel Tools**



**BODY SHOP** 


STEF

# Upholstery, Trim & Door Panel Tools





# Windshield & Window Service Tools



# RIVFTFRS

5850

5851

# **Air Riveters**

ATD

Air Riveters, 1/2 HP

# 1:89:1

#### **Air Hydraulic Riveters**

- Designed to handle structural rivets in
- aluminum, stainless steel and Monobolt • On/Off switch for mandrel vacuum collection system

# ACA-6410 \$94305

- 3/16" Capacity
- Pull force: 2,000 lbs
- Nosepieces: 5/32", 3/16", and 3/16" Monobolt
- Stroke length: 7/8"

### ACA-6420 **\$1461<sup>15</sup>**

#### 1/4" Capacity

#### • Pull force: 3,700 lbs

- Nosepieces: 3/16", 1/4", and 3/16", 1/4" Monobolt
- Stroke length: 63/64"



#### MAR-39054 \$40705

#### M-3 Heavy Duty Air/Hydraulic Riveter

- Stroke: 0.551" (14mm)
- Pulling force: 1,983 lb
- Capacity: 1/8" 3/16" in all alloys including some structural rivets
- Tool comes with nosepieces, service tools, swivel inlet air coupler and a mandrel collection bottle



### SUN-SX1819T \$71065

#### 1/4" Heavy Duty Rivet Gun

- Includes 3/16" and 1/4" nosepieces
- Pulling (traction) power of 3,960 ft-lb
- Sets all conventional, standard, structural blind rivets, Monobolt, and T-rivets in all materials



9884



• Max. pulling load: 1,900 lbs

(2.4, 3.2, 4, and 4.8mm)

Chicago Pneumatic

CPT-9883 \$697<sup>35</sup> 3/16" Capacity Air Riveter

#### 1/4" Capacity Air Riveter

• Max. pulling load: 3,530 lbs

• Nosepieces: 3/16", 1/4", and 1/4" Monobolt (4.8, 6.4, & 6.4mm Monobolt)







# **Astro**

#### Air Riveters, 1/2 HP

AST-PR36 **\$157<sup>35</sup>** 

3/16" Capacity • 3/16" (4.8mm), 5/32" (4mm), 1/8" (3.2mm), 3/32" (2.4mm)

# AST-PR14 **\$193**<sup>65</sup>

#### 1/4" Capacity

• 1/4" (6.4mm), 3/16" (4.8mm), 5/32" (4mm), 1/8" (3.2mm), 3/32" (2.4mm)

# **Astro**

#### AST-PRN1 \$43385

#### 3/8" Capacity Pneumatic **Rivet Nut Setting Kit – Metric & SAE**

- Includes 8 mandrels/nosepieces in sizes: M4, M5, M6, M8, M10, 1/4", 5/16", 3/8"
- 2,680 lbs of instant air-hydraulic pulling force
- Max. capacity: M10 (3/8") steel and aluminum rivet nuts, M6 (1/4") stainless steel rivet nuts

# **Apastro**

#### AST-PRN2 \$102595

#### 1/2" Capacity Automatic **Rivet Nut Setting Kit**

## - Metric & SAE

- Automated operation. One pull of the trigger sets and unthreads the tool from rivet nuts up to M12 and 1/2'
- Includes 10 mandrels/nosepieces in sizes: M5, M6, M8, M10, M12, 10-24, 1/4", 5/16", 3/8", 1/2"
- 4,270 lbs of instant air-hydraulic pulling force
- Up to 7mm of adjustable stroke length













# RIVETERS



# RIVFTFRS

ZA

# Hand Riveters

₽Asho

#### AST-1453 **\$160**<sup>65</sup> **Astro Combination Rivet Nut & Pop Rivet Setter Kit**

- Attachments for blind rivet sizes in: 3/32" (2.4mm), 1/8" (3.2mm), 5/32" (4mm), 3/16" (4.8mm), and 1/4" (6.4mm) • Attachments for rivet nuts in:
- M5, M6, M8, 10-24, 1/4", 5/16"

#### AST-1443B \$8505

#### 7.5" Professional **Metric & SAE Rivet Nut Setter**

· Includes rivet nut assortment and sizes M4, M5, M6, 8-32, 10-24 and 1/4-20





Rivet Nuts Jack Nuts Bolts/Studs

#### HP-4x4<sup>™</sup> Multiplex Hand Tool Kits

· New, patented design that allows this single tool to set in a variety of sizes of both aluminum and steel material rivets and rivet nuts

#### MAR-M39410 **\$149<sup>25</sup>**

### HP-4x4<sup>™</sup> Inch Size

Installs:

- Blind rivets up to 3/16" diameter
- Rivet nuts up to 1/4-20 size
- MET series external thread stud rivet bolts up to 1/4-20
- Jack nuts (MON)
- Includes:
- 4 nosepieces: #6, #8, #10, 1/4
- 5 threaded mandrels:
- 6-32, 8-32, 10-24, 10-32, 1/4-20
- 3 threaded sockets: 8-32, 10-24, 10-32

### MAR-39302 \$19225

#### Poly-Nut Rivet Nut Tool Kit – SAE

- #39300 Rivet Nut Tool
- Mandrels and nosepieces: 8-32, 10-32 and 1/4-20
- 52 assorted Klik Poly-Nuts:
- (12) 8-32; (12) 10-24; (12) 10-32; (16) 1/4-20



#### Poly-Nut Rivet Nut Tool Kit – Metric

- #39300 Rivet Nut Tool
- Mandrels and nosepieces: 4, 5, 6, 8mm 75 assorted Klik Poly-Nuts:
- (25) 4mm; (25) 5mm; (15) 6mm; (10) 8 mm



#### Klik-Lok™ KL-2 **Plastic Rivet Setter**


- · Long-reach tool is ideal for hard-to-reach spots
- One-stroke setting
- · Universal nosepiece sets all plastic rivets

### MAR-M39411 **\$149<sup>25</sup>** HP-4x4<sup>™</sup> Metric Size

# Includes:

- 4 nosepieces for blind rivets: 2.4mm, 3.0/3.2mm, 4.0mm, 4.8/5.0mm
- 4 threaded rivet nut mandrels:
- M3, M4, M5, M6
- 2 threaded sockets for rivet studs: M4. M5





• Sets all sizes using a single nosepiece

# DTF-DF-CT887 \$16655

#### **Slimline Plastic Riveter Kit**

- Compact plier is 1" tall and requires 2" clearance to fully pull rivets Kit includes:
- (10) 5.0mm plastic rivets (#CT887RS) • (10) 6.3mm plastic rivets (#CT887RL)

# CTA-8982 **\$174**<sup>85</sup>





 Will break chains from #35 to #530, including cam chains & drive chains

#### Applications:

- 2.2mm pin: most cam chains
- 2.9mm pin: #25 or #35 chains
- 3.8mm pin: #428 to #530 chains (most motorcycle drive chains)

# OTC-4738 \$21505

- **Chain Breaker & Riveting Tool Kit** • Breaks, presses, and rivets #415 - #632
- size standard and O-ring chains



# OTC-4744 **\$158**<sup>85</sup>

#### **Chain Breaker & Riveting Tool Kit**

 Breaks, presses, and rivets most #25 - #35 and # 428 - #630 size standard and O-ring chains



OIC

# **Power Riveting Adapters**

**Rivet Nut Drill Adapter Kits** • Converts your drill into a power rivet nut setter

# AST-ADN14 **\$18215**

 Includes: M3, M4, M5, M6, 8-32 10-32, 10-24, 1/4-20



\$201<sup>15</sup> AST-ADN38 Includes: M5, M6, M8, M10, 10-24, 1/4-20, 5/16-18, 3/8-16



marson



# HEAT GUNS / FLAMELESS HEAT TOOLS / TORCHES

# **Heat Guns**

Proheat <sup>®</sup> STC <sup>™</sup> H • Variable temperati 90°-500°F/40°-27 • 4 - 16 CFM • 1,300W, 11A	Heat Gun ure control:		TIT-22406 \$49 <sup>05</sup> 9"Long Mini Heat Gun • Max. temp.: 662° F (350° C) • 350W, 120V • Air flow: 9.9 CFM (280 l/min) • Folding stand & heat deflector • 6 ft. cord
MAS-PH-1600K 6 MAS-PH-1615K 15	ord ft. <b>\$931.85</b> 5 ft. <b>\$952.45</b>		TIT-22400 <b>\$43<sup>65</sup></b> <b>Dual Temperature Heat Gun</b> • Low/High setting: 572° F/932°F • 12.5 Amps • 750W/1,500 W • 6.5 ft. cord
Variable Temper Heat Gun • Variable temperatu 110°F to 930°F • 5 CFM & 9 CFM • 1,200 Watts • 6 ft. cord • Kit #EC-200K inclu	rature Jure:		ATD-3736 \$99 <sup>65</sup> Dual Temperature Heat Gun Kit • Low/High setting: 700°F/925°F • 1,000W/1,500W
MAS-EC-200K	andle with	5	AST-9426 <b>\$150<sup>45</sup></b> Industrial Heavy-Duty Heat Gun • Variable temp. adjustment: 1,000-1,100°F • Powerful blower: 23 cfm • 1,600 Watt, 13A
			Cool air setting     Three position non slip steel base
Lightweight Hea • 120V • 27 CFM • • Lightweight, impac • Ergonomic soft gri • Lightweight, anti-s	eries It Guns 6 ft. cord, grounded ct resistant plastic hous ip handle slip plastic stand offers	sing	
Master® HG T-Se         Lightweight Hea         • 120V • 27 CFM •         • Lightweight, impace         • Ergonomic soft gri         • Lightweight, anti-s         stable 90-degree a         Item #       Ten         MAS-HG-201T       400         MAS-HG-301T       800	eries at Guns 6 ft. cord, grounded ct resistant plastic hous ip handle slip plastic stand offers adjustability mperature Amps 0°F (204°C) 5A 0°F (426°C) 12A	Watts 600W <b>\$294.75</b> 1440W <b>\$290.15</b>	<ul> <li>Three position non slip steel base</li> <li>MLW-2688-20 \$17795</li> <li>M18<sup>TM</sup> Compact Heat Gun (Bare Tool) reaches operational temperature in less than 7 seconds</li> <li>Temperature: 875°F (468°C)</li> <li>Temperature: 875°F (468°C)</li> <li>DEW-DCE530B \$139<sup>65</sup></li> </ul>
Master® HG T-Se Lightweight Hea 120V • 27 CFM • Lightweight, impac Ergonomic soft gri Lightweight, anti-s stable 90-degree a Item # Ten MAS-HG-201T 400 MAS-HG-201T 400 MAS-HG-301T 800 MAS-HG-501T 120 Industrial Heat C 120V • 27 CFM • Die cast aluminum Ergonomic soft gri	eries at Guns 6 ft. cord, grounded ct resistant plastic hous ip handle slip plastic stand offers adjustability mperature Amps 0°F (204°C) 5A 0°F (426°C) 12A 10°F (649°C) 14A Guns 6 ft. cord, grounded housing ip handle ed stand offers stable	Watts 600W <b>\$294.75</b> 1440W <b>\$290.15</b>	<ul> <li>Three position non slip steel base</li> <li>MLW-2688-20 \$17795</li> <li>M18<sup>TM</sup> Compact Heat Gun (Bare Tool)</li> <li>High performance heating coil reaches operational temperature in less than 7 seconds</li> <li>Temperature: 875°F (468°C)</li> <li>DEW/ALT</li> <li>DEW-DCE530B \$139<sup>65</sup></li> </ul>
Master® HG T-Se Lightweight Hea 120V • 27 CFM • Lightweight, impac Ergonomic soft gri Lightweight, anti-s stable 90-degree a Item # Ten MAS-HG-201T 400 MAS-HG-301T 800 MAS-HG-501T 120 Industrial Heat C 120V • 27 CFM • Die cast aluminum Ergonomic soft gri Non-slip, reinforce	eries at Guns 6 ft. cord, grounded ct resistant plastic hous ip handle slip plastic stand offers adjustability mperature Amps 0°F (204°C) 5A 0°F (426°C) 12A 10°F (649°C) 14A Guns 6 ft. cord, grounded housing ip handle ed stand offers stable	Watts 600W <b>\$294.75</b> 1440W <b>\$290.15</b>	<ul> <li>Three position non slip steel base</li> <li>Three position non slip steel base</li> <li>MW-2688-20 \$17795</li> <li>MST<sup>M</sup> Compact Heat Gun (Bare Tool) reaches operational temperature in less than 7 seconds</li> <li>Temperature: 875°F (468°C)</li> <li>Temperature: 875°F (468°C)</li> <li>DEW-DCE530B \$13965</li> <li>DEW-DCE530B \$13965</li> <li>DEW-DCE530B \$13965</li> <li>Coton/Lock-off trigger</li> <li>LED light • Includes 2 nozzles</li> </ul>
Master® HG T-Se Lightweight Hea 120V • 27 CFM • Lightweight, impac Ergonomic soft gri Lightweight, anti-s stable 90-degree a MAS-HG-201T 400 MAS-HG-301T 800 MAS-HG-301T 120 MAS-HG-501T 120 Industrial Heat C • 120V • 27 CFM • Die cast aluminum Ergonomic soft gri Non-slip, reinforce 90-degree adjusta	eries af Cuns 6 ft. cord, grounded ct resistant plastic hous ip handle adjustability mperature Amps 0°F (204°C) 5A 0°F (426°C) 12A 0°F (426°C) 14A Cuns 6 ft. cord, grounded housing bandle ad stand offers stable ability	Watts           600W         \$294.75           1440W         \$290.15           1680W         \$290.25	<ul> <li>• Three position non slip steel base</li> <li>• Three position non slip steel base</li> <li>• Three position non slip steel base</li> </ul>
Master® HG T-Se Lightweight Hea 120V • 27 CFM • Lightweight, impac Ergonomic soft gri Lightweight, anti-s stable 90-degree a Item # Ten MAS-HG-201T 400 MAS-HG-301T 800 MAS-HG-301T 120 Industrial Heat C 120V • 27 CFM • Die cast aluminum Ergonomic soft gri Non-slip, reinforce 90-degree adjusta	eries 6 ft. cord, grounded ct resistant plastic hous ip handle slip plastic stand offers adjustability mperature Amps 0°F (204°C) 5A 0°F (426°C) 12A 0°F (649°C) 14A CGUNS 6 ft. cord, grounded housing ip handle ad stand offers stable ability Temperature	Watts           600W         \$294.75           1440W         \$290.15           1680W         \$290.25	<ul> <li>• Three position non slip steel base</li> <li>• High performance heating coll reaches operational temperature in less than 7 seconds</li> <li>• Temperature: 875°F (468°C)</li> <li>• Tempera</li></ul>
Master® HG T-Se Lightweight Hea 120V • 27 CFM • Lightweight, impac Ergonomic soft gri Lightweight, anti-s stable 90-degree a Item # Ten MAS-HG-201T 400 MAS-HG-201T 400 MAS-HG-301T 800 MAS-HG-301T 120 Industrial Heat C 120V • 27 CFM • Die cast aluminum Ergonomic soft gri Non-slip, reinforce 90-degree adjusta Item # MAS-HG-501D MAS-HG-801D* MAS-VT-751D	eries 6 ft. cord, grounded ct resistant plastic hous ip handle slip plastic stand offers adjustability mperature Amps 0°F (204°C) 5A 0°F (426°C) 12A 0°F (649°C) 14A Gens 6 ft. cord, grounded housing ip handle ad stand offers stable ability Temperature 1200°F (649°C)	Watts         294.75           600W         \$294.75           1440W         \$290.15           1680W         \$290.25             Amps         Watts           14.5A         1740W           18.5A         2220W           14.5A         1740W	<ul> <li>• Three position non slip steel base</li> <li>• Three position non slip steel base</li> <li>• Three position non slip steel base</li> </ul>

# **Induction Heaters**



**Induction Heaters & Flameless Torches** The flameless, Invisible Heat® solution for fast, safe and damage free removal of stubborn or frozen nuts and bolts from corrosion or thread-lock compounds, exterior trim, vinyl graphics, bonding, glass, and much more.

> 1-Year Warranty





IND-MD-500 \$854<sup>65</sup>

#### Mini-Ductor® - 12V, 840 Watts


- 12V battery clamps works off a jump pack or a vehicle's 12V battery
- 9-ft cables
- Includes:
- 7/8" pre-formed coil (MD99-601),
- U-form coil (MD99-602),
- 1" pre-formed coil (MD99-610)



## IND-MD-700 \$632<sup>65</sup>

#### **Mini-Ductor® II** -110V, 1000 Watts

- Includes:
- 7/8" Pre-formed Coil (MD99-601),
- U-form Coil (MD99-602),



## IND-MDV-777 \$75945

#### Mini-Ductor<sup>®</sup> Venom<sup>™</sup> -110V, 1000 Watts

- Angled design
- Coil twist lock 
   Trigger switch
- Cooling enhancement
- Fault override delay
- Includes:
- 7/8" Pre-formed Coil (MD99-601),
- Ú-form Coil (MD99-602), Bearing Buddy Coil (MD99-603)



MINI-DUC

2-Year

Warranty

2-Year

## IND-MDV-787 \$822<sup>85</sup>

#### Mini-Ductor<sup>®</sup> Venom<sup>®</sup> HP -120V, 1800 Watts

- Highest powered available, 90% faster
- LED usage indicator
- Fan operation enhancements
- Includes:
- 7/8" Pre-formed Coil (MD99-601),
- U-form Coil (MD99-602),
- Bearing Buddy Coil (MD99-603)





IND-GB-20311 \$149205

#### Inductor<sup>®</sup> Glass Blaster<sup>®</sup>

· Removes auto glass from outside the vehicle in minutes with no need to remove the interior trim

Remove bonded glass and windshields

- Concentrator® (U-411), - Glass Blaster® (U-311),

- Fast-Off® Pad (U-211)

• Includes:

- There is no damage to the encapsulant or frit (blackout masking)
- Remove windshields in 15 minutes, back glass in 9 minutes, and quarter alass in 3 minutes
- You can also remove spray-in bed liners in just a few hours



# IND-MD99-604 \$103<sup>75</sup>

#### **Mini Pad Attachment**

- Quickly remove decals, graphics, pinstripes, emblems, and body side moldings by heating the ferrous metal underneath
- Softens spray paint to easily wipe off
- No need for solvents

IND-U-111 \$262<sup>25</sup> **Paintless Dent Removal Baton Attachment** 



#### Uses Invisible Heat<sup>®</sup> method for the cleanest and fastest way of fixing hail dents, door dings and other minor soft dents

# HEAT GUNS / FLAMELESS HEAT TOOLS / TORCHES

#### **Induction Heaters** INDUCTION INNOVATIONS **Firepower** Firepowe MD99-660 MD99-675 \$85<sup>85</sup> VCT-0387-0400 AirFuel MP-90 **Manual Light Hand Torch** - Propane & MAP/Pro™ Suitable for brazing, heating and soldering • 360° swivel tip For use with disposable 14.1 oz. or 16 oz. Propane or MAP/Pro™ MD99-650 MD99-612 MD99-643 Firepower Firepowe MD99-64 VCT-0387-0463 \$96<sup>25</sup> **AirFuel SMP-43 Hand Torch** - Propane & MAP/Pro™ • Pressure regulated for pre-set flame Standard Pre-Formed • Suitable for brazing, heating and soldering Coils MD99-603 • Auto igniter for instant flame Trigger lock on button • For use with disposable 14.1 oz. or 16 oz. Propane or MAP/Pro™ MD99-602 Thin Wall Pre-Formed Coils Mini-Ductor<sup>®</sup> Coil Accessories & Kits Item # Description ....

IND-MD99-660	8-Pc Essential Coil Kit (Contains 6 Standard Coils and 2 Long Coils)	\$156.25
IND-MD99-650	8-Pc Standard Coil Kit	\$192.95
IND-MD99-675	8-Pc Long Coil Kit	\$238.25
IND-MD99-644	4-Pc Thin Wall Coil Kit (3/4", 13/16", 7/8", 1")	\$78.75
IND-MD99-643	3-Pc Bearing Buddy Coil Kit (41" & 96" Flexible Coils and Heat Resistant Mat)	\$114.95
IND-MD99-612	Heat Resistant Mat (Extends the life of the Bearing Buddy Coils)	\$13.15
IND-MD99-603	41" Bearing Buddy Coil	\$44.65
IND-MD99-606	1/2" Standard Pre-Formed Coil	\$26.25
IND-MD99-601	7/8" Standard Pre-Formed Coil	\$22.35
IND-MD99-605	7/8" Long Pre-Formed Coil	\$24.25
IND-MD99-611	3/4" Standard Pre-Formed Coil	\$22.35
IND-MD99-629	3/4" Thin Wall Pre-Formed Coil	\$22.95
IND-MD99-631	13/16" Thin Wall Pre-Formed Coil	\$22.95
IND-MD99-632	7/8" Thin Wall Pre-Formed Coil	\$22.95
IND-MD99-610	1" Standard Pre-Formed Coil	\$26.95
IND-MD99-635	1" Thin Wall Pre-Formed Coil	\$22.95
IND-MD99-609	1-1/4" Standard Pre-Formed Coil	\$27.55
IND-MD99-608	1-1/2" Standard Pre-Formed Coil	\$28.25
IND-MD99-607	1-3/4" Standard Pre-Formed Coil	\$28.85
IND-MD99-602	U-Formed Coil	\$17.05

# **Propane Torches**





# **EMASTER**

# MAS-PT-2000SI \$7585

#### Heavy Duty, High Intensity **Propane Torch Head**

- Push button ignition
- Can be used with Propane (flame burns at 3,600°F)
- or MAPP Gas (flame burns at 3,730°F) · Cast aluminum housing
- Safety lock
- Flame lock push button for continuous use • Use with standard Propane or MAPP Gas cylinders

# CCLIPLIGHT

# CLP-580500 \$32<sup>55</sup>

#### Spark-Key<sup>™</sup> Torch Ignitor

- Ignites all butane, propane, & gas torches
- 100,000 sure-fire sparks
- Water-resistant
- No batteries required

# HEAT GUNS / FLAMELESS HEAT TOOLS / TORCHES

# **Butane Torches**

# **MASTER**

# MAS-MT-76 \$7585

#### **Butane-Powered Microtorch®**

- Flame temperature: up to 2,500°F/1,300°C
- Includes soldering tip and hot air tip for soldering up to 752°F/400°C
- 120 minutes continuous run time

**Butane-Powered Mini Microtorch®** 

• Flame temperature: up to 2,500°F/1,300°C • 60 minutes continuous run time

• Removable base for table-top or hand-held use

• Removable base for table-top or hand-held use





	- <b>J</b>	
Item #	Description	
IRO-PT-500	Heavy Duty Butane-Powered Pro-Torch™ • Separate controls for fuel & air • 200 minutes continuous run • Flame temp: 1,350°C	\$97.65
IRO-PT-210TCR	Professional 3-in-1 Butane-Powered Pro-Torch™ • Works as: Torch, soldering iron or a hot blower • Flame temp: 1,300°C / 2,400°F	\$97.15
	Professional Butane-Powered Pro-Torch™	600 9E

\$89.25 Separate controls for fuel & air IR0-P1-220 Adjustable flame
 Flame temp: 1,350°C / 2,462°F

# **SMASTER**

**EMASTER** 

MAS-MT-70 \$35<sup>15</sup>



#### Self-Igniting Butane Microtorch®

- Flame temperature: up to 2,500°F/1,300°C
- Adjustable broad or pinpoint flame
- 120 minutes continuous run time







# POR-011880070 \$8285

#### **Medium Power Butane Torch**

- Adjustable 50-220 Watts
- Adjustable flame length up to 3-1/2"
- Flame temperature up to 2,462°F (1,350°C)
- Powerful, wind resistant flame





# R DRORF

WEL-ML200 \$61<sup>65</sup>

• Adjustable flame height • Flame temperature: up to 2,400° F

**Magna-Lite Butane Torch** Piezo electronic ignition

• Up to 60 minutes continuous use

PPMTKIT01



#### **Butane-Powered Micro Torch**

Weller<sup>®</sup>

 Electronic ignition • Flame adjustment • Max. temperature: 2,500°F (1,300°C)

Itelli #	Mouer	
PWP-PPMT	Torch Only	\$74.65
PWP-PPMTKIT01	Torch and Tip Kit	\$144.15





## POR-012680040 \$9215

- **High Power Butane Torch**
- Adjustable 50-820 Watts
- Adjustable flame length up to 4-1/2" • Flame temperature up to 2,462°F (1,350°C)
- · Powerful, broad wind resistant flame




# **Soldering Irons**

#### MASTER

# MAS-PI-20SIK \$6315

**Butane Powered** Soldering Iron/ Flameless Heat Tool/ **Torch Kit** 



- Power equivalent: 167W
- Max. 60 min. run time
- Includes: 4 soldering tips, flameless heat shrink adapter, hot knife tip, lead-free solder



#### Ultratorch® Butane Soldering Iron

- Soldering temp.: 482° 932°F (250° 500°C)
- Power equivalent: 20-80W
- 2 hours continuous run time
- Includes: soldering tip, hot air tip, shrink attachment

## MAS-UT-200SI \$266<sup>15</sup>

#### Ultratorch<sup>®</sup> High-Powered Butane Soldering Iron/ Heat Tool/Torch



- Soldering temp.: 482°F 986°F (250°C 530°C)
- Power equivalent: 200W
- 2.6 hours continuous run time
- Includes: soldering tip, hot air tip, shrink attachment

#### WEL-WLIR6012A \$5155

#### **60W Soldering Iron with** LED Halo Ring™

- Temperature: 880°F (470°C)
- 6mm (1/4") tip size
- High visibility 360° LED Halo Ring<sup>™</sup>
   Integrated safety rest

Weller

#### WEL-PSI100K \$236<sup>85</sup> Super-Pro<sup>®</sup> Self-Igniting

#### **Butane Soldering Iron Kit**

- Power equivalent: 125W
- Adjustable temperature up to 1076° F (580° C)

#### WEL-WLBUK75 \$191<sup>25</sup>

#### **Self-Igniting Cordless** Butane Soldering Iron & **Heat Tool Kit**



## WEL-WSTA3 \$310<sup>65</sup>

#### Pyropen® Professional **Cordless Butane Soldering Iron**

- Temperature range: 392°F 932°F (200°C 500°C)
- Power equivalent: 20-80W Ready to use in 30 seconds

# oortasol





T-1

SPT-1

SPT-2 SPT-3

SPT-4

T-2

T-3

T-4

POR-010289140

#### Model P-1K – Professional Butane Soldering Iron Kit

- Cordless flint ignition
- Adjustable power 10-60 Watts
- Includes 4 tips

#### Tips for Model #P-1

Item #	Model	Tip Size	Tip Descr.		A	A	Λ	A
POR-010288000	T-1	1/32" (1.0mm)	Single Flat	\$11.85	Ū.	Q.	Q.	Û
POR-010288010	T-2	3/32" (2.4mm)	Single Flat	\$11.85	Ŧ	Ŧ	Ť	4
POR-010288020	T-3	1/8" (3.2mm)	Single Flat	\$11.85	T-5	T-6	T-7	
POR-010288030	T-4	3/16" (4.8mm)	Single Flat	\$11.85	(†	Å.		
POR-010288060	T-5		Flame Tip	\$11.85		Ш	- M	
POR-010288050	T-6		Hot Air Tip	\$11.85	-	1	ж.	
POR-010288040	T-7		Knife Tip	\$11.85	T	T	Ŧ	

# portasol



#### POR-010589330

#### SuperPro Butane Soldering Iron

Self-igniting

\$183<sup>75</sup>

- High power adjustable 25-125 Watts
- Melts solder in less than 30 seconds from ignition
- Flameless combustion (solder and hot air modes)
- Includes 7 tips

Tips for Model #SP-1

#### Tip Size Item # Model Ρ

POR-011188000	SPT-1	1/32" (1.0mm)	Single Flat	\$14.85	П	n	M	M
POR-011188010	SPT-2	3/32" (2.4mm)	Single Flat	\$14.85	E	且	且	
POR-011188020	SPT-3	1/8" (3.2mm)	Single Flat	\$14.85	SPT-5	SPT-6	SPT-7	SPT-8
POR-011188030	SPT-4	3/16" (4.8mm)	Single Flat	\$14.85	A	A	A	
POR-011188040	SPT-5	1/32" (1.0mm)	Double Flat	\$14.85	m	m	m	Π.
POR-011188050	SPT-6	3/32" (2.4mm)	Double Flat	\$14.85	Ш			
POR-011188060	SPT-7	1/8" (3.2mm)	Double Flat	\$14.85				>
POR-011188070	SPT-8	3/16" (4.8mm)	Double Flat	\$14.85				Л
POR-011188090	SPT-10		Hot Knife	\$14.85	SPT-10		T	m
POR-011188480	SPT-13		Hot Air & Deflector	\$17.85	Ъ	SPT-13	h	
					-		And Address of the Owner of the	and the second second

Tip

Descr.

MIIII

need to let the

tool rest!

D550PK

D650PK

# **Soldering Irons**



#### PWP-PPSK \$9475

#### **Butane-Powered Soldering Kit**


- Electronic ignition
- Adjustable flame control
- Max. temp.: 950°F (510°C)





# PWP-PPPS50W **\$156**<sup>05</sup>

#### **Pro-Solder 50W** Rechargeable Soldering Iron



- Run time: 35 minutes
- Includes point tip, chisel tip, heat shrink tip, 10g lead free solder, USB charging cable







# WAL-LG2500K \$6005

#### 100 Watt Light Duty Soldering Gun

- For fine, intricate soldering
- Max. tip temperature: 750°F Integral tool stand
- Includes 2 soldering tips and 6 g lead free rosin core solder



Soldering Guns

#### **Trig-R-Heat Heavy Duty**

#### **Soldering Guns**

- Dual wattage elements
- Large built-in 1" work light

• #LG400C comes in a blow molded case

Item #	<b>Dual Elements</b>	Max. Temp.	Pyramid Tip	
WAL-LG400C	150/400 Watts	1000°F	1/4" Diam.	\$176.45
WAL-LG550	300/550 Watts	1000°F	1/2" Diam.	\$204.85

9400PKS

Weller

#### **Dual-Soldering** Gun Kits – 120 Volt

- 6-second heat up
- Built-in LED lights
- Kits come in a blow molded case and
- include a coil of lead-free solder

			-	
Item #	Dual-Watt	Temperature	Tips	
WEL-9400PKS	140/100W	High to medium Max. 900°F (482°C)	3	\$100.85
WEL-D550PK	260/200W	1,100°F/900°F (482°C/593°C)	3	\$145.95
WEL-D650PK	300/200W	1,100°F/900°F (482°C/593°C)	1	\$185.15

## AD ATD-3740 **\$134**<sup>85</sup> 8-Pc 120V Dual Heat **Soldering Gun Kit** Produces 230W or 150W • Includes: (2) soldering tips, (1) cutting tip, (1) flux brush, 15 g of lead-free solder

- ATD-8235 \$6055 Automotive Acid Brush
- Brush width: 3/8"
- Brush trim: 3/4"
- Brush length: 6
- Box of 144 brushes

ATD



# Welding & Cutting Equipment

# GDL-282037 🔇

#### EPEQ™ 140A Lithium Battery Powered Portable Stick Welder (SMAW)

- Lightweight design at only 34 lbs
- Dimensions: 18.3" L x 7.6" W x 14.9" H
- Constant current welding capabilities
- Hot start for easier welding
- Duty cycle: 20% 140A, 50% 110A, 100% 80A
   Can weld 10-12 pieces of 1/8" (3.2mm), or 20-25 pieces of 3/32" (2.5mm) welding rods on a full charge





- Input voltage: 100V-240V, 50/60Hz
  Two charge modes: 1.5-hour fast charge
- and 3-4 hours standard charge
  Lead length: 10 feet
- Waterproof, dust proof, shock proof, rugged and durable battery pack
- Built-in protections: over charge, overload, high temperature, short-circuit
- Certifications: UN38.3, RoHS, CE







and fabrication

flux-core wire

 Welds up to 1/8" thick mild steel (not suitable for aluminum)

Uses 0.030" to 0.035" diameter

Operates on 120V single phase power

• Fan cooled for better performance

- Cuts mild steel, stainless, brass, aluminum and other conductive materials
- Cutting capacity:
- 1/4" (6.4 mm) clean cut on mild steel
- 1/2" (12.7 mm) rough sever
- Weight: 21 lbs

# Welding & Cutting Equipment



- Welds steel, stainless steel, aluminum and cast iron
- Multiple power settings and infinite wire speed • Fan-cooled power unit and thermal overload protection
- 10 year transformer warranty, and 1 year on all other parts

#### ATD-3130K & ATD-3175K kits include:

- 7 ft. Tweco-Type MIG gun with .030" (0.8mm) contact tip
- 6.5 ft. heavy duty work cable & clamp
- 0.035" (0.9mm) flux core wire starter spool and contact tip
- 0.023" (0.6mm) solid core wire starter spool and contact tip
- 6' 5" power cord
- Wire brush/hammer combo tool
- Welding mask with DIN 11 shade lens (ATD-3716)
- Cart (ATD-7041)
- Regulator (ATD-3198)

#### Welder Kits

Item #	Peak Amp Power	Duty Cycle	Input Voltage	
ATD-3130K	40-130 Amp	40% @ 60A @ 21V	120 Volt	\$1374.25
ATD-3175K	35-175 Amp	25% @ 120A @ 20V	230 Volt	\$1542.45

#### Welder Accessories

Item #		
ATD-3198	Welding Regulator	\$120.85
ATD-7041	MIG Welding Cart	\$180.75

## VCT-0384-0944 **\$987**<sup>85</sup>

#### G150 - Light Duty Cutting & Welding Portable Tote Outfit

- Cuts up to 1/4" (6.4mm) or up to 5" (127mm) with optional tips • Welds up to 5/64" (2mm) or up to
- 1" (25.4mm) with optional nozzles • Tanks are
- delivered empty



#### <u>Firepower</u>

## VCT-1444-0346 \$2041<sup>95</sup>

#### FP-135 MIG/Flux Cored Welder

- Maximum output: 135 Amp
- Duty cycle @ 140°F: 40% @ 90 Amp at 18V
- Current range: 20-135 Amp
- Number of voltage settings: 4
- Maximum plate thickness: 1/4" (6.4mm)
- Wire diameter range: .023" .035" (0.6 0.9mm)
- Maximum input current: 50A

#### Package includes:

- FP135 MIG welder MIG welder cart Wire brush
- Auto-darkening helmet Chipping hammer Regulator

## VCT-1444-0328 \$2043<sup>75</sup>

#### FP-165 MIG/Flux Cored Welding System

- Maximum output: 165 Amp
- Input plug: 208/230VAC, 50A
- Duty cycle @ 140°F: 20% @ 130 Amp at 30V
- Current range: 20-165 Amp
- Number of voltage settings: 4
- Maximum plate thickness: 1/4" (6.4mm)
- Wire diameter range: .023" .035" (0.6 0.9mm)
- Maximum input current: 35A

#### Includes:

- Tweco Gun Return cable & clamp
- 6 ft. power cord .030" spool of flux-cored wire

#### Firepower VCT-1444-3200 **\$1910**<sup>55</sup> MST-200 Multi-Process MIG/Stick/ **DC TIG Welding System**

- Designed to tackle steel, stainless and aluminum projects
- Max. output: 10 200 Amps
- Dual voltage: 120V/230V
- Power to run Stick electrodes up to 5/32" (4mm)
- Digital controls
- Package includes:

VICTOR

VCT-0384-2580 \$696<sup>35</sup>

• Cuts up to 1/2" (12.7mm) or up to

• Welds up to 5/64" (2mm) or up to

1.25" (31.8mm) with optional nozzles

5" (127mm) with optional tips

/ICTOR

Medium Duty Cutting & Welding Outfit

Medalist® 250 CLASSIC -

- Tweco Fusion 180 Velocity MIG gun with Tweco connection and Velocity consumables
- Tweco 17V TIG torch with 50mm dinse and accessory kit
- Electrode holder 
   Ground clamp 
   Argon/CO2 regulator
- Power adapter
   Sample wire spool

# VCT-0384-2698 \$745<sup>95</sup>

#### Medalist® 350 CLASSIC -Heavy Duty Cutting & Welding Outfit

- Cuts up to 3/4" (19.1mm) or up to
- 6" (152.4mm) with optional tips
- Welds up to 1/8" (3.2mm) or up to 3" (76.2mm) with optional nozzles
- HI VICTOR



<u>Firepower</u>

# Oxygen / Acetylene Hose Reels

# AD

# ATD-31170 \$299<sup>95</sup>

Heavy Duty Retractable Oxy-Acetylene Welding Hose Reel

- 1/4" x 50 ft. twin oxygen/acetylene hoses
- Solid brass fittings and connections with double O-ring seals for leak-free operation
- Heavy-duty spring driven, automatic rewind
- 8-position hose locking mechanism
- Reel can be mounted to ceilings, wall, floors, vehicles, workbenches, etc.



**Surge Protectors** 



# **Welding Clamps & Aids**





#### Quick Holding Magnetic Welding Clamps with On/Off Switch

- High strength magnets hold metal workpieces at 45°, 90°
- Switchable style ensures easy precise adjustment: turn the magnet OFF or
- at the midpoint position when setting up, turn ON when you're ready to work
- Ideal for round and square tubing, angle, and flat stock

	Allyles	Dimensions	Pull Force*	
ECL-QHCSS	45°, 90°	111 x 92 x 29mm	88 lbs	\$108.05
ECL-QHCSL	45°, 90° 1	152 x 130 x 35mm	165 lbs	\$178.45

\* Magnetic force is based on the longest side of magnet with 10mm thick steel.





#### **Inside and Outside Welding Clamps**

- Hold and position sheet metal, round pipes, square, angled or flat stock
- Use mounting holes to link two magnets together
- for use as fixturing elements
- Use hex hole on magnet for breakaway leverage

Item #	Angles	Dimensions	Pull Force	
ECL-IOWCC (Pack of 2)	30°, 60°, 90° 30°, 60°, 90°	75.5 x 52 x 14mm 125 x 85 x 18mm	20 lbs 33 lbs	\$74.55
ECL-IOWCL	30°, 60°, 90°	165 x 110 x 20mm	40 lbs	\$60.95

NOTE: Must be used for tack welding only and removed before completing weld.



## Welding Protective Blanket and Equipment Cover, 38" x 24"

- Fiberglass fabric protects equipment during welding, cutting, grinding and other potentially hazardous operations
- Service range up to 1000°F / 538°C
- Resistant to abrasion
- Blanket can be draped over equipment or used as a curtain





# **Welding Helmets & Gloves**



# GRI-98122 **\$109**<sup>95</sup>

**Eagle Auto-Darkening** SolarWelding Helmet

- Variable shades from DIN 9 to 13
- 3.86" x 2.17" viewing area
- Filters protect against UV & IR



#### HAS-HSW-7030 \$277<sup>15</sup>

Auto-Pro<sup>™</sup> Solar and Battery-Powered

- Auto-Darkening Welding Helmet • Large auto-darkening lens: 4.5" x 5.25"
- Comfortable 5-point headgear with
- sweatband • Adjustable GRIND/WELD, 9-13 DIN, sensitivity and delay
- Maximum sensitivity, four UV/IR sensors to 3 Amps
- Solar cell and lithium battery power with status LED
- Certified ANSI, CSA, AS/NZS & CE



#### VCT-1441-0004 \$144<sup>15</sup> Lift/Fixed Front Combo Helmet,

#### 4.5" x 5.25", Black

**Firepower** 

- Streamlined, compact design allows
- welders to get into tight places
  Meets or Exceeds: ANSI Z87-1, CE and various International Standards



#### **Auto-Darkening Welding Helmets**

- Adjustable welding shade levels from 9 to 13
- Four arc sensors for high response
- · Sensitivity and delay

Item #	Model	
VCT-1441-0085	Pinstripes	\$227.25
VCT-1441-0086	Piston and Plug	\$227.25
VCT-1441-0088	Skull and Fire	\$227.25



#### Auto-Darkening Solar Welding Helmets

- Variable shades from DIN 9 to 13
- 3.86" x 2.17" viewing area
- Filters protect against UV & IR
- High performance solar cells with built-in batteries as power back-up

Item #	Model	
TIT-45000	<b>Biker Girls</b>	\$163.45
TIT-41290	Gear Head	\$163.45
TIT-41266	Flames	\$163.45
TIT-41279	Skull	\$163.45

# TITAN

## TIT-41264 \$5<sup>95</sup>

#### **Clear Replacement Lenses**

- 3.86" x 2.17" viewing area
- Includes: 1 inner lens (4.25" x 2.25") and 1 outer lens (4.5" x 3.5")

# TITAN

## TIT-41239 **\$20**<sup>75</sup>

#### Welding Gloves

- Premium Leather
- Lined



# HAS-HSW-9007 \$2745

- **Premium TIG/MIG Welding Gloves**
- Offers maximum dexterity and protection
- Kevlar-stitched for extra durability









# **Measuring Tapes**

	d Tape Measure		
Item #	Length x Blade Width	Markings	Contraction of the local division of the loc
TIT-10905	16 ft. x 3/4"	SAE	\$8.15
TIT-10906	25 ft. x 1"	SAE	\$12.05
TIT-10907	25 ft./7.5m x 1"	SAE/Metric	\$12.05
TIT-10908	33 ft. x 1"	SAE	\$16.35

# TITAN

#### TIT-10903 **\$17<sup>45</sup>**

2-Pc Dual Rule Quick-Read **Tape Measures Set** • 12 ft. (3.5m) and 25 ft. (7.5m)

• SAE and Metric markings

# Lufkin

#### P1000 Series Hi-Viz® Orange **Measuring Tapes**



• Impact resistant case

Item #	Scale	Blade L x W	
LUF-PHV1035CMEN	SAE/Metric	16 ft. x 3/4" (5 meters x 19mm)	\$23.05
LUF-PHV1048CMEN	SAE/Metric	26 ft. x 1" (8 meters x 25mm)	\$30.75



#### DEWALT

#### **Atomic Compact Series**





maxreach			
Item #	Scale	Blade L x W	
DEW-DWHT38116S	SAE	16 ft. x 1-1/4"	\$18.55
DEW-DWHT38125S	SAE	25 ft. x 1-1/4"	\$21.15
DEW-DWHT38126S	SAE/Metric	26 ft./8m x 1-1/4"	\$21.15
DEW-DWHT38130S	SAE	30 ft. x 1-1/4"	\$29.15

Toughseries™ Lighted

**Tape Measures** 

- Built-in LED light
- Double-sided print for vertical & overhead measurements
- Straighter, stronger 17-ft. max. reach
- Up to 3 hours runtime
- Auto-shutoff
- Includes a USB charging cable

Item #	Scale	Blade L x W	
DEW-DWHT35625S	SAE	25 ft. x 1-1/4"	\$44.75
DEW-DWHT35268S	SAE/Metric	26 ft./8m x 1-1/4"	\$44.75



#### \$9265 MLW-48-22-9801

# Milwaukee

羊

0



- Provides measurements from all orientations
- Continuous real-time measurements
- Memory storage for 3 readings
- Accuracy: ±1/8"
- Impact-resistant overmold for protection
- Belt Clip

# **Straight Edges**



\$2705 RGD-81280 **2m Fiberglass Folding Metric Rule** 





# **Micrometers**



# **Bore Gauges**

#### Central STORM

#### CEN-3D302 **\$293<sup>15</sup>** 6" Dial Bore Gauge

- Range: 1.4"-6'
- Graduations: 0.0005"



# Fowler

# FOW-72-646-400-0 \$262<sup>75</sup>

#### 6" Dial Bore Gauge Set

- Range: 1.4"-6"
- Graduations: 0.0005"

## FOW-74-646-401-0 \$492<sup>15</sup>

#### **6" Electronic Bore Gauge Set**

- Inch/Metric
- Range: 1.4"-6"/35mm-150mm
- Graduations: 0.00005"/0.001mm
- Bar graph and numeric digital display
- Preset with recall
- Absolute/Incremental measurement • Min/Max/TIR





# **Depth Gauges**

STORM

Central

# CEN-3S116 \$7245

#### 6-Pc Telescoping **Gauge Set**

- Range: 5/16" 6"
- Self-centering gauges check slots, grooves, recesses and cylinders

# CEN-3M746 \$83<sup>65</sup>

## **Digital Depth Gauge**

- Range: 16"
- Accuracy: 0.0005" Inch to Metric conversion

# FOW-54-125-777-0 \$416<sup>65</sup>

#### 0 - 22" Electronic **Depth Gauge**

- 0 1" travel
- Zero reset at any position
- Relative/absolute measuring
- Resolution: 0.0005"/0.01mm Measurement hold feature
- 4" base

#### \$81<sup>65</sup> FOW-74-225-555-0

#### 0 - 16"/550mm **Electronic Depth Gauge**

- 0 1"/25mm travel Spring-loaded
- Measurement hold feature
- Super large display Resolution: 0.0005"/0.01mm/1/64th
- Fowler



# **Drill Gauges**

#### Made in USA Fowler


#### \$68<sup>75</sup> FOW-52-480-005-0

**Jobber Drill Gauge** 

#### • 1/16" - 1/2"

- 29 holes
- Hardened and ground

# **IRWIN** IRW-12092 \$1045





# • 1/16" - 1/2" • 29 holes





# **Torgue Angle Gauges**

isle

# LIS-28100 \$7045

#### **Torque Angle Meter**

- Commonly used for tightening head bolts and other bolts where a torque angle is required
- Use with 1/2" drive

# OTC-4554 \$3165

#### **Torque Angle Gauge**

- Required when servicing many late model engines that use torque-to-yield fasteners
- Measures angle of rotation • Has 1/2" male and female square drives

# **Angle Measuring Devices**

Fowler

Fowler

OIC

#### FOW-74-422-450-1 \$123<sup>85</sup>

#### **Mini-MAG Protractor Magnetic Angle Measuring Device**

- Provides instant 360° digital inclination display of any angle
- Embedded magnets with 3.5 lbs pull
- Measuring range: 360° (4 x 90°)
- Hold feature

#### FOW-74-440-775-1 \$144<sup>15</sup>

#### **Digi-Pro 12" Electronic Protractor**


- Used to make fast and
- accurate angular measurements
- Embedded 25 lbs pull magnets • Full, 360° measuring range

# CEN-6494A \$2575

#### Angle Finder with **Magnetic Base**

 Measures truck and automotive front ends and drive shaft angle









# **Brake Bleeders**

6)



#### **110V Electric Brake Bleeders**

- One man operation
- Easy to use and fill
- Adjustable pressure regulator from 0-50 psi, also ensures constant pressure at all 4 wheels
- Automatic low fluid level shut-off to prevent air bubbles
- SAE-style coupler assures compatibility with existing adapters
- Fluid level indicator
- Adapter tray
- 10-ft. pressure hose



CCT-STBBE4.0GAL 4 Gallon





FREE! Buy #MIT-MV6830 and obtain #MIT-MVA6832 for free: 1.2 L Master Cylinder Clamp-On Auto-Refill Kit.

## MIT-MV6830 \$293<sup>15</sup>

#### **Vacuum Brake & Clutch Bleeder/Evacuator**

#### • Simple operation allows clean, quick bleeding of brake and clutch lines

- 1.8 liter capacity reservoir
- Bleeds up to 1.9 liters of fluid/minute
- · Automatic shutoff valve

# MIT-MV7135 \$36395

#### Vacuum Brake & **Clutch Bleeder**

- 2.5 L capacity reservoir
- Utilizes compressed "shop-air" for dispensing and extracting
- · Isolated flow control valve and pressure/vacuum switch



- 2.5 L capacity reservoir
- Utilizes compressed "shop-air" for dispensing and extracting
- Isolated flow control valve and pressure/vacuum switch
- 7-Pc master cylinder adapter kit





# Mityvac\_

## MIT-MV6840 \$652<sup>35</sup> **Professional Hydraulic**

#### **Brake and Clutch Bleeding System**

• 1.2 gallon (5 L) fluid capacity Includes 7 master cylinder adapters to connect to most American, Asian and European cars and light trucks



# MIT-MV6870 \$17295

#### Vacuum Brake and **Clutch Bleeder**

• 1.3 qt. (1.2 L) fluid reservoir • Powerful compressed-airoperated venturi that guickly draws out fluid and air from hydraulic brake and clutch system



# MIT-MV8000 \$7805

#### **Automotive Tune-Up** and Brake Bleeding Kit

 For performing hundreds of automotive diagnostic and mechanical tests and for one-person brake bleeding



FREE!

Buy #MIT-MV8500 and obtain #MIT-MVA660 for free: Universal Power Steering Adapter, 5/8" to 1-5/8".

# MIT-MV8500 \$15255

#### **Silverline Elite Automotive Kit**

- Provides either vacuum or pressure
- Performs engine performance diagnostics, brake bleeding, fluid transfer, evacuation, sampling, windshield repair and more



TITAN

# TIT-51885 **\$56<sup>85</sup>**

#### **1 L Vacuum Brake Fluid Bleeder**

- Universal rubber fitting holds securely on brake bleed screw
- Locking trigger and hanging hook
- Working pressure: 71-113 PSI





# **Brake Bleeders**

# CTA-7310 \$660<sup>55</sup>

12-Pc Brake Bleeder **Tank & Master Cylinder** Adapter Kit Includes:

• #7300:

- 10 master cylinder adapters
- + 1 guick coupler
- #7015: Brake Bleeder 3L Tank

#### CTA-7310M \$845<sup>75</sup>

#### **14-Pc Brake Bleeder Tank** & Master Cylinder Adapter Kit

#### Includes:

• 12 master cylinder adapters + 1 quick coupler

• #7015: Brake Bleeder 3L Tank

# CTA-1275 **\$912**<sup>45</sup>

#### 12-Pc Brake Bleeder Tank & Pro Series Master Cylinder Adapter Kit Includes:



- #7300: 10 all metal construction master cylinder adapters + 1 quick coupler
- #7015: Brake Bleeder 3L Tank

# CTA-3930 \$734<sup>65</sup>

#### **11-Pc Pro Series Brake Bleeder Master Cylinder** Adapter Set

- All metal construction • For use with #7015 Pressure Bleeder Tank. Adapts to other brands with the included special quick-coupler.
- · Covers the newest applications

## CTA-7300 **\$492**<sup>65</sup>

#### **11-Pc Brake Bleeder Master** Cylinder Adapter Kit

• For use with #7015 Pressure Bleeder Tank. Adapts to other brands with the included special quick-coupler.

Will service most makes & models



## CCT-BAKITO1 \$876<sup>25</sup>

#### **Global Brake Bleeder** Adapter Set

- For Domestic, European and Asian vehicles
- Now includes a Honda Master Cylinder Adapter (#BAHON1)



# Callan

#### CAL-24630 \$12305 **Universal Brake Bleeder**

#### Adapter

- Universal design fits plastic
- Fits 1" to 2.76" O.D.
- Use with M-style or universal quick-connect couplers only

## GEARWRENCH

## GWR-3795D \$865<sup>25</sup>

## 4-Gallon Air Pump Brake Bleeder Tank

- Diaphragm-type bleeder for conventional and
- anti-lock brake systems
- Diaphragm keeps brake fluid and air separated
- For use with DOT 2, 3, 4 and 5 brake fluids only

# ATD

## ATD-5125 \$322<sup>65</sup>

#### **1-Gallon Brake Bleeder Tank**

- 3/8" I.D. x 10-1/2 ft. hose
- Quick disconnect coupler, shut-off valve and pressure gauge
- Portable tank fills and bleeds both standard and power brakes in a single operation
- Suitable for DOT 3 and DOT 4 brake fluids only

# TITAN

# TIT-51995 **\$163**<sup>75</sup>

#### 5-Pc Hydraulic Brake & **Clutch Bleeder Wrench Kit**

 Fits seven popular sizes: 7mm x 8mm, 9mm x 10mm, 11mm x 12mm, 3/8





# CTA-1945 \$250<sup>25</sup>

#### 8-Pc Brake Bleeder Wrench Kit

## • Sizes: 3/8", 7mm-12mm

· Wrenches designed with a sealing ring for a secure seal of the bleeding nut



Item # Screw Size LIS-10900 \$16.35 5/16" x 3/8" LIS-10950 1/4" x 3/8" \$16.15 7mm & 9mm / LIS-11000 \$16.35

8mm & 10mm









ZIR



# **Brake Service Tools**



#### CTA-7394 **\$191<sup>35</sup>**

#### 18-Pc Euro Brake Caliper Socket Set


- 7 Point: 14mm, 22mm
- 10 Point: 11.5mm, 15mm, 20mm
- 5 Point: 10mm, 10mm (Male) 12.5mm, 14mm, 19mm • 6 Point: 7mm, 7mm (Stubby), 7mm (Deep), 8mm (Stubby), 9mm (Stubby), 9mm (Deep),
- 11mm (Deep) • 12 Point: 14mm Tamper-Proof

## CTA-5035 **\$10845**

#### 5-Pc VW/Audi/Porsche Brake Caliper Socket Set

• Services the caliper retaining screws • 1/2" square drive

- Includes:
- #5025 7 pt. Small #5027 7 pt. Large
- #5029 10 pt. x 11.5mm
- #5031 10 pt. x 15mm #5033 10 pt. x 20mm







## TBQ-10330 \$33<sup>35</sup>

#### **18-Pc Disc Brake Caliper Tool Kit**

- Applicable to a wide variety of 2WD & 4WD vehicles
- Includes 15 adapter discs as well as left-hand & right hand thrust bolt assemblies to work on front or rear brakes



## ATD-5165 **\$158<sup>15</sup>**

#### **18-Pc Disc Brake Caliper Tool Set**

- For use on most domestic &
- import 2WD & 4WD vehicles
- Use on front or rear brakes



# **Astro**

## AST-78618 **\$76**<sup>95</sup>

#### **18-Pc Brake Caliper** Wind Back Tool Set

- Provides both left-handed and right-handed thrust bolt assemblies
- Works on a wide range of vehicle applications
- Designed for push back and wind back brake pistons







# MTC-43050 \$304<sup>85</sup>

#### Air-Powered Brake Caliper Wind Back Tool Kit

- Pneumatic brake caliper piston compression
- 15 piece press adapter set
- Left or right wind-back operation
- Magnetic base to secure press adapters

# MTC-43051 \$197<sup>25</sup>

**Air Powered Brake Caliper** Wind Back Tool

Allows right and left-hand rotation



# LIS-25200 **\$63**<sup>45</sup>

#### 2 & 3-Pin Adjustable **Brake Caliper Tool**

- Works on right or left hand rewind calipers
- 2-pin range: 1/2" to 1-1/2" (12.7mm to 38mm)
- 3-pin range: 1" to 1-11/16" (25.4mm to 43mm)

# CTA-1458 **\$19<sup>15</sup>**

#### **3-Pin Brake Piston** Wind Back Adapter





#### • For use with late model VW. Audi and BMW with electro-mechanical parking brakes (EPB)

# **Astro**

# AST-7848 \$5925

8-Pc Professional **Brake Tool Set** 

















# **Brake Service Tools**



# **Brake Service Tools**



#### LIS-48020 **\$1365**

#### 2-Pc Brake Caliper

#### Hanger Set

• Hangs the disc brake caliper out of the way during service while keeping tension off the brake line

# TITAN

## TIT-51600 **\$7<sup>55</sup>**

#### **Brake Caliper Hanger Set**



 Perfect for a variety of hanging applications as well as automotive applications such as brakes, wheel bearings, axle shafts and suspension

# **Brake Fluid Testers**

#### **Brake Fluid Testers**

- Determines quality of brake fluid
- Measures moisture from 0%-4%
- 1.5V AAA battery included

Item #	Application	
OTC-4598-DOT3	DOT 3	\$66.05
OTC-4598-DOT4	DOT 4	\$68.45

# **Brake Rotor Hones**





#### Flex-Hone<sup>®</sup> for Rotors • Produces the ideal surface finish

on automotive and motorcycle

disc brake rotors, automotive fly wheels and clutch plates

Item #	Grit	
BRM-RMFH120Z25	Medium - 120	\$85.55
BRM-RMFH60Z25	Coarse - 60	\$85.55

# **Brake Lathe Bits**



407-10 062-10



9

#### **Carbide Bits for Bench and On-The-Car Lathes**

- All Shark bits are guaranteed to perform as well as any OEM bits
- Sold in packs of 10 bits

Item #	Fits Lathe Brands	<b>Cutting Edges</b>	
SHA-062-10	Ammco; FMC/John Bean/Barrett/ Snap-On; Hofmann; Rels	6 (12 by cross-indexing)	\$30.05
SHA-407-10	FMC/John Bean/Barrett/Snap-On; Hofmann/RJ WEST; Pro-Cut/Hofmann	3 (6 by cross-indexing)	\$70.85
SHA-802-10	Kwik-Way/Snap-On; Rels	3 (6 by cross-indexing)	\$81.25

# **Truck Brake Service Tools**

# Ka Ken-Tool

Made in USA

KEN-80000

# Bendix<sup>®</sup> ADB22X™

#### Air Disc Brake Tool Kit

 Kit provides specialized tools for the replacement of Bendix<sup>®</sup> air disc brake tappet and boot assemblies, tappet inner seals, and guide pins and boots

Compatible with Bendix's new ADB22X-LT for trailer air disc brakes



#### Bendix/Knorr-Bremse Air Disc Brake Pad Retainer Tool

- Provides safer and easier way to remove pad retainer
- Works with left and right side calipers
- Designed to work with or without caliper shield

#### LOC-890 \$94<sup>05</sup> **Truck Brake Spring Tool** • Easily connects rear drum brake return springs • Adjusts to 3 sizes

#### LOC-895 **\$9405**

#### Eaton Truck Brake Spring Tool • Universal fit to install

 Universal fit to install all Eaton air brake shoe anchor springs



890





• Red = Replace immediately (0mm to 3mm)

January – March 2024 | 343

Can measure both internal and external brake pads

Calibrated for 6mm backing plate

# Brake Pad, Drum & Rotor Gauges



**BRAKE SERVICE** 

# **BEARING, BUSHING & SEAL SERVICE**



# **BEARING, BUSHING & SEAL SERVICE**



# 33-Pc Master

# **Bushing Driver Set**

· Enables you to remove and install bushings ranging from 10mm to 42mm in diameter and 3/8" to 1-3/8" in diameter



# OTC-4505 \$9765

# **19-Pc Fractional**

#### **Bushing Driver Set**

• Enables you to remove and install bushings ranging from 3/8" to 1-3/8" in diameter

# TIGER TOOL.

## TGR-15000 **\$2887**<sup>45</sup>

#### **Pin & Bushing Starter Kit**

- This system reduces shop time by as much as 70%
- Service both rubber-isolated and threaded pins and bushings while the suspension remains on the vehicle
- 20 tons of pulling power for efficient pin removal and installation
- Requires a 10,000 psi pump and at least one adapter to operate
- All of the adapter kits are available separately

## TGR-15030 **\$1049**<sup>95</sup>

#### **Pin & Bushing Adapter for** Freightliner Airliner & **Peterbilt Low Air Leaf**

- For use with the #15000 Pin & Bushing Starter Kit
- Easily remove and install the Freightliner Airliner and Peterbilt Low Air Leaf rubber isolated pin and bushing while the suspension remains on the vehicle
- 20 tons of pulling power

# TGR-15040 **\$1574**<sup>95</sup>

#### **Pin & Bushing Adapter**

- For use with the #15000 Pin & Bushing Starter Kit or can alternately be used with #17202 20-Ton Hydraulic Cylinder and a 10,000 PSI Hydraulic Pump
- Easily remove and install the Hendrickson Intraax Tri-Functional bushing while the suspension remains on the trailer
- Works on:
- Automann TRB5912 Dayton 334-1576 Euclid E-10729A • Flagg HT245 • Gaff 13628

Made in Canada



## TGR-15032 \$493<sup>45</sup>

#### Pin & Bushing Adapter, 4" Long

- For use with the #15000 Pin & Bushing Starter Kit
- I.D.: 13/16": O.D.: 2-1/4"

OIC

- Works on: • Dayton RB-211, RB-233 • Flagg RB211, RB233
- Freightliner 680-322-01-05, 680-322-01-50
- Gaff 11066 Mack 43RU297M

# LIS-29090 \$116<sup>95</sup>

#### 2-Pc Truck Anchor Pin **Bushing Driver**

 Pneumatic bushing driver set removes and installs truck and



trailer 1-3/8" anchor pin bushings and stuck anchor pins Also removes truck leaf spring bushings

#### 15-Ton Capacity Freightliner Rear Suspension Bushing **Removal and Installation Tools**

- Removes and installs single-wrapped
- FAS II Airliner Freightliner rear suspension bushings
- Handles Neway AD Series Truck and Tractor suspension bushings



OTC-4244 Freightliner **Rear Suspension Bushing** Tool

Freightliner RearSuspension **Bushing Tool Master Kit**  Includes #OTC-2510A air/hvdraulic pump: 10,000 psi

# OTC-4261

Hendrickson Airtek NXT **Front Suspension** 

**Bushing Tool** 

 Kit comes with hydraulic cylinder and foot pump

#### ÇŴ OTC-4263 **Suspension Bushing Tool**

- Removes and replaces suspension bushings
- · Comes with a 25-ton capacity hydraulic cylinder and press plate for hands free operation

OTC-4255 \$126275

#### **Hendrickson Airtek NXT Bushing Adapter Kit**

• Kit is used in conjunction with the #OTC-4263 Suspension Bushing Tool to remove and replace the leaf spring bushings on Hendrickson Airtek NXT front suspensions found on Freightliner Cascadia vehicles







• Hendrickson S-24691

## **Tire Changers**





#### RC-55 Rim Clamp<sup>®</sup> Tire Changer, Electric Model

- Wheels handled: alloy and steel for car and light truck
- RC Robo-Arm®, built-in bead sealing jets, conveniently placed foot pedals
- Electric drive system: 1 HP motor, 115 V, 60 Hz, 15 A
- Rim diameter: 6" 24" external up to 28" with adapters (sold separately)
- Max. tire diameter: 50" Max. rim width: 10.5"
- Warranty: 1 year parts, 6 months labor
- · Air drive system available
- · Additional accessories available upon request



- For high volume tire dealers or general repair shops
- Wider, more robust chassis with more power, more features and improved speed and reliability
- Wheels handled: alloy and steel for car and light/medium truck
- Features a polymer Duckhead and Robo Arm to make changing tires a breeze
- Hand operated bead loosener
- Dual nozzle bead sealer
- No-index tabletop saves time
- Rim diameter: 6" 24" external -
- up to 30" with optional clamps • Max. tire diameter: 50"
- Max. rim width: 16"
- Warranty: 3 years parts, 6 months labor • Footprint: 74" W x 86" H x 44" D
- · Additional accessories available upon request

Item #	Motor	
HEN-800MAXX70	110V	6
HEN-800MAXX70220	<b>220V</b> 2HP, 60Hz	6
HEN-800MAXX70A	Air 4HP	٩





Made in

Transportation Not Included (All Models)

Installation & Training

Included (All Models)

USA

# HEN-8183061 \$5455

#### Nvlon Duckhead® Mount/Demount Tool

- · Eliminates any metal-on-metal
- contact with the wheel • Compatible with all X-Series and RC Series tire changers

#### HEN-8184432 \$99<sup>35</sup>

#### **Plastic High Spoke Duckhead®**

- **Mount/Demount Tool**
- Designed for high-spoke wheels, lifting the bead above the spokes
- Compatible with all X-Series and RC Series

# HEN-8183710 \$66<sup>85</sup>

Paste Tire Lube, Bucket - 7.7 lbs

tire changers



**(** 

# Wheel Balancers



#### Model 885 Wheel Balancer

- Direct Tape-A-Weight<sup>™</sup> placement
- Balancing modes: 5
- Behind spoke mode: Yes
- Wheel diameter range: 10" 30"
- Wheel width range: 2" 16"
- Max. tire diameter: up to 38"
- Max. tire weight: 130 lbs
- Interface: LED matrix with soft touch keys
- Automatic data entry: Distance/Diameter/Width
- Auto brake: Yes
- Auto lock: Yes
- Auto start: on hood close
- Electrical requirements: 110V, 1ph, 50/60 Hz, 3A
- Warranty: 1 year parts, 6 months labor



#### HEN-8113277C \$586<sup>75</sup> **Light Truck Front Cone Kit**

#### -40mm I.D. • Double sided cone & metal

- backing plate
- Range: 4.80" 6.80"





# **Inflators & Gauges**

# MARTÍNS

# MRI-MHA-100 \$333<sup>85</sup>

#### **Flatematic Automatic Tire Inflator**

- · Inflate or deflate your tires automatically
- Scale: 174 psi / 12 bar / 1,200 kPa / 12 kg/cm<sup>2</sup>
- 6 ft. hose
- · Rechargeable li-ion battery inflates up to 500 times on one single charge
- Preset your 2 most used pressures
- Over-pressure setting (OPS), Nitrogen compatible





• Inflates car, light truck, and

compact equipment tires

inflator nozzle, Presta chuck,

MLW-2848-20 \$247<sup>95</sup>

M18<sup>™</sup> 18V Tire Inflator (Bare Tool)

· Auto pressure check; Auto shut off

• (4) Attachments: inflation needle,

inflator nozzle, Presta chuck, Schrader chuck

Hose length: 26"

• (4) Attachments:

Schrader chuck (1) M12<sup>™</sup> CP4.0 battery

• (1) Charger

• 0 - 150 psi • Displays: PSI, kPa, Bar

• (4) Memory presets

Hose length: 36"

ball inflation needle,

# MILTON

#### MIL-S-580EKIT \$55005 **Precision Digital Tire Inflator**

# & Pressure Gauge

- Includes 4 interchangeable air chucks, M-Style<sup>®</sup> plug and valve cap holder • Scale: 0-160 psi
- - Display automatically adjusts for left or right-handed use or vertical "portrait" mode
  - Displays: PSI, kPa, Bar, and kg/cm<sup>2</sup>



# MRI-MW-64HP \$59815

#### **Flatematic High-Pressure Automatic Tire Inflator**

- Wall-mounted unit
- Nitrogen purge cycles



# **Flatematic Automatic**

- Scale: 0-145 psi
- with (4) 8-ft. hoses
- Displays: PSI, Bar, kPa, kg/cm<sup>2</sup>
- Nitrogen purge cycles



# AME-24867 \$14195

#### Accu-Flate XL

#### **Digital Tire Inflator**

- Scale: 0-174 psi
- Inflate, deflate, measure tire pressure
- Hose length: 6 ft
- Accuracy: ± 2 psi
- Displays: PSI, Bar, kPA



# MLW-2475-21XC \$277<sup>95</sup>

#### **12V Compact Tire Inflator Kit** • 0 – 120 psi

- Scale: 0-232 psi
- with 25 ft. hose
- Displays: PSI, Bar, kPa, kg/cm<sup>2</sup>

# MRI-MW-60-4WAY \$62945

# **Tire Inflator with 4 Outlets**

- Wall-mounted unit



- Scale: 3-160 psi
- · High-pressure inflation with auto shutoff
- 29" high-pressure hose
- Onboard accessory storage
- 13.75 ft. 12V DC power cord
- High-pressure tapered nozzle
- · Presta valve adapte
- Inflator needle

## KEN-35110 **\$13<sup>05</sup>**

#### 18" Long Tire Knocker

• Use for checking tire air pressure on large trucks



DEWALT

EL D.O

# LEG-HGH2-FZ \$10725

#### **Truck Tire Inflator Kit**

- Uses a truck's on-board air supply to
- inflate tires in remote situations
- 3/8" x 50 ft. Flexzilla® air hose
- Glad-hand attachment
- 30° Dual air chuck







# Inflators & Gauges



Item #	Chuck Head	PSI	Applications	
Pencil Type Pr	essure Gages			
MIL-S-921	Single	5-50 psi	Passenger Car	\$13.25
MIL-S-928	Single	5-50 psi	Tractor Air/Water Filled Tires	\$18.75
MIL-S-925	Single	20-120 psi	Truck • RV • Bicycle	\$13.75
MIL-S-927	Dual	20-120 psi	Truck	\$20.05
Service Gages	;			
MIL-S-976	Dual	10-160 psi	Heavy-Duty	\$44.25
MIL-S-986	Straight Foot Dual Head	10-160 psi	Heavy-Duty	\$52.15
Dial Type Tire Gage				
MIL-S-934 <i>Model S-934 Ir</i>	Single Includes a Tire Tre	0-120 psi ad Depth Gauge	Car & Truck	\$74.25





For inner duals



1/4" FNPT
Max. 150 psi
Closed/sealing type chuck
Not for use with inflator gage

Item #

MIL-S-693

MIL-S-693-12



\$24.25

\$36.75



## MIL-S-699 **\$5<sup>65</sup>** Single Head Air Chuck

Length

6"

12"



# **Tread Depth Gauges**



Item #	AUL-TBE100	AUL-TBE200
Touchscreen	0.95"	1.65"
Camera	1 Megapixel 4cm Macro Camera	<ul> <li>1 Megapixel 4cm Macro Camera</li> <li>8 Megapixel 10cm Zoom Camera</li> </ul>
Li-Ion Battery	1,300 mAh	3,000 mAh
Vibration Reminder		
Measurement Accuracy	0.1mm	0.1mm
Real-Time Measurement Data on Touchscreen		
Measurement Data Curve Display		•
Uneven Wear Analysis	When used with #ITS600	
Replacement & Maintenance Suggestions: tire/disc replacement, tire rotation, four tire alignment	When used with #ITS600	-
Test Detail for Single Tire Tread/Brake Disc		■
Comprehensive Test Report with TPMS	When used with #ITS600	When used with #ITS600
Scan DOT		
Tire Expiration Notice		
Tire Recall Lookup		
Take Photos of Tire Wear and Damage		
	\$482.15	\$616.65

#### SGT-65140 **\$915**

#### Tire Tread Depth Gauge

• Sliding gauge measures 0 - 1" in 1/32" increments, and 0 - 25mm in 1mm increments

## FOW-74-225-500-0 \$28<sup>65</sup>

# X-Tread® Tire Tread

- Thickness Gauge
- Inch/Metric/Fraction
  Range: 1"/25mm
- Resolution: 0.0005"/0.01mm/1/64ths
- 2.1" base, 0.095" diameter rod





# **Torque Limiting Extensions & Sockets**

#### GEARWRENCH

#### GWR-89650 **\$133<sup>25</sup>** 5-Pc 1/2" Drive 8" Long Torque **Limiting Impact Extension Set**

- 65 ft-lb (90 Nm)
- 80 ft-lb (110 Nm)
- 100 ft-lb (135 Nm)
- 120 ft-lb (160 Nm) • 140 ft-lb (190 Nm)
- Includes blow molded case



# **Astro**

## AST-78810 **\$172**<sup>95</sup>

**10-Pc Torque Limiting Extension Set** Includes 1/2" drive, 8" long extensions:

- 65ft/lb (90Nm)
- 75ft/lb (100Nm)
- 80ft/lb (110Nm)
- 90ft/lb (120Nm)
- 100ft/lb (135Nm)
- 130ft/lb (175Nm) • 140ft/lb (190Nm)
  - 150ft/lb (200Nm)

• 110ft/lb (150Nm)

• 120ft/lb (160Nm)

O O L

# SUN-2450 **\$174**<sup>55</sup>

#### 5-Pc 1/2" Drive Torque Limiting Extension Set • 65 ft-lb • 120 ft-lb

• 80 ft-lb • 140 ft-lb

• 100 ft-lb



AD

# ATD-4380 \$327<sup>15</sup>

#### 10-Pc 1/2" Drive Wheel Torque Extension Set

- 65 ft-lb (88 Nm) ATD-43751
- 70 ft-lb (95 Nm) ATD-43756
- 80 ft-lb (110 Nm) ATD-43752
- 90 ft-lb (120 Nm) ATD-43757 • 100 ft-lb (135 Nm) ATD-43753
- 110 ft-lb (150 Nm) ATD-43758
- 120 ft-lb (160 Nm) ATD-43754
- 130 ft-lb (175 Nm) ATD-43759
- 140 ft-lb (190 Nm) ATD-43755
- 150 ft-lb (200 Nm) ATD-43760





#### ATD-4375 \$189<sup>35</sup> 5-Pc 1/2" Drive Wheel Torque Extension Set

#### • 65 ft-lb (88 Nm) ATD-43751

- 80 ft-lb (110 Nm) ATD-43752
- 100 ft-lb (135 Nm) ATD-43753
- 120 ft-lb (160 Nm) ATD-43754
- 140 ft-lb (190 Nm) ATD-43755





#### LOC-1460 \$245<sup>05</sup> 5-Pc 1/2" Drive Wheel **Torque Extension Kit**

- Included extensions:
- 1400F: 65 ft-lb, 90 Nm
- 1400E: 80 ft-lb, 110 Nm - 1400C: 100 ft-lb, 135 Nm
- 1400I: 120 ft-lb, 160 Nm
- 1400Q: 140 ft-lb, 190 Nm

Yearly updated colour wall chart (#LT-1400WC)



## LOC-1470 \$350<sup>65</sup>

#### 7-Pc 1/2" Drive Wheel Torque Extension Kit

- Included extensions:
- 1400F: 65 ft-lb, 90 Nm 1400E: 80 ft-lb, 110 Nm
- 1400C: 100 ft-lb, 135 Nm 1400K: 110 ft-lb, 150 Nm
- 1400I: 120 ft-lb, 160 Nm
- 1400Q: 140 ft-lb, 190 Nm
- 1400BB: 160 ft-lb, 215 Nm
- Yearly updated colour wall chart (#LT-1400WC)

#### 1600 Series - Heavy-Duty 3/4" and 1" Drive **Truck Wheel Torque Extensions**

LOC-1500-LWC(2023) \$83<sup>05</sup>

Includes 31 colour coded socket

specs and thousands of vehicles

Wheel Torque Socket

Laminated Wall Chart

-28" x 28"

they work on

Item #	Drive	Ft-Lb	
L0C-1600O	3/4"	175 ft-lb	\$120.75
L0C-1600N	3/4"	250 ft-lb	\$120.75
L0C-1600M	3/4"	475 ft-lb	\$120.75
L0C-1600R	1"	250 ft-lb	\$120.75
L0C-1600B	1"	400 ft-lb	\$120.75
L0C-1600P	1"	475 ft-lb	\$120.75
L0C-1600Y	1"	550 ft-lb	\$120.75





#### January - March 2024 352







#### LTI Tools 1500 SERIES

#### 1/2" Drive Wheel Torque Socket Sets

Kits includes a colour wall chart
Refer to LTI 1500 Series torque sockets chart for size and torque info

Item #	Kit	1500 SERIES Sockets Included:	
L0C-1550	4-Piece	A, C, E, I	\$205.25
L0C-1560	4-Piece	BB, I, Q, Y	\$205.25
L0C-1500	8-Piece	A, B, C, E, F, G, I, Q	\$404.65
L0C-1510	10-Piece	A, B, BB, C, E, F, G, I, K, Q	\$493.95
L0C-1595	12-Piece	A, B, BB, C, DD, E, F, G, I, K, Q, TT	\$605.55

# SUN-2880 \$50895 SUNEX

#### 10-Pc 1/2" Drive Torque Limiting Socket Set

- 17mm: 55 ft-lb and 80 ft-lb 21mm: 80 ft-lb
- 19mm (3/4"): 65 ft-lb, 80 ft-lb, 100 ft-lb
- 22mm (7/8"): 120 ft-lb, 140 ft-lb
- 13/16": 100 ft-lb 15/16": 140 ft-lb

# KEN-30176 **\$297<sup>05</sup>**

#### 6-Pc 1/2" Drive Torque Master® Torque Limiting Socket Set

- 19mm (3/4"): 65 ft-lb Yellow
- 19mm (3/4"): 80 ft-lb Blue
- 19mm (3/4"): 100 ft-lb Gray
- 21mm: 60 ft-lb Black
- 13/16": 100 ft-lb Brown
- 7/8": 120 ft-lb White

## KEN-30190 \$556<sup>45</sup>

12-Pc 1/2" Drive Torque Master® Torque Limiting Socket Set

- 17mm: 45 ft-lb Dark Green
- 17mm: 80 ft-lb Red
- 19mm: 90 ft-lb Gold
  19mm (3/4"): 65 ft-lb Yellow
- 19mm (3/4"): 80 ft-lb Blue
- 19mm (3/4"): 100 ft-lb Gray
- 21mm: 60 ft-lb Black
- 21mm: 80 ft-lb Orange
- 13/16": 100 ft-lb Brown
- 7/8": 100 ft-lb Navy Blue
  7/8": 120 ft-lb White
- 7/8": 140 ft-lb Aqua

# KEN-30175 **\$216**<sup>45</sup>

#### 4-Pc 1/2" Drive Torque Master® SUV Torque Limiting Socket Set

- 19mm (3/4"): 100 ft-lb Gray
- 21mm: 150 ft-lb Turquoise
- 13/16": 100 ft-lb Brown
- 7/8": 140 ft-lb Aqua



**I ( Ken-Tool**°





#### 1500 Series 1/2" Drive Torque Sockets

 Will torque wheel nuts to the correct torque the first time, every time, on most makes and models of Foreign & Domestic cars, light trucks, SUV's and vans

ouro, light ti						
Item #		Colour	Size	Ft-Lb	Nm	
LOC-1500 <b>A</b>		BROWN	13/16"	100 ft-lb	135 Nm	\$52.75
LOC-1500 <b>AA</b>		LEMON GREEN	22mm	80 ft-lb	110 Nm	\$52.75
LOC-1500 <b>B</b>		ORANGE	21mm	80 ft-lb	110 Nm	\$52.75
LOC-1500 <b>BB</b>		TURQUOISE	21mm	150 ft-lb	200 Nm	\$52.75
LOC-1500 <b>C</b>	$\bigcirc$	GRAY	3/4"/19mm	100 ft-lb	135 Nm	\$52.75
LOC-1500 <b>CC</b>	$\bigcirc$	PINK	17mm	90 ft-Ib	120 Nm	\$52.75
LOC-1500 <b>D</b>		BLACK	21mm	60 ft-lb	80 Nm	\$52.75
LOC-1500 <b>DD</b>	$\bigcirc$	SKY BLUE	21mm	100 ft-lb	135 Nm	\$52.75
LOC-1500 <b>E</b>		BLUE	3/4"/19mm	80 ft-lb	110 Nm	\$52.75
L0C-1500 <b>F</b>	$\bigcirc$	YELLOW	3/4"/19mm	65 ft-lb	90 Nm	\$52.75
LOC-1500 <b>G</b>		RED	17mm	80 ft-lb	110 Nm	\$52.75
LOC-1500 <b>GG</b>		BEIGE	1-1/16"	80 ft-lb	110 Nm	\$52.75
LOC-1500 <b>HH</b>		LIGHT ORANGE	1-1/16"	100 ft-lb	135 Nm	\$52.75
LOC-1500	$\bigcirc$	WHITE	7/8"	120 ft-lb	160 Nm	\$52.75
LOC-1500 <b>J</b>		TAN	1"	140 ft-lb	190 Nm	\$52.75
LOC-1500 <b>K</b>	$\bigcirc$	PURPLE	17mm	110 ft-lb	150 Nm	\$52.75
LOC-1500 <b>L</b>		APPLE GREEN	1"	170 ft-lb	230 Nm	\$52.75
LOC-1500 <b>LL</b>		BUBBLE GUM	22mm	175 ft-lb	235 Nm	\$52.75
LOC-1500 <b>NN</b>		GOLD	3/4"/19mm	90 ft-lb	120 Nm	\$52.75
LOC-1500 <b>Q</b>	$\bigcirc$	AQUA	7/8"	140 ft-lb	190 Nm	\$52.75
LOC-1500 <b>S</b>	$\bigcirc$	LIGHT BLUE	3/4"/19mm	55 ft-lb	75 Nm	\$52.75
L0C-1500 <b>SS</b>		SILVER	21mm	110 ft-lb	150 Nm	\$52.75
L0C-1500 <b>TT</b>	$\bigcirc$	LIME GREEN	15/16"	135 ft-lb	175 Nm	\$52.75
LOC-1500 <b>V</b>		MAROON	1-1/16"	140 ft-lb	190 Nm	\$52.75
LOC-1500 <b>XX</b>	$\bigcirc$	VANILLA	13/16"	160 ft-lb	220 Nm	\$52.75
L0C-1500 <b>Y</b>		NAVY BLUE	7/8"	100 ft-lb	135 Nm	\$52.75

**Open Stock** 

# Axle Nut/Locknut Tools

**Axle Nut/Wheel Bearing Locknut Sockets** 

# 9850 9850

OTC-9850 **\$1404**<sup>15</sup>


21-Pc Truck Wheel Bearing Locknut Sockets Display Board

 See open stock chart for this Display Board's contents

## OTC-9852 **\$1009<sup>85</sup>** 12-Pc Truck Wheel

 Bearing Locknut
 Sockets Display Board
 See open stock chart for this Display Board's contents





LAN-1291 **\$1273<sup>25</sup>** 22-Pc Axle Nut

Sockets Display

See open stock chart for this Display Board's contents

# LAN-1290 **\$856**<sup>65</sup>

14-Pc Axle Nut Sockets Display

See open stock chart for this Display Board's contents

Socket Size	Pts.	OIC Item #	Included in OTC #9850 or #9852	OTC Price	LANC Item #	Included in LANG #1291 or #1290	LANC Price
2-3/32"	6	OTC-1901	<b>♦</b>	\$52.25	LAN-1201	*	\$52.85
54mm (2-1/8")	6				LAN-1229	*	\$49.75
2-1/4"	6	0TC-1920	•	\$52.25	LAN-1220	+ 🔳	\$54.85
2-3/8"	6	0TC-1902	•	\$52.25	LAN-1202	*	\$56.65
2-3/8"	6	OTC-1936*	•	\$52.25	LAN-1236*		\$56.55
2-3/8"	8	OTC-1903		\$52.25	LAN-1203		\$56.45
2-1/2"	6	0TC-1921	• •	\$52.25	LAN-1221	* <b>=</b>	\$55.15
2-9/16"	6	OTC-1904	• •	\$52.25	LAN-1204	* 🔳	\$54.25
2-9/16"	6	0TC-1928*	• •	\$52.25	LAN-1228*	🔶 📕	\$53.85
2-9/16"	8	0TC-1905		\$52.25	LAN-1205		\$59.65
2-5/8"	6	0TC-1922	• •	\$52.25	LAN-1222	* <b>=</b>	\$52.25
2-3/4"	6	0TC-1923	• •	\$52.25	LAN-1223	* <b>=</b>	\$73.05
2-3/4"	6				LAN-1245*	*	\$50.05
2-3/4"	8	0TC-1937		\$52.25	LAN-1237		\$82.75
2-7/8"	6	0TC-1932	• •	\$52.25	LAN-1232	*	\$63.45
2-7/8"	8	OTC-1933		\$52.25	LAN-1233		\$60.75
3"	6	OTC-1906	•	\$52.25	LAN-1206	🔶 📕	\$54.35
3"	8	0TC-1907		\$52.25	LAN-1207	*	\$59.25
3-1/8"	6	0TC-1934	•	\$52.25	LAN-1234		\$43.25
3-1/8"	8	0TC-1935		\$52.25	LAN-1235		\$43.05
3-1/4"	6	OTC-1908	• •	\$49.35	LAN-1208	💠 📕	\$65.85
3-1/4"	8	OTC-1909		\$49.35	LAN-1209	🔶 📕	\$66.15
3-3/8"	8	0TC-1924		\$52.25	LAN-1230		\$75.95
3-1/2"	6	OTC-1910	• •	\$49.65	LAN-1210	🔶 📕	\$61.15
3-1/2"	8	0TC-1911		\$59.15	LAN-1211		\$61.05
3-3/4"	8	0TC-1925		\$59.15	LAN-1225	÷ 🔳	\$72.25
3-3/4"	6	OTC-1926	•	\$52.95	LAN-1231		\$73.55
3-13/16"	8	0TC-1927		\$59.15	LAN-1227	🔶 📕	\$67.95
3-7/8"	6	0TC-1912	•	\$59.15	LAN-1212	*	\$59.15
3-7/8"	8	OTC-1913	•	\$49.85	LAN-1213	*	\$58.95
4"	6	OTC-1914	•	\$52.65	LAN-1214	÷ 📕	\$65.25
4-1/8"	6	OTC-1915	•	\$56.65	LAN-1215	*	\$69.45
4-1/8"	8	OTC-1940		\$59.15	LAN-1240		\$72.75
4-3/8"	6	OTC-1916	•	\$59.15	LAN-1216		\$70.55
4-3/8"	8	OTC-1917		\$68.75	LAN-1217		\$73.35
4-1/2"	8	OTC-1938		\$68.75	LAN-1250		\$77.35
4-13/16"	8	0TC-1941		\$56.15	LAN-1241		\$82.35
4-7/8"	6	OTC-1918	•	\$55.95	LAN-1218		\$81.75
4-7/8"	8	OTC-1919		\$64.95	LAN-1219		\$85.65
5-1/4"	6	OTC-1939	•	\$93.65	LAN-1239		\$58.95

\* Fits special "rounded" hex nut found on Dana axles of some Ford trucks.



# Lug Nut, Lug Bolt & Wheel Lock Tools



OTC-5047 **\$96<sup>15</sup>** Lug Nut Cap Remover



LIS-51330 **\$62<sup>25</sup>** Adjustable Chrome Lug Nut Cap Remover

# ar 🔿

CTA-4218 **\$31<sup>85</sup>** 1/2" Drive Mercedes Lug Bolt Impact Socket

• 17mm x 6-point "Flower Design"

Services 2009+ lug bolts



# LOC-4200A \$55<sup>45</sup>

Dual Sided 6-Flute Twist Socket Damaged Lug Nut Remover • 3/4" (19mm), 13/16" (21mm)







# LOC-4000 **\$165<sup>05</sup>**

#### Deluxe Hubcap & Wheel Lock Removal Kit

• Works on GM, Ford, and Chrysler wire wheel hubcap locks on 1978-1997 vehicles

- Works on factory and most after market mag wheel locking nut locks
- Includes #LT4200A Dual Sided Twist Socket Lug Nut Remover

#### STEELMAN PRO

## STE-78537 **\$162<sup>85</sup>**

16-Piece Locking Lug Nut Master Key Set
Includes lug keys for a wide

 Includes lug keys for a wide variety of security lug styles currently on the market



ATD-3065 \$22055

16-Piece Locking Lug Nut Master Key Set

• Specifically designed to remove locking lug nuts on nearly every aftermarket wheels





- $\bullet$  Loosens the most stubborn wheel nuts  $\,\bullet\,$  Gear ratio: 58:1
- Use on commercial or agricultural wheels
  Rated output torque: 2,950 ft-lb
  (2) sockets included:
  - 1-1/2" (38mm) & 1-5/16" (33mm) not impact rated

# Lug Nut, Lug Bolt & Wheel Lock Tools



# Wheel Stud Service Tools

#### TIGER TOOL

#### TGR-10618 \$230995 Wheel Stud Service Kit for Commercial Hydraulic **Disks & Drums**

- Generates over 10 tons of pressing power
- Applications commonly found on class 6-8 transportation trucks and
- equipment (Kenworth, Peterbilt, Freightliner, Mack, Volvo, etc.)
- Requires 10,000 PSI hydraulic pump







#### OTC-4295 \$629<sup>15</sup>

Wheel Stud **Remover/Installer Kit** 

- Covers all sizes of studs
- No need to remove hub from vehicle · Can be powered with an impact wrench,
- no hydraulic power source required





Stud Extractor • Fits 1/4" to 1/2" (6 - 12mm) studs

• Impact gun compatible



PERCIN



# LIS-22800 \$46<sup>95</sup>

Wheel Stud Installer · Easily installs new wheel studs on almost all automotive and light-duty truck wheels





#### **Stud Remover and Installer Sets**

Item #	Description	3
ASM-201	<b>4-Pc –</b> 6, 8, 10, 12mm	\$97.75
ASM-201-7	<b>5-Pc –</b> 6, 7, 8, 10, 12mm	\$129.85
ASM-202	<b>5-Pc -</b> 1/4", 5/16", 3/8", 7/12", 1/2"	\$127.35
ASM-203	<b>7-Pc –</b> 1/4", 5/16", 3/8", 7/12", 1/2", 9/16", 5/8"	\$185.15

#### LAN-802 **\$161<sup>35</sup>** .ANG

#### 12-Pc Wheel Stud **Installer Kit**

• For installing button head wheel studs

- For most domestic and foreign cars, light trucks and SUV's
- · Includes installers, washer, spacer and corresponding rethreader dies





# fisle

# LIS-14150 **\$110**<sup>65</sup>

8-Pc Wheel Stud **Pilot Pin Master Set** 

- Easily remove and install wheels on vehicles with lug bolts
- · Pilot pins allow you to hang the wheel without having to balance the wheel on the small lip of the hub
- Threaded pins in sizes: (2) 12mm x 1.25; (2) 12mm x 1.5; (2) 14mm x 1.25; (2) 14mm x 1.5

ccess Tools

## AET-WB6 \$5905

#### 6-Pc Wheel Hangers / Wheel Guides

- Holds wheel in place while working on
- European vehicles without studs
- Sizes included: 14 x 1.5 (black),
- 14 x 1.25 (blue), 12 x 1.5 (red)

**9CIRCLE** 



#### 2-Pc Wheel Stud **Alignment Guide Sets**

Item #	Male Threads	Applications	
9CL-96053	M12 x 1.50	Audi, Alfa Romeo, BMW, Mercedes, Mini, Porsche, Vauxhall, Volvo and VW	\$22.05
9CL-96054	M14 x 1.50	Audi, BMW, Citroen, Chrysler, Ferrari, Fiat, Ford, GM, Hyundai, Land Rover, Lamborghini, Mercedes, Opel, Peugeot, Porsche, Renault, Rover, Saab, Seat, Skoda, Vauxhall, VW	\$23.75
9CL-96055	M12 x 1.25	• Mini Cooper: 2007-2014 • BMW: 2007: X5; 2008: X5, X6 2009: 750, X5, X6 2010: 750, 760, X5, X6 2011: 528, 535, 550, 740, 750, B7, X5, X6 2012-2013: 325, 335, 528, 535, 550, 740, 750, B7, M5, X5, X6	\$23.75
9CL-96061	M16 x 1.50	Dodge/Ram ProMaster 2014-2020	\$26.55



# **Hub & Stud Resurfacing Tools**



#### S6675 MUK-433 502/M Wheel Hub Grinder

# - Type 1, 60mm Internal

- Special grinder cleans wheel and hub contact surfaces
- Includes (1) 6.3" (160mm) disc

# MUK-433 501 **\$107**<sup>75</sup>

3-Pc Replacement Discs for #433 502/M

# MUK-433 500 **\$106**<sup>65</sup>

#### Wheel Hub Grinder Type 1, 75mm Internal

- For cleaning the wheel centering device and the attachment face between the wheel and the hub
- Max. speed: 500 rpm



#### **Inner Rim Cleaner** • To be used only on the inside of an aluminum rim with an enlarged diameter of 3" (75mm)

# MUK-282 260/KIT \$133<sup>55</sup>

#### 7-Piece Conical Eraser **Kit for Rims**

- · Removes wheel weights adhesive
- 60mm D. x 26mm H.
- Includes adapter for drill chuck





#### **Hub & Stud Cleaning Discs**

- Black: general purpose; Purple: extra fast
- Box of 10 discs

Item #	Size	Colour	
GLI-53018	1.5" x 5/8"	Black	\$21.35
GLI-56018	1.5" x 5/8"	Purple	\$38.05
GLI-53029	2" x 5/8"	Black	\$22.35
GLI-56029	2" x 5/8"	Purple	\$42.45



# ESC-50170 **\$80**<sup>85</sup>

#### Stud Kleen<sup>™</sup> – ALL-IN-ONE Impact Driven Hub/Stud/Wheel Cleaner

- Removes rust, corrosion, and other debris that build up on tire rims, wheel studs, and brake drums with ease
- Longest lasting abrasive pad can clean up to 800 wheels
- · Designed to be used on automotive/light trucks





# AME-37330 \$2775

# Hub Buddy XL Impact-Rated

#### Lug/Disc Surface Cleaner

- Removes rust, corrosion and other build-up from wheel studs, drums and tire rims
- Includes: 1 Hub Buddy XL attachment and 1 cleaning disc

# AME-37335 \$39<sup>35</sup>

6-Pc 2" Cleaning Discs for Model #37330 Hub Buddy XL

# AME-37350 **\$106<sup>55</sup>**

#### Hub Bro - Impact Wheel Hub Cleaner

- 6.3" (160mm) large diameter for cleaning wheel mounting surface
- Ideal for European lug bolt hub cleaning
- 1/2" drive impact rated

# 3MM-7546 \$55<sup>05</sup>

#### Scotch-Brite<sup>™</sup> Roloc<sup>™</sup> **Brake Hub Cleaning Discs**

- Extra coarse
- 1-1/2" x 5/8" center hole
- Box of 10 discs

# OTC-8342 \$7295

#### **Brake Hub Resurfacing Kit**

- Kit includes holder and five sanding discs
- Quickly sands rust off lug studs and rotors on the hub assembly
- For most domestic and import vehicles with either front or rear disc brakes
- 10-pack replacement sanding pads: #0TC-552948

#### Calyan CAL-16 **\$10805**

#### **Quick Change Wheel** Stud Cleaner Kit

- Comes with a 1/2" drive adapter, and 6 brushes
- Brush sizes include:
- 12mm (7/16"), 13mm (1/2"), 14mm (9/16"), 16mm (5/8"), and 22mm (1/18")













January - March 2024 358



\$69.15


\$101.15

\$101.15

\$101.15

\$101.15











# Wheel Weight Tools







MRI-MIC-ROLLER \$174<sup>55</sup> **Portable Roller Kit** for Tire Inflation Cage

- · Easily roll your tire/wheel assembly in an inflation safety cage to place valve in proper position
- For use with passenger car & SUV tires, truck & bus super single tires
- 450 lb capacity
- 15" x 15" x 2"
- 100% compatible with MARTINS MIC-3, MIC-4, MIC-5 and MIC-OTR tire inflation safety cages (sold separately)


# **Tire Racks**



- For passenger car and SUV tires
- Shelves are adjustable in 1" increments
- These redesigned models are not compatible to be attached back-to-back with older models #MTS-92, MTS-924 or MTS-925

Item #	MRI-MTSR-3	MRI-MTSR-4	MRI-MTSR-5
Shelves	3	4	5
Dimensions	L: 84-3/4" W: 16-3/8" H: 85-5/8"	L: 84-3/4" W: 16-3/8" H: 117-1/4"	L: 84-3/4" W: 16-3/8" H: 150-1/8"
Max. Tire Cap.	$\approx$ 24 Tires	$\approx$ 32 Tires	$\approx$ 40 Tires
Max. Load Cap. per Tier	500 lbs	500 lbs	500 lbs
Ship Weight	73 lbs	95 lbs	119 lbs
	6	6	6

# **Tire Changing Tools & Equipment**



## **WHEEL & TIRE MAINTENANCE**

## **Tire Changing Tools & Equipment**



#### **Tire Irons and Bead Breakers**

Item #	Model	Description	Stock	
KEN-32120	T20	24" Curved Tire Mount/Demount Spoon	11/16"	\$55.65
KEN-33220	T20A	30" Curved Tire Mount/Demount Spoon	11/16"	\$62.05
KEN-33219	T19A	30" Straight Tire Mount/Demount Spoon	11/16"	\$62.05
KEN-33341	T41	30" Swan Neck Leverage Bar	7/8"	\$113.25
KEN-33342	T42	30" Bead Breaker	7/8"	\$113.25
KEN-32116	T16A	16" Tire Iron for Small Tires	7/16"	\$40.25
KEN-34645	T45A	37" Super Duty Tubeless Truck Tire Iron	3/4"	\$131.45
KEN-34645C	T45AC	37" Classic Super Duty Tubeless Truck Tire Iron	3/4"	\$151.75
KEN-34647	T45HD	41" HD Tubeless Truck Tire Iron	7/8"	\$168.05
KEN-34747	T46A	36" Straight Standard Tubeless Truck Tire Iron	3/4"	\$126.55
KEN-34848	T47B	49.5" HD Straight Tubeless Truck Tire Iron	1"	\$326.25
KEN-34847	T47A	52" HD Straight Tubeless Truck Tire Iron	1"	\$313.35
KEN-35329	T11E	30" Bead Breaking Wedge with Wood Handle		\$202.85
KEN-35429	TG11E	32" Bead Breaking Wedge with Fiberglass Handle		\$233.85







#### **Bead Breaker Kit**

- · Bead breaker works on single, two and three-piece truck tires/rims, including some new style wheels Kit includes:
- #10101 13.8 ton "Combi" bead breaker tool
- #10592 5 quart hydraulic air pump
- #10604 8' Hose assembly with hose coupler
- #10601K 6" whip-hose and air reducer

## ESC-70160 \$18745



#### **Manual Bead Breaker** • For small ATV tires and up

- · Works on the tire without removing the wheel • Will handle 38" and 42" 14-ply farm tractor and
- backhoe tires with drop center rims to small ATV and lawn mower tires
- · Operates with air ratchet wrench or ratchet & socket



AME-71500 \$14995

**Heavy-Duty Slide Hammer Bead Breaker** 

**Big Buddy Bead Breaker Slide Hammer** 

• Spring-action tip reduces kick-back



ESCO





#### **Pneu-Tek Universal Impact Driven** Pneumatic Tire Demount Tool

- Tackles the hard 19.5" reverse hubs and grader tires
- Can be used on all tire sizes from 10" ATV tires and up
- Great for agricultural tires, one-piece grader, loader, forestry and back hoe tires
- 11/10

ESCO

ESC-10165 **\$1570<sup>15</sup>** 

**5-Ton Capacity Dual Wheel** 

**Agricultural Tire Bead Breaker** 

@ESCO

Bead Bazooka® Bead Seaters       • 25.5" x 16.5 x 11.5"         • Automatic rapid air release system       • Ultra-compact tank and lightweight for easier handling         • Ultra-compact tank and lightweight for easier handling       • Weight: 26 lbs		Ti	re Changing Tool	s & Equipment		1 C
Automatic rapid air release system • Automatic rapid air release syst	SC-90518-100 <b>Truck Tire Der</b> Demounts 22.5 Mounts all tube	nount & Mounting Tool Kit " to 24.5" tubeless truck tires less tires 17.5" through 24.5"		Golden Buddy Tire Changing System • Mount and demount tools fo 22.5" and 24.5" tires/wheels	While quantities last Buy #AME-7 obtain #AM for free: Big Bead Break	71050 and E-71500 Buddy er
Second Generation Automatic rapid air release system O Ultra-compact tank and lightweight for easier handling Second Generation O Ultra-compact tank and lightweight for easier handling Second Generation O Ultra-compact tank and lightweight for easier handling Second Generation Second Gener			Bead Sea	iters		
Item # Tank Tire Applications	<u>Jaither</u>	BEADBAZOOKA 6	AZODKA 10 -	<ul> <li>5 Gallon Bead Seater</li> <li>Seats beads on all tires from 4" to 24.5" sizes</li> <li>Powder coated steel tank</li> <li>MRI-MBS-5 \$280<sup>65</sup></li> <li>5 Gallon Bead Seater</li> <li>Compatible with Nitrogen</li> </ul>		
ATV Metamole Ore and	Bead Bazooka Automatic rapid	ation <sup>®</sup> Bead Seaters d air release system				
CAR-CODDSL2 SL Light Commercial Vehicles 9405.05	Bead Bazooka Automatic rapic Ultra-compact Item # Ta	ation Bead Seaters d air release system tank and lightweight for easier handling Ink Tire Applications ATV Meteorolo Car and				
GAI-GBB6L2       6L       Heavy Commercial Vehicles       \$565.15         GAI-GBB10L2       10L       Car, Light Truck, Heavy Commercial, and Light Agricultural Vehicles       \$663.85         With Heavy Duty Steel Tanks       • Fast and powerful discharge system         • Max. 165 PSI       • Protective rubber coated feet	Bead Bazooka       Automatic rapid       Ultra-compact       Item #     Ta       GAI-GBB3L2     3	ation Bead Seaters d air release system tank and lightweight for easier handling mk Tire Applications ATV, Motorcycle, Car, and Light Commercial Vehicles Motorcycle, Car, Light Truck, and	ŜAGE OF	Weight: 26 lbs	**	50

#### Hurricane<sup>™</sup> Bead Seaters with Lightweight Aluminum Tanks

- Fast, easy and powerful push-button style discharge system
- Steel casing helps protect safety valve and pressure gauge
- Max. 165 PSI
- Protective rubber coated feet

Item #	Tank Size	Dimensions	Weight	
ESC-20387	5 Gallon	30" x 11" x 12.5"	19 lbs	\$503.15
ESC-20388	9 Gallon	28" x 14" x 14.5"	23 lbs	\$566.35
ESC-20389	13 Gallon	31" x 14" x 15"	24 lbs	\$638.75



®ESCO M

- With Heavy Duty Steel Tank
   Classic designed "End Discharge" system
   provides greater control and stability while seating event the toughest of beads
- Long "Cowbell" style barrel locks the bead • Works on ATV - 24.5" truck tires
- Max. 165 PSI
- Protective rubber coated feet
- Item # Tank Size Dimensions Weight ESC-20380 22" x 13" x 13" 34 lbs \$335.25 5 Gallon

## **Pitman Arm & Tie Rod Tools**





#### 364 January – March 2024

#### **Power Steering Service Tools Axle/Spindle & Locknut Tools** LOC-855A \$445<sup>15</sup> OTC-5079 \$1383<sup>55</sup> **Texas Twister Air Heavy-Duty Truck Power Hammer Pulling Kit Steering Pump Analyzer** · Converts your air hammer into Applications: Eaton/Vickers, TRW, Ross, and Shepard power steering systems a pneumatic slide hammer 00 • Measures 1 to 10 gallons oil flow and • Pulls axles, hub bearings, bolts, harmonic 00 OIC balancers, distributors, seals, axle pinion up to 3,000 psi of pressure flanges. or anything else that needs to be pulled \$253<sup>75</sup> Includes adapters to connect to your current pullers ATD-5556 ATD **Power Steering and Rack Tester** Made in Canada • Includes most adapters needed to Tiger Tool. test domestic cars and light trucks and some imports TGR-11001 \$566<sup>95</sup> • Dual 2-1/2" easy-to-read gauge records pressure **Axle Shaft Puller** from 0-2,000 psi and 0-140 BAR • Easily removes axle shafts on medium to heavy-duty Dana, Eaton and Rockwell drive axles • Commonly found on class 6-8 transportation trucks and **King Pin Service** equipment (Kenworth, Peterbilt, Freightliner, Mack, Volvo etc.) TIGER TOOL. Made in Canada ASSENMACHER SPECIALTY TOOLS TGR-90150 \$220495 ASM-6500X-18 \$5755 **Heavy Duty King Pin Press** 1/2" Drive 12-Pt. 18mm Socket • Generates 46,000 lbs of force for VW Rear Axle Bolts • Services 3/4 ton pickups up to Used to remove and install the rear axle bolt Class 8 trucks of various VW models • For use on straight and tapered king pins from 7/8" to 2-5/32" • Comparable to VW #T10162 Isuzu NPR and GMC/Chevrolet W-series trucks require a custom adapter (#90151) AST-78868 \$145<sup>35</sup> Not compatible with FL981 axles 8-Pc 1/2" Drive Extra Deep 1 2 Pt. **Axle Nut Socket Set** TGR-90153 \$650<sup>95</sup> • Designed for an exact fit on both 2-1/2" King Pin Clearance Plate 6 pt. and 12 pt. axle nuts • The large 39mm socket works on • For use in conjunction with the King Pin Press (#90150) Toyota/Lexus applications • This adaptor will allow the #90150 to service Includes: 29, 30, 32, 34, 35, 36, 38, 39mm 2-1/2" straight and tapered king pins **Astro** AST-78866 \$141<sup>65</sup> TGR-15200 \$629<sup>95</sup> 8-Pc Extra Deep **Axle Nut Socket Set Tapered Torque Rod Press** • 6-Pt. 29mm, GM late model, Ford, Asian · Efficiently and effectively remove transverse torque rods found on Neway and • 6-Pt. 30mm, GM body styles A, J & N, Asian Hendrickson suspensions • 6-Pt. 32mm, Honda, Chrysler • For use with up to a 1" impact tool • 6-Pt. 34mm, GM Mid-size • 6-Pt. 35mm, GM • 6-Pt. 36mm, GM, Ford, Chrysler • 6-Pt. 38mm, Full-size and SUVs 12-Pt. 39mm, Toyota/Lexus full-size and SUV 9 OTC-4240A **30-Ton Heavy Duty King Pin and** 12 Point Axle Nut Sockets **Brake Anchor Pin Pusher** · Works on both straight and Item # Size tapered king pins It accommodates sizes from \$29.15 LIS-39510 30mm 7/8" to 2" in diameter and up to LIS-39650 39mm for Toyota \$35.05 11-1/4" in length lisle LIS-31550 **\$87<sup>55</sup>** Axle Hub Bridge Nut Socket for GM **®ESCO** ESC-40310 \$3765 Removes and installs the hub bearing retaining nut found on some GM GMT900 platform full-size trucks 1/2" Drive King Pin Socket • Fits the new style retaining nut found on 2-wheel and for Mack Trucks 4-wheel drive Chevenne, Silverado, Escalade, Sierra Socket diameter: 1.8' and Avalanche trucks with 10.5" or 11.5" ring gear

## Axle/Spindle & Locknut Tools

2835

\$176.45

\$142.85

\$214.25





2830

SUNEX



Size		Item #	Pts.	Size	
29mm	\$21.55	SUN-2800ZD	(2)	30mm	\$32.15
30mm	\$21.25	SUN-2803ZD	(12)	35mm	\$33.35
34mm	\$25.85	SUN-2802ZD	(12)	36mm	\$41.25
		SUN-2807ZD	12	39mm	\$38.15

OTC	70	90A	7157	7158	7269
1/2" Sq. Dı Locknut S	1	Į	Ø	O	
Item #	For Servici	ng:			
0TC-7090A			H.D. 3/4 and 1-t -ton 4WD trucks		\$74.85
OTC-7157	<ul> <li>1995-96 Fo Bronco with</li> <li>1995+ Ford</li> <li>1959-85 Fo full-size Bro</li> <li>1960-90 GM</li> </ul>	rd F-series n manual hul I F-series 3/ ord F-series onco M 1/2-ton tro odge 1/2-tor	1/2-ton truck an bs 4-ton & 1-ton tr 1/2-ton and 3/4 uck and full-size n truck with man	ucks w/manual hi -ton trucks and • Blazer/Jimmy	
OTC-7158	Dana 50 IFS • 1982-90 GM	6, Dana 60 f M H.D. 3/4-t	ries H.D. 3/4-tor ront axle on and 1-ton tru na 60 with Cumr	cks	\$80.15
OTC-7269	<ul> <li>1985-newe with Dana 8</li> </ul>		ies 3/4-ton and	1-ton trucks	\$96.15



CTA-1083 \$11485 **Ford Transit Rear** 



Hub Nut 4-Pt. Impact Socket Services 2014+ RWD Ford Transit vehicles Comparable to Ford factory tool #205-1007

### CTA-1212 \$127<sup>55</sup>

#### 12 Pin Hub Nut Socket for RAM Trucks

- Services rear axle hub bearing retaining nut on heavy duty RAM trucks: 2019+ 3500, 4500, 5500 (D2, DD, DP)
- Compare to FCA factory tool #2066600030

## CTA-5900 **\$109**<sup>75</sup>

#### **GM Hub Nut Remover/Installer Tool**

- Removes and installs the hub nut on GM 11.5" & 12.0" rear axles
- Services new hub nut used on 2020+ Chevrolet Silverado & GMC Sierra 2500/3500 HD trucks 11.5" & 12.0" axles with Dual Rear Wheel hubs
- Compare to GM Factory Tool DT-52754

### GRY-1708SN **\$217<sup>35</sup>**

## 8-Pc 1/2" Drive 1 2 Pt.

**Axle/Spindle Nut Socket Set** • 29mm, 30mm, 32mm, 34mm, 35mm, 36mm, 38mm, 39mm

### GWR-41660D **\$150**<sup>75</sup>

#### 6-Pc 1/2" Drive **Spindle Nut Socket Set**

 Fits most 4WD SUV's & light truck axle locknut applications

 Use with a torgue wrench, ratchet, or breaker bar

## OTC-4543A \$216<sup>35</sup>

6-Pc 4WD Spindle Nut Socket Set

· Covers most SUV and light truck applications

OIC

• 1/2" square drive sockets, allowing use of a torque wrench, ratchet, or breaker bar

## STK-71410 **\$126<sup>25</sup>**

#### **Axle Popper**

#### **Fork and Shim Kit**

• Breaks loose half shafts from transaxle on front wheel drive vehicles

Shim included in kit to fill larger gap found on some vehicles

#### Ford Axle Shaft **Seal Installers**

- For use on vacuum-operated front axles
- · Correctly installs the seal onto the axle shaft and into the wheel knuckle preventing front hub vacuum leaks that would cause the 4WD to not engage

Item #	Application	
0TC-6695	1998-2004 Ford F-250, F-350, F-450 and F-550 4X4s	\$196.05
OTC-6697	2005-newer Ford F-250, F-350, 4X4s	\$201.55
0TC-6698	2005-newer Ford F-450, F-550, 4X4s	\$225.65

OI

6698



#### GEARWRENCH





STECK

6697



AD





## Wheel Hub Service Tools

Callan

#### CAL-90703 \$41<sup>25</sup>

3/8" Drive Dodge/Ram Truck **Rear Wheel Hub Nut Socket** 

- Fits rear axle locknuts of Dodge/Ram trucks with six holes
- Applications: models 1500-5500 from 2006-2014 (Chassis codes: D2, DC, DD, DH, DJ, DP, DR, DS)
- Comparable to Mopar<sup>®</sup> factory tool #8954A

### STK-71310 **\$196<sup>35</sup>**

#### **Inner Race Hub Saver**

- 6" steel cone cylinder with an
- integrated bearing in its 8.5" base • Allows the technician to place the hub on the tip of the cone and rotate it with one hand while applying heat from an oxyacetylene torch
- While rotating the hub, the torch will raise the temperature of the inner bearing race evenly and quickly causing the race to expand and release from the hub in about 5 minutes



## **Torsion Bar Tools**

## AST-78823 \$8725

## Late Model GM Heavy-Duty

- Torsion Bar Unloading Tool for 2011+ · Needed to service torsion arm and front
- suspension on many 2011+ full-size GM trucks
- Holds the torsion bar in place while you loosen or tighten the adjusting nut

## OTC-7832 **\$168<sup>25</sup>**

AST-7865 **\$169<sup>15</sup>** 

**Ball Joint Service Tool with** 

**4-Wheel Drive Adapters** 

#### **GM Torsion Bar**

#### Unloader

- Required to safely release the tension on the front suspension torsion bar to service the front suspension
- Larger design to cover the newer GM Truck applications: 2011-newer HD C/K trucks



OIC

**Astro** 

## **Ball Joint Service Tools**

## CTA-1732 \$45<sup>85</sup>

#### 41mm 12 Point BMW/Benz Ball Joint Impact Socket, 1/2" Drive

• Applications includes BMW and Mercedes lower ball joint

## AST-78620 \$3905

#### Subaru Ball Joint Puller

- · Removes seized bolt-in Subaru ball joints
- in a single pulling motion
- For Subaru Baja 2003+, Forester 1998+ Impreza 1993+, Legacy 1990+, Outback 2000+ and more

NE



## TBQ-17392 \$9725

#### 9-Pc Ball Joint

## Service Kit

• Kit includes installation and removing adapters for 1967 to current 1/2-Ton and 3/4-Ton 4WD vehicles having the Dana 44 front axle (found on Ford, GM, Dodge, IHC and Jeep vehicles)



## TBQ-17398 **\$170**<sup>45</sup>

#### 21-Pc Master **Ball Joint Service Kit**

- · Heavy duty tool set
- removes and installs ball joints, U-joints and brake anchor pins
- Includes a C-frame press and forcing screw, as well as all of the receiver tubes and adapters necessary to work on press-fit upper and lower ball joints on most Dodge, GM, Ford and other 2WD and 4WD cars, pickups, vans and SUVs through 2006



- · Removes and installs press-fit parts such as ball joints, universal joint and truck brake anchor pins Ball joint service kit allows service for
- 1967 thru current 1/2 and 3/4 ton 4WD vehicles having the Dana 44 front axle (found on Ford, GM, Dodge, IHC and Jeep vehicles)
- Receiver tubes: 2-3/4" x 3", 2-1/4" x 2-1/2" & 1-3/4" x 2", installation and removing adapters



## AST-7868 \$15475

#### **Master Ball Joint Adapter Set**

• Includes all the receiving tubes and removing/ installing adapters needed to work on most GM, Ford and Dodge 2-wheel and 4-wheel drive pick-ups, vans and sport utility vehicles through 1997

#### AST-7897 \$316<sup>85</sup>

#### **Ball Joint Service Tool and Master Adapter Set**

· Removes and replaces ball joints Works on press-fit upper and lower ball joints on most GM, Ford, and Dodge 2 and 4 wheel drive pick-ups, vans and

sport utility vehicles through 1997

## AST-78197 \$367<sup>35</sup>

#### **Goliath Ball Joint Service Tool & Master Adapter Set**

- The C-frame press has both wider opening and longer arms to a more easily fit adapters
- Works on press-fit upper and lower ball joints on 2WD & 4WD domestic, import and Euro vehicles through the 2020's







210







**Astro** 

## **Ball Joint Service Tools**

## SLY-18100 \$1706<sup>35</sup>

#### **High Pressure Ball Joint Press**

- Designed to remove and install most ball joints with pre-fitted straight grease fittings
- Includes 9 cup sizes for most pick-up truck applications, including Ford, GM and Dodge



### SLY-18100-GM \$36215

#### **Ball Joint Cup Kit for** GM 2500 & 3500 Pickups

SP TOOLS

- Increases the coverage of #SLY-18100 High Pressure Ball Joint Press
- Designed specifically for 2000-2010 GM 2500 & 3500 pickup trucks
- with steel lower A-arms Includes 2 cups for removal and
- 2 cups for installation

OIC

## OTC-7249 \$299<sup>05</sup>

#### **Ball Joint Service Kit**

- Removes and installs press-fit parts such as ball joints, universal joints, and truck brake anchor pins
- Contains 3 receiver tubes: 2-3/4" I.D. x 3" O.D., 2-1/4" I.D. x 2-1/2" O.D., 1-3/4" I.D. x 2" O.D.

## OTC-6530 \$750<sup>65</sup>

#### **Ball Joint Intermediate** Service Kit

• This 20+ adapter kit covers many Truck/Van/SUV applications and some car applications having press-in ball joints and universal joints



#### ເພ OTC-6559 **Ball Joint**

#### Master Service Kit

- This 70+ adapter kit offers complete coverage of Car and Truck/Van/SUV applications
- · Coverage up to 2008 model year

## OTC-CA7149 \$93825

#### **Ball Joint Connected Adapter** Starter Kit

- Fully compatible with existing OTC 7249, 6529, 6539, 6559 ball joint kits
- Includes 7 cups and adapters for more than 230 vehicle applications
- The connected adapter C-frame is the largest available at 2-3/4" deep x 9" wide, able to handle 3/4-ton and 1-ton suspension components



## AST-78100 \$167<sup>25</sup>

#### **Goliath Ball Joint**

### XL C-Frame Press

- For max clearance and easier use of tall and stacked adapters • Includes both long and short
- drive screws

### ATD-8695 \$17815

#### **Extra-Large C-Frame Ball Joint Press**

- For max clearance and easier use of tall and stacked adapters
- Presses out ball joints without removal of top-mounted grease fittings
- 9.1" throat, 11.9" length

## OTC-6939 \$276<sup>25</sup>

#### **Broken Bolt Extractor Tool**

- Remove frozen, broken or cut off bolts within steering or suspension bushings
- · Can also be used to remove and install wheel studs and other general pressing needs



#### **Ball Joint Separator**

#### • 12" x 15/16"

AST-78911 \$4075

#### **Universal Ball Joint Separator**

- · For separating the ball joint from the spindle support arm on domestic and import front wheel drive vehicles
- Adjustable for different size ball joints
- 1-1/8" & 2-1/8" (30 & 56mm) maximum opening capacity

### AST-78912 \$70<sup>85</sup>

#### Low Profile Impact Rated Ball Joint Separator

- · Designed for tight access where
- most ball joint separators won't fit Particularly useful on 2005+
- Ford, Lincoln and Mercury applications
- Designed with a longer throat to fit more applications

#### MUK-609 033 \$375<sup>35</sup>

#### **Ball Joint Separator Kit**

- Designed to be used with
- an impact tool
- Jaw capacity: 30mm 65mm
- 3 fork sizes: 24, 27 and 31mm
- Ideal for Audi / VW (A3, A4 and A6 with double wishbone), BMW, Mercedes-Benz

## **Sway Bar Link Tools**

Item #

9CL-89102

9CL-89501

### **9CIRCLE**

#### Low Profile Sway Bar Link Pliers

- · Holds and easily removes sway bar link
- Strongly grips and works on rusted nuts, pipes and other objects



ATD










Size

7'

9"

\$37.75

\$38.45



YouTube

Schley 18100





## **Strut & Coil Spring Service Tools**





## **Cooling System Pressure Testers**



Item #	Application	
STA-3015	Threaded cooling adapter for GMC trucks	\$322.05
STA-3116	Threaded cooling system adapter for late model Audi, Porsche, VW, Mack Pinacle & Volvo VN Series trucks	\$60.75
STA-3125	Cooling adapter for Japanese cars	\$154.55
STA-3126	Cooling adapter for some GM, Ford cars and trucks, as well as some Navistar, Kenworth, and Sterling	\$84.35
STA-3130	System testing adapter for 1990 and newer Volkswagen	\$138.65
STA-3030	Threaded system testing adapter for most BMW and Land Rover	\$150.45
STA-3127	Threaded system adapter for many late model GM cars and trucks, also Freightliner and IHC trucks	\$205.35
STA-3128	Threaded cap adapter for many late model GM cars and trucks, also Freightliner and IHC trucks	\$85.45
STA-3036	Threaded system adapter for many late model Audi, Porsche and Volkswagen cars	\$222.15
STA-3038	Threaded system adapter for late model Mercedes	\$258.05
STA-3040	Threaded system adapter for many late model Ford, Mazda, and Mercury	\$222.65
STA-3042	Threaded system adapter for many Volvo medium and heavy-duty trucks	\$117.55
STA-7006-KT	Truck adapter kit fits all popular trucks with the large diameter (2-11/16" 0.D. "B" size) filler neck	\$68.45

ASSENMACEER.

#### ASM-FZ52LHT **\$123<sup>25</sup>** Coolant Pressure Adapter

for GM Trucks • Applicable to 2017 and newer Duramax engines

with M52 x 2.5 left hand threaded coolant reservoirs

Made in USA

Made in USA

#### REDLINE

RDL-95-0750 **\$166<sup>45</sup>** SmartFit<sup>™</sup> Universal Radiator Adaptor Set

## Pressure tests cooling systems in all vehicles

- Fits every radiator and/or plastic reservoir
- Works with any pressure pump

## MIT-MV4508 **\$89<sup>55</sup>**

#### mityvac.

#### Universal Cooling System Adapter

- Replaces more than 20 individual cooling system pressure test adapters for cars, vans, light- and heavy-duty trucks
- Compatible with Stant-style cooling system pressure pumps

## MotoRAD<sup>®</sup> Stant

### STA-MT300 **\$228**<sup>65</sup>

#### Engine Coolant System Pressure Tester

#### (Improved Stant #12270)

- Tests cooling systems and pressure caps up to 30 lbs/207 kPa
- Comes in a blow molded case



#### 

#### MIT-MV4560 **\$109<sup>25</sup>**

#### **Cooling System Pressure Test Kit**

- Kit includes four cooling system test adapters and two dual-function cap test adapters to quickly reveal external cooling system leaks and detect internal leaks and defective caps
- Tests most US and Asian cars and light trucks, as well as many European vehicles



## MIT-MV4534 **\$218**<sup>55</sup>

#### **Cooling System Pressure Tester**

- Pressure testing for leaks in automotive cooling systems
- Universal cooling system adapter replaces more than 20 individual adapters for cars, vans, light- and heavy-duty trucks



#### REDLING Made in USA



#### SmartFit™ Universal Cooling System Test Kit

- The SmartFit™ test kit expands to fit 100% of passenger vehicles and light-duty trucks on the road today
- Includes a universal radiator adapter set that fits every radiator and/or plastic reservoir



HICKOK WAEKON

## WAY-62968 \$844<sup>65</sup>

#### Heavy-Duty

#### Cooling System Test Kit

- Compatible with: Freightliner, GMC, International, Kenworth, Mack, Peterbilt, Sterling, Volvo
- · Lifetime warranty on adapters





## **Cooling System Pressure Testers**

## ATD-3302 \$409<sup>85</sup>

#### 25-Pc Master Cooling System **Pressure Test Kit**

- · Quickly reveals external cooling system leaks
- Detects internal engine leaks
- Manual pump with colour coded 0-35 psi gauge
- Temperature gauge
- (3) Chromed steel radiator adapters
- (18) Anodized aluminum radiator adapters
- (2) Radiator cap test adapters
- · For most popular domestic and import cars and trucks

ATD

## ATD-3301A \$451<sup>05</sup>

#### 27-Pc Master Cooling System **Pressure Tester and Refill Kit**

- Hand pump with 0-35 psi gauge
- Temperature gauge
- (3) Chromed steel radiator adapters
- (16) Anodized aluminum radiator adapters
- (1) Universal radiator adapter
- (2) Radiator cap test adapters



## 🖌 Mastercool 🕻

### MTC-43301-A \$454<sup>25</sup>

#### 27-Pc Master Radiator

**Pressure Tester & Refill Kit** • Hand pump with 0-35 psi gauge

- Temperature gauge
- (3) Chromed steel radiator adapters
- (16) Anodized alumin. radiator adapters
- (1) Universal radiator adapter
- (2) Radiator cap test adapters

### MTC-43306 \$606<sup>45</sup>

#### **Heavy-Duty Cooling System Pressure Tester and Refill Kit**

- (5) Ouick disconnect vacuum attachments provide quick refilling of the cooling system and eliminate air pockets
- For use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling cooling systems







## ATD

#### ATD-3307 \$690<sup>55</sup> Heavy-Duty Cooling System

## **Pressure Tester and Refill Kit**

- (5) Quick disconnect vacuum attachments provide quick refilling of the cooling system and eliminate air pockets
- For use with Freightliner, International, Kenworth, Peterbilt, Mack, Volvo, GMC and Sterling cooling systems



## **Astro**

### AST-7856 \$6765

#### **Cooling System and**

- **Pressure Cap Tester** • Uses shop air to pressurize and test cooling
- systems and caps Works on nearly all brands of testing caps
- and adapters
- Gauge displays the common pressure levels for different cooling systems up to 30 psi



## **Astro**

#### AST-78585 \$54345

#### **Universal Radiator Pressure Tester & Vacuum Type Cooling System Kit**

- Allows easy testing for leakage in radiator system and quick change of coolant
- Suitable for domestic and import vehicles



## AD

## ATD-3300 **\$281<sup>15</sup>**

#### **Universal Cooling System Pressure Test Kit**

- Manual pump with colour coded 0-35 psi gauge
- (4) Chromed steel cap adapters
- (8) Anodized aluminum cap adapters For most popular domestic and import cars and trucks



## AD

### ATD-3305 \$11775

#### **10-Pc Cooling System Pressure Test Adapter Update Kit**

#### • For use with #ATD-3300

- Includes 8 radiator adapters and 2 radiator cap test adapters to fit most popular domestic and import cars and light trucks
- Applications: GM, Ford, Jeep, BMW, Mazda, Mercedes, Toyota, Volvo, VW and more





## **Cooling System Refillers & Evacuators**



#### ATD-3306 \$15955

#### Vacuum Type Cooling System **Purge & Refill Kit**

- No need for air bleeding after refilling new coolant
- · Conical adapter offers a wide application to different radiator filler necks
- Kit includes 1 universal radiator cap





CTA-6520 \$17865

#### **Cooling System** Vacuum Purge & Filler

- Purges trapped air from cooling system
- Tests for coolant system leaks
- · Refills cooling system quickly and cleanly
- Rubber body adapters cover most vehicle radiators



#### Mityvac

## MIT-MV4535 \$297<sup>15</sup>

#### **Cooling System**

#### AirEvac Kit

- Kit refills automotive cooling systems in minutes without trapping air
- Universal adapter forms an airtight seal with all radiator and coolant bottle necks. No custom adapters are required.

### **9CIRCLE**

### 9CL-70120 \$153<sup>85</sup>

#### **Cooling System Vacuum Purge and Refill Kit**

- Coolant is easily refilled by creating a vacuum in the radiator
- Eliminates airlocks created while refilling coolant
- Checks for leaks and refills in seconds
- Includes a universal adapter with 3 rubber rings: 5mm. 39.5mm. 44mm

fisle

lisle

### LIS-24780 \$7365

#### 18-Pc Spill-Free® **Clear Coolant Funnel**

 5 colour-coded adapters and 6 caps fit most cars, pickups, trucks and many farm tractors

#### LIS-24680 \$54<sup>55</sup>

## 15-Pc Spill-Free®

#### **Clear Coolant Funnel**

• Five adapters fit most domestic and import cars and light trucks including newer GM "threaded style" radiator openings and Ford surge tanks

#### ASSENMACHER

## ASM-VTC100 \$111<sup>55</sup>

#### **Volvo Truck Coolant Drain Hose**

- Used to drain the coolant of
- Volvo D11, D12, D13 diesel engines 2004-2018, and Mack Trucks 2007-2018
- Comparable to factory Volvo #9996049





### MTC-43013 \$132<sup>35</sup>

#### Vacuum Type Cooling System **Purge & Refill Kit**

- No need for air bleeding after refilling new coolant
- · Conical adapter offers a wide application to different radiator filler necks
- Kit includes 1 universal radiator cap



#### UVW-550000 \$304<sup>95</sup>

#### Airlift<sup>™</sup> Cooling System **Refiller Kit**

- · Eliminates airlocks in vehicle cooling systems
- · Eliminates time consuming bleeding and purging
- Checks for leaks while under vacuum
- Works on: Cars, Trucks, Off-Road Vehicles



#### Airlift<sup>™</sup> HD

#### **Cooling System Refiller**

- · Eliminates airlocks, bleeding and purging in heavy-duty vehicle cooling systems
- Checks for leaks while under vacuum
- Includes a cone adapter to fit most systems with an extra-long 8 ft. hose
- OEM approved by International Truck

## UVW-550500 \$171<sup>15</sup>

#### Airlift<sup>™</sup> II **Cooling System Refiller**

- Eliminates airlocks
- · Refills the entire cooling system in seconds, including the heater core
- Eliminates time consuming bleeding and purging
- Checks for leaks while under vacuum
- Push Button Valve eliminates the need to change hoses
- · Works on all cooling systems with "Fits-All" cone adapter






374 January – March 2024







## **Cooling System Refillers & Evacuators**



AD

lisle

## **Cooling System Service Tools**

Û¢



## **Heavy Duty Vehicle**

**Thermostat Seal Installer** 

 Used on most CAT. Cummins and Detroit Diesel engines (Class 7 and 8 Trucks)

## LIS-22500 \$3785

#### **Thermostat Gasket Cleaner**

• Includes interchangeable short shaft





· Adjustable pressure industrial spray gun • The tip fits 1/2", 5/8" and 3/4" hose fittings



**Heater Core** 

**Backflush Tool** 



### LAN-854 **\$9615**

2-Pc HD Hose Removal/Installer Set

Set includes straight and bent profile removers

## **9CIRCLE**



9CL-41112 \$51<sup>65</sup> **10-Pc Quick Fluid Stopper Set** 

## **Anti-Freeze & Coolant Testers**

#### TEX-106 \$2445 THEXTON Cold-Chek<sup>®</sup> Professional **Anti-Freeze Tester** Accurate at all temperatures Tests ethylene glycol-based coolant, hot or cold, including Dex-Cool<sup>®</sup> Celsius and Fahrenheit scales ATD-1106 \$1175 **Antifreeze & Coolant Tester** • Works for all ethylene glycol coolants, including GM AD Dex-Cool™ • Celsius and Fahrenheit scales EZR-SP102 \$1485 **Anti-Freeze Hydrometer** • Tests ethylene glycol solutions EZRED • Range: 32°F to -60°F (0°C to -50°C) • Tests both hot and cold solutions • Tests Dex-Cool® ATD-1105 \$9<sup>65</sup> ATD **Deluxe Antifreeze & Coolant Tester** Works for all ethylene glycol coolants and GM Dex-Cool<sup>™</sup> • Celsius and Fahrenheit scales

# 483908 **UVIEW**

## **Coolant Dyes**

Wiew






#### **Radiator Coolant Dye**

- For use with regular (green) coolant
- · Pinpoint leaks in cooling systems, including radiator, hoses, fittings, water pumps and head gaskets

Item #	Unit Size	Max. Applications	Qty	
UVW-483908	8 oz/240 ml	8 vehicles	1	\$33.65
UVW-B483906	1 oz/30 ml	6 vehicles	6	\$34.05

#### TRACERLINE



#### **OEM-Grade Rite-Blend™ Universal Coolant Dye**

- For both conventional & extended-life coolants
- Works with all leak detection flashlights
- Dye fluoresces yellow-green
- (6) 1 oz (30 ml) bottles, services up to 6 vehicles





### LEAK FINDER



#### **Coolant Leak Detection Dye**

- · Finds leaks in radiators, hoses, heater cores,
- water pumps and fittings
- · Works with all leak detection flashlights
- Glows green

Item #	Unit Size	Max. Applications	Qty	
LKF-LF3001CS	1 oz/30ml	1 vehicle	1	\$10.15
LKF-LF3001	1 oz/30ml	6 vehicles	6	\$29.95
LKF-LF3008	8 oz/237ml	8 vehicles	1	\$33.55

## **Serpentine Belt Tools**



LAN-TU-30A \$285<sup>45</sup>

**Compression Tester Set** 

including mini engines

ATD

• Tests compression on all domestic and foreign

cars and light trucks with gasoline engines,

• The 2-1/2" gauge has a dual scale dial with ranges from 0-300 PSI and 0-21 bar

## **Compression Testers**

## LANG

### Mituvac\_

#### MIT-MV5530 \$13295

#### **Compression Test Kit**

- Includes adapters for use on motorcycles, marine and small engines and an air-hold adapter for performing valve seal repairs without removing the cylinder head(s). Not for use on diesel engines.
- Max. pressure: 300 psi (21 kg/cm<sup>2</sup>) (20.5 bar) (2,070 kPa)



#### MIT-MV5532 \$250<sup>15</sup> **Digital Gasoline Engine Compression Test Kit**

- Stores maximum compression value for up to 12 cylinders
- Includes adapters for use on motorcycles, marine and small engines and an air-hold adapter for performing valve seal repairs without removing the cylinder head(s).

Not for use on diesel engines.

• Max. pressure: 300 psi (2,070 kPa) (20.7 bar)

#### 



Made in

USA

#### 12mm & 16mm Compression Test Adapter for Ford Triton Engines

- Dual threaded male adapter
- 16mm-1.50 male threads: for use on 3 valve Triton engines 2004 to 2008 5.4L Ford F-150, and 2005 4.6L Ford Mustang



### CTA-2006 \$7395

#### **Compression Tester**

- 15" flex hose
- · Side release valve permits multiple readings without removing tester
- Brass quick disconnect coupler and 14 & 18mm spark plug fittings
- 2-1/2" gauge: 0-300 PSI / 0-21kg/cm<sup>2</sup>



## SGT-34020 \$53<sup>15</sup>

- 12mm-1.25 male threads: for use 2009+ Triton 4.6L, 5.4L and 6.8L engines



## OTC-5606 \$151<sup>55</sup>

#### **Compression Tester Kit for Gas Engines**

- For domestic, imports, motorcycles, marine,
- and small engines
- 2-1/2" gauge with 26" flex hose • Reading: 0-300 psi & 0-2,100 kPa
- 12" flex-14mm standard reach • 12" flex-14mm long reach
- 10, 12, 18mm adapters

## OTC-5605 \$17165

#### **Deluxe Compression Tester Kit for Gas Engines**

- Standard and specialty adapters
- 2-1/2" gauge with 26" flex hose
- Reading: 0-300 psi & 0-2,100 kPa
- 8" deep well 14mm connector
- 7" flex Ford Triton 16mm adapter
- 12" flex-14mm standard reach • 12" flex-14mm long reach
- 10, 12, 18mm adapters





## ATD-5659 **\$110<sup>25</sup>**

LAN-TU-3PB \$10325

Adapters included:

ATD-5639 \$27675

Adapters included:

**Universal Compression Tester Set** • Tests compression on domestic and foreign cars and trucks with gasoline engines

long flex, and 14mm long reach

• Gauge: 0-300 PSI and 0-21 Bar

Super Compression Tester

 M14 & M10 with short thread M14 with long thread • M12 x M16

M14 adapter extension

Tests compression on all domestic

and imported cars and light trucks,

gasoline engines and mini engines

14mm & 18mm short solid, 14mm & 18mm

- **Universal Compression Tester** Tests compression on all domestic
- and imported cars and light trucks and gasoline engines • Include adapters: 14 and 18mm
- short solid, 14 and 18mm long flex, and 14mm long reach
- 2-1/2" gauge with dual scale: 0-300 psi and 0-21 BAR

OIC

## **Diesel Compression Testers**

## LANG

## LAN-TU-15-53 \$422<sup>15</sup>

**Diesel Compression Test Set** 

- This is a great basic set and a must have for diesel work in the American market
- Includes adapters for GM, Isuzu, Lincoln Mark VII Continental and

Ford / Navistar, Audi, Mercedes, Peugeot, Toyota, VW, Volvo

## LANG

### LAN-TU-15-55 **\$568**95

**Diesel Compression Test Set** for Light Duty Trucks

## LANG

LAN-TU-15-70 \$91845

**Diesel Compression Test** Set for Heavy-Duty Trucks & Equipment

## LANG

### LAN-TU-15-82 **\$132**<sup>55</sup>

**Diesel Compression Adapter for Detroit Diesel Series 60 N3 Injector** • Model year 2004 and newer



## ATD-5682 \$83655

**Heavy-Duty Global Diesel Compression Test Set** 

• Includes all the most popular adapters needed to test heavy-duty trucks & equipment





#### OTC-5872 \$36145

#### **Compression Gauge**

- · Heavy-duty compression gauge with push-button release valve and quick-connect coupler
- 0-1,150 psi and 0-8,000 kPa range
- Application: Detroit Diesel S60I two cycle 53, 71, 92 and 149
- Similar to: J-6692-B



## **Special Use Pressure Testers**

## OTC

#### OTC-5039 \$69675

- Finds air leaks in the charged air cooler systems used on
- Kit includes 2-1/2", 0-60 psi pressure gauge,
- regulator and relief valve, and two safety cables Quick disconnect air fittings attach
- to a 3", 3-1/2", or 4" cooler hose

## LANG

## LAN-CLT-2PB \$21075

**Cylinder Leakage Tester** with 2 Gauges - 100 PSI

• Measures the ability of an engine cylinder to hold compressed air; supplements a compression tester



Manufactured By LANG

#### ATD-5573A \$211<sup>85</sup> **Cylinder Leakage Tester**

- Measures the ability of an engine cylinder to hold compressed air pressure and supplements a compression tester
- Range: 0-100 psi and 0-7 BAR

## OTC-5609 **\$171<sup>65</sup>**

- **Cylinder Leakage Tester Kit**  Quickly diagnose internal engine problems such as bad rings,
- valves and leaking head gaskets Dual 2-1/2" gauges 0-100 psi and 0-700 kPa
- Pressure regulated manifold
- 24" long, 14mm flexible hose
- 10 mm, 12mm and 18mm thread adapters for most applications


## LAN-TU-24A-PB \$205<sup>85</sup>

#### **Three-Way Exhaust Back Pressure Kit**

- Allows quicker and more accurate testing of exhaust blockages in catalytic converters, mufflers, etc.
- Can test in 3 different places: Oxygen Sensor, Exhaust Pipes, and Air Injection System













1 oz/30ml

LE2001

cooling system hoses.

## **Spark Plug & Glow Plug Tools**

### MUK-651 001 \$22<sup>25</sup>

#### **Spark and Glow Plug Starter**

- For hard to reach spark and glow plugs
- Flexible rubber tool with special anti-slip textured surface
- Useful tool to install the first pitch of common rail glow plugs

#### VIM-SPM100 \$228<sup>75</sup>

#### **13-Pc Master Spark Plug** Socket Set

- Extra deep: 9/16", 5/8" & 13/16"
- Universal joint: 14mm, 9/16",
- 5/8" & 13/16'
- Standard: 14mm, 9/16", 5/8" & 13/16" • Thin wall: 14mm & 16mm

## CTA-5061 **\$18245**

#### 5-Pc Spark Plug Socket Set

- Services wide range of domestic,
- import & Asian vehicles
- Includes extra-long 10" sockets
- All sockets magnetic except #2376 - 14mm x 12 Pt.
- Includes: #1730 5/8" x 12 Pt.; #2380 5/8" x 6 Pt. #2390 - 9/16" x 6 Pt.; #2394 - 14mm x 6 Pt.; #2376 - 14mm x 12 Pt.



#### Size x Points Item # **OAL** Applications CTA-1730 5/8" x 12 Pt 6" Jeep, Dodge, Chrysler, Mitsubishi \$40.75 CTA-2380 5/8" x 6 Pt. Dodge Ram 1500 4.7L, Honda, Toyota \$44.65 10" CTA-2390 9/16" x 6 Pt. 10" Ford Triton V8 & V10 \$40.75 Toyota/Lexus/Scion 1.8L, Nissan, CTA-2394 14mm x 6 Pt. \$42.05 10" Land Rover, Jaguar & more BMW, MINI, Mercedes, Porsche, CTA-1180 14mm x 12 Pt. Ford, Nissan, Infiniti, Toyota, \$25.45 2.5" Scion, Subaru, & more BMW 2007+, Benz, Ford, Mini 2007-2015, Pathfinder 2015, Prius 2012-2014, Porsche, 14mm x 12 Pt. \$12.75 CTA-2376 2.5" Non-Magnetic Scion FR-S 2013, Subaru



#### S2595 9CL-81282 14mm x 6 Point

#### Magnetic Spark Plug Socket Works on Honda, Infiniti, Lexus,

Nissan, Toyota and more



#### 14mm x 12 Point Magnetic Spark Plug Socket • Works on BMW, Mini, Subaru,

Scion, Toyota Prius and more

## OTC

#### OTC-6900 \$4675

#### 3/8" Drive Ford F-150 Spark Plug Socket

- 9/16" socket works on 2004+Ford F-150 pickup trucks with 5.4L 3-valve Triton V-8 engines
- Soft rubber insert holds and protects spark plug

## fisle

## LIS-63070 \$34<sup>25</sup>

#### 3/8" Drive 16mm, 12 Pt. Thin Wall **Magnetic Spark Plug Socket** with Swivel

• Applications: BMW, Chrysler, Dodge, Jeep, Honda, Acura, Mercedes, and Mini

#### GW GEARWRENCH


#### GWR-80601 \$12905

5-Pc 3/8" Drive 6 Point Magnetic Swivel **Spark Plug Socket Set** • 9/16" x 2-1/2"; 9/16" x 6"; 5/8" x 4"; 5/8" x 6"; 5/8" x 11"



## AST-94404 **\$100**<sup>75</sup>

4-Pc 3/8" Dr. 6 Pt. Magnetic Spark Plug Extension Socket Set with Universal Swivel • 9/16" x 6", 5/8" (16mm) x 6'



## fisle

#### LIS-65200 \$189<sup>05</sup>

**Deep Hole** Aluminum Head M14x 1.25 Spark Plug **Hole Repair Kit** 



## AID

## ATD-5410 \$56345

#### **Ford Triton Spark Plug** Thread Repair Kit

- For use on 3-valve 4.6L, 5.4L and 6.8L engines found in many 2004–2008 Ford, Lincoln and Mercury
- Repairs damaged spark plug threads or spark plug blowouts in 30 minutes or less per cylinder





**Astro** 





## Spark Plug & Glow Plug Tools





## Sensor Sockets

## LOC-994 \$25975

Shockit<sup>™</sup> Socket

**O2 Sensor Removal Kit** 

- Air hammer powered Shockit<sup>™</sup> Sockets to access, loosen, and remove frozen and obstructed O2 sensors
- · Works when ratchets, wrenches, and sockets don't fit
- Angled punch for limited access applications
- Removes NOx sensors on Kenworth, Cummins, International, Detroit, and Volvo diesel truck engines

## LOC-996D \$578<sup>15</sup>

#### Shockit<sup>™</sup> Socket **Diesel NOx & Particulate Sensor Removal Kit**



- · Air hammer sockets for removing diesel exhaust sensors
- 22mm sockets for removing NOx sensors on Chevy Duramax, Dodge Cummins, Ford Power Stroke, Kenworth, Cummins, International, Detroit, Volvo, Jeep and RAM ECO Diesel
- 24mm sockets for removing Particulate Sensors (Soot Sensors) on Chevy Duramax, Dodge Cummins, and Ford Power Stroke
- 30mm socket removes the NOx sensors lock nuts on Jeep and Ram ECO Diesel
- Includes 20mm, 22mm, & 27mm bottoming tap and dies for sensor and mounting hole threads







#### Sending Unit Socket Set • A variety of sockets to replace O2 sensors,

oil pressure switches, oil sender units, vacuum switches and thermal sensor switches



7-Pc Sensor and **Sending Unit Socket Set** 

### OTC-4673 **\$143<sup>15</sup>**

7-Pc Oxygen Sensor Socket Set




## ATD-5666 \$19705

#### 11-Pc Oxygen Sensor & Sending Unit Socket Set

• Variety of sizes and styles for use on most domestic and imported vehicles

Includes oxygen sensor thread chaser

Comes in a blow molded case



3.5" Long Thin-Wall **Oxygen Sensor Socket**  Removes and installs 22mm oxygen sensors that cannot be accessed with standard sockets • 1/2" square drive & 1" Hex drive

## CTA-2073 **\$73<sup>95</sup>**

CTA-2064 \$25<sup>45</sup>

3-Pc Oxvgen Sensor Socket Set - 7/8" (22mm)



## LIS-12100 \$25<sup>95</sup>

#### 7/8" Oxygen Sensor Socket

· Removes and installs oxygen sensors on most domestic and some imports





#### **Oxygen Sensor Thread Chaser**

• Size: M18x1.5

• Also works on M18x1.5 spark plug thread



## LIS-12180 \$15<sup>25</sup>

#### **Soot Sensor Thread Chaser**

#### • Size: M22 x 1.5

• Cleans threads in soot sensor holes



## LIS-12290 \$68<sup>55</sup>

#### **NOx & Soot Sensor Socket Set**

- 1/2" drive sockets, 6 and 12 pt.
- Works on 2014+ Ram 3.0L EcoDiesel V6 engines found in Jeep Grand Cherokee and Dodge Ram 1500 Trucks

## fisle

### LIS-12030 **\$267**<sup>45</sup>

#### **10-Pc Sensor Socket Set**

- · Allows access to difficult wired temperature sensors, thermo switches and other components
- Works on ABS, master cylinder, coolant, and diesel injection sensors
- Includes 10mm-19mm, 3/8" drive sockets



CTA-5083 **\$140**<sup>35</sup> 6-Pc 3/8" Drive **EGT Sensor Socket Set** 

#### Install and remove EGT (Exhaust Gas Temperature)

- sensors on cars and trucks
- 13mm, 14mm & 17mm straight and offset sockets









• For easy access on NOx and Soot Sensors

## Includes 24mm & 30mm offset

384 January - March 2024











## **Timing Belt / Timing Chain Tools**

## MASTER KIT

### CTA-2857L **\$102**<sup>05</sup>

- 5-Pc Master Cam Locking Kit
- Holds camshafts in position during timing belt replacement
- Services many makes, including Fiat, Ford, Honda, Hyundai, Mazda, Mitsubishi, Nissan, Saab, Subaru, Toyota, Volvo, etc.
- Works on a wide variety of Single Cam, Dual Cam & Quad Cam Overhead engines



#### CTA-5000 \$262<sup>75</sup>

#### **Chrysler Cam Timing Locking Set**

- For 3.0L, 3.2L & 3.6L Pentastar engines
- Applications: 2011 and newer Chrysler, Dodge and Jeep models
- Comparable to factory tools #10202, #10200A and #10369A



#### CTA-1205 **\$487<sup>65</sup>**

#### **Cam Phaser & Timing Chain** Locking/Holding Set for **3.6L Pentastar Engines**

- Services 2016+ Chrysler, Dodge & Jeep models Comparable to factory tools #10202, #10200A, #2025001090 and #2025002090



#### 3-Pc Ford Timing Wedges -1.4L & 1.6L

- · Designed to hold/wedge while performing timing service
- Use on Sigma platform engines, 1.4L & 1.6L Duratec 16V engines from 2000 and up models • Example applications are the Ford Fiesta, Focus, Puma, C-MAX, Fusion (Mondeo) and Mazda 2

FORD/MAZDA



#### Ford EcoBoost Timing Tool Kit -2.0L & 2.3L

- Set includes: TDC Crank Timing Pin, Camshaft Alignment Tool, and Crankshaft Positioning Tool
- Applications: Edge, Escape, Explorer, Focus, Mustang, Fusion, Taurus, XF, Evoque, MKC, MKT & MKZ
- Comparable to factory tools #303-507, #303-1521 and #303-1565



### FORD/MAZDA





### CTA-2880 \$5095

- Ford/Mazda Camshaft Timing Kit
- -1.4L, 1.5L, 1.6L & 2.0L
- · For locking and positioning camshafts, crankshafts &
- injection pump sprockets when replacing timing belts or chains • Services Mazda and Ford including all

HWDA, HWDB, & HXDA engines

#### FORD/MAZDA

### CTA-1090 \$50<sup>95</sup>

#### Ford VCT (Variable Camshaft Timing) Alignment Tool – 1.6L

- Services 2011-2014 Fiesta, 2013-2014 Escape, Fusion and Transit
- Can be used with CTA #2880
- Compare to Ford Factory Tool: #303-1097

#### FORD/MAZDA

#### CTA-2221 \$35665

#### Ford/Mazda **Master Timing Kit**

- Services Ford, Mazda & Lincoln 1.4L, 1.5L, 1.6L, 2.0L, 2.3L, 2.5L, 3.0L & 3.5L engines; variations of
- the EcoBoost, Duratec Flex Fuel &

GTDI engine models from mid-90's through today

ZR



#### Ford 1.6L EcoBoost Engine Service Kit - 1.5L & 1.6L

- Ford Cam Locking Plate 1.5L & 1.6L (Comparable to Ford factory tool #303-1552)
- Ford Flywheel Holder 1.6L (Comparable to Ford factory tool #303-393A, 303-393-01 & 303-393-02)
- Ford Crankshaft Vibration Dampener Alignment Tool 1.6L (Comparable to Ford factory tool #303-1550)
- Ford Fuel Line Disconnect Tool 5/16" x 3/8"
- (Comparable to Ford factory tool #310-250)



### LIS-37230 **\$122**<sup>95</sup> **Timing Tool for**

Ford Turbo – 3.5L • For use when servicing the timing chain on 2017 and newer Ford V6 3.5L turbo engines



## LIS-37200 **\$104**<sup>75</sup>

**Timing Tool for Ford with Tensioner** -3.5L & 3.7L

 Applications: 3.5L - 2007 to 2016, non-turbo 2017; 3.7L - 2009+









## Timing Belt / Timing Chain Tools



## **Heavy-Duty Truck Diesel Engine Tools**



## ASM-CM369 **\$192**<sup>75</sup>

#### **Cummins ISX Gear Puller**

- Used to pull the injector and valve cam gears on Cummins ISX engines, 2007-2016
- Comparable to factory Cummins #3163069





### ASM-CM3021 \$594<sup>85</sup>

#### **Cummins ISX 4 Wedge Timing Set**

- Used for setting the gear train timing on
- all Cummins ISX engines, 2007-2016
- Comparable to factory Cummins #3163021

### ASM-DD463 \$184<sup>85</sup>

#### **Engine Barring Tool for Detroit Diesel Engines**



- Used for turning engines to TDC (top dead center) Applicable to Detroit Diesel DD13, DD15 & DD16 heavy-duty diesel engines (EPA07-GHG17)
- Comparable to Detroit Diesel tool #W904589046300

### ASM-PAC13 \$115<sup>15</sup>

#### **Engine Barring Socket for** Paccar MX-13 Engines

- Used for turning engine to TDC (top dead center)
- Comparable to Paccar #1903018 and #1453158PE

## LIS-61840 \$72<sup>35</sup>

#### **Engine Barring Tool for** Paccar MX-13 Engines

- Allows the engine crank to be manually adjusted
- Can be used to make sure the engine rotates freely while troubleshooting other issues

## OTC-7471A **\$132<sup>25</sup>**

#### **Cummins Engine Barring Tool**

• Works on Cummins B and C series diesel engines and 5.9L liter diesels used in Ďodge pickups

## OTC-6749 **\$130**<sup>85</sup>

#### **Engine Barring Socket**

#### • Designed to rotate engine on a

- Mack E7 and Cat 3208
- Similar to J-38587-A



## P TOOLS

#### SLY-95650A \$7385

#### **Cummins Engine Barring Tool** with Variable Depth



• For use on 1987 and newer Cummins B, C & L series engines, J.I. Case 3.9L, 5.9L, 6.7L, 8.3L diesel engines and most of the popular Dodge diesel pickup trucks



## LIS-22130 **\$69**

### 36mm 12 Pt. Barring

#### Wrench for Duramax

 22.5" long wrench works on 2001 and newer Duramax engines to turn the crankshaft allowing access to the torque converter bolts



## OTC

#### OTC-6492-10 \$209<sup>35</sup> **Oil Priming Adapter**

- Allows for proper engine pre-lubing, preventing dry starts after engine service
- Application: Detroit Diesel DD13 and DD15 engines
- Similar to: J-49181

### OTC-5881 \$33645

#### **Cam Gear**

#### **Alignment Fixture**

- This tool pulls the cam drive gear hub and thrust plate forward for camshaft and/or thrust plate seal removal and installation
- Application: Detroit Diesel Series 60
- Similar to: J-35906 and J-35906-6A



## OTC-5882 \$299<sup>05</sup>

#### **Cam Gear**

- Alignment Tool
- Properly aligns the cam gear during camshaft assembly installation
- Application: Detroit Diesel S60

#### • Similar to: J-45946

## OTC-5884 \$172<sup>25</sup>

#### **Cam Gear Retaining Tool**

- Holds cam gear during cam gear bolt removal and installation
- Application: Detroit Diesel S60
- Similar to: J-35652-B









îsle

OTC

OTC





## **Heavy-Duty Truck Diesel Engine Tools**

#### \$688<sup>05</sup> OTC-5887

#### **Crankshaft Seal and Wear Sleeve Installer**

- Properly installs the front and rear crankshaft wear sleeves and seals
- Applications: Detroit Diesel Series 60 and two cycle 92 engines
- Similar to: J-35686-B

### CTA-3895 \$471<sup>25</sup>

#### **ISX Rear Crankshaft Main Seal and Wear Sleeve Remover/Installer Set**



OTC

ZIA

- Applications: newest Cummins seals on ISX, QSX, ISX15 and ISX12 engines
- Comparable to Cummins factory tool #3164780 (seal/sleeve kit #4965569)

## CTA-7320 **\$1203**<sup>55</sup>

#### 4-Pc Master Front & Rear Crankshaft Seal Remover/Installer Set for Ford 6.7L Powerstroke

 Services Ford Super Duty F-250, F-350, F-450, F-550, F-650 & F750 from 2011-2019 (Also



0=11

OTC-5875 **\$2299<sup>15</sup>** 

Cylinder Liner Remover

to pull liners from 5.0" to 5.75"

Expands in the cylinder

services some 2020+ models) • Comparable to Ford factory tool #303-1509, #303-1514, #303-1510 & #303-1513

## OTC-5883 **\$8015**

#### **Crankshaft Alignment Tool**

• Places No. 1 cylinder at TDC (top dead center) during camshaft timing inspection and service.

OTC

- Ensures crankshaft is aligned properly.
- Application: Detroit Diesel S60
- Similar to: J-45947

#### ASSENMACHER

## ASM-HTLP100 \$1700<sup>35</sup>

## **Universal Cylinder**

- Liner Puller
- Used to remove the cylinder liners on Caterpillar, Ćummins, Detroit Diesel, Mercedes OM460 and Volvo D13 engines



### OTC-5874 \$42385

#### **Cylinder Liner Installer**

- Drive screw and plate forces cylinder liner into correct position. Attaches to engine with three cylinder head bolts.
- Application: Detroit Diesel S60 • Similar to: J-35597-A





re-installation of Turbo nuts and bolts

				1
Item #	Size	Application		N
ASM-BY10	10mm	CASE & Chelsea-Allison	\$52.85	
ASM-BY13	13mm	Detroit Diesel	\$66.85	
ASM-BY14	14mm	Volvo & Mack	\$66.85	
ASM-BY15S	15mm	Cummins 5.9, 8.9, X15	\$61.55	

## CTA-7250 \$54<sup>85</sup>

#### **Fluid Service Tools for**

#### **6.7L Cummins Diesel Engine**

- Services 2013+ Dodge RAM 6.7L Cummins Diesel 2500/3500 HD trucks
- Includes: oil filter plug, 28mm fuel filter socket, and Cummins & Duramax 42mm water sensor wrench

### CTA-8612 \$165<sup>85</sup>

#### **Cummins Sleeve Installer Kit** -3.9L, 5.9L & 6.7L

- Services Paccar PX-6, 1989-2016 Cummins 4BT 3.9L,
- B Series 5.9L, ISB 5.9L 6.7L and QSB 5.9L 6.7L • Installs factory seals 3937111, 3904353, 3802820

## CTA-3877 **\$159**<sup>55</sup>

### Damper/Crank Oil Seal Installer

#### -7.3L Powerstroke & T444E

- Installs both the front seal and the damper • Use the screw to gradually and smoothly
- install instead of using a hammer, preventing damage to all components
- Comparable to Ford factory tool #303-484











## **Diesel Injector Service Tools**

#### \$508<sup>75</sup> OTC

OTC-6770

### Ford 6.0L Diesel

Service Tool Kit

- · Properly test vehicle systems for leaks & blockage
- Safely remove and re-install harnesses without damage
- Fuel filter cap wrench, glow plug and injector harness release tools
- Oil line disconnect tool, EGR removal tool
- IPR controller, IPR socket tool and fuel rail pressure adapters



• The ultimate tool for diagnosing a number of problems that affect

OTC-4200

(D)

- diesel fuel injector nozzles · Enables you to check for leakage, pop-off pressure, spray pattern, and chatter
- This tool will accommodate a wide range of injectors. Not designed for Cummins or Detroit injectors.
- Optional adapters available to troubleshoot nozzles used in popular automotive, agricultural, and construction engines



## CTA-7810 \$178<sup>65</sup>

#### **Injector Seat & Chamber Cleaning Set**

 Cleans injector seat and hole prior to installing new injector



## CTA-7468 \$185<sup>05</sup>

4-Pc 1/2" Drive 12-Point **Injection Line Wrench Set** • 14mm, 17mm, 19mm, 22mm



#### **Ford Fuel Injector Sleeve Cup** Remover/Installer Tool - 4.5L & 6.0L

 Services VT275 24 Valve, VT365 32 Valve, 2006-2009 6.0L Powerstroke Diesel, and 2004-2010 4.5L Diesel, including Low Cab Forward E-Series, F-250, F-350, F-450, F-550, F-650, F-750 Super Duty Excursion





Comparable to Ford factory tools #303-767 & #303-768



#### **Ford Fuel Injector Sleeve Cup** Remover/Installer Tool - 6.4L

- Services 2008-2010 Ford 6.4L Powerstroke Diesel on F-250, F-350, F-450 & F-550. Also services 2008-2010 Maxxforce 7.
- Comparable to Ford factory tools #3303-1262 & #303-1263



ZA

### CTA-3875 \$734<sup>65</sup>

#### Ford Fuel Injector Sleeve Cup Remover/Installer Tool – 7.3L Services F-250, F-350, F-450 &

F-550 Super Duty 7.3L engines Comparable to Ford factory tools #303-DS105 D94T-9000-B and #303-D109 D94T-9000-C



### CTA-3876 **\$169**<sup>75</sup>

#### **Fuel Injector Remover**

#### - Ford 6.7L Powerstroke

- Services 2011-2021 Ford F-250.
- F-350, F-450, F-550 & Super Duty
- Comparable to Ford factory tool #310-230

## MUK-600 130 \$906<sup>75</sup>

#### **Universal Diesel Injector** Puller Kit

- Fits Bosch, Delphi,
- Denso, Siemens
- Works most often without removing the electric plug

#### P TOOLS

#### S37675 SLY-17600

## Sprinter Van 2.7L

**Injector Puller Kit** Works on:

- Dodge Sprinter 2003-2009, 2.7L 2500 and 3500 - Freightliner Sprinter 2002-2007, 2.7L 2500 and 3500
- Removes stuck injectors in minutes instead of hours without damaging the injector or valve cover

## SLY-17200 \$181<sup>75</sup>


#### Dodge Cummins 5.9L & 6.7L **HPCR** Injector Puller Kit

- Works on 2003 to current model Cummins ISBE HPCR engines
- Pulls the injector straight and completely out

## SLY-16300 \$255<sup>05</sup>

## **Diesel Injector Puller**

- Ford 6.7L Powerstroke
- 2011 to current





P TOOLS

#### OTC-6778 \$141<sup>35</sup> **GM Duramax Injector Puller** Application: 2001-2004 6.6L Duramax engines

Similar to: J-44639












#### **GM Duramax Injector Puller** Application: 2011+ 6.6L Duramax Diesel, Isuzu engines

• Similar to: Kent-Moore #EN-49774



## **Diesel Injector Service Tools**



#### **Detroit Diesel Fuel System Test Gauge**

- Used to properly diagnose and
- repair fuel systems
- Application: Detroit Diesel DD13 & DD15 engines

• Similar to: J-48876

## **Injector Cup Puller**

- Removes the 2000-2004 LB7
- injector cups without damage
- Assists with the re-install • A must-have tool when
- re-sealing injector sleeves





lsle

## **Fuel Filter Sockets & Wrenches**

#### **Fuel Filter Wrench for the** 2014-Current Ram 1500 EcoDiesel Wrench is designed with four tabs that line up on the outside of fuel filter housing Filter wrench is made of cast aluminum with a 3/8" square drive and 7/8" hex drive **Diesel Fuel Filter Wrenches for Davco** • For removing and replacing the main filter collar as well as the vent cap on Davco aftermarket diesel fuel filter systems Item # Capacity \$43.15 LIS-61090 5" LIS-61110 6" \$46.95 LIS-61130 8" \$57.05 LIS-61140 **\$44**<sup>45</sup> \$38<sup>05</sup> LIS-61060 **Diesel Fuel Filter Wrench Diesel Fuel Filter Wrench** for 3.2L Ford Transit for Paccar 61140 61060 **Compact Diesel Fuel Filter Wrenches for Davco** • Provide 100% engagement

LIS-61150 **\$29<sup>15</sup>** 



**MOTORVA** 

<u>.ANG</u>

## **Fuel Injection Cleaners**



#### **Pressurized Induction Tool**

- · Can be used to clean induction system through the air intake or through a vacuum line
- Simple, safe depressurization of the system when the service is complete

#### OTC-7448A \$460°5

#### **Fuel Injection Cleaner** Canister

- For direct fuel rail and
- injection cleaning 22 oz. capacity

### • Max. 30,000 psi

## LAN-TU-470B \$44995

#### **Fuel Injection Cleaner**

- Right gauge: reads the vehicle fuel pressure
- Left gauge: helps easily set cleaning pressure by referring to vehicle fuel pressure
- Cleans carbon from intake valves, injectors, and combustion chambers with a professional carbon cleaning solution
- Dual scale 2-1/4" gauges: 0-100 psi and 0-7 bar

ring on the fuel filt		•	_	
LIS-61070 <b>\$2</b>	<b>0</b> <sup>75</sup>	£ 3		٦
Vent Cap Wrence     Ouble ended wrevent cap on top of fuel filter system cap	ench removes Davco chassis m	ounted		9
LIS-61380 <b>\$3</b>	<b>5</b> <sup>25</sup>			
Compact Diesel Wrench for Pac	Fuel Filter	(	)	_
• Works on fuel filte	rs found on		6	-
<ul> <li>Works on fuel filte Kenworth, Peterbiol</li> </ul>				-



## **Fuel System Cleaners/Detergents**

## **MOTORVA**

MVC-400-0020 **S144**95 MotorVac<sup>®</sup> CarbonClean MV3 **Heavy Duty Gasoline Fuel System Cleaning Detergent** • 12 x 8 oz. (236ml) bottles

## **MOTORVA**

## MVC-400-2225 \$28<sup>85</sup>

MotorVac® GDi Induction System & **Fuel System Cleaning Kit** • Includes: #400-2425 and #400-2001

## **MOTORVA**

### MVC-400-2425 \$15<sup>05</sup>

#### MotorVac® GDi Induction System Cleaner

· Effectively cleans intake valves, combustion chamber, piston crowns, piston ring lands and fuel injector tips 16 fl oz. (473 ml)











## **Fuel Injection Pressure Testers**

#### ATD-5567 **\$110<sup>25</sup>**

#### Basic Fuel Injection Pressure Tester

• 0-100 PSI and 0-7 BAR

- Tests the following systems:
- American Motors, Bosch AFC, MPC European and Japanese (except CIS)
- Chrysler; Ford; GM (except TBI)
- Japanese fuel injection systems and other Bendix-type fuel injection systems
- Schrader-type valve, including the small valve found on multi-port systems on Ford

## LAN-TU-469 **\$251<sup>25</sup>**

#### Fuel Injection Pressure Tester with Schrader Adapters

- Enables testing on all cars with standard or small Schrader valves
- Dual scale 3-1/2" gauge: 0-100 PSI and 0-7 bar

## 

#### SGT-33980 \$254<sup>05</sup>

#### Fuel Injection Pressure Tester with 2 Gauges

 Test gasoline fuel pump pressure on most domestic and imported fuel injection equipped vehicles





#### Fuel Pressure Tester Kit

- Locates any malfunctioning fuel system component, including fuel filters, pressure regulators, fuel lines, and fuel pumps without removing it from the vehicle
- Dual scale gauge reads 0-100 psi and 0-700 kPa

## OTC-4480 **\$228**<sup>85</sup>

#### Stinger Basic Fuel Injection Service Kit

- Performs running, residual, rail and flow rate pressure tests
- Kit includes two popular adapters for import vehicles as well as the GM TBI adapter
- Dual scale gauge reads 0-100 PSI and 0-700 kPa
- Comes in a blow molded case

## OTC-6550 **\$875**<sup>75</sup>

#### **Master Fuel Injection Kit**

- Test fuel injection systems on most GMs, including GM TBI, Ford, Chrysler, and Jeep vehicles. Also works on imports, including CIS and CISE fuel systems.
- Includes 0-100 PSI fuel pressure gauge and 35 popular OTC fuel injection adapters



### ATD-5578 **\$900**<sup>85</sup>

#### Master Fuel Injection Pressure Test Set for All Systems

- Tests all fuel injection systems both foreign and domestic
- Includes late model GM, Chrysler and European applications
- Large 3-1/2" gauge with dual reading of 0-150 PSI and 0-1000 kPa
- Low pressure 2-1/2" gauge for an accurate reading below 15 PSI

## LANG

## LAN-TU-443 \$74695

#### **Deluxe Fuel Injection Pressure Test Set**

- Dual scale 3-1/2" gauge: 0-100 PSI and 0-7 bar
  Relief valve and 6 feet of tubing to
- Relief valve and 6 fee relieve the pressure and the fuel safely.
   Also allows checking for
- The many
- adapters, hoses, and fittings cover most fuel injection systems worldwide



**AD** 

## <u>LANG</u>



## LAN-TU-550 **\$880**<sup>65</sup>

#### Master Global Fuel Injection Test Kit

- Covers all major domestic and foreign platforms 1988 to present (does not include CIS/TBI)
- Accommodates 3/8", 1/4" and 5/16" hose sizes

## **Fuel System Testers**



## MIT-MV5545 **\$1337<sup>65</sup>**

#### Fuel System Test Kit

- Diagnoses and pinpoints common fuel system failures, including failing fuel pump, faulty pressure regulator, blocked filter(s), pinched fuel line, contaminated fuel and fuel tank vortex
- Works with Domestic, European, and Asian cars & light trucks
   Units of measure: GPM and LPM
  - nits of measure: GPM and LPM

Mityvac



LANG



## **DEF SERVICE & MAINTENANCE**



## **DEF SERVICE & MAINTENANCE**



### THEXTON MANUFACTURING COMPANY

## TEX-108 \$30<sup>35</sup>

## 16-1/4" Long Professional

- Tests the urea concentration of
- Accurate at all temperatures

## EZR-SP110 **\$1765**

#### **DEF Hydrometer**

- Quick, accurate, and easy readings
- of diesel exhaust fluid
- Indicates "GOOD" or "REPLACE" Includes an extension hose





## CEN-3R401 **\$151**<sup>45</sup>

**Coolant/DEF/Battery** Refractometer

 Easily check status of Coolant, DEF and Battery Fluid

#### ATD-3325 \$16865

## **Coolant/DEF/Battery**

- Automatic temperature
- Reads both Ethylene and
- Propylene Glycol based coolants



#### \$186<sup>25</sup>

### **DEF/Ad-Blue**

- Windshield washer fluid Battery acid





## **LOCK-OUT TOOLS & ACCESSORIES**

## Access TOOLS undiguted leader in specialty tools

### AET-AMSC \$50035

#### Super Combo **Complete Set**

- Best selling complete set
- Best selling accessories included
- 1979-present vehicles Instructional DVD &
- manual
- Tool ID system
- High quality in-the-door tools



### LOC-1000 \$37885

#### **18-Pc Supreme Master Automotive Lock Out Kit**

• This 18 piece set is the ultimate product available to handle emergency lock outs



## LOC-145 **\$135**<sup>45</sup>

#### Super Multi-Purpose Easy Access & Inflate-A-Wedge™ Kit

- 4-pc Easy Access Tool for long reach applications
- Includes Plastic Slip Jim (#100), two Plastic Door Wedges (#271), and Inflate-A-Wedge™ (#275)



## LOC-450 **\$111<sup>35</sup>**

## **11-Pc Deluxe Master**

**Automotive Lock Out Kit** 

- Includes the Lock Tech Tool (#LT108)
- Tool kit unlocks most domestic and foreign cars and trucks





## **Automotive Lock Out Kit**

• 9 piece low cost tool kit unlocks most domestic and foreign cars and trucks



### AET-ERK \$27155

#### **Emergency Response Kit**

- Snap-N-Lock Long Reach Tool (SNL)
- Flex Max (FM)
- Button Master (RCBM)
- Super One Hand Jack Tool (SOHJ)
- One Hand Jack Tool (OHJ)
- Super Air Wedge (SAW)
- Glassman Wedge (GM2)
- Wonder Shield (WS)
- Instructional DVD with
- Follow-the-Pro videos
- Quick One-Hand Jack manual





### AET-OHJS4 \$14285

- **One Hand Jack Set**
- Quick Max Long Reach (QM)
- Button Strip Tool (BS)
- Air Jack<sup>®</sup> Air Wedge (AW)
- One Hand Jack (OHJ)
- Heavy duty carrying pouch (SCS) Instructional DVD



## LOC-140 **\$10585**

#### Easy Access & Inflate-A-Wedge™ Kit


- 2 piece Easy Access Tool is 53" long and collapses for easy storage
- Kit includes Plastic Slip Jim (#100), two Plastic Door Wedges (#271), and Inflate-A-Wedge™ (#275)



#### **Fast Access Car Opening Set**

- Kit contains the basic tools and accessories needed to open any vehicle quickly, easily, and without damage
- Flex Max Long Reach (FM)
- Air Jack® Air Wedge (AW)
- One Hand Jack (OHJ)
- Button Strip Tool (BS)
- 3 extra tips

# **LOCK-OUT TOOLS & ACCESSORIES**



# **Mega Master**

- 68" long flexible coated long reach tool
- Extra large retractable loop
- Grabs door handles, keys, knobs, etc.





# **One Hand Jack**

• Use the One Hand Jack to create working room to insert your Air Jack®

Item #	Description	
AET-OHJ	Standard One Hand Jack Tool	\$36.85
AET-SOHJ	Super One Hand Jack Tool Large size for big sedans and SUVs	\$44.25







# STK-32950 \$75<sup>75</sup>

# The BigEasy™ GLO Car Unlocking Kit

- 55" long access tool (glow-in-the-dark yellow)
- Kit includes: non-marring wedge, lock knob lifter, paint protector





# AET-RCBM **\$66**<sup>45</sup>

38" Long Button Master • Grab vertical door buttons with ease



# STK-32903 \$1405

# BigEasy<sup>™</sup> Loop Accessory

- Glows in the dark for night time use
- A snap-on tool that fits all BigEasys
- Allows for grabbing of door handles and window handles





# STEC

### \$53<sup>25</sup> STK-32922

### Easy Wedge

• Inflatable controlled opening of a car door for insertion of the BigEasy





January – March 2024 | 397

# A/C Refrigerant Recovery, Recycling & Recharging Machines



# ROBINAIR



ARCTIC COMMANDER	MTC-COMMANDER4000	MTC-COMMANDER2000	MTC-COMMANDER3000
FEATURES	Automatic R1234YF & HYBRID	Automatic R134A	Automatic R134A & HYBRID
8" Colour Command Center with Touch Screen	-	•	
Automatic and Manual Procedures			
Refrigerant Database			
Automatic Vacuum Leak Test: Programmable	-	-	
Auto Oil Discharge			
Auto and Manual Air Purge			
Auto Filter and Full Tank Alarm			
Low Refrigerant Alarm			
Auto Oil Injection			
Thermal Printer		Optional	
Hose Flushing			
Vehicle A/C System Flushing			
Tank Heater			
6 CFM Vacuum Pump			
Refrigerant Identifier			
On-Board Unit Conversion Calculator			
Self-Diagnostic Check			
Wi-Fi Capable			
	6	6	6

	ROB-AC1234-9	ROB-AC1234-4	ROB-34788NI	ROB-34788NI-H
FEATURES	R1234YF & Hybrid & Non-Hybrid	R1234YF & Hybrid	R134A	R-134A Hybrid & Non-Hybrid
Connection	Incorporated Wi-Fi & Bluetooth® Technology	Wi-Fi & Bluetooth <sup>®</sup> Capable (optional kit)	Wi-Fi Capable (optional kit)	Wi-Fi Capable (optional kit)
Colour Display	10"	4.3" Diag.	5" x 9"	5" x 9"
Fully Automatic Operation				
Refrigerant & Oil Database	Optional	Optional	Optional	Optional
Leak Test				
Automatic Oil Drain				
Automatic Air Purge				
Notifications	Visual & Audible	Visual	Visual & Audible	Visual & Audible
Automatic Oil Injection			•	18480 or 18490 syringe required
Printer	Google Cloud Printing	Optional	Optional Optiona	
A/C System Flushing				
Refrigerant Charging				
Automatic Refrigerant Refill				
Refrigerant Identifier				
1.5 CFM Vacuum Pump				
Certifications	J2927, J2843, UL1963	J2927, J2843, J2886	J2788	J2788
	(a)	()	6	()) ())



# ROB-34724 **\$124<sup>75</sup>** Replacement Filter-Drier for A/C Recover/Recycle/Recharge Machines

Spin-on filter for models:
17700A, 17700-2K, 34700, 34700-2K, 34800, 34800-2K, 34900, 34288, 34788, 34788-H, 34888HD, 34988, 34288NI, 34788NI, 34788NI-H, 34988NI, 34998, AC1234-4, AC1234-6, AC1234-9, and similar OEM models



# CPS-MX3030 🔇

# A/C Refrigerant Management Center

• For use in R134a and R1234yf systems

- Compatible with electric and traditional engine-driven compressors
- Includes: vehicle database, refrigerant identifier
- Fully interactive 7" touch-pad screen that is Wi-Fi printer capable and integrates with Bluetooth<sup>®</sup> wireless adapters for pre and post-service health checks
- Vacuum pump: 2 CFM, 1/3 HP, 10 micron rated
- (2) 30 lb recovery tanks & hoses
- Certified to meet SAE J3030

# A/C System Flushers



**A/C Recovery Systems** 69100 69110 69360-22 69360 69360-YF 69391 69372 69365 💽 Mastercool 🕻 69400-CON EXTRA EXTRA P Made in USA A/C Recovery Systems • 1/2 HP oil-less compressor • 115V – 60 Hz

Item #	Description/ Features	Compressor Features	Designed for	Compatible Refrigerants	Compatible with Combustible Gases	Contaminated Refrigerant Removal	DOT Tank	Filter/ Dryer	Oil Sepa- rator	Manifold Gauge Set	
MTC-69100	Complete A/C Recovery System	Spark-free	R134a	All CFCs, HCFCs, HFCs			30 Lbs	~	~		6
MTC-69110	<ul> <li>Design Certified to Meet SAE J2810</li> </ul>	Spark-free	R134a	All CFCs, HCFCs, HFCs			30 Lbs		~		٩
MTC-69360	Complete A/C Recovery System	<ul><li>Twin turbo</li><li>Spark-free</li></ul>	R134a	All CFCs, HCFCs, HFCs			30 Lbs	~	~		٩
MTC-69360-22	<ul> <li>For all Refrigerated Trucks ("Reefer Units")</li> <li>1/4" Fittings</li> </ul>	<ul><li>Twin turbo</li><li>Spark-free</li></ul>		All CFCs, HCFCs, HFCs including R22, R404, R407C & R410a			30 Lbs	~	~		Ø
MTC-69360-YF	Complete A/C Recovery System	<ul><li>Twin turbo</li><li>Spark-free</li></ul>	R1234yf	All CFCs, HCFCs, HFCs	Incl. A2L & A3		30 Lbs	~	~		6
MTC-69365	<ul> <li>Heavy-Duty A/C Recovery System for Buses &amp; Fleet Applications</li> </ul>	• Twin turbo • Spark-free	R134a	All CFCs, HCFCs, HFCs including R410a			50 Lbs	~	~		6
MTC-69372	Complete A/C Recovery System	<ul> <li>Twin turbo</li> <li>Spark-free</li> </ul>	R134a & R1234yf	All CFCs, HCFCs, HFCs	Incl. A2L & A3		<b>2 x</b> 30 Lbs	V	~	~	6
MTC-69391	<ul> <li>For <b>Contaminated</b> A/C Systems</li> <li>Meets SAE J2810</li> </ul>	<ul><li>Twin turbo</li><li>Spark-free</li></ul>	R1234yf	All CFCs, HCFCs, HFCs including R410a	Incl. A2L & A3	~	30 Lbs				6
MTC-69400-CON	<ul> <li>For <b>Contaminated</b> A/C Systems</li> <li>Mini, Lighter Weight</li> </ul>	<ul><li>Twin turbo</li><li>Spark-free</li></ul>	R134a & R1234yf	All CFCs, HCFCs, HFCs	Incl. A2L & A3	~	30 Lbs				Ø

# A/C Charging Station

# 💽 Mastercool 🖌

# MTC-91585-B \$1258<sup>05</sup> **Single Stage Portable**

**Charging Station** 

- Contains all the necessary tools to quickly and conveniently charge the A/C system
- 240 lb capacity electronic charging scale
- R134a 2-way manifold with 2-1/2" gauges
- 6 CFM single stage vacuum pump
- Manual couplers
- Set of 3 service hoses



# Dual R134a/R1234yf Single Stage **Portable Charging Station**

- · Contains all the necessary tools to quickly
- and conveniently charge the A/C system • 240 lb capacity electronic charging scale
- 2-way manifold with 2-1/2" gauges
- 6 CFM single stage vacuum pump
- R134a manual couplers

MTC-98210-BL \$34745

**Black Series Electronic** Charging Scale with Bluetooth®

Wireless Technology

• Bluetooth® 4.2 and 5

Functions:

243 lbs capacity (110 kg)

- R1234yf manual couplers
- R1234vf adapter
- 1/2" acme-M x 1/2" acme-F LH thread fitting

A/C Refrigerant Scales

Set of 3 service hoses



### (y) MTC-91787

### Mobile Monster - 110V **Complete Heavy Duty Charging/Recovery Station**

- 4-way aluminum manifold
- (1/4" SAE fittings) with digital gauges for precise calculations of over 90 refrigerants
- 240 lb capacity electronic charging scale
- 6 CFM, 2 stage vacuum pump
- Twin Turbo refrigerant recovery machine with
- oil separation module, filter dryer and sight glass Hoses: 200" blue and red, 72" & 36" yellow, 36" black
- 10" extra large tires
- Dimensions: 36-1/4" x 28-3/4" x 25"

💽 Mastercool.



# ATD-3661 \$30495 R1234yf 2-Way Brass



Manifold Gauge Set • (3) 60" hoses • R1234yf high and low side

manual couplers

# ATD-3681 \$282<sup>15</sup>

# R1234yf/R134a Brass **Manifold Gauge Set**

- (3) 60" R134a standard hoses
- 2-1/2" re-calibratable gauges
- Extra access port for vacuum line
- R1234vf high and low side quick couplers
- R134a high and low side economy couplers
- 1/2" (M) x 1/2" (F) LH thread adapter
- (2) 12mm (M) x 14mm (F) R1234yf adapters



7

# ATD-3694 \$17055

R12/R134a Deluxe Dual **Brass Manifold Gauge Set** 

- (3) 60" hoses
- Manual couplers
- 1/4" SAE-M x 1/2" ACME-F adapter

# R12/R134a Deluxe Dual Aluminum Manifold Gauge Set

- Manual couplers
- 1/4" SAE-M x 1/2" ACME-F adapter

Item #	Hoses	
ATD-3695	(3) 60"	\$193.55
ATD-3696	(3) 96"	\$239.65

ATD-3693 **\$160**<sup>45</sup> R134a Economy **Manifold Gauge Set** • R134a gauges • (3) 60" hoses Snap couplers

Gauge guards

• 260 ft. (80m) max. line-of-sight range • Charge programming • Pause/charge • Tank capacity programming • Repeat

# ATD-3637 \$36355

# **Electronic Refrigerant Charging Scale**

- 243 lbs capacity (110 kg)
- 9" x 9" platform
- Precise charging capabilities

# MTC-98250 \$230<sup>85</sup>

# **Refrigerant Tank** Heater Blanket

- Assures total discharge of refrigerant from 30 lb and 50 lb tanks
- Heats tanks to 125°F resulting in a maximum pressure of 185 psi for R134a, and 170 psi for R12
- 300W heater element, 110V



Mastercool.

ATD



# **Manifold Gauges**

# 🕢 Mastercool.

# MTC-89661-AYF \$371<sup>55</sup>

### R1234yf/R134a **Aluminum Manifold Gauge Set**

- 2-1/2" re-calibratable gauges
- Extra access port for vacuum line
- R1234yf high and low side couplers
- R134a high and low side manual couplers
- 1/2" acme-M x 1/2" acme-F left hand thread adapter
- (2) 12mm-M x 14mm-F R1234yf adapters
- (3) R134a standard hoses



# MTC-81661 \$247<sup>75</sup>

### R1234yf 2-Way Brass Manifold

- (3) 60" hoses
- R1234yf high and low side couplers
- 3-1/8" gauges
- Bar/PSI units of measure

# MTC-83272 \$322<sup>25</sup>

- **Piston Valve Manifold**
- (3) 72" hoses
- R1234yf high and low side couplers
- 3-1/2" gauges
- Bar/PSI units of measure



# **Visual Inspection Sight Glass Kits**

- Save time by easily determining if the A/C system needs to be flushed
- Unit can be used with a standard vacuum pump or with the vacuum function of your R/R/R machine
- Allows user to visually inspect the refrigerant in any R134a or R1234yf
- system and identify excess dye, oil or debris
  - Allows the user to extract a small portion of the refrigerant for actual visual inspection
  - Leak free, ball valve controlled and will allow the refrigerant extracted for the visual inspection to be deposited back into the system
  - Kits include: 60" blue and red charging hoses, high and low side quick couplers

Item #	Refrigerant	
MTC-53376	R134a	\$240.55
MTC-53376-YF	R1234yf	\$263.65



# HFO-R1234yf BlackMax **Manifold Gauge Set**

- (3) 8 ft. hoses 1/2" fittings
- Manual couplers

# CPS-MAID8QDL \$49785

# R1234yf & R134a BlackMax **Manifold Gauge Set**

- (3) 8 ft. hoses 1/2" fittings
- Manual couplers

# 💽 Mastercool 🖌

# MTC-99946-BT-2 \$884<sup>05</sup>

# 4-Way Smart Manifold

# with Bluetooth® for All Gases

- 60" high pressure hoses, black vacuum hose and (2) clamps
- 4.3" colour LCD touchscreen
- Built-in premium vacuum sensor
- Displays: pressure, vacuum, temperature (C°/F°), and will automatically calculate your superheat and subcool
- Data logging, leak test timers and alarms Free Mastercool Connect app

CDS

### "Mini-Fold" Digital Compact 2-Way **Aluminum Manifold Gauge Sets**

- Gauges can perform pressure/temperature calculations for up to 91 different refrigerants including R134a, R1234yf, R410a and R22 refrigerants (appropriate hoses/coupler required)
- Unit conversion between MPa, kPa, bar, psi, kg/cm2, inHg
- Large 4-digit "blue" backlit LCD display

# MTC-82172 \$445<sup>65</sup>

# **Digital Mini-Fold for R1234yf**

- (3) 72" hoses
- R1234yf manual couplers

# MTC-84472 \$397<sup>35</sup>

# **Digital Mini-Fold for R134a**

• (3) 72" hoses • R134a manual couplers

# MTC-89660-PRO5 \$185<sup>25</sup>

# R134a 2-Way

# **Manifold Gauge Set**

- (3) 60" hoses
- R134a couplers 3-in-1 side mount
- can tap valve

# MTC-98661-PRO \$269<sup>45</sup>

# Dual R134a/R12

# 2-Way Manifold Gauge Set

- (3) R134a hoses • (3) R12 hoses
- Manual couplers
- 3-in-1 side mount can tap valve













# **Manifold Gauges**



# ROB-49134B **\$290<sup>25</sup>**

R12 & R134A Aluminum Manifold Set and Service Couplers

- 60" R134a & R12 hose set
- 90° manual service couplers



# ROB-49134A **\$222<sup>15</sup>**

R134a Aluminum Manifold Set • 60" R134a hoses

90° manual service

couplers

# ROB-48510 **\$419<sup>35</sup>**

# R134a Aluminum Manifold Gauge Set

- 3-1/8" gauges
- 72" R134a hoses (1/2" ACME x 14mm)
- 90° manual couplers

# ROB-41234 **\$602**<sup>95</sup>

# R1234yf Aluminum

# Manifold Gauge Set

- Oversize 3-1/8" adjustable gauges
- 72" hoses
- R-1234yf vehicle couplers



# **R134a 2-Way Brass**

Manifold Gauge Set

- R12/R134a gauges, PSI, and °F temp
- 90° manual couplers
- 72" R134a hoses (1/2" ACME x 14mm)

# **Service Couplers**

# ROBINAIR

# R-134a Manual Couplers

Item #	Description	
R0B-18190A	Low Side	\$80.25
ROB-18191A	High Side	\$80.25



CDS

QCH134

# R-134a Manual Couplers, 14mm

Item #	Description	
CPS-QCL134	Low Side	\$40.05
CPS-QCH134	High Side	\$33.95
CPS-QC134SET	2-Pc Set	\$65.95

# R-134a to HFO1234yf Conversion Manual Couplers, 14mm

Item #	Description	
CPS-QCL1214MM	Low Side	\$53.15
CPS-QCH1214MM	High Side	\$45.25
CPS-QC1214SET	2-Pc Set	\$112.15



QCL134

MTC-82834-SL \$55<sup>05</sup>

**High Side Manual R134a** 

MTC-82934-SL **\$55<sup>05</sup>** Low Side Manual R134a Safety Lock Coupler • 14mm-F x 13mm

MTC-83834 \$74<sup>05</sup>

MTC-83934 **\$74<sup>05</sup>** Low Side R1234yf Coupler

MTC-83736-K **\$142**<sup>85</sup>

• Converts any R134a manifold gauge set to a R1234yf manifold gauge set

• 12mm-F x 17mm

• 12mm-F x 14mm

R134a to R1234yf

**Conversion Kit** 

**High Side R1234yf Coupler** 

Safety Lock Coupler

• 14mm-F x 16mm

Restered to a series of the se







# ATD-3525 **\$40<sup>55</sup>** R12 to R134a Conversion Kit

Converts R12 gauges to R134a
Contains R134a 90° quick couplers and 1/2" ACME F x 1/4" M adapter for R134a refrigerant tank





### A/C Refrigerant Identifiers A/C Service Tools CDS **Neutronics** ti ID \$466<sup>65</sup> CPS-TACI100 CarSmart-'M A/C Inspection Tool NEU-7081000620 Accurately measures and records Mini ID R134a temperature and relative humidity • Measures air entering the A/C system and **Refrigerant Identifier** compares it to the air supplied through the vents Verifies the presence and in the vehicle cabin quality of R134a refrigerant · Works with the CarSmart App to send detailed reports Accuracy: PASS/FAIL 95% to a smartphone or tablet pure R134a · Provides professional on-screen or printed reports ATD-3638 \$1045 AD Neutronics Universal Large Bore A/C Valve Core Remover/Installer • Used on R12/R134a standard and JRA/EATON large bore R134a valve cores 69) NEU-7081000640 Mini ID R1234yf MTC-81290 **\$10<sup>85</sup>** 💽 Mastercool 🕰 **Refrigerant Identifier** R12/R134a Universal • Verifies the presence and quality Valve Core Remover of R1234yf refrigerant Accuracy: PASS/FAIL 95% pure R1234yf • For R12/R134a Standard and JRA/EATON large bore R134a valve cores IMP-126C \$30<sup>65</sup> Competial Co St **Reversible Ratcheting** Neutronics Wrench for Refrigeration and A/C Service 🛈 Imperial • 1/4", 3/8", 3/16" and 5/16" square drives 7081234330 7081234300 lisle LIS-64180 **\$88**<sup>85</sup> **Actuator Motor Wrench Set** Toothless, infinite ratchet and hinged handle design make it easier to remove and replace fasteners on small, electric HVAC motors • The ratchet can be flipped to switch from clockwise to counterclockwise drive LEGEND SERIEST EGEND SERIESTM Includes 5.5mm, 7mm, 8mm sockets and 1/4" square drive adapter Neutronic PIN: 7-08-1234-33-0 NH T-98-1234-36-0 ATD-3880 \$7575 R12/R134a Valve Core **Repair Kit** Legend Series<sup>™</sup> Refrigerant Analyzers Includes valves cores for: for R12, R134a, and R-1234yf • (20 ea.) Standard R12/R134a • Connects directly to SAE J2843 and J3030 A/C service • (3 ea.) GM R12/R134a machines that have an external analyzer USB port • (5 ea.) JRA (M6) R134a • Refrigerants measured: R1234yf, R134a, R12 • (3 ea.) Eaton SSV (M8) R134a • Contaminants measured: R-22, Hydrocarbons, Unknown • (3 ea.) Eaton SSV (M10) R134a • Refrigerant % displayed: R1234yf, R134a, R22, R12, HC, Unknown, Air • Power: 12VDC @ 1.5 amps Communication protocols: USB 2.0, Bluetooth 2.0 Multilingual 💽 Mastercool. Item # Model MTC-91337 **\$115**75 (a) NEU-7081234330 Base Model R12/R134a Valve Core 69 NEU-7081234300 With Printer **Repair Kit**

# **Electronic Leak Detectors**

# MTC-55600 \$681<sup>85</sup>

### **Black Series Infrared Refrigerant Leak Detector**

- Advanced TFT screen provides clear and easy readings using color graphics that show leakage, sensitivity, battery level and sensor fault indicators
- Visual and audible alarm
- Target scan mode
- · Responds to all halogenated refrigerants including but not limited to: HFC's, HCFC's, CFC's, PFC's, HFO's
- · High, Medium and Low sensitivity

# MTC-55800 \$531<sup>25</sup>

# **Intellasense Refrigerant Leak Detector**

- Detects Combustible Gases, Hydrogen, and all Refrigerants (CFC's, HCFC's & HFC's)
- New metal oxide gas sensor for the detection of chlorofluorocarbon gases and blends
- High sensitivity and a fast response
- Unit works with R1234yf, R32 and R410a
- High, Medium and Low sensitivity

# MTC-55900 \$364<sup>05</sup>

# **Intellasense II**

# **Refrigerant Leak Detector**

- Detects all refrigerants (HFC, CFC, HCFC, and blends)
- Intelligent tip eliminates potential of false alarms
- High, Medium and Low sensitivity

# MTC-56200 \$36205

### "Raptor" Refrigerant Leak **Detector with UV Blue Light**

- Detects all refrigerants (HFC, CFC, HCFC)
- 6 levels of sensitivity (15 levels of detection)
- Variable frequency audible alarm
- Visual leak level indicator

# CPS-LDA1000UV \$56735

# **Pro-Set® Refrigerant Leak Detector** with Mini UV Light

• R134a & 1234yf Visual and audible leak indicators

CPS-LS790B \$51275

# Leak-Seeker® Refrigerant Leak Detector

- 10 sensitivity ranges to detect all non-combustible CFC, HCFC, HFC gases and blends
- Visual and audible alarms

# ROB-LD3 \$53865

# **Economy Refrigerant Leak Detector**

- · Compatible with most used refrigerants including R-1234yf and R-134a
- Automatic calibration
- 3 adjustable sensitivity levels

# ROB-LD7 \$825<sup>35</sup>

# **Premium Refrigerant Leak Detector**

- Compatible with most used refrigerants including R-1234yf and R-134a
- · Colour display with graphics and visual alerts
- UV and Clear LED inspection lights
- Automatic and manual calibration • 3 adjustable sensitivity levels

# Nitrogen Leak Detectors

# CPS-NITROKITG \$523<sup>15</sup> A/C Nitrogen Pressure Leak Test Kit

- Quickly and accurately locate large leaks in **R1234yf** and R134a A/C systems
- The sound of escaping gas at the point of the leak will assist the Technician in locating the leak
- Kit includes:
- 1-valve manifold with a 0-200 PSIG 3-1/8" gauge
- Nitrogen regulator
- 6 ft. red 1/4" service hose
- 15 ft. yellow hose assembly with 1/4" MPT x 1/4" coupler
- High side R-134a coupler
- High side R-1234YF coupler

# **Spray-On Leak Detectors**

### **Big Blu® Spray-On Micro Leak Detector**

- The Original Big Blu® bubble leak detector is used by OEM's and
- industry professionals worldwide Temp range: +35°F to 177°F
- Detects micro leaks
- down to 0.65 oz/year
- Non-toxic
- Non-corrosive
- Biodegradable Safe on any type of gas
- including Oxygen

Item #	Size	
BLU-RT100S	946ml	\$22.1
BLU-BT100G	1 Gallon	\$62.8



<u>DS</u>



# A/C Sealant Detectors

# Neutronics

# NEU-7081000510 \$720<sup>15</sup>

# Model ACSD QuickDetect<sup>™</sup>

# **A/C Sealant Detection Kit**

- Quickly verifies if there is harmful sealant in the vehicle's A/C system
- Prevents possible damage to valuable refrigerant recovery equipment

• Works with R134a and R12 systems

# NEU-7081000520 \$43565

**Refill Cartridges for Model ACSD** Sealant Detector. Pack of 25









CDS

צחו

107





# **Ultraviolet Flashlights**



Fits most caulking gun-style injectors

• (1) 8 oz (237 ml) bottle, services up to 64 vehicles

Max. applications: 32

# **Ultraviolet Leak Detection**

# UVW-471500A **\$146<sup>15</sup>**

# Spotgun™ System Kit

• Services up to 64 vehicles Includes:

- Spotgun<sup>™</sup> injector with R-12 and R-134a adapters
- A/C ExtenDye cartridge (8 oz/240 ml)
- Service stickers



# Spotgun™/Micro-Lite™ Kit

• Services up to 64 vehicles Includes:

- 50W Micro-Lite™
- Spotgun™ injector with R-12 and R-134a adapters
- A/C ExtenDye cartridge (8 oz/240 ml)



# UVW-332005A **\$195**<sup>45</sup>

# Spotgun™Jr./UV Phazer™ Black (AAA) Kit

• Services up to 40 vehicles Includes:

- UV-Phazer Black
- Spotgun Jr. injection system with R-12 and R-134a adapters
- A/C ExtenDye cartridges (4 x 1 oz/30mL)

# UVW-471540 **\$98<sup>35</sup>**

Spotgun™ R-1234yf Hose Assembly with Coupler

# HBF-TPOPUV16 \$41685

# <u>Complete</u> A/C & Fluid UV Leak Detection Kit

- Compatible with R-1234yf, R-134a and more, oil-based fluids, coolant
- **TP9770-8:** 8 oz (237 ml) BigEZ™ Universal/Ester cartridge
- **TP3400:** 1 oz (30 ml) dye for all circulating oil-based fluids
- TP-3900: 1 oz (30 ml) coolant dye
- TP9749: EZ-Shot™ dye injector
- **TP11:** R-134a hose/coupler with BigEZ<sup>TM</sup> adapter & purge fitting
- TP19: fluorescent dye cleaner
- TP9831: R-1234yf adapter

# HBF-TPOPUV19 **\$309**<sup>65</sup> R-1234yf/PAG A/C Dye UV Leak Detection Kit

- **TP9835-P3:** (3) 0.25 oz (7 ml) cartridges of Mini-EZ™
- R-1234yf/PAG single-dose A/C dye • TP9845: EZ-Ject<sup>™</sup> dye injector
- TP10: R-1234yf hose/coupler & purge fitting
- TP19: fluorescent dye cleaner



Wiew



6

12

RACERLINE

CP.

# HBF-TPOPUV20EV **\$407<sup>45</sup>** POE-Based EV A/C Dye

- UV Leak Detection Kit • Compatible with R-1234yf & R-134a
- Compatible with K-1244y & K-1344 • TP9815EV-P3: (3) 0.25 oz (7 ml) cartridges of Electric Vehicle POE-based A/C Dye Mini-EZ™ cartridges
- POE-based A/C Dye Mini-EZ<sup>™</sup> cartridge • **TP9845:** EZ-Ject<sup>™</sup> dye injector
- TP-9813: R-134a coupler and purge fitting
- TP19: fluorescent dye cleaner
- TP9831: R-1234yf adapter

# HBF-TP9790-BX \$243<sup>05</sup>

# EZ-Shot™ Dye Injection Kit for Universal/Ester

- Compatible with R-1234yf & R-134a
- **TP9770-8:** 8 oz (237 ml) BigEZ<sup>™</sup>
- Universal/Ester cartridge • **TP9749:** EZ-Shot<sup>™</sup> dve injector
- TP9749: EZ-Shot<sup>™</sup> dye injector
   TP11: R-134a hose/coupler with BigEZ<sup>™</sup> adaptor Suppose fitting
- adapter & purge fitting • TP9831: R-1234yf adapter
- LKF-LF810 \$16675 LEAKIEN

# BigEZ™ Universal A/C Dye Injection Kit

- Compatible with R-134a, R-1234yf, R-12
- R-134a hose/coupler and purge fitting\*
- LF1800: 8 oz (237 ml) BigEZ™ universal
- A/C dye cartridge • \*R-1234yf systems require LeakFinder® LF60CS adapter (sold separately)

# LKF-LF016 \$273<sup>35</sup>

# BigEZ™ Universal

- A/C Leak Detection Kit • Compatible with R-1234yf/R-134a/PAG
- LF50: dve injector
- BigEZ<sup>™</sup> R-134a hose/coupler and
- purge fitting\* • LF1800: 8 oz (237 ml) BigEZ™ universal multi-dose A/C dye cartridge
- \* R-1234yf systems require LeakFinder® LF60CS adapter (sold separately)
- LEAK-FINDER'

LEAK+FINDER LKF-LF021 **\$163**<sup>95</sup> Complete A/C & Fluid **UV Leak Detection Kit** • LF20CS: A/C dye reusable syringe injector

- LF1001: 1 oz (30 ml) of universal A/C dye
- LF1001: 1 oz (30 ml) of universal A/C o
   LF2001: 1 oz (30 ml) of oil-based dye
- LF2001: 1 oz (30 ml) of oll-based dye
- LF3001: 1 oz (30 ml) of coolant dye
- LF30CS: R-134a hose/coupler with purge fitting'
- \*R-1234yf systems require LeakFinder<sup>®</sup> LF60CS adapter (sold separately)

# LKF-LF020CS \$8105

# SOLO-SHOT™ Single-Use Syringe Universal A/C Leak Detection Kit

- Compatible with R-1234yf & R-134a
- (2) single-use, disposable syringes, prefilled with LeakFinder<sup>®</sup> universal A/C dye
- LF80CS: SOLO-SHOT™ R-134a hose/coupler and purge fitting\*

\*R-1234yf systems require LeakFinder<sup>®</sup> LF60CS adapter (sold separately)



oem

TRACERLINE

RACERLINE

oem

January – March 2024 **407** 

LEAKIFINDER



OCM GRADE







# A/C PAG Oils

 Spotgun cartridge-type PAG oils utilize the Spotgun injection system to inject a precise measured amount of A/C Oil

Item #	Description	Viscosity	Size	Qty	
UVW-488046P	Spotgun Cartridge	46	8 oz/240 ml	1	\$22.75
UVW-488046YF	Spotgun Cartridge compatible with R1234yf	46	8 oz/240 ml	1	\$32.05
UVW-488100P	Spotgun Cartridge	100	8 oz/240 ml	1	\$22.75
UVW-488125P	Spotgun Cartridge	125	8 oz/240 ml	1	\$22.75
UVW-488150P	Spotgun Cartridge	150	8 oz/240 ml	1	\$22.75
UVW-488046PBD	Bottle with A/C Extendye™	46	8 oz/240 ml	1	\$12.75
UVW-488100PBD	Bottle with A/C Extendye™	100	8 oz/240 ml	1	\$17.25

### A/C ESTER Oils

• eBOOST™ increases the lubricity and anti-wear properties of A/C oil and rejuvenates rubber seals and O-rings

• Spotgun cartridge-type ESTER oils utilize the Spotgun injection

system to inject a precise measured amount of A/C Oil

Item #	Description	Viscosity	Unit Size	Qty	
UVW-488016E	Universal ESTER Oil with Dye and <b>eBOOST</b>	150	16 oz/480 ml	1	\$36.65
UVW-488104H	Spotgun Cartridge Hybrid ESTER Oil	100	4 oz/120 ml	1	\$44.35
UVW-488108E	Spotgun Ester Oil Cartridge	100	8 oz/240 ml	1	\$30.25

# THERMOMETERS



# **DISCONNECT TOOLS**

# SLY-14550 **\$44<sup>35</sup>**

# **5-Pc Breather Hose Release Tool Set**

- · Works with Porsche, Audi, BMW, VW, Mini and Mercedes Benz
- 5 sizes for most breather hose fittings



### S10535 ATD-3399 15-Pc Deluxe **Disconnect Tool Set** • For A/C, fuel, oil cooler,

transmission and radiator lines



# **Master Disconnect Set**

 Contains 8 popular disconnect tools for A/C & fuel lines

# LIS-39850 \$292<sup>35</sup>

**Master Plus Disconnect Set** • Includes fuel line quick connect and spring lock couplings, A/C line couplings, and transmission oil

# LIS-39480 \$223<sup>95</sup>

cooler connectors

# 13-Pc Aluminum Spring Loaded Disconnect Set

• For separating oil cooler lines, fuel lines, heater lines and air conditioning line couplings on most vehicles

# LIS-37000 **S14<sup>25</sup>**

# **Air Conditioning/Fuel Line Disconnect Tool Set**

• 5/16", 3/8", 1/2", 5/8", 3/4", 7/8"

# LIS-39960 **\$1265**

**Ford Transmission Oil Cooler** Line Disconnect Set • 3/8" and 1/2" sizes

# LIS-39660 **\$17<sup>15</sup>**

**Transmission Oil Cooler Line Scissors for Ford & Cadillac** • 3/8" x 1/2"

# LIS-39190 **\$21<sup>25</sup>**

3/4" Heater Hose Disconnect **Tool for GM** 

# LIS-39210 **\$29<sup>15</sup>**

5/16" Main Fuel Line Disconnect for Toyota & Nissan



# anteA B

### \$85<sup>45</sup> AST-78930

15-Pc Master **Disconnect Kit** • For A/C, fuel, oil cooler, transmission and radiator lines

# 6-Pc DEF & Fuel Line **Disconnect Set**

LIS-38410 \$50<sup>75</sup>

- · Low profile compact design allows easy access to DEF, breather line, coolant line, and fuel line connectors found on most cars, truck and heavy-duty vehicles
- 1/4" drive allows use with
- a breaker bar or extension
- 4 sizes to compress and 2 sizes to spread connectors to remove the line: 1-3/8" (34.4mm), 1" (25.4mm), 7/8" (22.6mm), ID.918, ID.623 (OD 1.115), ID.512 (OD .810)



# ASM-8021 \$3475



# A CONTRACTOR OF CONTRACTOR

ASM-8023 \$4095 1/2" Transmission Oil Cooler Line Remover



# for Ford Models with 6F Transmission



# ASM-8026 \$41<sup>35</sup>

5/16" Fuel Line Disconnect Tool • Comparable to Nissan #J45488 and Toyota #09268-21011

- Gieley,

# VIM-BCT1 \$4845

# **Button Clip Disconnect Tool**

# with 180° Swivel Head

• Quickly disconnect fuel, EVAP, and DEF fittings with button-type connectors. Also works with certain electrical connections.

Callan



# CAL-689 \$7175 **Mercedes Fuel Line Pliers**

- These pliers are designed for quick connect, slide and lock couplers found on fuel lines of European and Domestic vehicles
- Applications: Audi, GM, Mercedes including M-class, Toyota and VW models

# LIS-37160 \$35<sup>55</sup>

### **Disconnect Pliers for** Fuel and EVAP Lines

 Works on fittings with tabs that must be depressed to disengage such as Delphi two tab connectors and some import vehicles

# LIS-37140 \$35<sup>55</sup>

### 45° Disconnect Pliers for Fuel Line, **EVAP Line & DEF Fittings**

- · Works on fittings with tabs that must be depressed to disengage such as Delphi two tab
- connectors and some import vehicles • Can also be used on some electrical connectors

# LIS-42400 \$76<sup>15</sup>

# 5-Pc Air Line Disconnect Set

• Set comes with five popular sizes: 1/8"-5/32", 1/4", 3/8", 1/2" and 5/8"













# **TUBING & FLARING TOOLS**



# **TUBING & FLARING TOOLS**

# **Flaring Tools**





# IMP-293F \$20475

# **Metric Bubble Flaring Tool**

- or Bundy tubing: 4.75mm (3/16"), 6mm, 8mm and 10mm O.D.
- Will flare soft double-wall steel tubing with a wall thickness up to .028"
- · Can also be used with soft copper and aluminum tubing

OTC

• Flares metric hydraulic brake lines used on European, Japanese and American automobiles and light trucks

# OTC-4504 \$6195

# Bubble (I.S.O.) Flaring Tool Kit

- Designed for crack-free bubble flares on soft steel tubing used in automotive
- Includes 4.75mm, 6mm, 8mm, and 10mm adapters





# TITAN

# 3/16" Double Flaring Tool

mount in bench vise

- Works on steel, nickel and copper tubing • Includes double ended OP1/OP2 punch,
- die lubricant and positioning bolt • Compact design allows for on-vehicle use or remove handle to

### January - March 2024 412

soft copper or aluminum tubing

76

Drills & Drivers, 12V .....

• Drills & Drivers, 18V ...... 76

• Drills & Drivers, 20V ...... 77

• Drills & Drivers, 60V ..... 77

# Α

Abrasive Equipment ...... 294

### ABRASIVES, CUTTING & GRINDING ACCESSORIES 117\_195

GRINDING ACCESSORIES	117-125
Arbors     Arbors     Burrs     Durb.Off Wheels     Deburring Tools     Engine Cylinder Hones     Filex-Hones     Grinding Wheels     Hand Files	
<ul> <li>Roll-On Disc Holders</li> <li>Scratch Brushes</li> <li>Surface Preparation Discs</li> <li>Wire Brushes</li> </ul>	124 119 123, 124
Absorbents	51 372, 373 159, 160 159, 160 48, 49
Adhesives & Glues Adjustable Wrenches	

Adjus	stable	Wrei	nches			 	••••	••••
AIR	CON	IPR	ESS	ORS	8			

### ACCESSORIES

..... 108, 109 Air Compressors...... • Filter/Regulator/Lubricator Units...... 110

108-110

### **AIR CONDITIONING**

SYSTEM SERVICE	398-408
A/C Charging Station	400
<ul> <li>A/C Oils &amp; Injectors</li> </ul>	
<ul> <li>A/C Recovery Systems</li> </ul>	399
<ul> <li>A/C Refrigerant Identifiers</li> </ul>	404
<ul> <li>A/C Refrigerant Recovery,</li> </ul>	
Recycling & Recharging Ma	chines 398
<ul> <li>A/C Refrigerant Scales</li> </ul>	400
<ul> <li>A/C Sealant Detectors</li> </ul>	405
<ul> <li>A/C Sealants &amp; Injectors</li> </ul>	408
A/C Service Tools	403, 404
<ul> <li>A/C System Flushers</li> </ul>	399
<ul> <li>A/C Vacuum Pumps</li> </ul>	403
<ul> <li>Electronic Leak Detectors</li> </ul>	405
<ul> <li>Manifold Gauges</li> </ul>	400, 401, 402
<ul> <li>Nitrogen Leak Detectors</li> </ul>	405
Service Couplers	
<ul> <li>Spray-On Leak Detectors</li> </ul>	
• Ultraviolet Flashlights	
Ultraviolet Leak Detection	
Air Lift Jacks	238

# AIR TOOLS & ACCESSORIES 84-107 • Blow Guns ..... 106, 107

<ul> <li>Impact Wrench Boots</li> </ul>	91
Impact Wrenches	84–90
Impact Wrench Lifters	91
Needle Scalers	100
Nibblers	100
Polishers	104
<ul> <li>Punch/Flange Tools</li> </ul>	100
Ratchets	92
<ul> <li>Reciprocating Saws</li> </ul>	100
Regulators	105
<ul> <li>Retainers for Air Hammers</li> </ul>	99
• Sanders 102, 1	03, 104
Scrapers	100
Screwdrivers	93
Shears	100
Swivels	105
Tire Buffers	104
Angle Gauges, Torque	181

Angle Measuring Devices	337
Antenna Service	320
Anti-Freeze Testers	376
Arbors (Cut-Off Wheels)	124
Assortment Sets	301, 302, 303
Axle Jacks	237, 238
Axle Nut Sockets	354
Axle Tools	365, 366
В	

Back Probes
BATTERY SERVICE 9–26
<ul> <li>Battery Chargers</li></ul>
Bead Breakers

# **BEARING, BUSHING &**

SEAL SERVICE	345-346
Bedliner Coatings Bench Grinders. Benders, Tube Binders. Bit Holders. Bit Sockets, Combination Bit Sockets, Female Torx® & Torx® Plus Bit Sockets, Hexagonal Bit Sockets, Ribe®/Polydrive Bit Sockets, NorTorg® Bit Sockets, Torx® Plus Bit Sockets, Tiple Square/XZN Bits, Screwdriver Blades, Utility Knife Blind Hole Bearing Pullers Blow Guns	287 411 248 248 126, 127 166, 127 164, 165 164, 165 162, 163 162, 163 162, 163 165, 166 186, 187 135 227
BODY SHOP	309-320
Antenna Service     Body Repair Tools & Equipment.     Pumper Sensor Service	309, 310

<ul> <li>Bumper Sensor Service</li> </ul>	317
Door Tools	317
<ul> <li>Paint Guns &amp; Accessories 315</li> </ul>	5, 316
<ul> <li>Pinstripe Removers/</li> </ul>	
Surface Preparation Tools	314
<ul> <li>Plastic Welders &amp; Accessories</li> </ul>	311
Radio Service	320
Sand Blasters	313
Sanding Accessories	313
<ul> <li>Spot Weld Tools &amp; Accessories</li> </ul>	313
<ul> <li>Spray Guns &amp; Accessories 315</li> </ul>	
Stud Welders	312
<ul> <li>Upholstery, Trim &amp;</li> </ul>	
Door Panel Tools	8, 319
<ul> <li>Windshield &amp; Window Service Tools</li> </ul>	320
Work Stands	316
Bolt Cutters	
Booster Cables	
Booster Clamps	
Boosters (Battery Service)	
Boots, Impact Wrench	91
Bore Gauges	337
Bottle Jacks 234	, 235
Brake Drum Dollies	247

BRAKE SERVICE	338-344
Brake Bleeders	338, 339
<ul> <li>Brake Fluid Testers</li> </ul>	342
Brake Lathe Bits	342
<ul> <li>Brake Pad, Drum &amp;</li> </ul>	
Rotor Gauges	
<ul> <li>Brake Rotor Hones</li> </ul>	
<ul> <li>Brake Service Tools</li> </ul>	
<ul> <li>Truck Brake Service Tools</li> </ul>	342, 343
Breaker Bars	159
Brushes, Parts Washing	294
Brushes, Scratch	119
Brushes, Wire	117, 118
Budd Wheel Sockets	359
Buffers, Tire	104
Burrs	120, 121, 122
Bushing Service Tools	345–346
Butane Fuel	327
Butane Torches	

# С

Cable Cutters	194
Cables, Booster	. 15
Cable Ties	303
Cages, Tire Inflation	360
Calipers	335
Camber Adjusters	371
Cameras, Thermal Imaging	409

# **CAMERAS / VIDEOSCOPES**

### **CARGO HANDLING /** .....

HOISTING EQUIPMENT	248
	248
Load Binders	248
Power Pulls	248
Tie-Downs/Binders	248
Carts	221
Center Punches	212
Chain Pullers	248
Chain Wrenches	
Chargers, Battery 16, 17, 18, 19	, 20
Chemical Pumps	
Chipping Hammers (Welding) 332-	
Chisels, Air Hammer 97, 98	, 99
Chrome Sockets 148, 149,	150
Circuit Testers 56, 57	, 58
Circular Saw Blades	116
Clamps, Booster	15
Cleaners/Detergents, Fuel System	392
Cleaners, Metal	299
Cleaning Accessories 292,	293
	317
Code Readers/Code Scanners	49
Coil Spring Service Tools	370
Combustible Gas Leak Detectors	67
	380
Compression Testers	378
Compression Testers, Diesel	379
Compressors, Air 108,	109
Contact Cleaners	299
Coolant Testers	376
Cooling System Adapters	373
COOLING SYSTEM	
MAINTENANCE 372-3	376
Anti-Freeze & Coolant Testers	376
Coolant Dyes	376

# Cooling System Pressure • Cooling System Refillers & Evacuators 372, 373 • Cooling System Refillers & Evacuators 374, 375 • Cooling System Service Tools 376 • Fan Clutch Wrenches ...... 375 **CORDLESS & ELECTRIC TOOLS** 72-83

<ul> <li>Batteries &amp; Unargers, Cordiess Tools</li> </ul>	79
Cut-Off Tools	79
• Die Grinders, Cordless	79
Drill Chucke & Adaptore	83

•	Grinders, Cordless		. 80
•	Grinders, Electric		. 80
•	Impact Wrenches, 12V		. 72
•	Impact Wrenches, 18V		. 73
•	Impact Wrenches, 20V		. 74
•	Lockbolt Tools		. 83
•	Multi-Tool Kits, Cordless		. 75
•	Nailers, Cordless		. 75
•	Pipe Threaders		. 83
•	Polishers, Cordless & Electric		. 82
•	Ratchets, 12V		. 78
•	Ratchets, 20V		. 78
•	Rotary Hammers, Cordless		. 75
•	Rotary Tools		. 83
•	Sanders, Cordless & Electric		. 82
			. 81
	Saws, Cordless & Electric		
Coupl	Saws, Cordless & Electric ers & Plugs, Air alls	105,	106
Coupl Cover	ers & Plugs, Air alls	105,	106 279
Coupl Cover CREI	ers & Plugs, Air alls	105, <b>304-</b>	106 279 <b>306</b>
Coupl Cover CREI	ers & Plugs, Air alls E <b>PERS &amp; SEATS</b>	105, <b>304–</b> <i>304,</i>	106 279 <b>306</b> <i>305</i>
Coupl Cover CREE	ers & Plugs, Air alls EPERS & SEATS Creepers Seats	105, <b>304–</b> <i>304,</i>	106 279 <b>306</b> <i>305</i> <i>306</i>
Coupl Cover CREE	ers & Plugs, Air alls EPERS & SEATS Creepers Seats ng Blocks	105, <b>304-</b> <i>304</i> ,	106 279 <b>306</b> <i>305</i> <i>306</i> 247
Coupl Cover CREI	ers & Plugs, Air alls EPERS & SEATS Creepers Seats ng Blocks oot Wrenches	105, <b>304–</b> <i>304,</i>	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172
Coupl Cover CREI	ers & Plugs, Air	105, <b>304-</b> <i>304</i> ,	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62
Coupl Cover CREI	ers & Plugs, Air alls EPERS & SEATS Creepers Seats ng Blocks oot Wrenches th Probes	105, <b>304-</b> <i>304,</i>	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62 101
Coupl Cover CREE • • Cribbi Crowf Currel Cut-O Cut-O	ers & Plugs, Air alls EPERS & SEATS Creepers Seats ng Blocks oot Wrenches nt Probes ff Tools, Air ff Tools, Cordless	105, <b>304–</b> <i>304</i> ,	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62 101 . 79
Coupl Cover CREE • • Cribbi Crowf Currei Cut-O Cut-O Cut-O	ers & Plugs, Air alls EPERS & SEATS Creepers Seats ing Blocks oot Wrenches th Probes ff Tools, Cordless ff Wheels	105, <b>304-</b> <i>304</i> ,	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62 101 . 79 125
Coupl Cover CREI • • Cribbi Crowf Currei Cut-O Cut-O Cut-O Cutter	ers & Plugs, Air alls	105, <b>304–</b> <i>304,</i>	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62 101 . 79 125 202
Coupl Cover • • • • • • • • • • • • • • • • • • •	ers & Plugs, Air	105, <b>304–</b> <i>304,</i>	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62 101 . 79 125 202 411
Coupl Cover CREI Cribbi Crowf Currel Cut-O Cut-O Cut-O Cuter Cutter Cutter	ers & Plugs, Air	105, <b>304–</b> <i>304</i> ,	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62 101 . 79 125 202 411 192
Coupl Cover CREI Cribbi Crowf Currel Cut-O Cut-O Cut-O Cuter Cutter Cutter Cutter Cutter Cutter	ers & Plugs, Air	105, <b>304-</b> <i>304,</i>	106 279 <b>306</b> <i>305</i> <i>306</i> 247 172 . 62 101 . 79 125 202 411

# D

70

### ... 120 Deburring Tools ......

### **DEF SERVICE &** MAINTENANCE 394-395

Dent Pullers	233
Depth Gauges	337

### **DIAGNOSTIC & TESTING SERVICE TOOLS** 43-69

ABS Sensor Testers	
• ADAS 48,	
<ul> <li>Back Probes</li></ul>	
<ul> <li>Circuit Testers/Volt Testers 56, 57,</li> </ul>	58
Code Readers/Code Scanners	49
<ul> <li>Combustible Gas Leak Detectors</li> </ul>	67
Current Probes	62
Fuse/Relay Testing	63
<ul> <li>Heavy-Duty Truck &amp; Trailer</li> </ul>	
Diagnostics & Testing 52, 53,	54
Key Programming	46
<ul> <li>Leak &amp; Defect Detector</li> </ul>	67
<ul> <li>Leak Detection Smoke Machines</li> </ul>	68
<ul> <li>Multimeters</li></ul>	61
Noid Light Testers	69
Refractometers	69
<ul> <li>Scan Tools &amp; Accessories 43, 44,</li> </ul>	45
<ul> <li>Spark/EFI/IAC Testers</li> </ul>	69
Stethoscopes	67
Tachometers	69
Terminal Release Tools	64
<ul> <li>Test Leads &amp; Adapters</li></ul>	66
Timing Lights	69
<ul> <li>TPMS Diagnostic &amp; Service Tools 50.</li> </ul>	51
Trailer Testers & Maintenance Tools	55
Wheel Alignment & ADAS Calibration	48
Wire Installation Tools	66
Die Grinders, Air	
Die Grinders, Cordless	
	379
Diesel Engine Tools 387, 3	888
Diesel Injector Service Tools	390

Diesel System Service Disc Holders, Roll-On	
DISCONNECT TOOLS	410
Discs, Surface Preparation Dispensers, Oil Disposable Gloves Distance Meters Dollies, Brake Drum Dollies, Drum Dollies, Vehicle Positioning Dollies, Wheel	266 277 334 247 253 246, 247 318, 319 

### **DRILL BITS, STEP DRILL BITS,** FASTENER EXTRACTORS 126-131

27
29
28
31
83
37
86
93
76
76
77
77
85
85
84
85
53
44
53
76
80
1

# Ξ

Earmuffs	276
Ear Plugs	276
EFI Testers	. 69
EGT Sensor Sockets	384
Electrical System Testers	2, 23
Electrical Tapes	300

### **ELECTRIC & HYBRID VEHICLE** SAFETY SOLUTIONS 137-143

EV & HEV Service Tools & Equip. 13     Personal Protective Equipment 14	
Electrician's Pliers End Lift Jacks Engine Cylinder Hones Engine Lifting Equipment & Access	238 120

### **ENGINE SERVICE TOOLS** 377-388

a Qual attack Batatan 200
Combustion Leak Detectors
Compression Testers
<ul> <li>Diesel Compression Testers</li></ul>
Dyes (Multi-Purpose)
• Feeler Gauges
Heavy-Duty Truck
Diesel Engine Tools
Remote Control Starter Switch
Sensor Sockets
Serpentine Belt Tools
<ul> <li>Spark Plug &amp; Glow Plug Tools 381–383</li> </ul>
Spark Testers
Specialty Tools
<ul> <li>Special Use Pressure Testers 379, 380</li> </ul>
• Timing Belt Tools
• Timing Chain Tools
Turbo System Leakage Testers
Water Pump Tools
Engrovero Air
Engravers, Air
Engravers, Electric 83
Evacuators, Cooling System 374, 375
EVAP Leak Detectors

EXHAUST	307-308
Exhaust Service Tools     Garage Exhaust Solutions     Manifold Service Tools     Tailpipe Stretchers	307 308
Extension Cords & Cord Reels Extensions, Chrome & Impact Extensions, Torque Limiting Extractors, Fastener Eye Protection	

Face Shields/Visors	274
Fan Clutch Wrenches	375
Fans	283
Fastener Extractors	131
Feeler Gauges	383
Files, Hand	122
Filters, Air Compressor Line	110
Fire Style Pumps	250
Flameless Torches 325,	326
Flange Tools, Air	100
Flare Nut Wrenches	171
Flaring Tools	412
Flex Handles	159
Flex-Hones®	119
Floor Jacks 235, 236,	237
Floor Mats	297
Fluid Extractors/Dispensers	255
Fluid Extractors/Dispensers, DEF	395

# FLUIDS & FUEL HANDLING 249-259

Chemical Pumps
Drum Dollies
Drum Wrenches
Fluid Extractors/Dispensers
<ul> <li>Fluid Refilling Systems 254, 255</li> </ul>
<ul> <li>Fuel Storage &amp; Transfer Caddies 259</li> </ul>
Gas Caddies
<ul> <li>Gas/Diesel Pumps &amp; Access 256–258</li> </ul>
<ul> <li>High Pressure Fire Style Pumps 250</li> </ul>
<ul> <li>Multi-Fluid Pumps</li></ul>
<ul> <li>Semi-Trash &amp; Trash Pumps 250</li> </ul>
<ul> <li>Static Discharge/Grounding Reels 259</li> </ul>
Water Transfer Pumps 249, 251
Foot Pumps 240

# FRONT-END & SUSPENSION 363-371

Axle/Spindle & Locknut Tools 365, 366
Ball Joint Separators
Ball Joint Service Tools
Camber Adjusters 371
• CV Boots
King Pin Service
Leaf Spring Service
Lower Control Arm Tools
<ul> <li>Pitman Arm &amp; Tie Rod Tools 363, 364</li> </ul>
<ul> <li>Power Steering Service Tools</li></ul>
<ul> <li>Strut &amp; Coil Spring Service Tools 370</li> </ul>
Suspension Wear Indicators
Sway Bar Link Tools
Tie Rod Separators
Torsion Bar Tools
Wheel Hub Service Tools
FUEL & DIESEL SYSTEM
SERVICE 389-393
Diesel Fuel Hydrometers
<ul> <li>Diesel Injector Service Tools 389, 390</li> </ul>
<ul> <li>Fuel Filter Sockets &amp; Wrenches 392</li> </ul>
• Fuel Injection Cleaners
Fuel Injection Cleaners
Fuel Injection Cleaners
Fuel Injection Cleaners
Fuel Injection Cleaners

• Fuel System Cleaners/Detergents..... 392

_
G
Gaiters, Neck
Gas Caddies
Gasket Hole Punches
Gas Leak Detectors
Gauges, Angle
Gauges, Bore
Gauges, Brake Pad 343, 344
Gauges, Caliper
Gauges, Depth
Gauges, Drill
Gauges, Drum
Gauges, Feeler
Gauges, Micrometer
Gauges, Rotor
Gauges, Spark Plug Gap 383
Gauges, Tire Pressure
Gauges, Torque Angle 181, 337
Gauges, Tread Depth
Generators
Generators/Inverters
Gland Nut Wrench 174
Glasses, Safety
Gloves, Disposable
Gloves, Welding
Gloves, Work
Glow Plug Tools
Glue Guns
Glues & Adhesives
Grinders, Air
Grinders, Bench
Grinders, Cordless
Grinders, Electric
Grinding Wheels 125
Grounding Reels
4

### Hacksaw Blades ..... 116 Hacksaws ...... 116 HAMMERS 207-209 • Ball Pein Hammers ...... 207

HEAT GUNS / Flameless heat tools / Torches	324-3	327
Heaters		284
Hearing Protection		276
Head Light Aligners		287
Hand Trucks		290
Hand Files		122
Hammers, Welding		332
Hammers, Air		5. 97
Sledge Hammers		207
Rubber Mallets		207
<ul> <li>Non-Sparking Brass Hammers</li> </ul>		209
Mixed Hammer Sets		209
Drilling Hammers		208
Dead Blow Hammers		208
<ul> <li>Cross Pein Hammers</li> </ul>		209

	OL4 OLI
Butane Fuel	327
Butane Torches	327
Heat Guns	324
<ul> <li>Induction Heaters</li> </ul>	325, 326
Propane Torches	326
Helmets, Welding	333
Hexagonal Bit Sockets	164
Hex Wrenches (Fold Up)	177
Hex Wrenches (L-Shaped)	
Hex Wrenches (T-Shaped)	176, 177
Hoists, Chain	
Hole Punch	
Hole Saws	116
Hollow Punches	
Hones, Brake Rotor	
Hones, Engine Cylinder	
Honing Brushes	
Hood Props	

HOOKS & PICKS	214
Hooks & Picks     Seal Pullers	
Hose Clamp Drivers Hose Clamp Pliers Hose Grip Pliers Hose Priching Pliers Hose Reels for Oil & Grease Hose Reels for Oxygen/Acetylene Hose Release Pliers	. 200, 201 202 202 201 273 332 202
HOSES & ACCESSORIES	111-114
Air Hose Holders     Air Hoses     Air/Water Hoses     Hose Fittings     Hose Nozzles     Water Hoses	. 111, 112 . 112, 113 114 114
Hub Resurfacing Tools HVAC Fabrication Snips/Tools Hydrometers, Diesel Fuel	195

### IAC Testers..... 69 Impact Drivers ..... 184 Impact Sockets..... 151–157 Impact Sockets, Special Application .... 152, 155 Impact Sockets, Universal..... 155 Impact Wrenches, 12V ..... 72 Impact Wrenches, 18V ..... 73 Impact Wrenches, 20V ..... 74 Impact Wrenches, Air ..... 84–90 Impact Wrench Lifters ...... 91 Indicator Sets ..... 336 Induction Heaters...... 325, 326 Inflation Cages ...... 360 Infrared Thermometers ...... 409 Injector Service Tools, Fuel ...... 391

# INSPECTION & PICK-UP TOOLS 71

-		
•	Inspection Mirrors	71
•	Magnifiers	71
•	Pick-Up Tools	71

Insulated Tools & Equipment	137–142
Insulating Personal Protective Equip	142, 143
Inverter Generators	282
Inverters	25

# J

Jacks, Off-Road/Manual Jack Stands	239, 240 241, 242 297 116 211
Jump Starters Jump Starters / Power Banks	,

# Κ

•	Scissors & Shears		136
•	Utility Knife Refill Blades		135
•	Utility Knives	135,	136

# 

Lathe Bits, Brake	342
Leaf Spring Service	371
Leak Detection Smoke Machines	. 68
Leak Detection, Ultraviolet 406,	407
Leak Detectors, A/C Service	405
Leak Detectors, Combustible Gas	. 67

Leak Detectors, Combustion Leak Detectors, Nitrogen Leak Detectors, Spray-On Levels	405 405 335
LIFTING EQUIPMENT	234-247
• Air/Hydraulic Axle Jacks	. 237, 238
Air Lift Jacks	238
Bottle Jacks	. 234, 235
Brake Drum Dollies	247
Cribbing & Safety	247
End Lift Jacks	238
<ul> <li>Engine Lifting Equip. &amp; Access.</li> </ul>	. 242, 243
Floor Jacks	5, 236, 237
Foot Pumps	240
Jack Stands	. 239, 240
Lifting Jack Pads	
Off-Road/Manual Jacks	
Rams & Accessories	240
Tire Carts	. 245.246
• Trailer Stabilizing Stands	
Transmission Jacks	
• Truck Ramps	
Under Hoist Stands	
Vehicle Positioning Dollies	
Wheel Dollies 24	
LIGHTING	27-42

### • Penlights / Pocket-Size Lights.. 36, 37, 38

Load Binders	248
Lockbolt Tools	. 83
Locking Pliers 205,	206
Locknut Tools	366

# LOCK-OUT TOOLS & ACCESSORIES

Lower Control Arm Tools Lubricants (Anti-Corrosion/Multipurpose)	
LUBRICATION 260-	273
<ul> <li>Air-Operated Grease Guns</li> <li>Battery-Operated Grease Guns</li> <li>Bearing Packers</li></ul>	273 273 271 260 266 , 271 , 265 –270
Oil Pumps	272
Lubricators, Air Compressor Line Lug Bolt Tools	, 356

# М

Magnetic Parts Holder	225
Magnetic Parts Trays	225
Magnetic Pick-Up Tools	. 71
Magnetic Tool Holder	224
Magnets	289
Manifold Gauges 400, 401,	402
Manifold Service Tools	308
Markers, Industrial	299
Masks	274

# **MEASURING & PRECISION** 334-337 INSTRUMENTS Angle Measuring Devices ...... 337 Bore Gauges 337 Calipers 335 Depth Gauges 337 Distance Meters 334 Drill Gauges 337 Indicator Sets 336 Torque Angle Gauges ...... 337 Metal Polishes/Cleaners ...... 299 Meters, Lube..... 271 Mirrors ..... 71 Ν

Nailers, Cordless	. 75
Neck Gaiters	
Needle Scalers, Air	100
Nibblers, Air	100
Nitrogen Leak Detectors	405
Noid Light Testers	. 69
NOx Sensor Sockets	
Nozzles, Hose	
Nut Drivers	
Nut Setters	185

396-397

# Р

De la Kasa	
Pads, Knee	275
Paint Guns & Accessories	
Paint Pens	299
Parts Holder, Magnetic	225
Parts Trays, Magnetic	225
Parts Wash Brushes	294
Parts Washers	294
Pedal Depressors	289
Pentagonal Bit Sockets	163
Personal Protective Equipment	
(EV & HEV Service)	
Picks	214
Pick-Up Tools	71
Pinstripe Removers	314
Pipe Plug Sockets	152
Pipe Threaders	83
Pipe Wrenches	175
Pitman Arm Tools	363, 364
Plastic Welders & Accessories	311
PLIERS 1	88-206
	100 101
Adjust./Tongue & Groove Pliers.	
Bolt Cutters	194
Bolt Cutters     Cable Cutters	194 194
Bolt Cutters     Cable Cutters     Cutting Pliers	194 194 192
<ul> <li>Bolt Cutters</li> <li>Cable Cutters</li> <li>Cutting Pliers</li> <li>CV Boot Clamp Pliers</li> </ul>	194 194 192 202
Bolt Cutters     Cable Cutters     Cutting Pliers     CV Boot Clamp Pliers     Hose Clamp Pliers	194 194 192 202 200, 201
Bolt Cutters     Cable Cutters     Cutting Pliers     CV Boot Clamp Pliers     Hose Clamp Pliers     Hose Cutters	194 194 192 202 200, 201 202
<ul> <li>Bolt Cutters</li> <li>Cable Cutters</li> <li>Cutting Pliers</li> <li>CV Boot Clamp Pliers</li> <li>Hose Clamp Pliers</li> <li>Hose Cutters</li> <li>Hose Grip Pliers</li> </ul>	194 194 192 202 200, 201 202 202
<ul> <li>Bolt Cutters</li> <li>Cable Cutters</li> <li>Cutting Pliers</li> <li>CV Boot Clamp Pliers</li> <li>Hose Cutters</li> <li>Hose Cutters</li> <li>Hose Grip Pliers</li> <li>Hose Prinching Pliers</li> </ul>	194 194 192 202 200, 201 202 202 201
<ul> <li>Bolt Cutters</li> <li>Cable Cutters</li> <li>Cutting Pliers</li> <li>CV Boot Clamp Pliers</li> <li>Hose Clamp Pliers</li> <li>Hose Cutters</li> <li>Hose Grip Pliers</li> <li>Hose Pinching Pliers</li> <li>Hose Release Pliers</li> </ul>	194 194 192 200, 201 202 202, 201 202 201 202
<ul> <li>Bolt Cutters</li> <li>Cable Cutters</li> <li>Cutting Pliers</li> <li>CV Boot Clamp Pliers</li> <li>Hose Clamp Pliers</li> <li>Hose Cutters</li> <li>Hose Grip Pliers</li> <li>Hose Release Pliers</li> <li>HVAC Fabrication Snips/Tools</li> </ul>	194 194 192 200, 201 202 200, 201 202 201 202 202 195
<ul> <li>Bolt Cutters</li> <li>Cable Cutters</li> <li>Cutting Pliers</li> <li>CV Boot Clamp Pliers</li> <li>Hose Catters</li> <li>Hose Grip Pliers</li> <li>Hose Grip Pliers</li> <li>Hose Pliers Pliers</li> <li>Hose Release Pliers</li> <li>HVAC Fabrication Snips/Tools</li> <li>Lineman's/Electrician's Pliers</li> </ul>	194 194 192 202 200, 201 202 202 201 202 201 202 195 199
<ul> <li>Bolt Cutters</li></ul>	194 194 192 202 200, 201 202 201 202 201 202 195 199 205, 206
<ul> <li>Bolt Cutters</li></ul>	194 194 192 202 200, 201 202 202 202 202 195 199 205, 206 193
<ul> <li>Bolt Cutters</li></ul>	194 194 192 202 200, 201 202 201 202 201 202 193 205, 206 193 188, 189
<ul> <li>Bolt Cutters</li></ul>	194 194 192 200, 201 202 200, 201 202 201 202 201 202 195 205, 206 199 205, 206 199 205, 206 199 203, 204
<ul> <li>Bolt Cutters.</li> <li>Cable Cutters.</li> <li>Catling Pliers.</li> <li>CV Boot Clamp Pliers.</li> <li>Hose Clamp Pliers.</li> <li>Hose Grip Pliers.</li> <li>Hose Grip Pliers.</li> <li>Hose Pinching Pliers.</li> <li>Hose Release Pliers.</li> <li>HVAC Fabrication Snips/Tools.</li> <li>Lineman's/Electrician's Pliers.</li> <li>Locking Pliers.</li> <li>Long Nose/Needle Nose Pliers.</li> <li>Mixed Pliers.</li> <li>Retaining &amp; Snap Ring Pliers.</li> </ul>	194 194 192 200, 201 202 200, 201 202 201 202 201 202 195 205, 206 199 205, 206 199 205, 206 199 203, 204

	Welding Pliers Wire Strip/Cut/Crimp Pliers 196	202
•	wire Strip/Gut/Grimp Pilers 196	5-198
	Oil Filter 267, 268, 269	
	Air 105	
	t Thermometers	
	ers, Air	
	ers, Cordless & Electric	
	, Metal ive Bit Sockets	
	Banks	
	Cord Reels	
	Pulls	
	Steering Service Tools	
	Tools	
		-337
	es & Accessories	. 286
Pressu	re Testers, Cooling System 372	2, 373
	ire Testers, Fuel Injection	
	re Testers, Special Use 379	
	ire Washers 280	
	s, Current	
	ne Torches	
	tive Coatings	
Protra	ctors	. 337
PRY	BARS 210-	-211
	Indexing Pry Bars Jimmy / Line-Up Pry Bars	
	Rolling Head Pry Bars Screwdriver Pry Bars	
•	Screwuriver Pry Bars	. 210
PULL	ERS 226-	-233
•	Battery Terminal Pullers	. 233
	Blind Hole Bearing Pullers	
	Dent Pullers	
	Drum & Rotor Pullers	
	Flange-Type Pullers	
•	Gear. Bearing & Pullev	
	Pullers / Splitters 226	
•	Harmonic Balancer Pullers	. 230
	Pitman Arm Pullers	. 233
•	Power Steering & Alternator	000
•	Pulley Pullers	
	Slack Adjuster Pullers Slide Hammer Pullers	. 231
		220
•	Steering Wheel/Column Dullare	
	Steering Wheel/Column Pullers	. 229
	Tie Rod Pullers	. 229 . 233
:	Tie Rod Pullers U-Joint Pullers	. 229 . 233 . 231
	Tie Rod Pullers U-Joint Pullers Wheel Hub Pullers	229 233 231 232
•	Tie Rod Pullers U-Joint Pullers Wheel Hub Pullers Wiper Arm Pullers	229 233 231 231 232 233
•	Tie Rod Pullers U-Joint Pullers Wheel Hub Pullers Wiper Arm Pullers Yoke Pullers	229 233 231 232 232 233 233
• • Pullers	Tie Rod Pullers U-Joint Pullers Wheel Hub Pullers Wiper Arm Pullers Yoke Pullers s, Seal	229 233 231 232 232 233 232 232
• • Pullers Pullers	Tie Rod Pullers U-Joint Pullers Wheel Hub Pullers Wiper Arm Pullers Yoke Pullers s, Seal s, Stud	229 233 231 232 232 233 232 232 232 232
• • Pullers Pullers Pumps	Tie Rod Pullers U-Joint Pullers Wheel Hub Pullers Wiper Arm Pullers Yoke Pullers s, Seal s, Stud s, Chemical	. 229 . 233 . 231 . 232 . 233 . 233 . 232 . 214 . 131 . 250
• Pullers Pullers Pumps Pumps	Tie Rod Pullers U-Joint Pullers Wheel Hub Pullers Wiper Arm Pullers Yoke Pullers S, Seal S, Stud S, Chemical B, DEF Transfer	. 229 . 233 . 231 . 232 . 233 . 232 . 232 . 214 . 131 . 250 . 394
Pullers Pullers Pullers Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 233 . 232 . 214 . 131 . 250 . 394 . 250
Pullers Pullers Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 232 . 233 . 232 . 214 . 131 . 250 . 394 . 250 . 240
Pullers Pullers Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 214 . 131 . 250 . 394 . 250 . 240 7, 258
Pullers Pullers Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 214 . 131 . 250 . 394 . 250 . 240 7, 258 . 273
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 214 . 131 . 250 . 394 . 250 . 240 7, 258 . 273 2, 253
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 214 . 131 . 250 . 394 . 250 . 240 7, 258 . 273 2, 253 . 272
Pullers Pullers Pumps P	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 214 . 131 . 250 . 394 . 250 . 240 7, 258 . 273 2, 253 . 272 . 250
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 232 . 214 . 131 . 250 . 394 . 250 . 240 7, 258 . 273 2, 258 . 273 2, 253 . 272 . 250 . 251
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 232 . 214 . 131 . 250 . 394 . 250 . 240 7, 258 . 273 2, 258 . 273 2, 253 . 272 . 250 . 251
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 233 231 232 232 232 232 232 232 232 232
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 233 231 232 232 232 232 232 232 232 232
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps	Tie Rod Pullers	. 229 233 231 232 232 232 232 232 232 232 232
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps Rumps Rumps Pumps Rumps Pumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Ru	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 232 . 233 . 232 . 232 . 233 . 232 . 233 . 232 . 233 . 232 . 250 . 250 . 251 . 272 . 250 . 251 . 271 . 250 . 251 . 272 . 250 . 251 . 251 . 251 . 252 . 253 . 252 . 253 . 252 . 254 . 256 . 255 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555
Pullers Pullers Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps Pumps Rumps Rumps Pumps Rumps Pumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Rumps Ru	Tie Rod Pullers	. 229 . 233 . 231 . 232 . 233 . 232 . 232 . 233 . 232 . 232 . 233 . 232 . 233 . 232 . 233 . 232 . 250 . 250 . 251 . 272 . 250 . 251 . 271 . 250 . 251 . 272 . 250 . 251 . 251 . 251 . 252 . 253 . 252 . 253 . 252 . 254 . 256 . 255 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555 . 2555

Rams & Accessories ..... 240

• 1/4" Square Drive Ratchets ...... 147 • Extendable Ratchets ..... 147 • Fixed Head Ratchets ..... 144, 145 • Flex Head Ratchets..... 145, 146 Mixed Ratchet Sets..... 145

Rotating Head Ratchets...... 146

RATCHETS

144-147

Ratchets, Air       92         Reciprocating Saw Blades       115         Reciprocating Saws, Air.       100         Reels, Static Discharge/Grounding       259         Refillers, Cooling System       374, 375         Refractometers.       69, 395         Refrigerant Identifiers.       404         Refrigerant R/R/R Machines.       398         Refrigerant R/R/R Machines.       398         Refrigerant Scales       400         Regulators, Air Compressor Line.       110         Regulators, Air Tool Side       105         Respirators       274         Resurfacing Tools, Hub.       358         Restaring Tools, Stud       358         Retaining Ring Pilers.       203, 204         Retaining Ring Pilers.       203, 204         Retaining Ring Pilers.       203, 204         Retaining Ring Pilers.       163
RIVETERS 321-323
Air Riveters

# S

SAFETY PRODUCTS / PPE 274-279
Coveralls
Sand Blasters       313         Sandblasting/Abrasive Equipment       294         Sanders, Air       102, 103, 104         Sanders, Cordless & Electric       82         Sanding Accessories       313
SAW BLADES & SAWS 115-116
Circular Saw Blades
Saws, Air Reciprocating
SCRAPERS 134
Carbon Scrapers
Scrapers, Air       100         Scratch Brushes       119         Screwdrivers, Air       93
SCREWDRIVERS & SCREWDRIVER BITS 182–187
Bit Drivers

 Nut Drivers/Nut Setters
 185

 Screwdriver Sets
 182, 183

 Torque Screwdrivers
 184

Screwdrivers, Torque	181
Sealant Detectors (A/C)	405
Sealants & Injectors (A/C)	408
Seal Pullers	214
Seal Service Tools	-346
Seat Covers	297
Seats	306
Sensor Sockets	384
Serpentine Belt Tools	377
Shears	
Shears, Air	100
Shop Presses & Accessories	286

### SHOP TOOLS, EQUIPMENT & SUPPLY 280-303

Adhesives			300
Assortment Sets	301,	302,	303
Batteries			300
Bench Grinders			287
Cable Ties			303
Clamps			285
Cleaning Accessories		292.	293
Contact Cleaners			299
Drill Presses			286
Dyes (Multi-Purpose)			380
Electrical Tapes			300
• Extension Cords & Cord Ree			
Fans		/	283
Generators			203
Glue Guns			300
Glues Hand Trucks			300 290
Head Light Aligners			287
Heaters			284
Hood Props			289
Inverter Generators			282
Janitorial Supplies			297
Lubricants			299
Magnets			289
Metal Polishes/Cleaners			299
Outdoor Power Equipment			296
Paint Pens			299
Parts Wash Brushes			294
Parts Washers			294
Pedal Depressors			289
Presses & Accessories			286
Pressure Washers			281
Protective Coatings			317
Rags & Towels			297
Sandblasting/Abrasive Equip	oment	+	294
Seat Covers & Floor Mats			297
Spill Absorbents			298
Sprayers			
Stools & Platforms			290
Threadlockers			300
Tire Steps			290
Vacuum Cleaners			
Vises		/	285
Workbenches			200
Work Stands	•••••	•••••	291
Adjuster Pullers			231
Hammer Pullers			228

### Sla Sli Smoke Machines (Leak Detection) ...... 68 Snap Ring Pliers ...... 203, 204 Snips..... Sockets, Axle Nut...... 354

SUCKEIS, BII SUCKEIS &	
ACCESSORIES	148-166

Breaker Bars	159
• Chrome Sockets 148, 149,	150
Combination Bit Socket Sets	166
Extensions	158
Extra-Deep Specialty Sockets	150
<ul> <li>Female Torx<sup>®</sup> &amp; Female Torx Plus<sup>®</sup></li> </ul>	
Bit Sockets	161
Flex Handles	159
Flex Head Sockets	150
Hexagonal Bit Sockets 164,	165
• Impact Sockets 151, 152, 153,	154
MorTorg <sup>®</sup> Bit Sockets	166
• Open Stock Impact Sockets 156,	157
Pentagonal Bit Sockets	163
Pipe Plug Sockets	152
Ribe <sup>®</sup> /Polvdrive Bit Sockets	163

•	RIDe <sup>®</sup> /Polyarive Bit Sockets		163
•	Socket Adapters	159	160

Special Application Sockets	155
• Torx <sup>®</sup> & Torx Plus <sup>®</sup> Bit Sockets 162,	163
<ul> <li>Triple Square/XZN Bit Sockets 165,</li> </ul>	166
<ul> <li>Universal Impact Sockets</li> </ul>	155
Universal Joint Adapters	
<ul> <li>Vocational / Mechanics Tool Sets</li> </ul>	150
Sockets, Budd Wheel	359
	392
Sockets, Oil Filter	
	133
Sockets, Torque Limiting	
	222
Soldering Equipment & Accessories 328-	
	384
Spark Plug Tools 381, 382,	
Spark Testers 69,	
	298
Spindle Tools	
	313
Sprayers 292,	
Spray Guns & Accessories 315,	316
	244
	244
Stands, Work 291,	316
Starter Switch, Remote Control	383
Static Discharge/Grounding Reels	259
Steering Service	371
Steering Wheel/Column Pullers	229
Step Drill Bits	128
•	290
Stethoscopes	67
	290
	334
0 0	174
•	370
	131
	358
0	312
	255
	124
	314
	332
	371
	369
Swivels, Air	105

# Т

Tachometers	. 69
Tailpipe Stretchers	308
Tap & Die	132
Tapes, Electrical	300
Tap Sockets	133
Tap Wrenches	132
Technical Education Tool Sets	150
Terminal Release Tools	
Testers, ABS Sensor	
Testers, Anti-Freeze	376
Testers, Battery 20	
Testers, Brake Fluid	342
Testers, Circuit	
Testers, Compression	
Testers, Coolant	
Testers, Diesel Compression	
Testers, EFI	
Testers, Electrical System 20, 21, 22	
Testers, Fuel System	
Testers, IAC	
Testers, Noid Light	
Testers, Pressure	
Testers, Spark 69	
Testers, Turbo System Leakage	
Testers, Volt 56, 5	
Testing Service Tools 43	
Test Leads & Adapters 6	
Test Tanks, Tire & Tube	
Thermal Imaging Cameras	409
THERMOMETERS	409
Infrared Thermometers	409
Pocket Thermometers	409
• Thermal Imaging Cameras	409
Wireless Thermometers	409

### THREADING 132-133 • Specialty Rethreaders ..... 133 • Tap & Die..... 132 • Tap Sockets ...... 133 • Tap Wrenches ..... 132 Tie Wraps ..... 303 Timing Chain Tools...... 385, 386 Tire Buffers 104 Tire Carts 245, 246 Tire Steps ..... 290 TOOL STORAGE & ACCESSORIES 215-225 Torches, Flameless ...... 325, 326 Torque Limiting Extensions & Sockets. 352, 353 Torque Screwdrivers ..... 184 TORQUE TOOLS 178–181 Torque Angle Gauges ..... 181 • Torque Wrenches..... 178, 179, 180, 181 Torx® & Torx Plus® Bit Socket Sets ..... 162, 163 Towels ...... 297 TPMS Diagnostic & Service Tools ...... 50, 51 Transmission Fluid Refilling Systems... 254, 255 Transmission Jacks...... 241, 242

# Truck Ramps ...... 245 TUBING & FLARING TOOLS 411-412 • Flaring Tools...... 412

Tube Benders	411
Tube Cutters	411
Turbo System Leakage Testers	380

# U

Ultraviolet Flashlights	406
Ultraviolet Leak Detection	406, 407
Under Hoist Stands	244
Universal Joint Adapters	159, 160
Unlocking Tools & Accessories	396-397
Upholstery Tools	318, 319
Utility Knives	135, 136

# V

Vacuum Cleaners	6
Vacuum Pumps 40	3
Valve Service Tools	1
Vehicle Positioning Dollies 24	5
Videoscopes (Inspection) 7	0
Vises	5
Visors	4
Volt Testers	8

# W

Water Pump Tools 377
Water Transfer Pumps
Welders, Plastic
Welding Pliers
WELDING & SOLDERING 328–333
Oxygen/Acetylene Hose Reels
Soldering Guns
Soldering Irons
Surge Protectors
• Welding & Cutting Equipment 330, 331
Welding Gloves
Welding Hammers
Wheel Dollies         245, 246, 247           Wheel Hub Service Tools         367, 368
WHEEL & TIRE MAINTENANCE 347-362
Axle Nut/Locknut Tools
Bead Seaters
General Service Tools
Heavy-Duty Wheel Service Tools
Inflation Cages
• Inflators & Gauges
Lug Nut, Lug Bolt & Wheel Lock Tools
Tire Changers 347
Tire Changing Tools & Equip 360–362     Tire Backs 360
<ul> <li>Tire Racks</li></ul>
Tire & Tube Test Tanks
Torque Limiting Exten. & Sockets 352, 353     Tread Depth Gauges
Tread Depth Gauges
Wheel Alignment Tools
Wheel Balancers 347
Wheel Balancers
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wire Strip/Cut/Crimp Pliers         196, 197, 198           Workbenches         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280–303           WRENCHES         167–177
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wireless Thermometers         409           Workbenches         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280–303           Werk Stands         291, 316           WRENCHES         167–177           • Adjustable Wrenches         173
Wheel Balancers
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wire Strip/Cut/Crimp Pliers         196, 197, 198           Workbenches         291           Work Gloves         278, 279           Workstands         291, 316           WRENCHES         167–1777           • Adjustable Wrenches         173           • Chain Wrenches         174           • Comb. Non Ratcheting Wrenches         176           • Comb. Ratcheting Wrenches         168, 169
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wirekess Thermometers         409           Workbenches         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280–303           Work Stands         291, 316           WRENCHES         167–177           • Adjustable Wrenches         173           • Chain Wrenches         174           • Comb. Ratcheting Wrenches         167, 168           • Comb. Ratcheting Wrenches         167, 168           • Comb Ratcheting Wrenches         167, 168           • Comb Ratcheting Wrenches         172
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wire Strip/Cut/Crimp Pliers         196, 197, 198           Workbenches         291           Work Gloves         278, 279           Workstands         291, 316           WRENCHES         167–1777           • Adjustable Wrenches         173           • Chain Wrenches         174           • Comb. Non Ratcheting Wrenches         176           • Comb. Ratcheting Wrenches         168, 169
<ul> <li>Wheel Balancers</li></ul>
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wireless Thermometers         409           Workbenches         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280–303           Work Stands         291, 316           WRENCHES         167–177           • Adjustable Wrenches         173           • Chain Wrenches         174           • Comb. Ratcheting Wrenches         167, 168           • Comb. Ratcheting Wrenches         172           • Double Box Wrenches         170           • Flare Nut Wrenches         171           • Flare Nut Wrenches         177           • Gland Nut Wrench         174
<ul> <li>Wheel Balancers</li></ul>
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           • Wheel Weight Tools         359           • Wheel Weight Tools         359           • Wine Brushes         117, 118           Wire Installation Tools         66           Wire Strip/Cut/Crimp Pliers         196, 197, 198           Workbenches         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280–303           Work Stands         291, 316           WEENCHES         167–177           • Adjustable Wrenches         173           • Chain Wrenches         174           • Comb. Ratcheting Wrenches         168, 169           • Crowfoot Wrenches         170           • Flare Nut Wrenches         171           • Fold Up Wrenches         177           • Gland Nut Wrenches         174           • L-Shaped Wrenches         171           • Open End Wrenches         171           • Pipe Wrenches         171
<ul> <li>Wheel Balancers</li></ul>
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Weight Tools         357           • Wheel Weight Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wires Strip/Cut/Crimp Pliers         196, 197, 198           Work Stands         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280–303           Work Stands         291, 316           WRENCHES         167–1777           • Adjustable Wrenches         173           • Chain Wrenches         174           • Comb. Non Ratcheting Wrenches         168, 169           • Crowfoot Wrenches         170           • Double Box Wrenches         171           • Fold Up Wrenches         177           • Gland Nut Wrenches         177           • Gland Nut Wrenches         174           • Dopen End Wrenches         174           • Strap Wrenches         174           • Strap Wrenches
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Stud Service Tools         357           • Wheel Weight Tools         359           • Wheel Weight Tools         359           • Wineel Weight Tools         350           • Wine Brushes         117, 118           • Wire Brushes         117, 118           Wire Installation Tools         66           Wire Strip/Cut/Crimp Pliers         196, 197, 198           Work Stands         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280-303           Work Stands         291, 316 <b>WRENCHES</b> 167-177           • Adjustable Wrenches         173           • Chain Wrenches         173           • Comb. Non Ratcheting Wrenches         176           • Comb. Non Ratcheting Wrenches         170           • Flare Nut Wrenches         171           • Fold Up Wrenches         171           • Fold Up Wrenches         171           • Fold Wrenches         171           • Fold Wrenches         171           • Fold Wrenches         171
• Wheel Balancers         347           • Wheel Guards for Trucks         359           • Wheel Guards for Trucks         359           • Wheel Weight Tools         357           • Wheel Weight Tools         357           • Wheel Weight Tools         359           Windshield & Window Service Tools         320           Wire Brushes         117, 118           Wire Installation Tools         66           Wires Strip/Cut/Crimp Pliers         196, 197, 198           Work Stands         291           Work Gloves         278, 279           Workshop Tools, Equipment & Supply.         280–303           Work Stands         291, 316           WRENCHES         167–1777           • Adjustable Wrenches         173           • Chain Wrenches         174           • Comb. Non Ratcheting Wrenches         168, 169           • Crowfoot Wrenches         170           • Double Box Wrenches         171           • Fold Up Wrenches         177           • Gland Nut Wrenches         177           • Gland Nut Wrenches         174           • Dopen End Wrenches         174           • Strap Wrenches         174           • Strap Wrenches

# 

XZN Bit Sockets...... 165, 166

# SUPER Liquidation Quantities Last FINAL SALE

# Mastercool.

# MTC-52225-MED \$2945

# **Multi-Function Medical/Surface**

# **Non-Contact Infrared Thermometer**

- Temperature range: Forehead mode: 34°C to 42.2°C (93.2°F to 108°F)
- **Surface mode:** -22°C to 80°C (-7.6°F to 176°F)
- Includes (2) AAA batteries

# ATQ-0BD5-M000 \$49<sup>95</sup>

# MitsuReset Universal TPMS Sensor Decoder

- Enables TPMS relearn mode on most Mitsubishi Lancer,
- Outlander, Outlander Sport, RVR and Mirage The MitsuReset can be used together with the ATEQ VT56
   TPMS diagnostic tool, VT55 TPMS diagnostic tool, VT30
   TPMS reset tool, the VT15 TPMS activation tool or any other trigger tool
- Replaces the OEM scan tool
- Free lifetime software updates



# 

# SGT-28000 \$995



• Quickly and safely test high and low voltages (power and ground) on all vehicle circuits, including computerized engine and body controls

# ATD-5845 \$9995

### 12" Nut/Thread Hand Riveter Kit

- (1 each) Metric nosepieces: M5, M6 and M8
- (1 each) SAE nosepieces: 10-24, 1/4"-20 and 5/16"-18
- (10 each) rivet nuts: M5, M6, M8, 10-24, 1/4"-20 and 5/16"-18

# TBQ-912 \$44355

# **The Ultimate Hub Puller**

- Removes press fit wheel bearings in seconds
- Works on foreign and domestic cars, vans and trucks

1-1

Sliding weight of approximately 15 lbs

# ATD-5289 \$74985

### **Air Operated High-Pressure Grease Pump for 25-50 lbs Pails**

- 50:1 heavy-duty double acting pump
- 6 ft. high-pressure hose, pump muffler, Lincoln-style air coupler, drum cover
- Follower plate with rubber wiping rings to fit **CONICAL** pails
- Grease strainer screen
- Output: 80 cu.in/min.
- Air inlet: 1/8" NPT(f)
- Lube outlet: 1/4" NPT(f)

# Tadeflame

# TDF-213045 \$3495

# **Plastic Welding Accessory Kit**

- Ideal for welding and repairing plastic parts and components
- Includes:
- 10mm plastic welding head Precision screwdriver
- Wire brush Cleaning rod Stainless steel reinforcing mesh
- TradeFlame welding rods: (3) white & (3) black. 17cm long x 4mm OD. in each of PE, PP, PS, ABS materials

🌾 Schumacher

# SHM-SL175RU \$149<sup>45</sup>

# 360° SMD LED Portable

- **Rechargeable Work Light**
- 72 super-bright SMD LEDs
- High/Med/Low, up to 3,000 lumens
- Flexible 360° swivel and tilt

# Schumacher

# SHM-SL189U \$1495

# **12V Rechargeable LED Torch**

- 120 Lumens
- Runs 4 hrs/charge
- High, Low and Flash settings
- Plugs directly into vehicles Rechargeable 7.4V 4Ah lithium ion battery
- 12V outlet for recharging

# KET-KEFL68 \$2945

# 500 Lumens Aluminum LED Flashlight

- ANSI FL1 rated & IPX4 rated
- The diffusing lens offers greater
- beam distance with side visibility • O-Ring sealed protects against
- dust & moisture

# Kit Includes:

- Nylon pouch
- Hand Strap
- (3 AAA) Alkaline batteries

# AST-40HUVL \$5995

# **Rechargeable Handheld Light with a UV Top Light**

- 0-400 lumens COB LED light
- UV top light for A/C and fluid dye leak detection • High/Low: 4/11 hrs
- Includes wall adapter and micro USB cable



**Astro** 











# **SUPER Liquidation** While **Ouantities** Last

# **FINAL SALE**

41/12

# ACA-809-SH \$12945

3/8" Drive Sealed **Flat Head Air Ratchet** • 650 ft-lb • 350 RPM





# SUN-SX113 \$22<sup>35</sup>

3/8" Drive Air Ratchet • 10-45 ft-lb • 150 RPM

# IRWIN

### \$79<sup>95</sup> IRW-IWAF1334

34-Pc Impact

# **Screwdriver Bit Set**

- Socket adapters: 1/4", 3/8", 1/2"
- Magnetic nut drivers: 1/4", 5/16", 3/8" • 1/4" bit holders: 2.5" & 6" long
- Torx bits:
- 2" long: T10, T15, T20, T27, T30, T40
- 3.5" & 6" long: T15, T20, T25, T27, T30 Phillips bits:
- 2", 3.5" & 6" long: #1, #2, #3

# ATD-6404 \$99<sup>45</sup>

# 11-Pc 3/4" Drive 6 Point Truck Service **Impact Socket Set**

AD

• (10) 6 pt. sockets: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-1/2" (1) square drive

- socket: 13/16"
- Packed in metal box

# TIT-16137 \$9<sup>95</sup>

# 13-Pc 1/4" & 3/8" Drive Tamper **Resistant 5-Lobe Star Bit Socket Set**

• TR8, TR10, TR15, TR20, TR25, TR27, TR30, TR40, TR45, TR50, TR55



### 7-Pc Tamper Resistant **Torx® Screwdriver Set** • TR8 x 10", TR10 x 10", TR15 x 10",

TR20 x 10", T25 x 12-3/4", T27 x 12-3/4", T30 x 12-3/4"

# TIT-12346 **\$19<sup>95</sup>**

# 5-1/2" Multi-Purpose **Electrical Shears**

 For left and right hand usage Micro-serration blades





TITAN

TITAN

C.C.

### Nut Buddy Junior -Wheel Nut Remover Loosens the most stubborn wheel nuts • Use on cars and light trucks Gear ratio: 18:1

• Rated output torque: 885 ft-lb

\$49<sup>95</sup>

• Includes (3) sockets: 17mm, 19mm, 21mm

# ATD-74 \$1495

ATD-4068 \$7995

3 Lbs. Non-Sparking

**Fiberglass Handle** 

Hammer with

AME-67301

# **Storage Box Organizer Set**

- · Removable trays and dividers for customizable compartments
- Includes (4) individual boxes of varying sizes: (1) 8.66" L x 11.42" W x 2.36" H (1) 8.66" L x 6.1" W x 4.72" H (2) 8.66" L x 6.1" W x 2.36" H





# **Trex Slip-On Ice Cleats**

 One piece traction device for shoes or boots delivers grip and stability

Item #	Size	
ERG-16753	(M) 5-8	\$14.75
ERG-16754	(L) 8-11	\$14.75
ERG-16755	(XL) 11-14	\$14.75

# GJO-6420 \$1995 **PURELL® ES6 Hand Sanitizer**

# **Dispenser - White**

- Touch-free dispenser for PURELL<sup>®</sup> ES6 1200 ml hand sanitizer refills
- Dispenser and formulation are calibrated to provide the optimal dose for effective hand hygiene
- Includes 4 "C" cell batteries
- Refill sold separately





# PURELL® ES6 Soap Dispenser - Graphite

- Touch-free dispenser for PURELL<sup>®</sup> ES6 1200 ml HEALTHY SOAP® refills
- Dispenser and formulation are calibrated to provide the optimal dose for effective hand hygiene
- Includes 4 "C" cell batteries
- Refill sold separately



fund

HAND





# AUTEL MAXIFLASH

DUAL CHANNELS FOR DATA TRANSFER EFFICIENCY

- Server & Point-to-Point Dual Channel Communication
- Hard-Wired & Wi-Fi Network
   Communication Modes
- Update Software via
   Internet Connection



Technicians post orders to the Remote Expert platform via the Autel MaxiFix mobile app



8 6



Setting





Connect with module programmers, automotive diagnosticians, and system experts for tasks requiring OE data, software, or tools.

# J2534 PASS-THRU Programmer

MULTI-PROTOCOL Enhanced VCI

> Including CAN, CAN FD & DolP



# AUTEL ACADEMY TECHNICAL TRAINING

Visit **autel.com/us/academy** and register today for hands on automotive diagnostic, repair, service, and ADAS instruction.





# **CATEGORY** Index

# Α

Abrasives, Cutting & Grinding Accessories	
Air Compressors & Accessories	
Air Conditioning System Service	
Air Tools & Accessories	84-107
В	1111
Battery Service	
Bearing, Bushing & Seal Service	345-346
Body Shop	309-320
Brake Service	
C	12224
Cameras / Videoscopes	
Cargo Handling / Hoisting Equipment	
Chisels	
Cooling System Maintenance	372-376
Cordless & Electric Tools	
Creepers & Seats	304-306
D	
DEF Service & Maintenance	394-395
Diagnostic & Testing Service Tools	

DEF Service & Maintenance	394-395
Diagnostic & Testing Service Tools	43-69
Disconnect Tools	410
Drill Bits, Step Drill Bits, Fastener Extractors	126-131

Electric Tools	72-83
Electric & Hybrid Vehicle Safety Solutions	137-143
Engine Service Tools	377-388
Exhaust	307-308

# Fastener Extractors......129-131 Fluids & Fuel Handling ......249-259

# G

Grinding Wheels ......125

H

Hammers	207-209
Heat Guns / Flameless Heat Tools / Torches	324-327
Hoisting Equipment	
Hooks & Picks	
Hoses & Accessories	111-114

Т Inspection & Pick-Up Tools ......71 Κ

Knives, Scissors & Accessories......135-136 1

Lifting Equipment	
Lighting	
Lock-Out Tools & Accessories	
Lubrication	

# Μ

# Ρ

Picks	214
Pick-Up Tools	71

Pilers	
PPE (Personal Protection Equip.)	142-143, 274-279
Pry Bars	
Pullers	
Punches & Chisels	
R	
Ratchets	
Riveters	
S	
Safety Products / PPE	142-143, 274-279
Saw Blades & Saws	115-116
Scrapers	
Screwdrivers & Screwdriver Bits	
Seal Service	
Seats	
Shop Tools, Equipment & Supply	
Sockets, Bit Sockets & Accessories	148-166
Soldering Equipment	
Steering & Suspension Service	
TAAAAAAAAAAAAAAAAA	
Testing Service Tools	
Thermometers	

188-206

Testing Service Tools	
Thermometers	
Threading	
Tire & Wheel Maintenance	
Tool Storage & Accessories	
Torches	
Torque Tools	
Tubing & Flaring Tools	

# W

Pliers

Welding & Soldering	328-333
Wheel & Tire Maintenance	347-362
Wrenches	167-177